## **REVIEW PANEL**

ROBERTS BANK TERMINAL 2 PROJECT Panel.RBT2@ceaa.gc.ca

December 4, 2018

Carol Mason
Commissioner/Chief Administrative Officer
Metro Vancouver
<email address removed>

Subject: Invitation to Participate – Public Comment Period on Additional Information for the

**Proposed Roberts Bank Terminal 2 Project** 

Dear Ms. Mason,

On December 4, 2018, the Review Panel (the Panel) responsible for the environmental assessment of the proposed Roberts Bank Terminal 2 Project (the Project) announced the start of a public comment period on the additional information provided by Vancouver Fraser Port Authority (the Proponent) in response to Information Request Packages 9 through 13 and the remainder of responses to Packages 7 and 8. Information Requests and the Proponent responses are available on the Canadian Environmental Assessment Registry (Document 934).

The Panel invites Metro Vancouver to participate in the review of the responses, as well as other information currently on the public record for the Project, to ensure the Panel has sufficient information to proceed to the public hearing. Accordingly, the Panel requests that all appropriate representatives / experts from Metro Vancouver review the Proponent's responses, and that comments be provided to the Panel no later than **January 25, 2019**.

In particular, in relation to the responses that are relevant to the expertise and mandate of Metro Vancouver, the Panel is interested in receiving your department's views on:

- whether the responses adequately address the Information Requests that were issued by the Panel; and
- the technical merit of the information provided in response to the Information Requests.

If Metro Vancouver is of the view that there is sufficient information on responses received by the Proponent, please advise the Panel. Otherwise, Health Canada is requested to identify any additional information requirements and provide a rationale to justify their relevance using the format outlined in Appendix A.

The Panel will determine if the Environmental Impact Statement (EIS) and the Marine Shipping Addendum (MSA), as supplemented by the additional information, is sufficient to proceed to a public hearing based on its own review and taking into consideration all comments received.

If the Panel determines the EIS and MSA, as supplemented by the additional information, is insufficient, it will ask the Proponent to provide further information in the necessary areas. If the Panel determines it has sufficient information, it will schedule and announce the public hearing. The Panel will provide a minimum of 60 days' notice before the commencement of the hearing.

## **REVIEW PANEL**

ROBERTS BANK TERMINAL 2 PROJECT

Panel.RBT2@ceaa.gc.ca

Any questions regarding the public review and comment period on this additional information, or any other aspect of the review may be directed to Cindy Parker, Panel Manager, via email at <a href="mailto:ceaa.panelrbt2-commissionrbt2.acee@canada.ca">ceaa.panelrbt2-commissionrbt2.acee@canada.ca</a>

cc. David Levy, Panel Member
Douw Steyn, Panel Member

#### **Metro Vancouver:**

Heather McNell, Director, Regional Planning and Electoral Area Services Marcin Pachcinski, Division Manager, Electoral Area and Environment Laurie Bates-Frymel, Senior Environmental Planner
Neal Carley, General Manager, Parks, Planning and Environment Derek Jennejohn, Lead Senior Engineer
Shelina Sidi, Senior Project Engineer
Roger G. Quan, Director, Air Quality and Climate Change

/Attachment

Panel Chair

# REVIEW PANEL ROBERTS BANK TERMINAL 2 PROJECT Panel.RBT2@ceaa.gc.ca

### APPENDIX A: FORMAT FOR SUPPLEMENTAL INFORMATION REQUESTS

Information Requests should be provided in tabular format, using the headings outlined below. Please number each Information Request consecutively for ease of reference.

Issue No.	Reference	Rationale	Information Request
	Provide the specific	Provide an explanation of the issue of concern or deficiency and	Clearly and concisely state the information being
	volume(s),	include a rationale for why the stated deficiency is important	requested from the Proponent.
	section(s), page	for environmental assessment purposes.	
	number(s) and		
	CEAR number of the		
	information being		
	referenced		
	and		
	provide a reference		
	to the original IR		
	from the Panel (if		
	applicable).		