


# Appendix 9-A

Groundwater Technical Report,  
Crown Mountain Coking Coal Project

FINAL

# Groundwater Technical Report

Crown Mountain Coking Coal Project, British Columbia, Canada  
NWP Coal Canada Ltd.



SRK Consulting (Canada) Inc. ■ 1CN028.002 ■ October 2021

 **srk** consulting

**FINAL**

## Groundwater Technical Report, Crown Mountain Coking Coal Project

Crown Mountain Coking Coal Project, Canada

**Prepared for:**

NWP Coal Canada Ltd.  
810-789 West Pender Street  
Vancouver, BC, V6C 1H2  
Canada

+1 604 629 8605  
[www.nwpcoal.com](http://www.nwpcoal.com)



**Prepared by:**

SRK Consulting (Canada) Inc.  
1066 West Hastings Street, Suite 2200  
Vancouver, BC V6E 3X2  
Canada

+1 604 681 4196  
[www.srk.com](http://www.srk.com)



**Lead Author:** Claudia Hidalgo **Initials:** CH

**Reviewer:** Daniel Mackie **Initials:** DCM

**File Name:**

Groundwater\_Technical\_Report\_1CN028.002\_20211012\_Final.docx

**Suggested Citation:**

SRK Consulting (Canada) Inc. 2021. Groundwater Technical Report. Final. NWP Coal Canada Ltd. Vancouver BC. 1CN028.002. Issued October. 2021.

**Copyright © 2021**

SRK Consulting (Canada) Inc. ■ 1CN028.002 ■ October 2021



# Contents

Useful Definitions .....	vi
1      Introduction .....	1
1.1    Project Description .....	1
1.2    Scope of Report .....	2
1.3    Report Layout .....	2
2      Data Sources .....	3
2.1    Desktop Information .....	3
2.2    Field Investigations .....	3
2.2.1    Drilling and Hydraulic Testing .....	3
2.2.2    Groundwater quality data collection and QA/QC .....	4
2.2.3    Groundwater level data collection .....	5
3      Hydrogeologic Setting and Data .....	6
3.1    Topography .....	6
3.2    Climate .....	6
3.3    Hydrology .....	7
3.4    Monitoring Network .....	8
3.5    Bedrock Geology .....	10
3.6    Overburden Geology .....	10
3.7    Hydraulic Properties .....	11
3.7.1    Hydraulic Conductivity .....	11
3.7.2    Storage Properties .....	11
3.7.3    Seep Survey .....	12
3.7.4    Groundwater Levels .....	13
3.7.5    Groundwater Quality .....	16
3.8    Regional Groundwater Resources and Users .....	23
3.8.1    Groundwater Resources .....	23
3.8.2    Groundwater Users .....	23
3.8.3    Regional Monitoring Network .....	26
4      Conceptual Groundwater Models .....	28
4.1    Current Conditions .....	28
4.1.1    Hydrostratigraphic Units .....	28
4.1.2    Groundwater Flow .....	29
4.1.3    Groundwater Quality .....	30
4.1.4    Baseline Conditions Summary .....	30
4.2    Operations .....	31
4.3    Closure .....	32
5      Potential Impacts from Project .....	33
5.1    Groundwater Quantity .....	34
5.1.1    Horizontal Groundwater Flux .....	34
5.1.2    Baseflow .....	35
5.2    Groundwater Quality .....	36

5.2.1	Groundwater Quality Predictive Methods .....	37
5.2.2	Assumptions and Limitations .....	41
5.2.3	Groundwater Quality Predictions Results and Screening.....	41
5.2.4	Summary of Groundwater Quality Effects.....	44
5.3	Mitigation Options .....	45
6	Conclusion and Recommendations.....	46
	References.....	49

## Tables

Table 3-1:	Average monthly precipitation and lake evaporation .....	7
Table 3-2:	Flow survey locations .....	8
Table 3-3:	Monitoring well completion details.....	9
Table 3-4:	Storativity (S) and specific storage (S <sub>s</sub> ).....	12
Table 3-5:	Seepage survey summary.....	12
Table 3-6:	Groundwater level measurements .....	15
Table 3-7:	Summary of groundwater quality data 2018 to 2020 .....	16
Table 3-8:	Historical groundwater samples collected .....	17
Table 3-9:	Summary of water quality exceedances of British Columbia Guidelines .....	20
Table 3-10:	Details for nearby wells .....	25
Table 3-11:	Regional monitoring network.....	27
Table 4-1:	Summary of Hydrostratigraphic Units.....	29
Table 5-1:	Potential impact on horizontal groundwater flux in valley bottoms .....	35
Table 5-2:	Potential impact on groundwater baseflow.....	35
Table 5-3:	Key Constituents of concern .....	38
Table 5-4.	Control points selected for groundwater quality effects assessments .....	38
Table 5-5:	Background concentrations .....	39
Table 5-6:	Groundwater Quality Predictions.....	42

## Figures

Figure 1.1:	General Location Map .....	54
Figure 1.2:	Groundwater Study Areas .....	54
Figure 3.1:	Local Groundwater Monitoring Network .....	54
Figure 3.2:	Stratigraphic Column .....	54
Figure 3.3:	Bedrock Geology .....	54
Figure 3.4:	Major Faults in the Project Area .....	54
Figure 3.5:	Geological Cross Sections .....	54
Figure 3.6:	Overburden Geology .....	54
Figure 3.7:	Hydraulic Conductivity by Hydrostratigraphic Unit and Bedrock Hydraulic Conductivity Estimate Over Depth .....	54
Figure 3.8:	Continuous Water Level Data .....	54
Figure 3.9:	Groundwater Levels and Vertical Gradients .....	54
Figure 3.10:	Groundwater Levels and Vertical Gradients 2 .....	54
Figure 3.11:	Box and Whisker Plots for Conductivity, Total Dissolved Solids and pH by Hydrostratigraphic Unit .....	54
Figure 3.12:	Piper Plot by Hydrostratigraphic Unit .....	54

Figure 3.13: Box and Whisker Pots for Other Parameters of Interest .....	54
Figure 3.14: Temporal Variations for Some Analytes in Monitoring Wells located within the Open Pits Footprints .....	54
Figure 3.15: Temporal Variations for Some Analytes in Other Monitoring Wells .....	54
Figure 3.16: Selected Pourbaix Diagrams .....	54
Figure 3.17: Other Groundwater Users and Regional Monitoring Network .....	54
Figure 4.1: Cross Section A – B along the West Alexander Creek .....	54
Figure 4.2: Cross Section C – D and Cross Section G - H .....	54
Figure 4.3: Cross Section E – F .....	54
Figure 4.4: Cross Section I – J .....	54
Figure 4.5: Shallower aquifer hydraulic head contours .....	54
Figure 4.6: Bedrock hydraulic head contours .....	54
Figure 4.7: Hydrogeological Conceptual Model .....	55
Figure 4.8: Conceptual pit cross section for EOM and LTC .....	55
Figure 5.1: Modelled Head Contours Baseline, EOM and LTC .....	55
Figure 5.2: Horizontal groundwater flux across three cross sectional areas .....	55

## Appendices

Appendix A	Groundwater Quality Data
Appendix B	Groundwater Numerical Model
Appendix C	Groundwater Quality Predictions
Appendix D	Figures

## Useful Definitions

This list contains definitions of symbols, units, abbreviations, and terminology that may be unfamiliar to the reader.

BC	British Columbia
CCLA	Clean Coal Load Out
CCTA	Clean Coal Transfer Area
Darcy Flux	Flow per unit cross sectional area
DO	Dissolved oxygen
EC	Electrical Conductivity
EOM	End of Mine
EA	Environmental Assessment
EAO	Environmental Assessment Office
FS	Feasibility Study
gpm	gallons per minute
K	Hydraulic Conductivity
L/min	Liter per minute
L/s	Liters per second
LSA	Local study area
LTC	Long Term Closure
masl	meters above sea level
mags	meters above ground surface
mbgs	meters below ground surface
m/d	meters per day
NWP	New Coal Canada Ltd
mm	millimetres
ORP	Oxidation-reduction Potential
QA/QC	Quality assurance and quality control
SPC	Specific Conductivity
S <sub>s</sub>	Specific Storage
S	Storativity
TDS	Total dissolved solids
TOC	Top of casing
USCS	United Soil Classification System
WRD	Waster Rock Dump

# 1 Introduction

SRK Consulting (Canada) Inc. (SRK) was retained by NWP Coal Canada Ltd. (NWP) to provide hydrogeological services in support of a feasibility study (FS) and an application for an environmental assessment (EA) certificate for the Crown Mountain Project (the Project), located in the Elk Valley, East Kootenay Region of southeastern British Columbia. This report presents results of hydrogeological studies and analyses in support of these works.

## 1.1 Project Description

The proposed project is an open pit metallurgical coal mine located in the Elk Valley, in the East Kootenay Region of southeastern British Columbia Figure 1.1.

Mining activity adjacent to the site began in 1908 with the operation of small underground mines and has continued as open pit operations with different owners. The nearest mines are the Elkview Mine, located 8 km southeast to the site, and the Line Creek Mine, located 12 km to the north, both operated by Teck Coal Ltd.

Surface mining is proposed in three open pits (North Pit, East Pit, and South Pit) using conventional open pit, truck/shovel/excavator mining methods at a nominal production rate of 4 M run of mine tonnes/year. The East Pit and North Pit will be mined during the first eight years of production, and the South Pit will be mined in later years of the mine life. The proposed project life will be 17 years: 19 months of construction and pre-production and 15 years of operations, followed by 2 years of reclamation and closure, and 15 years of post-closure.

The Project's mining footprint is primarily within the catchment area of West Alexander Creek. Other mine infrastructure, including the plant site and coal processing infrastructure, clean coal transfer area (CCTA), and upper haul road are located within the catchment area of Grave Creek. The clean coal load out (CCLA), guardhouse/parking lot area, and rail loop are within the catchment area of Harmer Creek. Locations of the main facilities are shown on Figure 1.2 as well as the local study area (LSA). The project area is approximately 750 hectares (ha) (EOA 2018).

Waste rock will initially be placed outside of the valley of West Alexander Creek between the North Pit and East Pit footprints. The Waste Rock Dumps (WRD) will be constructed in a "layer-cake" fashion, with alternating layers of waste rock and process plant rejects. This construction technique is intended to inhibit oxidation of waste rock, and therefore mobilization of selenium and nitrate species. During the first few years, the proposed waste rock/coal rejects co-disposal design method will be evaluated to determine if co-mingling of coal rejects with waste rock successfully mitigates the mobilization of selenium and nitrate species in WRD runoff. If the co-disposal method proves successful, placement of waste rock in later mining years will proceed in the West Alexander Creek Valley using this layer-cake technique and will ultimately occupy a large portion of the creek basin.

The sedimentation pond constructed downstream of the proposed ultimate WRD footprint will have a catchment area of 1,507 ha and a dam crest at 1,574 masl. The dam's height and pond

surface area will be 30 m and 85,000 m<sup>2</sup>, respectively. The pond will be lined to minimize leakage.

Water supply for mine and process operations will be initially provided from an interim sediment pond, and supplemented by the Grave Creek Reservoir, which is fed by Upper Grave Creek. After mine year 4, when the ultimate WRD is in use (and the vertical and horizontal distance between the WRD sediment pond and the coal handling and process plant is greater), water for mine and process operations will be supplied by a groundwater extraction well near the North Pit.

## 1.2 Scope of Report

This report is intended to be one of the supporting documents for the FS and permitting applications for the Project, and includes details of field investigations, data analysis, and modeling to assess potential project impacts to groundwater quantity and quality. Groundwater quantity is assessed directly through a numerical model. In addition, the numerical model was used in transient mode to predict breakthrough concentrations for a simulated conservative species. These results, combined with results obtained from the water quality prediction model (SRK 2020), which is presented under a separate cover, are used to provide estimates of groundwater quality resulting from the project.

Major mine components included in this assessment are:

- The North, East, and South open pits
- WRDs and the final lined sedimentation pond

## 1.3 Report Layout

Section 2 of this report lists sources of information used in this assessment as well as methods applied.

Section 3 describes the available groundwater data.

Section 4 presents conceptual groundwater models for the Project.

Section 5 summarizes the potential impacts from the Project with pertinent details on methods applied to assess these impacts.

Section 6 presents conclusions and recommendations.

## 2 Data Sources

### 2.1 Desktop Information

As part of the desktop information supporting this study, SRK reviewed the following:

- Terrain Stability and Geohazards Mapping. Crown Mountain Project (BGC 2019)
- 2018 Regional Groundwater Monitoring Program Annual Report. Prepared for Teck Coal Limited (SNC Lavalin 2019)
- Application Information Requirements. Crown Mountain Coking Coal Project (EOA 2018)
- Assessment Report for The Crown Mountain Area (NWP 2013)
- Crown Mountain Coking Coal Project. Project Description. (NWP 2014)
- Crown Mountain Property Baseline Groundwater Investigation Results (NWP 2016)
- Crown Mountain Project, Alexander Creek Streamflows (Swiftwater 2018)
- 2018 Hydrogeological Field Data Report. Crown Mountain Project, BC (SRK 2019)
- BC GWELLS Database

### 2.2 Field Investigations

Multiple groundwater field investigations have been completed for the project. In 2013, Norwest completed drilling and testing in the pit areas and initial groundwater sampling. In 2018, SRK completed a field program including sonic drilling, monitoring well installation, water quality sampling, groundwater level monitoring, hydraulic testing including a pumping test, a flow accretion survey, and seepage survey. Results of the 2013 work are presented in Norwest (2016). SRK (2019) presents information on the 2018 program, including borehole logs, well development records, and hydraulic testing data.

#### 2.2.1 Drilling and Hydraulic Testing

Drilling programs for groundwater characterization were completed for both the 2013 and 2018 programs. In 2013, Norwest completed drilling and testing of five monitoring wells in the areas of the South Pit and North Pit. Drilling was completed with rotary methods and logging of chips. Hydraulic testing involved slug testing methods. Water quality samples were collected, and water levels measured.

In 2018, SRK completed a drilling program focused on characterization of overburden and shallow bedrock properties at relatively lower elevations. Geological logging was completed using Unified Soil Classification System (USCS) methods. Hydraulic testing included slug tests in each monitoring well and a pumping test at one location in the West Alexander Creek valley bottom. An initial water level survey and sampling of all wells were also completed.

## 2.2.2 Groundwater quality data collection and QA/QC

Sampling for groundwater quality has been completed over multiple events between September 2013 and August 2020. This section describes methods and quality assurance / quality control (QA/QC) checks for these data.

Prior to sampling, water levels were measured, and wells were purged with continuous monitoring of field parameters including temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP), pH, and specific conductivity (SPC) at a minimum, with total dissolved solids (TDS), salinity, and turbidity measured during some sampling events. Samples were taken when field parameters stabilized, and, in most cases, flow rates during purging were recorded.

Groundwater samples were collected in pre-washed bottles provided by ALS laboratories of Burnaby, British Columbia, or Calgary, Alberta. Dissolved parameters were field-filtered using 45 micrometer ( $\mu\text{m}$ ) in-line filters or 45  $\mu\text{m}$  filters syringe sets, and field-preserved. All sample bottles were labeled with the well ID and the collection date/time and kept below 4°C until delivery to ALS Laboratories for analysis.

Samples were collected using one of the following methods:

- 50 mm (2 inch) Geotech SS Geosub submersible pump with low flow controller and clean Waterra tubing
- 25 mm (1 inch) bladder pump and clean 6 mm ( $\frac{1}{4}$  inch) HDPE tubing
- 1 L Hydra Sleeve
- Hydrolift
- Bailer

Field duplicates and blanks have been also collected for QA/QC purposes.

For sampling conducted since 2018, groundwater samples were analyzed by ALS Laboratories Ltd. in either Burnaby, British Columbia, or Calgary, Alberta, for the following parameters:

- Physical Parameters - electrical conductivity (EC), hardness, pH, total dissolved solids (TDS)
- Anions and Nutrients - bicarbonate alkalinity, carbonate alkalinity, total alkalinity, ammonia, bromide, chloride, fluoride, ion balance, nitrate, nitrite, total Kjeldahl nitrogen, total nitrogen, orthophosphate dissolved, phosphorus, sulfate
- Total organic and inorganic carbon
- Total and Dissolved Metals – aluminum, antimony, arsenic, barium, beryllium, bismuth, boron, cadmium, calcium, cesium, chromium, cobalt, copper, iron, lead, lithium, magnesium, manganese, molybdenum, nickel, phosphorus, potassium, rubidium, selenium, silicon, silver, sodium, strontium, sulfur, tellurium, thallium, thorium, tin, titanium, tungsten, uranium, vanadium, zinc, zirconium
- Hydrocarbons – acenaphthene, acenaphthylene, acridine, anthracene, benz(a)anthracene, benzo(a)pyrene, benzo(b&j)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene,

chrysene, dibenz(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3-c,d)pyrene, 1-Methylnaphthalene, 2-Methylnaphthalene, naphthalene, phenanthrene, pyrene, quinoline

During sampling events conducted by O'Kane between September 2013 and June 2016, wells were purged of three well volumes or until dry and sampled using disposable bailers or a Hydra Sleeve Interval sampler. Samples were sent to Maxxam Analytics Inc. Laboratory in Calgary or ALS Laboratories Ltd. in Burnaby, BC. Analyzed parameters for this period of sampling included the following:

- Routine potability parameters, including major ions
- Dissolved selected heavy metals
- Total selected heavy metals
- Selected hydrocarbon compounds
- Cyanide

### **2.2.3 Groundwater level data collection**

Groundwater level has been measured either manually or with continuous water level dataloggers since wells were installed. Dataloggers logged water level and temperature at hourly to daily frequency, depending on location. Data downloads as well as manual readings were taken quarterly during sampling rounds.

### 3 Hydrogeologic Setting and Data

The LSA for this assessment is shown on Figure 1.2.

#### 3.1 Topography

Figure 3.1 shows the project area with local groundwater and surface water monitoring points. The Project is located within the Front Ranges Physiographic Region of the Rocky Mountains and covers an area with elevation ranging between 1,850 and 2,200 meters above sea level (masl). Alexander Creek and West Alexander Creek are the two main drainages within the catchment area of the Project with Upper Alexander Creek to the east of the Project. Grave Creek drains a small portion of the northern part of the property. Alexander Creek flows into Michel Creek, a tributary of the Elk River; Grave Creek flows directly into the Elk River.

Steep sided ridges are observed to the west of the project area where Gaff peak is located, reaching an elevation of 2,500 masl. To the east, Upper Alexander Creek runs north-south with elevations that range from 1,400 to 1,500 masl. Proposed pits are located on a topographic high between West Alexander and Upper Alexander creeks. Internal WRDs are planned within the North and East pit footprints while the external WRD is in the West Alexander Creek valley at lower elevations relative to open pits.

#### 3.2 Climate

The climate of the project area is cold with freezing temperatures (0 to -40°C) from November to April, and hot in the summer with temperatures ranging between 20 and 40°C.

A climatic analysis was previously conducted by SRK and included in the Water Quality Prediction Model Report (SRK 2020). This analysis was based on regional air temperature and precipitation data, as well as local data consisting of a record at 15-minute intervals beginning in December 2013 until February 2016 (approximately two years of data) of air temperature, precipitation, wind speed and direction, relative humidity and solar radiation.

The local mean, maximum, and minimum air temperature, and total precipitation daily timeseries were extended using Sparwood Station data as the analogue record. Based on this analysis, annual average precipitation and lake evaporation were estimated to be 717.0 mm and 446.5 mm, respectively. Monthly averages are summarized in Table 3-1. Evapotranspiration was not directly estimated as part of that work.

**Table 3-1: Average monthly precipitation and lake evaporation**

Month	Total Precipitation (1972–2018 Water Years) [mm]	Lake Evaporation (1971 – 2018) [mm]
January	59.8	0
February	48.6	0
March	57.1	0
April	49.3	0
May	67.1	72.3
June	73.1	88.9
July	52.6	115.3
August	47.1	104.5
September	51.9	65.6
October	57.4	0
November	81.6	0
December	71.1	0
Annual	717.0	446.5

### 3.3 Hydrology

As shown on Figure 3.1, a majority of the property is located within the Alexander Creek catchment area and drains to the south until reaching the area of the Crowsnest Highway, where the creek turns to the northwest to join Michel Creek. Alexander Creek has a catchment area of approximately 145 km<sup>2</sup> with elevations ranging from 1,385 to 2,656 masl and a mean annual discharge of approximately 2,420 L/s.

The northern portion of the property drains to the northwest within the Grave Creek catchment area. The Grave Creek catchment area is approximately 80.9 km<sup>2</sup> with elevations from 1,254 to 2,463 masl. Grave Creek has a mean annual discharge of 260 L/s (NWP 2014) and flows generally from the northeast to the southwest until its confluence with the Elk River, southwest of Grave Lake.

The main facilities of the Project are located within the West Alexander Creek catchment. West Alexander Creek has a watershed area of approximately 14.7 km<sup>2</sup> with elevations ranging from 1,589 to 2,368 masl and a mean annual discharge of 230 L/s (NWP 2014). The headwaters of West Alexander Creek are within the project footprint, at the upstream end of the WRD. West Alexander Creek flows southwards to its confluence with Upper Alexander Creek and becoming Alexander Creek.

In October 2018, Swiftwater Consulting Ltd conducted a flow accretion survey along West, Upper and Alexander Creek to characterize flow losses and gains (Swiftwater 2018). Locations of the flow survey points are presented on Figure 3.1, and their measured discharge and uncertainty of the measurements are shown on Table 3-2.

**Table 3-2: Flow survey locations**

Location		Easting	Northing	Date	Time	Discharge (L/s)	Uncertainty %	Distance km	Comments
East Alexander Creek	SW8	664,815	5,519,596	10/2/2018	11:20:00 AM	48	5.1	4.6	
	SW7.8	664,777	5,519,542	10/2/2018	1:00:00 PM	54	6.3	4.6	
	SW7.1	664,349	5,516,650	10/2/2018	3:47:00 PM	318	3.2	1.4	
	EAST	664,355	5,515,744	10/2/2018	4:54:00 PM	216	5.1	0.3	
	SW1.9	664,384	5,515,478	10/4/2018	9:01:00 AM	184	4.7	0.0	
West Alexander Creek	SW6.6	662,710	5,520,782	10/3/2018	9:02:00 AM	0	-	7.0	Visual Estimate
	SW6.5	662,677	5,520,753	10/3/2018	9:11:00 AM	1	-	6.8	Visual Estimate
	SW6.4	662,536	5,520,670	10/3/2018	10:17:00 AM	5	0.0	6.6	Visual Estimate
	SW5.9	662,325	5,520,585	10/3/2018	11:09-11:30	7	12.5	6.5	
	SW5.1	662,232	5,519,903	10/3/2018	12:17-12:42	11	3.8	5.8	
	SW4.5	662,479	5,519,327	10/3/2018	13:36-13:54	15	11.9	5.1	
	SW4.5	662,479	5,516,994	10/3/2018	4:42:00 PM	30	25.0	2.3	
	SW3	664,011	5,516,173	10/4/2018	6:48-7:10	28	2.9	1.0	
Alexander Creek	SW2.1	664,323	5,515,471	10/4/2018	8:19:00 AM	28	-	0.0	Same Flow as SW3
	SW1.9	664,384	5,515,478	10/4/2018	8:11-9:01	184	4.7		
	SW1.5	664,359	5,514,654	10/4/2018	9:34-10:25	169	2.1		

Source: Swiftwater 2018.

Based only on this flow survey, West Alexander Creek is a gaining stream (groundwater discharges to surface water) in its upper reaches where overburden thickness is least and transitions to a losing stream (surface water lost to groundwater) at the SW4 survey location where overburden becomes thicker. Upper Alexander Creek is a gaining stream between stations SW8 and SW7.1, transitioning to a losing stream further downstream.

### 3.4 Monitoring Network

Table 3-3 summarizes information for each of the monitoring wells at the Project. Well locations are presented on Figure 3.1.

**Table 3-3: Monitoring well completion details**

Monitoring Well	Year Completed	UTM		Ground Elevation	DH Diameter	MW Diameter	Borehole Depth	Bedrock Depth	Screen Top	Screen Bottom	Midpoint Screen	Screen Length	TOC <sup>d</sup> Elevation	PVC Stickup	Midpoint Screen Elev.	Screen Geology	Hydrostratigraphic Unit	Hydraulic Conductivity	Water Level (2018)
		Easting (m)	Northing (m)	(masl) <sup>a</sup>	(mm) <sup>b</sup>	(mm) <sup>b</sup>	(m bgs) <sup>c</sup>	(m bgs) <sup>c</sup>	(m bgs) <sup>c</sup>	(m)	(m)	(masl) <sup>a</sup>	(m ags) <sup>e</sup>	(masl) <sup>c</sup>	(m/d)		(masl) <sup>a</sup>		
GW1-A	2018	664,416	5,512,947	1466.7	140	51	27.4	no BR	24.4	27.4	25.9	3.0	1467.5	0.8	1440.8	Sand, silty, fine	OVB - glaciolacustrine	3E-02 - Slug	1464.947
GW1-B	2018	664,415	5,512,947	1466.7	178	51	27.4	no BR	5.9	9.0	7.5	3.0	1467.5	0.8	1459.2	Sand	OVB - fluvial	4E+00 - Slug	1465.645
GW3-A	2018	664,250	5,515,734	1516.0	140	51	47.2	no BR	41.5	44.5	43.0	3.0	1517.1	1.2	1473.0	Gravel and cobbles, sand	OVB - glaciofluvial	2E+01 - Slug	1509.304
GW3-B	2018	664,252	5,515,733	1516.0	140	51	24.4	no BR	21.0	24.1	22.6	3.0	1516.8	0.8	1493.4	Cobbles, gravel and sand	OVB - glaciofluvial	5E+01 - Slug	1509.304
GW3-C	2018	664,250	5,515,734	1516.0	178	51	47.2	no BR	8.8	11.9	10.4	3.0	1517.2	1.2	1505.6	Sand and gravel, cobbles	OVB - fluvial/glaciofluvial	2E+02 - Slug	1509.241
GW4-OB	2018	664,456	5,516,285	1546.8	140	51	13.7	no BR	10.7	13.7	12.2	3.0	1547.8	1.0	1534.6	Sand and gravel, silt	OVB - till	3E-01 - Slug	1535.411
GW4-BR	2018	664,456	5,516,283	1546.7	140	51	36.6	31.7	32.0	35.1	33.5	3.0	1547.8	1.0	1513.2	Bedrock (Sandstone)	BR - sandstone	3E-02 - Slug	1529.029
GW6-OB	2018	664,455	5,517,060	1562.8	140	51	6.1	no BR	2.4	5.5	4.0	3.0	1563.7	0.9	1558.8	Sand & Gravel	OVB - fluvial	4E+00 - Slug	1560.024
GW6-BR	2018	664,454	5,517,059	1562.7	140	51	15.2	6.1	11.3	14.3	12.8	3.0	1563.7	1.0	1549.9	Bedrock (Sandstone)	BR - sandstone	2E-03 - Slug	1559.342
GW7-A	2018	663,979	5,516,030	1532.4	140	51	36.6	no BR	29.9	32.9	31.4	3.0	1533.1	0.9	1501.0	Cobbles and sand, sand	OVB - glaciofluvial	7E+00 - Slug	1511.09
GW7-B	2018	663,980	5,516,029	1532.4	140	51	14.5	no BR	10.5	13.6	12.0	3.0	1533.3	1.0	1520.3	Sand and gravel, silty	OVB - till	2E-02 - Slug	1518.311
GW-MP1-OB	2018	663,609	5,516,735	1554.5	178	51	32.0	no BR	7.3	10.4	8.8	3.0	1555.3	0.9	1545.6	Gravel, sandy with clay	OVB - fluvial	4E+00 - Slug 5E+01 - Ptest	1546.766
GW-MP1-BR	2018	663,609	5,516,735	1554.5	140	51	32.0	26.5	28.0	31.1	29.6	3.0	1555.3	0.8	1524.9	Bedrock (Mudstone)	BR - mudstone	4E-03 - Slug	1542.006
GW-MP1-PW	2018	663,602	5,516,727	1554.3	178	102	32.0	28.9	7.8	10.8	9.3	3.0	1555.3	1.0	1545.0	Gravel, sandy with silt/clay	OVB - till	3E+00 - PTest	1547.18
GW9-OB	2018	663,385	5,516,960	1592.2	140	51	24.4	no BR	21.0	24.1	22.6	3.0	1593.0	0.8	1569.6	Clayey Sand and Gravel/Clay	OVB - colluvium	7E+00 - Slug	1571.838
GW9-BR	2018	663,386	5,516,959	1592.0	140	51	42.7	40.5	39.6	42.7	41.1	3.0	1592.9	0.9	1550.8	Sand/Fractured Bedrock	OVB/BR - sand over BR	9E-01 - Slug	1573.277
GW12-OB	2018	662,858	5,520,908	1983.5	140	51	10.6	no BR	4.6	7.6	6.1	3.0	1984.4	0.9	1977.4	Sand & Gravel/Fractured Bedrock	OVB/BR - till over BR	NA	dry
GW12-BR	2018	662,857	5,520,907	1983.5	140	51	15.2	7.0	13.7	15.2	14.5	1.5	1984.5	0.9	1969.1	Bedrock (Sandstone)	BR - sandstone	9E+00 - Slug	1968.385
GW14-OB	2018	661,986	5,522,929	1865.6	140	51	16.8	no BR	12.2	15.2	13.7	3.0	1866.4	0.8	1851.8	Sand & Gravel/Fractured Bedrock	OVB/BR - till over BR	3E+00 - Slug	1852.642
GW14-BR	2018	661,986	5,522,931	1865.6	140	51	22.6	16.2	19.5	22.6	21.0	3.0	1866.5	0.9	1844.6	Bedrock (Mudstone)	BR - mudstone	3E-01 - Slug	1852.463
GW-MD1	2018	661,972	5,521,336	1916.2	140	51	6.1	1.2	1.8	4.9	3.4	3.0	1917.2	0.9	1912.9	Bedrock (Sandstone)	BR - sandstone	2E+00 - Slug	1912.996011
GW-MD2	2018	662,891	5,519,422	1827.6	140	51	21.3	18.3	17.1	20.1	18.6	3.0	1828.4	0.8	1809.0	Silt/Gravel/Fractured Bedrock	OVB/BR - till over BR	3E-01 - Slug	1821.792489
GW-PP2	2018	661,380	5,521,545	1870.6	140	51	7.9	5.5	5.5	7.0	6.2	1.5	1871.5	0.9	1864.3	Bedrock (Sandstone)	BR - sandstone	4E-03 - Slug	1865.615028
CM-11-11	2013	662,704	5,521,503	2087.0	152	51	126.4	8.7	119.0	126.0	122.5	7.0	ground	NA	1964.5	Sandstone and Coal	BR - sandstone/coal	7E-03 - Slug	nm
CM-12-01	2013	662,429	5,522,037	2142.0	152	51	152.0	0.0	117.0	125.0	121.0	8.0	ground	NA	2021.0	Sandstone and Shale	BR - sandstone/shale	1E-02 - Slug	2096.168
CM-13-06	2013	662,823	5,521,114	1998.0	152	51	54.2	0.0	31.0	36.0	33.5	5.0	ground	NA	1964.5	Sandstone and Shale	BR - sandstone/shale	5E-02 - Slug	1988.507
CM-13-20	2013	663,264	5,518,426	1877.0	152	51	158.0	0.0	19.0	24.0	21.5	5.0	ground	NA	1855.5	Sandstone and Shale	BR - sandstone/shale	NA	dry
CM-13-25	2013	663,769	5,517,924	1936.0	152	51	102.5	14.2	87.0	92.0	89.5	5.0	ground	NA	1846.5	Coal and Shale	BR - shale/coal	2E-03 - Slug	nm

Notes:

- a. meters above sea level
- b. millimetres
- c. meters below ground surface
- d. Top of Casing (PVC Pipe)
- e. meters above ground surface.

## 3.5 Bedrock Geology

The site is underlain by strata of the Kootenay and Fernie Groups. A stratigraphic column for bedrock geology of the area is presented in Figure 3.2.

The Kootenay Group can be subdivided into three formations: the Morrissey Formation, Mist Mountain Formation, and Elk Formation. There is no evidence of the Elk Formation overlying the Mist Mountain Formation in the project area (NWP 2014).

The Morrissey Formation includes medium-thick, cross-bedded sandstone with interbeds of shale and siltstone. The Mist Mountain Formation consists of interbedded sandstone, siltstone, and shale, and is host to the coal seams at Crown Mountain.

Underlying the Kootenay Group, the Fernie Formation consists of a thick sequence of marine sediments including the Grey Beds at its base which are an interbedded shale and siltstone sequence. The Passage Beds, which correspond to a thick sequence of rhythmically interbedded siltstone and sandstone, is located at the top of this formation.

To the East and West of the proposed facilities, regional bedrock mapping and karst potential (BC n.d.-a) shows areas identified as having more than 50% of soluble bedrock. Polygons defined in this mapping intend to highlight where karst areas may occur and to estimate the likely intensity of karst development; they are inferred from estimates of percent soluble bedrock (Fischl 1992), but do not necessarily have field truthing in any specific area. There have been no carbonate rocks identified in drill core for the project (Figure 3.3).

The Alexander Creek Syncline and the Crown Mountain Fault are the main structural features at the site and define separate structural domains termed the North Block, South Block, and Southern Extension Block (Figure 3.4). The North Block is located to the west of the Crown Mountain Fault and occupies the Alexander Creek Syncline axial region as well as the hanging wall side of the fault. The South and Southern Extension Block are located to the east of the Alexander Creek Fault occupying the footwall side of the fault (NWP 2013).

The presence of the Alexander Creek Syncline results in coal seams dipping variably to the east and to the west. On the east side of the fold axes, coal seams dip 40 degrees to the west at a plunge of N15W; on the west side of the axis, coal seams dip 50 degrees to the east at approximately 180 degrees offset plunge to the east side (Figure 3.5).

In the South and Southern Extension blocks, coal seams have an average dip of 20 degrees to the west and plunge between N50W and N20E. At the project area, the Crown Mountain Thrust passes underneath the proposed pits at a dip of 25 degrees to 270W (Figure 3.5).

## 3.6 Overburden Geology

Characteristics of overburden sediments in the project area were assessed as part of the 2018 field program (SRK 2019). Overburden is generally thin at higher elevations, with thickness increasing up to 38 m in the Alexander Creek valley south of the mining area. Overburden

consists of colluvium (12 – 20 m thick), fluvial sediments (0 – 30 m thick), and glacial sediments associated with the Fraser Glaciation (0 – 38 m thick). Colluvium includes mainly sand and gravel, with cemented till lenses. Fluvial sediments consist of gravel, interbedded with sand and silty sands, and can overlap with glaciofluvial deposits.

Glacial sediments include glaciofluvial, glaciolacustrine, and till deposits. Glaciofluvial deposits consist mainly of sand and gravel, while glaciolacustrine deposits consist of fine, poorly graded sand transitioning to high plastic clay. These are typically overlain by till deposits characterized by high-density silty materials.

Surface mapping was conducted in 2018 by BGC in order to characterize terrain stability and geohazards (BGC 2019) and included surficial material characterization. BGC generated a 1:10,000 map of the project area including the colluvium, till, fluvial, glaciofluvial, lacustrine, and glaciolacustrine sediment units. Figure 3.6 presents site overburden units.

## 3.7 Hydraulic Properties

### 3.7.1 Hydraulic Conductivity

Hydraulic testing has been completed at all wells (Table 3-3). Figure 3.7 summarizes hydraulic conductivity results by hydrostratigraphic unit and bedrock hydraulic conductivity estimated with depth.

Bedrock hydraulic conductivity is expected to decrease with increasing depth due to lithostatic pressure. An estimate of the change in bedrock hydraulic conductivity with depth was made based on the depth model of Wei et al (1995). Kz (vertical hydraulic conductivity or hydraulic conductivity perpendicular to bedding) is assumed to be one order of magnitude lower than Kx or Ky (horizontal hydraulic conductivity or hydraulic conductivity parallel to bedding) (Figure 3.7). This anisotropy is related to preferential flow parallel to bedding planes, the orientation of which can vary across the Project.

### 3.7.2 Storage Properties

Pumping tests conducted on wells GW-MP1-PW and GW-MP1-OB provided estimates of hydraulic and storage parameters for tested overburden materials (gravel, sandy with silts and clays). Values derived from the pumping test are listed in Table 3-4.

**Table 3-4: Storativity ( $S$ ) and specific storage ( $S_s$ )**

Well ID	Analysis	Aquifer Nominal Thickness	Inferred K	S	Inferred $S_s$	Transmissivity	Literature Porosity	Literature Range for $S_s$		
		b (m)	(m/s)	(-)	( $m^{-1}$ )	( $m^2/s$ ) <sup>a</sup>	(-) <sup>b</sup>	( $m^{-1}$ ) <sup>c</sup>		
GW-MP1-PW	<b>Constant Test DD Analysis &amp; Recovery Analysis</b>	3.5	4.00E-05	1.00E-03	3.00E-04	1.40E-04	0.25 – 0.70	1.E-05 to 1.E-03		
	Unconfined Aquifer (Neuman 1974)									
GW-MP1-OB	<b>Constant Test DD Analysis &amp; Recovery Analysis</b>	3.5	5.00E-04	1.00E-05	3.00E-06	1.75E-03				
	Unconfined Aquifer (Neuman 1974)									

<sup>a</sup> Computed using the aquifer nominal thickness and the inferred K

<sup>b</sup> (Freeze and Cherry 1979)

<sup>c</sup> (Domenico and Mifflin 1965)

### 3.7.3 Seep Survey

SRK conducted a reconnaissance seep survey between September 12 and October 26, 2018. Locations of the 12 identified seeps are shown on Figure 3.1. Coordinates, date of observation, and visually estimated flows are listed in Table 3-5.

**Table 3-5: Seepage survey summary**

Seepage Point	Easting	Northing	Estimated Flow	Note	Date
ID	UTM	UTM	(L/min)		
SP1	661676.0	5522992.8	< 1	Small seep near GW14	9/14/2018
SP2	663672.2	5516800.9	< 1	Small seep above MP1, on road	9/24/2018
SP3	663404.6	5517502.7	< 1	Small seepage on branch C km 105-106	9/27/2018
SP4	663059.0	5517806.0	15	Potential Spring	10/20/2018
SP5	663211.8	5517564.7	0.5	Small seep	10/20/2018
SP6	664261.4	5516688.6	< 1	Small seep, marsh area	10/27/2018
SP7	664297.8	5516702.0	8	Little Creek	10/27/2018
SP8	664281.0	5516753.8	8	Little Creek	10/27/2018
SP9	664280.8	5516879.5	8	Little Creek	10/27/2018
SP10	664288.1	5516877.5	8	Possible spring	10/27/2018
SP11	664387.7	5516966.2	8	Water seepage, little creek	10/27/2018
SP12	663119.6	5518614.5	< 1	Small seep below pad CM-22	10/27/2018

Identified seeps are all on the lower elevation flanks of the ridge where the proposed open pits will be located. These locations are believed to represent groundwater discharge and could be related to bedrock bedding planes outcropping in this area, or geological structures.

### 3.7.4 Groundwater Levels

Table 3-6 summarizes groundwater elevation measurements at the monitoring wells and piezometers described in Table 3-3.

Figure 3.8 summarize continuous groundwater levels at different areas of the Project. Groundwater level elevations are high at higher topographic areas and lower in valley bottoms, as expected in mountainous terrain.

At high elevations, where the proposed pits are located, groundwater levels show some seasonal variations, with peaks in May to June 2019 and June 2020 associated with spring freshet. These peaks occur earlier in CM-13-25, which is the lowest elevation monitoring well within this group. Seasonal changes in groundwater elevations range from 30 m in CM-11-11 to 3 m in CM-13-25.

Seasonal variations are also observed at lower elevations in the West Alexander Creek and Upper Alexander Creek valleys, but peaks occur earlier in May. GW6-OB shows an apparent increasing trend over time with no clear explanation.

Artesian conditions were encountered at two locations: an initial location drilled near the GW1 cluster and at GW4-BR. The location near GW11 (which was the first attempt at GW1) was drilled to a depth of 51 m and observed flowing artesian conditions at a very low flow rate but with pressures sufficient to make well installation difficult. No well was installed and the drillhole was completely grouted from base to ground surface. Flow was observed to start at depth, possibly on top or below glaciolacustrine clay or from bedrock. The exact source of water is unclear.

At GW4-BR, artesian conditions were observed during drilling, but water levels declined below ground surface quickly and have not been observed since. Initial observations may have been caused by drilling.

Figure 3.9 and Figure 3.10 show water level data at individual well clusters, illustrating vertical gradients and horizontal head differences.

Downwards gradients are observed between:

- GW12-BR (bedrock) and GW12-OB (overburden) near the North Pit
- GW-MP1-BR (bedrock) and GW-MP1-OB (overburden) downgradient of the ex-pit WRD
- GW6-OB (overburden) and GW6-BR (bedrock) in the Upper Alexander Creek valley
- GW4-BR (screened in bedrock) and GW4-OB (screened in overburden) in the Upper Alexander Creek valley
- GW7-B (overburden) and GW7-A (bedrock) in the West Alexander Creek valley
- GW1-A (confining layer) and GW1-B (overburden aquifer) in the Alexander Creek valley

An upwards gradient is observed between GW9-BR (bedrock) and GW9-OB (overburden) in the West Alexander Creek valley upstream of GW-MP1.

Vertical gradients are variable at GW3-A, GW3-B and GW3-C, located near the confluence of West and Upper Alexander creeks, changing between downward and upward, though differences between the wells are relatively minor. All of these wells are screened in overburden.

Vertical gradients are also variable between GW14-BR (bedrock) and GW14-OB (overburden) at the north end of the North Pit in the Grave Creek drainage. The majority of the measurements indicate a downwards gradient from overburden to bedrock, except for the readings in October 2018 and October 2019.

Depth to water varies depending on location. For the monitoring wells screened in bedrock, depth to groundwater can range between 3 to 82 m, while depth to water in wells screened in overburden can range between 0 and 20 m. Depth to water does not necessarily correspond to specific topographic positions, but rather likely reflects characteristics of the groundwater system in a given area.

**Table 3-6: Groundwater level measurements**

Well ID	Groundwater Elevation (masl) <sup>(a)</sup>			Groundwater Depth (mbgs) <sup>(b)</sup>			Transducer Data	2018		2019			2020		
	Minimum	Average	Maximum	Minimum	Average	Maximum		Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2
CM11-11	1994.7	2009.3	2043.6	43.4	77.7	92.3	Yes <sup>(1)</sup>		X	X	X	X	X		X
CM12-01	2087.6	2096	2112.4	29.6	46	54.4	Yes <sup>(1)</sup>		X	X	X	X	X		X
CM13-06	1974.2	1980.3	1998	0	17.7	23.8	Yes <sup>(2)</sup>		X		X	X	X		X
CM13-20							Yes <sup>(3)</sup>		X	X	X				
CM13-25	1855.3	1856.3	1859.4	76.6	79.7	80.7	Yes <sup>(1)</sup>		X	X	X	X	X		X
GW12-BR	1968.4	1969	1972.1	11.4	14.5	15.1	Yes <sup>(4)</sup>	X	X	X	X	X	X		
GW12-OB	1975.9	1975.9	1975.9	7.6	7.6	7.6	No		X						
GW14-BR	1852.4	1853.2	1855.1	10.5	12.4	13.2	No	X	X		X	X	X		
GW14-OB	1852.3	1853.6	1855.7	9.9	11.9	13.3	No	X	X		X	X	X		
GW1-A	1464.4	1465.1	1466.1	1.4	1.7	2.3	No		X	X	X	X		X	X
GW1-B	1449.6	1465.1	1466.3	0.5	1.6	17.1	Yes <sup>(5)</sup>		X	X	X	X	X	X	X
GW3-A	1508.6	1510.1	1513.3	2.6	5.9	7.4	No		X	X	X	X		X	X
GW3-B	1508.6	1510.1	1513.4	2.6	5.9	7.3	No		X	X	X	X		X	X
GW3-C	1496	1510.8	1515.9	0.1	5.2	20	Yes <sup>(5)</sup>		X	X	X	X	X	X	X
GW4-BR	1529	1529.7	1530.4	16.3	17	17.7	No		X	X	X	X		X	X
GW4-OB	1535	1537.4	1547.1	11.1	11.4	11.8	No		X	X	X	X			
GW6-BR	1551.4	1558.3	1560.3	2.4	4.4	11.3	No	X	X	X	X	X	X		X
GW6-OB	1548.7	1560.2	1560.8	1.9	2.6	14	Yes <sup>(5)</sup>	X	X	X	X	X	X	X	X
GW7-A	1510.4	1512	1516.3	16.1	20.4	22	No		X	X	X	X	X	X	X
GW7-B	1518.2	1518.4	1518.8	13.6	13.9	14.1	No		X						
GW9-BR	1571	1573.6	1576.4	15.6	18.4	21	No	X	X	X	X	X	X		X
GW9-OB	1571.4	1572.5	1575.1	17.1	19.7	20.7	No	X	X	X	X	X	X	X	X
GW-MD1	1912	1913.1	1914.6	1.6	3.2	4.2	No	X	X		X	X	X		
GW-MD2	1821.7	1822.5	1824.4	3.2	5.1	5.9	No	X	X		X	X	X		X
GW-MP1-BR	1539.6	1542.1	1544.4	10	12.4	14.9	Yes <sup>(5)</sup>	X	X	X	X	X	X	X	X
GW-MP1-OB	1546.4	1547.6	1550.5	4	6.9	8.1	Yes <sup>(5)</sup>	X	X	X	X	X	X	X	X
GW-MP1-PW	1546.7	1548	1551.2	3.1	6.3	7.7	No	X	X	X	X	X	X	X	X
GW-PP2	1865.5	1866.3	1868.6	1.9	4.2	5	No	X	X		X	X	X	X	X

<sup>(a)</sup> meters above sea level

<sup>(b)</sup> meters below ground surface

<sup>1</sup> Continue barometric corrected data every 24 hours since October 2018 to May 2019

<sup>2</sup> Continue barometric corrected data every 1 hour since October 2018 to May 2019

<sup>3</sup> Continue barometric corrected data every 24 hours since October 2018 to May 2019. The well is dry

<sup>4</sup> Well most of the time dry.

<sup>5</sup> Continue barometric corrected data every hour since October 2018 to March 2020

### 3.7.5 Groundwater Quality

#### Groundwater Quality Dataset

Groundwater quality sampling at Crown Mountain has been completed over two broad periods, first between 2013 and 2016, and second between 2018 and 2020. The latter period included quarterly sampling at 26 monitoring wells between September 2018 through August 2020 for a total of 149 samples. Table 3-7 summarizes sampling events during this period. Appendix A includes results for groundwater sampling conducted between 2013 and 2020.

**Table 3-7: Summary of groundwater quality data 2018 to 2020**

Well ID	2018		2019				2020		# of Samples
	Q3	Q4	Q1	Q2	Q3	Q4	Q1	Q2	
CM-11-11			X	X	X	X		X	5
CM-12-01				X	X	X		X	4
CM-13-06				X	X	X		X	4
CM-13-25				X	X	X		X	4
GW-12-BR				X					1
GW-14-BR	X <sup>(1)</sup>	X <sup>(2)</sup>		X	X <sup>(2)</sup>	X <sup>(2)</sup>		X	9
GW-14-OB	X <sup>(1)</sup>	X		X	X	X		X	6
GW-1-A		X	X	X	X	X	X	X	7
GW-1-B		X	X	X	X	X	X <sup>(2)</sup>	X	8
GW-3-A		X <sup>(2)</sup>	X	X	X	X	X	X	8
GW-3-B		X	X	X	X	X	X	X	7
GW-3-C		X	X	X	X	X	X	X	7
GW-4-BR		X	X	X <sup>(2)</sup>	X	X	X	X	8
GW-4-OB		X		X	X	X			4
GW-6-BR		X <sup>(1)</sup>		X	X	X		X	5
GW-6-OB	X <sup>(1)</sup>		X	X <sup>(2)</sup>	X	X	X	X	8
GW-7-A		X	X	X	X	X	X	X	7
GW-7-B		X							1
GW-9-BR		X <sup>(1)</sup>		X	X	X <sup>(2)</sup>		X	6
GW-9-OB	X <sup>(1)</sup>		X <sup>(2)</sup>	X	X <sup>(2)</sup>	X	X	X	9
GW-MD1				X					1
GW-MD2		X		X	X	X		X	5
GW-MP1-BR		X <sup>(1)</sup>		X	X	X	X	X	6
GW-MP1-OB	X <sup>(3)</sup>		X	X	X	X	X	X	8
GW-MP1-PW	X <sup>(1)</sup>		X	X	X	X	X	X	7
GW-PP2				X	X	X		X	4
Total Samples	7	17	13	27	25	25	13	22	149

<sup>1</sup> These samples were collected by SRK

<sup>2</sup> Two samples were collected by OKC

<sup>3</sup> Two samples were collected, one by SRK and one by OKC

Seven groundwater sampling events were conducted by Norwest Corporation (Norwest 2016) and O'Kane between September 2013 and June 2016. Table 3-8 summarizes samples collected during this period. Results are presented in NWP (2016).

**Table 3-8: Historical groundwater samples collected**

Well ID	# of samples	Events	Sampled by
CM-11-11	5 (+1 duplicate)	Sep-13, Jan-14, Aug-14, Nov-14, Oct-15	Norwest
	1	Jun-16	O'Kane
CM-12-01	6 (+ 4 duplicate)	Sep-13, Jan-14, Apr-14, Aug-14, Nov-14, Oct-15	Norwest
	1	Jun-16	O'Kane
CM-13-06	5	Sep-13, Jan-14, Apr-14, Nov-14, Oct-15	Norwest
	1 (+ 1 duplicate)	Jun-16	O'Kane
CM-13-25	3	Sep-13, Aug-14, Oct-15	Norwest
	1	Jun-16	O'Kane

### Physical Parameters and Major Ions

For samples collected from 2018, field pH values range between 5.5 and 8.9 with no significant differences between hydrostratigraphic units, while average laboratory conductivity values are higher for samples collected from wells screened in bedrock (429 µS/cm) and lower in those collected from wells screened in overburden (337 µS/cm). A similar relationship to conductivity occurs with total dissolved solids (321 mg/L for bedrock; 214 mg/L for overburden) (Figure 3.11).

Dissolved sodium concentrations are usually below 50 mg/L and bedrock screened wells have the higher concentrations, followed by the confining layers and finally, the shallow aquifer. A similar distribution of dissolved potassium concentrations is observed, but with values below 5 mg/L. Total alkalinity concentrations are typically between 150 and 250 mg CaCO<sub>3</sub>/L and no significant difference between the hydrostratigraphic units has been observed (Figure 3.11).

Overburden waters tend to be Ca-CO<sub>3</sub> type, while bedrock water shows a wider range of type between Ca-CO<sub>3</sub> and Na-K-Cl, interpreted to indicate relatively shallow, immature water in overburden relative to older water in bedrock that has been in contact with rock for longer, increasing in TDS. Figure 3.12 presents data in the form of a piper plot with samples categorized by hydrostratigraphic unit.

Calcium and magnesium concentrations are below 85 and 45 mg/L, respectively, for all monitoring wells. Baseline sulfate concentrations are generally below 50 mg/L except for GW-04-BR, GW-6-BR and CM12-01. For CM12-01 higher sulfate concentrations have been observed until April 2014 and for this reason those high concentrations are thought to have to do with the development of the well;

GW\_04-BR and GW-6-BR have concentrations between 40 and 230 mg. Chloride concentrations are below 80 mg/L except for GW-6-BR where concentrations are between 235 and 285 mg/L. This can be explained by poor development after installation because of insufficient water for that purpose. This condition has not improved during subsequent sampling events and turbidity and foul smell has consistently been reported; this well has typically not yielded sufficient water for full purging.

### Other Elements of Interest and Trends

Figure 3.13 presents a summary of parameters included in the Elk Valley Water Quality Plan (EVWQP) (cadmium, nitrate, sulfate, and selenium) and others which are regionally elevated in the Elk Valley (arsenic, iron, lithium, and nickel).

Wells have been grouped by hydrostratigraphic unit. Dissolved selenium and nitrate concentrations appear to be relatively higher in wells screened in overburden units relative to bedrock units, while also having lower concentrations of arsenic, lithium, nickel, and iron. However, nitrate and selenium concentrations in wells screened in overburden are still low. Locally, groundwater hosted by bedrock appears to have higher concentrations of lithium than overburden (confining layers plus shallow aquifer) while overburden seem to host groundwaters with higher concentrations of selenium.

Figure 3.14 summarizes temporal variations for the groundwater quality in wells located within the open pit footprint; the five wells were drilled in 2013 and have a longer dataset available. However, these wells were not sampled between July 2016 and February 2019 and because of that trends are not clearly observed.

Figure 3.15 summarizes the main temporal variations for monitoring wells located outside the project footprint. A decreasing trend over time has been observed for dissolved potassium and dissolved sodium in GW-MP1-BR, however, this may represent water quality stabilizing to background concentrations as cumulative well purging occurs over time.

Figure 3.16 shows the expected dominant species for the average field pH and ORP (measurement of REDOX) conditions at various wells, assuming thermodynamic equilibrium is achieved. These figures are used to generally estimate the dominant species as oxidized or reduced, and aqueous or solid; actual aqueous species or solid minerals shown on the figures may not reflect the species present at this site, and rather reflect those available to the program and not suppressed by the user.

Assuming there are available electron donors and microbial communities to catalyze reactions (or sufficient time for uncatalyzed reactions to occur), it is likely that nitrate present would be reduced to other nitrogen forms (e.g., N<sub>2</sub> gas or ammonium/ammonia), and selenium present would be in the form of selenite rather than selenate. Selenite is considered to have a higher sorption capacity and is therefore more likely to be attenuated along subsurface flow paths than selenate.

Other indications of redox conditions have been noted at GW-6-OB and GW-6-BR. At both locations, increasing manganese concentrations have been measured from 2018 to recent data. Manganese is expected to have low solubility at neutral pH values unless reducing conditions are present; manganese reduction is expected to occur at lower ORP values than nitrate and selenate reduction, potentially indicating that nitrate and selenate at these locations would likely be attenuated through

reductive processes. Furthermore, the presence of algae, high turbidity, and a foul smell noted at GW-6-OB may also support the theory that more strongly reducing conditions are present at this location.

### **British Columbia guidelines comparison**

Groundwater quality data were screened against British Columbia Approved Water Quality Guidelines, Elk Valley Water Quality Plan (EVWQP) Guidelines, and the BC Contaminated Sites Regulation (CSR) for Water Quality to identify water quality parameters that may have naturally elevated baseline concentrations. Table 3-9 summarizes this comparison with reference to Approved Water Quality Guidelines for Aquatic Life and drinking water. Details of guideline exceedances can be found in Appendix A.

**Table 3-9: Summary of water quality exceedances of British Columbia Guidelines**

Chemical Name		Arsenic	Cadmium	Cobalt	Iron	Lithium	Nickel	Selenium	Sodium	Chloride	Fluoride	Nitrate As N	Nitrite As N	Sulfate (As So4)	Barium	Cobalt	Selenium	Manganese	Phosphorus
Fraction		Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Nutrient	Nutrient	Nutrient	Nutrient	Nutrient	Total	Total	Total	Dissolved	Dissolved
Unit		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BC	Drinking Water	0.01	0.005	0.001	0.300	-	0.0800	0.01	-	250	1.5	45	3	500	-	0.001	0.01	0.12	0.01
	Freshwater Aquatic Life Long Term		-	0.004		-	-	0.001	-	150	-	-	0.02	309	-	0.004	0.001	1.65	0.005
	Freshwater Aquatic Life Short Term		-	0.11	0.350	-	-	-	-	600	-	-	0.06	-	-	0.11	-	1.75	-
	Freshwater Aquatic Life Maximum	0.005	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
BC CSR	Drinking Water	0.01	0.005	0.001	6.500	0.0080	0.0800	0.01	200	250	1.5	10	1	500	1	0.001	0.01	1.5	-
EVWQP		-	0.00024	-		-	-	0.019	-	-	-	3	-	429	-		0.019	-	-
CM-11-11	Average	0.00096	0.000006	0.0004	0.840	<b>0.0264</b>	0.0011	0.00030	25.0	1.0	0.13	0.030	0.0038	18.7	0.20	0.0007	0.00011	0.0896	<b>0.030</b>
	Min	0.00029	0.000003	0.0001	0.011	<b>0.0176</b>	0.0003	0.00003	10.0	0.5	0.09	0.003	0.0005	10.0	0.19	0.0004	0.00003	0.0554	<b>0.025</b>
	Max	0.00172	0.000023	0.0008	1.830	<b>0.0385</b>	0.0025	0.00080	60.4	1.8	0.16	0.160	0.0180	30.3	0.23	0.0009	0.00018	0.1270	<b>0.050</b>
CM-12-01	Average	0.00051	0.000006	0.0001	0.119	<b>0.0135</b>	0.0003	0.00010	48.5	1.7	0.22	0.324	0.0404	62.9	0.25	0.0001	0.00005	0.0481	<b>0.035</b>
	Min	0.00010	0.000003	0.0001	0.030	<b>0.0100</b>	0.0003	0.00000	4.1	0.3	0.20	0.003	0.0005	14.0	0.23	0.0001	0.00003	0.0278	<b>0.025</b>
	Max	0.00087	0.000010	0.0002	0.263	<b>0.0195</b>	0.0003	0.00010	150.0	6.6	0.24	0.940	0.5200	190.0	0.29	0.0002	0.00012	0.0665	<b>0.050</b>
CM-13-06	Average	0.00026	0.000023	0.0001	0.037	0.0018	0.0026	0.00010	2.3	0.6	0.03	0.042	0.0015	4.6	0.06	0.0009	0.00015	0.0021	<b>0.038</b>
	Min	0.00023	0.000013	0.0001	0.005	0.0005	0.0023	0.00010	0.2	0.3	0.01	0.023	0.0005	2.1	0.04	0.0001	0.00013	0.0007	<b>0.025</b>
	Max	0.00029	0.000037	0.0003	0.088	<b>0.0100</b>	0.0028	0.00020	20.0	1.7	0.04	0.089	0.0050	14.0	0.08	<b>0.0021</b>	0.00017	0.0036	<b>0.053</b>
CM-13-25	Average	0.00118	0.000012	<b>0.0014</b>	0.909	<b>0.0111</b>	0.0030	0.00010	9.6	0.7	0.14	0.117	0.0029	13.3	0.29	<b>0.0024</b>	0.00029	0.0632	<b>0.029</b>
	Min	0.00050	0.000003	0.0008	0.011	0.0066	0.0023	0.00003	1.9	0.3	0.01	0.003	0.0005	6.9	0.10	0.0009	0.00013	0.0046	<b>0.025</b>
	Max	0.00200	0.000040	<b>0.0025</b>	1.650	<b>0.0141</b>	0.0038	0.00030	28.0	1.9	0.19	0.441	0.0130	31.0	0.57	<b>0.0050</b>	0.00062	0.1800	<b>0.050</b>
GW-12-BR	Average	0.00028	0.000039	<b>0.0011</b>	0.022	0.0020	0.0034	0.00030	2.0	0.3	0.07	0.015	0.0005	4.8	0.06	<b>0.0021</b>	0.00036	0.0567	<b>0.025</b>
	Min	0.00028	0.000039	<b>0.0011</b>	0.022	0.0020	0.0034	0.00030	2.0	0.3	0.07	0.015	0.0005	4.8	0.06	<b>0.0021</b>	0.00036	0.0567	<b>0.025</b>
	Max	0.00028	0.000039	<b>0.0011</b>	0.022	0.0020	0.0034	0.00030	2.0	0.3	0.07	0.015	0.0005	4.8	0.06	<b>0.0021</b>	0.00036	0.0567	<b>0.025</b>
GW-14-BR	Average	0.00070	0.000006	0.0003	<b>0.404</b>	<b>0.0192</b>	0.0006	0.00010	11.0	0.7	0.20	0.012	0.0005	39.2	0.09	<b>0.0017</b>	0.00021	0.1007	<b>0.033</b>
	Min	0.00046	0.000003	0.0002	0.005	<b>0.0162</b>	0.0003	0.00003	8.0	0.3	0.17	0.003	0.0005	36.0	0.03	0.0003	0.00003	0.0684	<b>0.025</b>
	Max	0.00094	0.000022	0.0009	<b>0.948</b>	<b>0.0226</b>	0.0020	0.00020	14.6	2.0	0.25	0.055	0.0005	44.3	0.14	<b>0.0033</b>	0.00073	0.1630	<b>0.078</b>
GW-14-OB	Average	0.00009	0.000008	0.0001	0.005	<b>0.0094</b>	0.0008	0.00100	3.8	0.3	0.15	0.075	0.0006	26.9	0.13	<b>0.0036</b>	0.00109	0.0092	<b>0.025</b>
	Min	0.00005	0.000003	0.0001	0.005	0.0017	0.0006	0.00040	2.8	0.3	0.12	0.040	0.0005	11.5	0.07	0.0003	0.00038	0.0002	<b>0.025</b>
	Max	0.00027	0.000015	0.0003	0.005	<b>0.0129</b>	0.0011	0.00160	6.3	0.3	0.16	0.137	0.0011	32.1	0.26	<b>0.0097</b>	0.00183	0.0176	<b>0.025</b>
GW-1-A	Average	0.00117	0.000004	0.0002	0.054	<b>0.0169</b>	0.0004	0.00070	25.1	0.5	0.64	0.010	0.0006	31.6	0.06	0.0005	0.00012	<b>0.1223</b>	<b>0.025</b>
	Min	0.00069	0.000003	0.0001	0.005	<b>0.0158</b>	0.0003	0.00003	22.3	0.3	0.58	0.003	0.0005	22.8	0.05	0.0003	0.00003	0.1020	<b>0.025</b>
	Max	0.00184	0.000007	0.0003	0.163	<b>0.0184</b>	0.0009	0.00220	32.2	1.4	0.73	0.029	0.0014	36.3	0.07	0.0010	0.00037	<b>0.1340</b>	<b>0.025</b>
GW-1-B	Average	0.00069	0.000007	0.0001	0.026	0.0056	0.0006	0.00030	2.6	0.3	0.16	0.012	0.0006	20.0	0.28	<b>0.0077</b>	0.00146	0.0431	<b>0.025</b>
	Min	0.00042	0.000003	0.0001	0.005	0.0052	0.0003	0.00010	2.2	0.3	0.1								

Chemical Name		Arsenic	Cadmium	Cobalt	Iron	Lithium	Nickel	Selenium	Sodium	Chloride	Fluoride	Nitrate As N	Nitrite As N	Sulfate (As So4)	Barium	Cobalt	Selenium	Manganese	Phosphorus
Fraction		Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Nutrient	Nutrient	Nutrient	Nutrient	Nutrient	Total	Total	Total	Dissolved	Dissolved
Unit		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BC	Drinking Water	0.01	0.005	0.001	0.300	-	0.0800	0.01	-	250	1.5	45	3	500	-	0.001	0.01	0.12	0.01
	Freshwater Aquatic Life Long Term		-	0.004		-	-	0.001	-	150	-	-	0.02	309	-	0.004	0.001	1.65	0.005
	Freshwater Aquatic Life Short Term		-	0.11	0.350	-	-	-	-	600	-	-	0.06	-	-	0.11	-	1.75	-
	Freshwater Aquatic Life Maximum	0.005	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
BC CSR	Drinking Water	0.01	0.005	0.001	6.500	0.0080	0.0800	0.01	200	250	1.5	10	1	500	1	0.001	0.01	1.5	-
	EVWQP	-	0.00024	-		-	-	0.019	-	-	-	3	-	429	-		0.019	-	-
GW-3-B	Min	0.00049	0.00003	0.0001	0.005	<b>0.0081</b>	0.0003	0.00010	3.6	0.3	0.18	0.003	0.0005	2.5	0.06	0.0001	0.00003	0.0452	0.025
	Max	0.00078	0.00006	0.0002	0.064	<b>0.0099</b>	0.0005	0.00340	6.2	1.4	0.39	0.145	0.0069	26.8	0.11	0.0006	0.00023	<u>0.1370</u>	0.025
	Average	0.00008	0.000015	0.0001	0.019	0.0055	0.0003	0.00090	1.9	0.3	0.21	0.062	0.0021	24.0	0.07	0.0002	0.00058	<u>0.2193</u>	0.025
	Min	0.00005	0.00003	0.0001	0.005	0.0049	0.0003	0.00010	1.3	0.3	0.19	0.003	0.0005	21.3	0.06	0.0001	0.00013	0.0003	0.025
GW-3-C	Max	0.00014	0.000083	0.0002	0.052	0.0060	0.0003	0.00270	2.6	0.3	0.25	0.319	0.0086	26.2	0.08	0.0003	0.00231	<u>0.3400</u>	0.025
	Average	0.00014	0.00005	0.0001	0.005	0.0012	0.0003	0.00080	1.1	0.3	0.19	0.132	0.0051	20.6	0.04	0.0001	0.00063	0.0010	0.025
	Min	0.00012	0.00003	0.0001	0.005	0.0005	0.0003	0.00040	0.5	0.3	0.17	0.071	0.0005	7.7	0.04	0.0001	0.00013	0.0001	0.025
	Max	0.00015	0.00007	0.0001	0.005	0.0015	0.0003	0.00130	3.8	0.3	0.21	0.210	0.0307	37.8	0.05	0.0003	0.00102	0.0039	0.025
GW-4-BR	Average	0.00101	0.00004	0.0003	0.037	<b>0.0310</b>	0.0007	0.00040	51.4	3.4	0.83	0.020	0.0009	116.1	0.04	0.0008	0.00022	<u>0.2880</u>	0.025
	Min	0.00046	0.00003	0.0001	0.005	<b>0.0275</b>	0.0003	0.00010	39.1	1.6	0.63	0.003	0.0005	92.4	0.03	0.0003	0.00003	0.1110	0.025
	Max	0.00140	0.00010	0.0005	0.080	<b>0.0354</b>	0.0018	0.00080	66.2	4.7	0.94	0.090	0.0023	131.0	0.05	<b>0.0017</b>	0.00050	<u>0.5030</u>	0.025
	Average	0.00025	0.000013	0.0002	0.019	0.0043	0.0007	0.00090	6.8	0.4	0.15	0.182	0.0094	20.9	0.07	0.0003	0.00071	0.0261	0.025
GW-4-OB	Min	0.00005	0.00003	0.0001	0.005	0.0021	0.0006	0.00040	1.8	0.3	0.15	0.032	0.0005	15.3	0.05	0.0002	0.00028	0.0011	0.025
	Max	0.00039	0.000026	0.0003	0.062	<b>0.0103</b>	0.0007	0.00170	14.8	1.0	0.16	0.554	0.0352	31.1	0.08	0.0006	0.00148	0.0598	0.025
	Average	0.00226	0.00009	<b>0.0072</b>	<u>1.260</u>	<b>0.6922</b>	0.0041	0.00050	<b>235.2</b>	<b>267.6</b>	0.33	0.078	0.0042	135.2	0.25	<b>0.0163</b>	0.00040	<u>1.0384</u>	0.045
	Min	0.00053	0.00003	<b>0.0053</b>	0.011	<b>0.4740</b>	0.0023	0.00010	157.0	235.0	0.25	0.033	0.0025	44.2	0.13	<b>0.0054</b>	0.00013	<u>0.4920</u>	0.025
GW-6-BR	Max	0.00350	0.00029	<b>0.0101</b>	<u>3.190</u>	<b>0.9780</b>	0.0074	0.00130	<b>283.0</b>	<b>285.0</b>	0.39	0.232	0.0065	229.0	0.42	<b>0.0403</b>	0.00119	<u>1.3800</u>	0.085
	Average	0.00066	0.00004	0.0004	0.278	<b>0.0382</b>	0.0009	0.00010	11.2	6.8	0.16	0.023	0.0078	3.9	0.32	<b>0.0011</b>	0.00023	<u>0.8825</u>	0.097
	Min	0.00034	0.00003	0.0002	0.105	<b>0.0215</b>	0.0005	0.00010	6.6	1.9	0.08	0.003	0.0005	1.4	0.26	0.0007	0.00010	<u>0.4680</u>	0.025
	Max	0.00142	0.00011	0.0010	<u>0.395</u>	<b>0.0962</b>	0.0018	0.00030	25.6	22.9	0.31	0.086	0.0344	8.2	0.37	<b>0.0021</b>	0.00047	<u>1.2300</u>	0.424
GW-7-A	Average	0.00015	0.00006	0.0001	0.006	0.0076	0.0003	0.00070	3.2	2.4	0.12	0.097	0.0011	15.9	0.09	0.0004	0.00057	0.0051	0.025
	Min	0.00012	0.00003	0.0001	0.005	0.0063	0.0003	0.00050	3.0	0.3	0.08	0.003	0.0005	14.5	0.08	0.0001	0.00048	0.0001	0.025
	Max	0.00022	0.00014	0.0001	0.014	<b>0.0083</b>	0.0003	0.00090	3.6	17.5	0.17	0.176	0.0045	18.9	0.11	<b>0.0015</b>	0.00066	0.0199	0.025
	Average	0.00005	0.00003	0.0001	<u>0.314</u>	<b>0.0434</b>	0.0003	0.00060	18.4	0.3	0.23	0.018	0.0005	36.9	0.08	0.0007	0.00009	0.0493	0.025
GW-9-BR	Min	0.00005	0.00003	0.0001	0.277	<b>0.0372</b>	0.0003	0.00003	17.4	0.3	0.19	0.003	0.0005	32.9	0.04	0.0001	0.00003	0.0467	0.025
	Max	0.00005	0.00003	0.0002	<u>0.351</u>	<b>0.0478</b>	0.0003	0.00140	19.5	0.3	0.25	0.066	0.0005	39.6	0.19	<b>0.0027</b>	0.00027	0.0543	0.025
	Average	0.00006	0.00004	0.0001	0.005	<b>0.0145</b>	0.00												

Chemical Name		Arsenic	Cadmium	Cobalt	Iron	Lithium	Nickel	Selenium	Sodium	Chloride	Fluoride	Nitrate As N	Nitrite As N	Sulfate (As So4)	Barium	Cobalt	Selenium	Manganese	Phosphorus
Fraction		Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Dissolved	Nutrient	Nutrient	Nutrient	Nutrient	Nutrient	Total	Total	Total	Dissolved	Dissolved
Unit		mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l
BC	Drinking Water	0.01	0.005	0.001	0.300	-	0.0800	0.01	-	250	1.5	45	3	500	-	0.001	0.01	0.12	0.01
	Freshwater Aquatic Life Long Term		-	0.004		-	-	0.001	-	150	-	-	0.02	309	-	0.004	0.001	1.65	0.005
	Freshwater Aquatic Life Short Term		-	0.11	0.350	-	-	-	-	600	-	-	0.06	-	-	0.11	-	1.75	-
	Freshwater Aquatic Life Maximum	0.005	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
BC CSR	Drinking Water	0.01	0.005	0.001	6.500	0.0080	0.0800	0.01	200	250	1.5	10	1	500	1	0.001	0.01	1.5	-
	EVWQP	-	0.00024	-		-	-	0.019	-	-	-	3	-	429	-		0.019	-	-
GW-MD2	Min	0.00022	0.000011	0.0001	0.005	0.0005	0.0014	0.00120	1.7	0.3	0.09	0.077	0.0005	7.8	0.23	<b><u>0.0015</u></b>	0.00141	0.0037	0.025
	Max	0.00022	0.000011	0.0001	0.005	0.0005	0.0014	0.00120	1.7	0.3	0.09	0.077	0.0005	7.8	0.23	<b><u>0.0015</u></b>	0.00141	0.0037	0.025
	Average	0.00019	0.000003	0.0001	0.126	<b>0.0146</b>	0.0003	0.00010	4.4	0.3	0.17	0.088	0.0007	27.1	0.10	0.0006	0.00006	0.0747	0.025
GW-MP1-BR	Min	0.00016	0.000003	0.0001	0.020	<b>0.0138</b>	0.0003	0.00003	4.1	0.3	0.15	0.003	0.0005	26.0	0.04	0.0001	0.00003	0.0638	0.025
	Max	0.00024	0.000003	0.0001	0.237	<b>0.0160</b>	0.0003	0.00040	4.6	0.6	0.21	0.415	0.0014	28.5	0.27	<b><u>0.0020</u></b>	0.00013	0.0788	0.025
	Average	0.00067	0.000003	0.0001	0.015	<b>0.5700</b>	0.0004	0.00010	<b>201.3</b>	28.8	<b>2.11</b>	0.019	0.0012	11.2	0.11	<b><u>0.0012</u></b>	0.00029	0.0143	0.038
GW-MP1-OB	Min	0.00040	0.000003	0.0001	0.005	<b>0.4190</b>	0.0003	0.00003	148.0	12.5	<b>1.82</b>	0.003	0.0005	6.9	0.08	0.0003	0.00003	0.0102	0.025
	Max	0.00147	0.000005	0.0002	0.032	<b>0.7800</b>	0.0010	0.00040	<b>294.0</b>	72.2	<b>2.33</b>	0.070	0.0025	15.5	0.20	<b><u>0.0056</u></b>	0.00128	0.0186	0.066
	Average	0.00013	0.000008	0.0001	0.005	0.0068	0.0003	0.00060	4.6	0.3	0.13	0.167	0.0027	15.5	0.25	<b><u>0.0033</u></b>	0.00058	0.0091	0.025
GW-MP1-PW	Min	0.00005	0.000003	0.0001	0.005	0.0042	0.0003	0.00040	2.6	0.3	0.08	0.032	0.0005	7.7	0.14	0.0003	0.00038	0.0001	0.025
	Max	0.00017	0.000012	0.0003	0.005	<b>0.0085</b>	0.0009	0.00100	6.4	0.3	0.17	0.424	0.0155	22.0	0.53	<b><u>0.0098</u></b>	0.00078	0.0623	0.025
	Average	0.00016	0.000007	0.0001	0.005	0.0067	0.0003	0.00060	3.4	1.3	0.14	0.176	0.0006	14.9	0.09	0.0002	0.00051	0.0108	0.025
GW-PP2	Min	0.00011	0.000003	0.0001	0.005	0.0039	0.0003	0.00030	1.7	0.3	0.09	0.100	0.0005	5.9	0.08	0.0001	0.00029	0.0001	0.025
	Max	0.00027	0.000016	0.0003	0.005	<b>0.0086</b>	0.0008	0.00090	5.8	7.8	0.17	0.351	0.0012	20.4	0.14	0.0010	0.00067	0.0743	0.025
	Average	0.00005	0.000017	0.0001	0.005	0.0047	0.0003	0.00010	2.8	0.3	0.05	0.028	0.0005	7.0	0.09	0.0003	0.00014	0.0020	0.025
	Min	0.00005	0.000012	0.0001	0.005	0.0040	0.0003	0.00010	2.3	0.3	0.04	0.009	0.0005	5.3	0.08	0.0001	0.00012	0.0003	0.025
	Max	0.00005	0.000027	0.0001	0.005	0.0058	0.0003	0.00010	3.3	0.3	0.06	0.045	0.0005	9.4	0.11	0.0008	0.00016	0.0046	0.025

Notes: **Bold numbers indicate exceeding BC CSR Drinking Water Guideline**  
**Underlined numbers indicate exceeding BC Drinking Water Guideline**  
*Italic numbers indicate exceeding EVWQP Guideline*

Within the LSA, baseline groundwater quality exceeds BC CSR drinking water criteria for several parameters (cobalt, lithium, sodium, chloride, and fluoride). Most of the exceedances to these criteria occur in and around the projected disturbed area and above the confluence between West Alexander and Alexander creeks.

Monitoring wells which exceed selenium are located below the confluence between West Alexander and Alexander creeks.

Several monitoring wells (CM-11-11, CM-12-01, CM-13-25, GW-14-BR, GW-14-OB, GW-1-A, GW-3-A, GW-4-BR, GW-4-OB, GW-6-BR and GW-6-OBGW-7-A) exceed the BC CSR for drinking water criteria for lithium. However, this parameter exhibits high concentrations regionally. From the literature (Finkelman et al., 2018; Vos et al., 2006) the primary mineralogical occurrence of this element in coal settings is related to clays and detrital micas as illite and kaolinite and feldspar, amphibole and biotite, all minerals widely distributed along the Elk Valley.

Samples collected from GW-6-BR exceed both BC CSR Drinking Water and BC Drinking Water criteria for chloride. This monitoring well is located upstream the confluence between West Alexander and Alexander creeks and the reason for this exceedance can be related to its poor development and the low water volume available to purge before each sampling.

## 3.8 Regional Groundwater Resources and Users

### 3.8.1 Groundwater Resources

There are two mapped aquifers identified within the catchments of Michel Creek (BC n.d. -a). Both are located to the southwest of the project area, close to the town of Sparwood. The bedrock aquifer (1082) and the sand and gravel aquifer (1078) are shown on Figure 3.17. None of the aquifers mapped are within the Alexander or Grave Creek.

Aquifer 1078 was mapped in 2015, has a size of 8.5 km<sup>2</sup>, and overlies the 1082 aquifer at its west end. This confined aquifer is comprised of glaciofluvial sands and gravels, and it is located underneath till, in between layers, or underlying glaciolacustrine deposits. The reported yield for the wells screened in this aquifer ranges between 0.3 and 2.5 L/s while their depth to water ranges from 24 to 40 m. The groundwater flow direction is not clear but likely towards the Elk River. Recharge sources are precipitation, snow melt, and infiltration of surface water.

Aquifer 1082 is a confined bedrock aquifer with an area of 1.8 km<sup>2</sup> and a median well yield of 0.41 L/s. Groundwater within this aquifer flows to the southwest through fractured sedimentary rocks including shale, sandstone, and limestone of the Fernie Formation.

### 3.8.2 Groundwater Users

The (BC n.d. - b) does not indicate any registered private wells within the Grave Creek, Erickson Creek, and Alexander Creek catchments, but there are 13 private wells within 7 km of the LSA. Twelve

of the wells are owned by Teck and are used for water supply systems, monitoring, and industrial purposes. Five of these are located close to the Line Creek Operation; seven are part of the Elkview Operations. The only well that is not property of Teck is used for commercial and industrial purposes. Table 3-10 summarizes the well ID, their owner (as indicated in the database but assumed to be partly representative of previous owners), locations, use, depth, drilling method, depth to bedrock, reported well yield, and static water level.

**Table 3-10: Details for nearby wells**

Well ID	UTM NAD 1983		Owner	Use	Drilling Method	Depth (m bgs) <sup>(a)</sup>	Reported Well Yield (gpm) <sup>(b)</sup>	Static Water Level (mbtoc) <sup>(c)</sup>	Depth to bedrock (m bgs) <sup>(a)</sup>
	Northing	Easting							
113642	5,529,468	658,334	Teck Coal - Line Creek	Unknown	Dual Rotary	29.3	100	9.1	23.8
111334	5,531,919	660,261	Line Creek Operations	Water Supply System	-	0.0	-	0.0	0.0
50347	5,528,774	655,441	Line Creek Operations	Water Supply System	-	29.0	-	-	-
107071	5,528,800	655,460	Line Creek Operations	Water Supply System	-	3.0	-	-	-
50344	5,528,804	655,469	Line Creek Operations	Unknown	-	31.1	-	0.0	0.0
106743	5,531,619	659,729	Thurber Engineering LTD	Commercial and Industrial	-	212.8	2	18.3	19.8
116060	5,511,376	658,731	SRF Teck Elk Valley Operations	Monitoring	Dual Rotary	138.4	50	82.3	-
115999	5,511,259	659,074	Teck Elk Valley Operations	Monitoring	Dual Rotary	138.4	50	54.3	135.6
116020	5,511,275	658,938	Teck Elk Valley Operations	Water Supply	Dual Rotary	85.2	100	68.0	0.0
114728	5,510,818	658,251	Teck Elk Valley Operations	Unknown	Dual Rotary	57.6	100	44.2	0.0
115894	5,511,387	656,045	Teck Elk Valley Operations	Unknown	Dual Rotary	23.2	100	9.1	20.7
112842	5,512,093	656,095	Teck Coal Elkview Operations	Commercial and Industrial	Dual Rotary	28.3	1000	3.0	0.0
114901	5,511,910	655,950	Teck Coal Elkview Operations	Unknown	Dual Rotary	29.3	-	15.2	21.3

Notes:

- (a) meters below ground surface
- (b) gallons per minute
- (c) meters below top of casing

### 3.8.3 Regional Monitoring Network

The Teck regional groundwater monitoring network is shown on Figure 3.17. Details of these wells can be found in SNC (2019). Coordinates are listed in Table 3-11.

**Table 3-11: Regional monitoring network**

Well Name	Alternative Well Name	UTM		Comments	Source
		Easting	Northing		
LC_PIZP1101	MW11(P)-01	653,956	5,528,265	Groundwater Sampling Locations	Teck, 2018
LC_PIZP1103	MW11(P)-03	654,250	5,528,634	Groundwater Sampling Locations	Teck, 2018
LC_PIZP1104	MW11(P)-04	653,940	5,528,165	Groundwater Sampling Locations	Teck, 2018
LC_PIZP1105	MW11(P)-05	653,984	5,528,075	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC 1306	MW13-3S	658,278	5,541,059	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC 1307	MW13-1D	658,169	5,541,230	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC 1308	MW13-1S	658,168	5,541,232	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC 1404S	MW14-045 LC-PIZDC1402	658,192	5,541,069	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC 1404D	MW14-04D LC-PIZDC1401	658,192	5,541,069	Groundwater Sampling Locations	Teck, 2018
LC_PIZDC0901	GA-DC1-A	658,048	5,541,500	Groundwater Sampling Locations	Teck, 2018
GH_POTW10		653,321	5,545,426	Groundwater Sampling Locations	Teck, 2018
EV_GV3gw	SSGMP, RGMP	656,580	5,522,255	Groundwater Monitoring Program Locations	Teck, 2018
EV_BALgw	SSGMP	653,121	5,517,271	Groundwater Monitoring Program Locations	Teck, 2018
EV_LSgw	SSGMP, RGMP	653,274	5,514,731	Groundwater Monitoring Program Locations	Teck, 2018
EV_GCgw	SSGMP	653,061	5,513,870	Groundwater Monitoring Program Locations	Teck, 2018
EV_OCgw	SSGMP, RGMP	652,480	5,512,671	Groundwater Monitoring Program Locations	Teck, 2018
EV_WF_SW	SSGMP	659,208	5,513,023	Groundwater Monitoring Program Locations	Teck, 2018
EV_ECgw	SSGMP, RGMP	660,795	5,506,384	Groundwater Monitoring Program Locations	Teck, 2018
EV_MCgwS	SSGMP, RGMP	653,476	5,511,624	Groundwater Monitoring Program Locations	Teck, 2018
EV_MCgwD	SSGMP, RGMP	653,476	5,511,624	Groundwater Monitoring Program Locations	Teck, 2018
EV_BCgw	SSGMP, RGMP	655,381	5,509,659	Groundwater Monitoring Program Locations	Teck, 2018
EV_ER1gwS	SSGMP, RGMP	651,374	5,510,955	Groundwater Monitoring Program Locations	Teck, 2018
EV_ER1gwD	SSGMP, RGMP	651,379	5,510,952	Groundwater Monitoring Program Locations	Teck, 2018

## 4 Conceptual Groundwater Models

### 4.1 Current Conditions

The current conditions (baseline) conceptual model was developed from the data presented in Section 3.

#### 4.1.1 Hydrostratigraphic Units

Three main hydrostratigraphic units are defined and summarized in Table 4-1.

##### 1. Overburden Aquifer

The Overburden Aquifer represents groundwater flow at or near ground surface in relatively high conductivity, unconsolidated sediments regardless of origin. The Overburden Aquifer varies in thickness, and thus capacity to convey water across different elevation ranges over the project area. The Overburden Aquifer is most significant in the Alexander Creek valley, generally downgradient of the Project, but also defines smaller, though no less important, groundwater pathways at higher elevations and within the West Alexander valley bottom. The Overburden Aquifer consists mainly of colluvial, fluvial, alluvial, and glaciofluvial sediments.

##### 2. Overburden Confining Layers

The Overburden Confining Layers represent unconsolidated units underlying or within the Overburden Aquifer with relatively low conductivity that act as confining layers. Confining units are typically lacustrine or glacial in origin, with significant percentages of silt and clay. This unit includes till on valley sides that confine bedrock, and a substantial clay unit in the Alexander Creek valley south of the Project that also overlies and confines bedrock.

##### 3. Bedrock

The Bedrock unit includes all lithologies, including sandstone, mudstone, shale, and the coal seams to be exploited for the Project. Bedrock is present across the entire site at varying depths below surface. Groundwater flow in bedrock is controlled by fracturing, bedding planes, and geological structures, and is assumed to be anisotropic. Bedrock outcrops are common at topographic highs to the west of the proposed facilities, and in the west slope of Upper Alexander Creek valley.

**Table 4-1: Summary of Hydrostratigraphic Units**

Primary Hydrostratigraphic Unit	Secondary Hydrostratigraphic Unit	Description	Thickness (m)	Hydraulic Horizontal Conductivity (m/d)
Overburden Aquifer	Colluvium	Sands, gravels and cemented till lenses	10 - 20	Calibrated: 9E-03 Measured: 7E+00 to 9E+00
	Fluvial	Gravels interbedded with sands and silty sands	0 - 30	Calibrated: 4E+00 Measured: 2E+00 to 5E+01
	Glaciofluvial	Sand and gravel	0 - 34	Calibrated: 4E+01 Measured: 1E+00 to 1E+04
Overburden Confining Layers	Till	Pebbles, cobbles and boulders in a matrix of sand, silt and clay	<27	Calibrated: 9E-03 Measured: 2E-01 to 6E-01
	Lacustrine	Fine sand, silt and clay	-	Calibrated: 3E-02 Measured: 4E-02
	Glaciolacustrine	Silts and plastic clays but also include some fine sands	<18	Calibrated: 3E-02 Measured: 2E-02 to 8E-02
Bedrock	Fractured or Weathered Bedrock	Fractured or weathered sandstone, mudstone and shale	<10	Calibrated: 9E-03 Measured: 2E-01 to 8E+00
	Coal seams	Coal seams	-	Calibrated: 9E-03 Measured: 2E-03 to 4E-01
	Competent Bedrock	Sandstone, mudstone and shale	-	Calibrated: 9E-03 Measured: 2E-03 to 2E+00

Cross sections illustrating the distribution of hydrostratigraphic units are shown in Figure 4.1 to Figure 4.4. Cross section locations are shown on Figure 3.6.

#### 4.1.2 Groundwater Flow

Figure 4.5 shows interpreted groundwater head contours for the overburden aquifer hydrostratigraphic unit; Figure 4.6 shows interpreted groundwater head contours for the Bedrock unit.

Hydraulic head mimics topography. A groundwater divide generally coincides with the topographic saddle between the West Alexander and Grave Creek drainages and is assumed to follow ridgelines away from that. The actual groundwater divide is likely offset from ridge lines somewhat, but the existing dataset suggests the offset is not significant.

Hydraulic conductivity data indicates higher values in fluvial and weathered bedrock units as compared to till and competent bedrock. This is comparable to observations at other projects in this region.

At a large scale, groundwater flow will move from high elevation recharge areas to low elevation discharge areas via the most permeable pathways. These flow paths can occur at multiple scales, such as the local, intermediate, and regional groundwater systems, as defined by Toth (1963). Using

the West Alexander Creek valley as an example at the Project, local flow paths represent recharge in the area of the open pits that moves through relatively thin colluvial or fluvial overburden and discharges in West Alexander somewhere directly downhill. This water has a relatively short travel time and characteristics more representative of recharge than deep groundwater (e.g., lower TDS). Intermediate flow paths occur in weathered bedrock to moderate depths but still typically discharging to valley bottoms generally within the project area. Regional flow paths represent water that is infiltrating deep into relatively more competent bedrock, travelling for significantly longer periods of time, and not discharging until well downgradient of the Project. Till or glaciolacustrine units can confine water within a given flow paths, transforming from one flow path to another (e.g., an intermediate flow path to a more regional one). For example, recharge entering weathered bedrock in the vicinity of the Project may become confined by glaciolacustrine units as it enters the Alexander Creek valley and cannot return to surface until some location well downgradient.

Most groundwater flow is inferred to occur through local or intermediate pathways and discharge relatively close to site. Monitoring wells in valley bottoms (GW-9-OB and GW-9-BR) show upwards vertical gradients from near surface overburden materials supporting the concept of a discharge zone in the valley bottom, or baseflow to West Alexander Creek. This is supported by results of the flow accretion survey.

On the northern side of the Project in the Grave Creek catchment, wells GW-14-BR and GW-14-OB typically indicate downwards gradients, reflective of a groundwater recharge area. Upwards gradients in October 2018 and October 2019 suggest these gradients can reverse, perhaps related to autumn rains, but it is unclear why this is not also apparent during freshet. The area is considered a groundwater recharge zone. Further downgradient of the Project, downward vertical gradients (GW7-A, GW7-B, GW1-A and GW1-B) indicate recharge of the groundwater from West Alexander Creek.

#### **4.1.3 Groundwater Quality**

Groundwater in the overburden units (confining layers and shallow aquifer) is thought to represent generally younger water than that in bedrock. Overburden water quality has lower electrical conductivity and total dissolved solids than deeper waters hosted in the bedrock. Overburden waters tend to be Ca-CO<sub>3</sub> type, while bedrock water shows a wider range of type between Ca-CO<sub>3</sub> and Na-K-Cl, interpreted to indicate relatively shallow, immature water in overburden relative to older water in bedrock that has been in contact with rock for longer.

Selenium concentrations are higher in overburden groundwater, though concentrations tend to be highest in wells screened in confining layers. In contrast, lithium concentrations are higher in bedrock hosted waters which, if well development issues are discarded, may indicate increased contact with bedrock higher in lithium content than overburden.

#### **4.1.4 Baseline Conditions Summary**

The groundwater system at the Project occurs within three main hydrostratigraphic units which define at least two different aquifers.

The deeper aquifer is hosted in bedrock and likely has decreasing hydraulic conductivity with depth. Regional bedding has a shallow dip to the west (~ 20) and local bedding and folding of the coal seams likely induces anisotropy in the hydraulic conductivity.

The shallow aquifer is hosted in the overburden units. Two overburden hydrostratigraphic units were observed:

- An aquifer unit present mainly in the valley bottoms composed of fluvial, glaciofluvial, and colluvium sediments with silt and clay, with interbedded fine-grained confining layers
- A confining unit of glaciolacustrine clay or silt occurring in the Alexander Creek valley bottom downgradient of the Project.

Groundwater recharge occurs at relatively high elevations from direct precipitation and at lower elevations by infiltration of runoff or stream loss through shallow, higher conductivity sediments along streams.

Within the Alexander Creek valley downgradient of the Project, water that has infiltrated to the deeper bedrock or overburden systems is confined at depth, but vertical upwards gradients exist, and may discharge to shallower permeable materials or surface waters; discharge of deeper groundwater does not appear to be significant close to the Project due to the presence of the glaciolacustrine confining unit, but could occur further downgradient in the Alexander Creek valley.

Figure 4.7 summarises the hydrogeological conceptual model for baseline conditions.

## 4.2 Operations

During operations, open pits will be dewatered, and WRDs constructed. Dewatering induced by pit excavations and changes to infiltration through waste rock will affect groundwater flow (Figure 4.8)

As the open pits are expanded, drawdown will extend outwards, redirecting groundwater flows towards pits and reducing groundwater discharge to creek valley bottoms. WRDs will affect recharge rates but are not expected to significantly change groundwater flow paths as waste materials typically have higher conductivities than natural ground.

Seepage from WRDs will affect groundwater quality within their footprints. Impacted groundwater will discharge to ground surface relatively close to the WRD. Limited impacted groundwater remaining in the groundwater system will flow downgradient towards the Alexander Creek valley, mixing with non-contact waters from other parts of the catchment. Contact groundwater remaining at depth will move slowly downgradient and remain at depth. Contact groundwater in near surface materials may discharge to surface water at stream gaining reaches.

## 4.3 Closure

At closure, open pits will be allowed to fill to their decant points, forming small pit lakes or saturated rock fills. Groundwater levels close to these saturated zones will adjust and ultimately stabilize to a new equilibrium. Long-term closure pit water levels will reach a maximum elevation corresponding to decant points: 1,978, 2,049, and 1,671 masl for North Pit, East Pit and South Pit, respectively.

Reclamation of WRDs may reduce infiltration to a degree and further modify groundwater recharge within their footprints. Runoff directed around these dumps will ultimately still report to the same catchment drainages, as will water infiltrating through the WRDs. Groundwater flow quantities may change but overall flow directions will likely remain similar to baseline conditions.

Seepage from WRDs will continue to follow the same trajectories as during operations. Seepage from saturated zones in pits will follow groundwater flow paths within the re-equilibrated flow system, with shallow flow paths mostly reporting to the West Alexander Creek valley bottom under the WRD. Some seepage will occur from the south end of the South Pit and could move in a southerly direction towards Alexander Creek; flow would be completely within bedrock and flow rates would be anticipated to be relatively low.

A conceptual model schematic for the long-term closure period is included in Figure 4.8..

## 5 Potential Impacts from Project

Potential impacts from the Project were assessed with a 3D groundwater numerical model. The model domain is shown in Figure 1.2 as the LSA. The model was calibrated to current conditions for water level and flow, then was used to assess potential future conditions for end of mining (EOM) and long-term closure (LTC) conditions. Details of the numerical model construction, calibration, simulated scenarios, and results are presented in Appendix B.

Predictive groundwater flow simulations were conducted for:

- EOM: Project footprint at maximum. Open pits at maximum extent and dewatering occurring. WRDs developed to maximum footprint.
- LTC: Project footprint at maximum, but open pits flooded to decant level. Reclamation activities conservatively assumed to have no impact on the groundwater system.

Groundwater head contours for current conditions (baseline), EOM and LTC scenarios are presented in Figure 5.1.

Changes to groundwater quantity will occur due to development of the open pits and construction of WRDs. Comparing the different phases on Figure 5.1, open pits will cause changes in groundwater flow due to dewatering activities and the development of the pits themselves. Changes in groundwater flow direction during operations will be limited by West Alexander and Alexander creeks, and mostly will occur close to the project footprint. No significant changes are expected to groundwater flow direction to the north of the proposed mined area and to the south of the confluence between Upper Alexander and West Alexander creeks.

During LTC, no significant changes in flow directions and hydraulic gradients are expected with respect to operations (Figure 5.1).

Potential effects of the Project on the groundwater system quantity were assessed in terms of (a) changes in flux through indicative cross-sectional areas in valley bottoms and (b) changes to baseflow.

The numerical model developed in this analysis was used to inform pathways and the scale of change to groundwater quality that could occur. The numerical model was used in a conservative transport mode to estimate breakthrough concentrations at multiple locations and results used in combination with results obtained from the Water Quality Prediction Model (SRK 2020) to provide estimates of groundwater quality at key locations for EOM and LTC.

## 5.1 Groundwater Quantity

Potential changes to groundwater quantity due to the Project are primarily expected to impact groundwater in the West Alexander, Upper Alexander, and Alexander Creek valleys. These potential changes were assessed in two ways:

- Horizontal groundwater flux: Changes in groundwater flow across three cross-sectional areas (Figure 5.2) for West Alexander, East Alexander, and Alexander Creek valley bottoms
- Baseflow: Changes in cumulative groundwater discharge to surface water for Alexander Creek (below and above the confluence) and West Alexander Creek

Mining within the Grave Creek catchment is minor and not expected to have any significant effect on groundwater quantity. The North Pit is the only significant mine component within the Grave Creek catchment and will modify an area of approximately 131,828 m<sup>2</sup>. This represents only 0.2 % of the total Grave Creek catchment. Impacts to the groundwater system due to project infrastructure in the Grave Creek valley bottom (i.e., Grave Creek Water reservoir and rail loadout) are not expected to be significant. Potential effects of the project in that area are more likely to result from material storage or management of dangerous liquids and will be addressed through specific management plans.

### 5.1.1 Horizontal Groundwater Flux

Based on the groundwater numerical model, current groundwater fluxes through North Pit, East Pit and South Pit are 3.7 L/s, 1.7 L/s, and 11.2 L/s, respectively. Dewatering rates estimated with the model for EOM are 169 and 559 m<sup>3</sup>/d for the North Pit and South Pit, respectively. At EOM, the East pit is dry due to dewatering from the North Pit. These flow rates are not particularly large and will not need dedicated pit perimeter dewatering systems, though it may be found during actual conditions that localized systems are required. As the pits are located on a ridgeline, dewatering effects do not extend significant distances from the pits, though it is possible the ridgeline itself is drained to a large extent.

Actual drainage into the pits will be affected by anisotropy in bedrock hydraulic conductivity; if anisotropy is more significant than assumed, drawdown could be relatively more pronounced in a north-south direction than estimated, but drawdown effects to the east, towards Upper Alexander Creek (above the confluence), may be less than estimated. Un-mapped fault structures may also influence final conditions but should not significantly change inflow to pits by a significant amount over the long term due to the pit elevation above the surrounding valleys (the only major sources of inflow will be recharge on the mountain top and drainage of surrounding bedrock, not connection to any surface water sources).

Potential effects on groundwater quantity due to construction of the WRD in the West Alexander Creek valley may change groundwater recharge within the WRD footprint, but since the area under the WRD is a groundwater discharge zone, any effects should be more pronounced in terms of changes to surface water flow. Groundwater discharge will not be directly affected by the WRD; discharge to slopes on the east side of West Alexander Creek and to the valley bottom would be expected to continue and move as flow along the base of the dump. The seasonal distribution of flows may be

altered somewhat by attenuation of flow through the WRDs. Diversion of runoff back into creeks should reduce impacts on creek flow rates.

Changes to groundwater flow within the shallower aquifer will occur. As shown in Table 5-1, decreases in groundwater flow are estimated to be most significant in West Alexander Creek at EOM, on the order of 20% lower than baseline. This equates to a decrease on the order of 40 m<sup>3</sup>/d (< 1L/s), which is likely not significant. Changes to horizontal groundwater flow in the Upper Alexander Creek (above the confluence) and Alexander Creek (below the confluence) are estimated to be even less than West Alexander.

**Table 5-1: Potential impact on horizontal groundwater flux in valley bottoms**

GW Flux Cross Section	Baseline (L/s)	EOM	EOM	LTC	LTC
		(most likely)	(uncertainty range)	(most likely)	(uncertainty range)
		% change from baseline			
West Alexander Creek	2.5	-17%	-25% to -9%	-0.12	-18% to -6%
Upper Alexander Creek (above the confluence)	9.2	-9%	-14% to -4%	-0.04	-9% to 0%
Alexander Creek (below the confluence)	11.6	-4%	-7% to -1%	-0.03	-6% to 0%

### 5.1.2 Baseflow

Potential changes to baseflow are presented in Table 5-2 as percentage change from the baseline condition.

**Table 5-2: Potential impact on groundwater baseflow**

Mass Balance	Baseline		EOM	LTC
	Inflow (L/s)	Outflow (L/s)		
	% change from baseline*	% change from baseline		
West Alexander Creek Baseflow	0.9	38.0	-30%	-21%
Upper Alexander Creek Baseflow	0.7	120.0	-5%	-4%
Alexander Creek Baseflow**	2.2	106.1	-2%	-1%

Alexander Creek Cumulative Change***	3.8	264.1	-7%	-5%
Grave Creek (Upper) Baseflow		33.5	-4%	-2%

\* A negative value represents a reduction with respect to baseline flow

\*\* Alexander Creek below confluence to model boundary

\*\*\* Includes West Alexander Creek, Upper Alexander Creek and Alexander Creek below confluence

Impacts to groundwater baseflow are estimated to be most significant for the EOM period. Changes to baseflow are expected to be most significant in West Alexander Creek with a maximum estimated reduction of 30% compared to baseline conditions. This is due primarily to pit dewatering reducing groundwater flow from the pit areas. Groundwater baseflow for Upper Alexander Creek could reduce by up to 5%. Minimal impact (-2%) is seen to the baseflow to Alexander Creek below the confluence. At EOM, there is a cumulative reduction of 7% to baseflow to Alexander Creek.

Impacts to groundwater baseflow are reduced during the LTC period, as pits fill with water to their decant points and the groundwater system re-equilibrates. Impacts to groundwater baseflow to West Alexander Creek reduce to only 20% lower than baseline. Baseflow to Upper Alexander recovers slightly to 4% lower than baseline. The cumulative change below the confluence is approximately 5% lower than baseline. Impacts at LTC will be mitigated to a large degree by surface flows and pit decant being redirected back to West Alexander Creek.

Changes in baseflow at Grave Creek is predicted to correspond to a maximum reduction of 4 % below baseline conditions.

Uncertainty exists with the range of inflow to pits and change in baseflow due to limited understanding of material hydraulic properties and groundwater recharge, but in general, effects are not expected to be significant to Alexander Creek. Effects on groundwater flow within bedrock are not expected to be significant due to the generally low conductivity of bedrock units and consequent limited area of effect due to pits being located on an elevated ridge.

Effects on groundwater quantity should decrease with increasing downstream distance in the Alexander Creek valley as the catchment area gets larger and surface water flow rates (thus potential groundwater recharge) generally increase. Impacts at the confluence of Alexander Creek with Michel Creek are not expected to be significant, if measurable.

## 5.2 Groundwater Quality

The numerical model was used to inform groundwater pathways and the magnitude of change to groundwater quality that could occur. The baseline numerical model was modified and run in a conservative transport mode to estimate migration of water from source locations through the groundwater system and mixing of this water with other groundwater entering the system from non-contact sources. Details on the base model can be found in Appendix B. The transport model assumed

a fixed source concentration of 100 mg/L, longitudinal dispersivity of 100 m and an average value of 10 m for transverse dispersivity. The predictive transport model was run transiently for 100 years starting at the first year of operation. Control points in the groundwater numerical model were used to extract breakthrough concentrations. Processing of these data to convert to estimated actual concentrations and results are described further in this section.

An important part of the Project design is the engineered WRD that will be constructed to reduce nitrate and selenium concentrations in water seeping from the dump. Water quality predictions (SRK 2020) estimate that if the dump functions as designed, selenium and nitrate concentrations in Grave and Alexander creek would be below BC Aquatic Life guidelines (chronic). Concentrations in the sediment pond would be below guidelines for most of the years, except during winter months (SRK 2020). Water from the sedimentation pond is assumed to be discharged back to Alexander Creek. Assessment of potential effects directly from this system are presented in the Water Quality Prediction Model (SRK 2020).

Particle tracking suggests that water from the main sedimentation pond will remain shallow, within the upper 30 m below ground surface.

Results from the groundwater model are not directly incorporated into the surface water quality prediction model. The water quality prediction model assumes that total catchment yield for all affected catchments reports to surface water each year. This catchment yield is effectively annual runoff, which itself includes groundwater that is contributing to runoff (baseflow). The transport groundwater model estimates future groundwater quality in both shallow and deep flow paths but the groundwater loading to surface water is already be incorporated in the surface water quality model, thus is not added again. This approach is conservative in terms of potential effects on surface water quality. The transport groundwater model is only used to estimate potential effects on groundwater quality.

### **5.2.1 Groundwater Quality Predictive Methods**

Potential effects on groundwater quality were assessed for all parameters included in the surface water quality model, except for ammonium ( $\text{NH}_4$ ). Ammonium was not included in the baseline groundwater quality surveys. However, ammonia was always included, and the laboratories have only reported this analyte because acid was used to preserve the samples. When samples are preserved in this way, any ammonium will be converted to ammonia. Results for specific parameters are presented in the following sections, including those in the Elk Valley Water Quality Plan (EVWQP) and parameters known to be elevated in the Elk Valley or common parameters of concern at Elk Valley coal mines. These parameters are listed in Table 5-3. Results for the full parameter list (42 parameters) are included in Appendix C.

**Table 5-3: Key Constituents of concern**

Nitrate	
Cadmium	EVWQP Guidelines
Sulfate	
Selenium	
Arsenic	
Iron	Naturally and regionally elevated in the Elk Valley
Lithium	
Nickel	
Cobalt	
Sodium	Locally presenting exceedances for baseline conditions
Manganese	
Phosphorus	

Estimates of groundwater quality were assessed for five groundwater control points, defined as locations where the groundwater quality is assessed to determine potential Project effects. These five locations are within the LSA but downstream of all the facilities in the Alexander Creek and Grave Creek catchments and include boundaries of the LSA. Table 5-4 summarizes locations and objectives. Control point locations are shown on Figure 5.2.

**Table 5-4: Control points selected for groundwater quality effects assessments**

Catchment	Control Point Number	Location
Alexander Creek	1	Sedimentation Pond
	2	Podransky Cabin
	3	Alexander Creek at LSA Boundary
Grave Creek	4	North Pit Drainage at Property Boundary
	5	Grave Creek at LSA Boundary

Control points 1, 2 and 3 are within the Alexander Creek catchment. Control point 1 is located immediately downgradient the WRD in the West Alexander Creek catchment at the location of the sedimentation pond. Control point 2 is in the Alexander Creek catchment, at the location of a cabin approximately 2,000 m downstream the sedimentation pond. Control point 3 is within the Alexander Creek catchment at the boundary of LSA and the property boundary.

Control points 4 and 5 are within the Grave Creek catchment. Control point 4 is at the property boundary down gradient of the North Pit. Control point 5 is at the intersection of Grave Creek and the LSA boundary.

Estimated groundwater quality at control points was calculated by scaling normalized breakthrough results ( $C'/C_0$ ) from the conservative transport model to source terms for a given source (SRK 2020) and baseline groundwater quality using the following equation:

$$C = C_b + \left( \frac{C'}{C_0} \times C_s \right)$$

Where

$C$  = modelled concentration

$C_b$  = background concentration

$C'$  = extracted concentration from the numerical model

$C_0$  = modelled source concentration

$C_s$  = actual source term concentration

This approach assumes conservative mass transport; no reactions were assumed (e.g., oxidation/reduction, parameter saturation or precipitation, attenuation, etc.). Baseline concentrations for each control point were chosen based on groundwater quality from the closest monitoring wells. Average concentrations were used to represent baseline conditions. Table 5-5 presents baseline concentrations assumed for each control point.

**Table 5-5: Background concentrations**

Control Point		1	2	3	4	5
		Alexander Creek at Model Boundary	Grave Creek at West Model Boundary	North Pit Creek at East Model Boundary	Sedimentation Pond	Podransky Cabin
HU		Overburden	Overburden & Bedrock	Overburden & Bedrock	Overburden & Bedrock	Overburden
Contaminants of concern		GW-1-A & GW-1-B	GW-14-OB & GW-14-BR	GW-14-OB & GW-14-BR	GW-MP1-PW & GW-MP1-OB & GW-MP1-BR	GW-3-A/GW-3-B/GW-3-C
Arsenic	mg/L	0.0009	0.0004	0.0004	0.0003	0.0003
Iron	mg/L	0.04	0.20	0.20	0.01	0.02
Cadmium	mg/L	0.000006	0.000007	0.000007	0.000006	0.000008
Nitrate	mg/L	0.01	0.04	0.04	0.12	0.07
Sulfate	mg/L	25.8	33.1	33.1	13.9	19.8
Selenium	mg/L	0.0005	0.0005	0.0005	0.0004	0.0010
Lithium	mg/L	0.01	0.01	0.01	0.19	0.01
Sodium	mg/L	13.9	7.4	7.4	69.8	2.6
Cobalt	mg/L	0.0002	0.0002	0.0002	0.0001	0.0001

Control Point		1	2	3	4	5
		Alexander Creek at Model Boundary	Grave Creek at West Model Boundary	North Pit Creek at East Model Boundary	Sedimentation Pond	Podransky Cabin
HU		Overburden	Overburden & Bedrock	Overburden & Bedrock	Overburden & Bedrock	Overburden
Contaminants of concern		GW-1-A & GW-1-B	GW-14-OB & GW-14-BR	GW-14-OB & GW-14-BR	GW-MP1-PW & GW-MP1-OB & GW-MP1-BR	GW-3-A/GW-3-B/GW-3-C
Nickel	mg/L	0.0005	0.0007	0.0007	0.0004	0.0003
Manganese	mg/L	0.08	0.05	0.05	0.01	0.11
Phosphorus	mg/L	0.025	0.029	0.029	0.029	0.025

Two main contamination sources have been used for this assessment: WRDs for the control points in the Alexander Creek catchments, and the North Pit for control points in the Grave Creek catchment. Source term concentrations were extracted from the Water Quality Prediction Model (SRK 2020) and used the 95<sup>th</sup> percentile results. For the WRD, it was assumed the engineered waste rock layering approach operates as intended, with climate change.

WRD seepage over time does not coincide exactly with prediction timeframes of the transport groundwater model. Seepage rates from the WRD peak around year 12 of operations but source term concentrations are relatively low (SRK 2020). Source term concentrations are highest during the first two years of operation, but seepage rates are low. Longer term (i.e., EOM), higher seepage rates and corresponding source terms were assumed for the groundwater modeling.

Breakthrough data was extracted from the transport groundwater model at 10 different depths for each control point, from ground surface to a depth of 700 m. For the assessment, at each control point the breakthroughs at each depth were compared and the highest concentration values selected for assessment. Variation of breakthrough with depth is a function of distribution of flow within the overall groundwater flow system. Depths with highest concentrations were:

- Control point 1 (at Sedimentation Pond): 200 m depth
- Control point 2 (at Podransky Cabin): near surface
- Control point 3 (Alexander Creek at LSA Boundary): 60 m depth
- Control point 4 (North Pit Drainage at Property Boundary): 200 m depth
- Control point 5 (Grave Creek at LSA Boundary): 60 m depth

Groundwater quality predictive results were compared to BC Drinking Water, BC CSR Drinking Water, BC Fresh Water Aquatic Life and EVWQP guidelines. However, only drinking water guidelines were used for determination of significance as Fresh Water Aquatic Life guidelines apply to surface water.

### 5.2.2 Assumptions and Limitations

- Groundwater flow paths are assumed the same as for the calibrated baseline groundwater numerical model. Differences may occur locally due to variation in subsurface materials or characteristics and due to assumptions in areas with less information on ground conditions.
- Transport parameters are assumed based on literature values and could be different.
- Source terms assume the engineered WRD layering is functioning as designed.
- Highest concentrations are assessed, regardless of depth.
- Available baseline groundwater quality data is representative for the Project.
- Travel time estimates are influenced by assumptions of porosity, which were selected conservatively based on literature values. Differences in porosity (effective porosity) at the small or large scale could increase or decrease travel time for water from a source to a control point or receptor.
- The Water Quality Prediction Model (SRK 2020) is also based on a series of assumptions and water quality inputs to that model were based on a limited number of samples.

### 5.2.3 Groundwater Quality Predictions Results and Screening

Table 5-6 presents screening results for parameters listed in Table 5-3. Results for the complete parameter list (42 parameters) are provided in Appendix C.

Table 5-6: Groundwater Quality Predictions

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)												Long Term Closure (Year 101)							
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP		
			mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
West Alexander Creek	Control Point # 1: Sedimentation Pond / Background GW-MP1-BR & GW-MP1-PW & GW-MP1-OB	[As]	0.00032	0.00390	0.00253	0.00033	0.00035	0.01	0.01	-	[As]	0.00032	0.00390	0.04394	<b>0.00049</b>	0.00035	0.01	0.01	-		
		[Cd]	0.0000059	0.0027000	0.0025346	<b>0.0000128</b>	0.0000065	0.005	0.005	0.00024	[Cd]	0.0000059	0.0027000	0.0439424	<b>0.0001246</b>	0.0000065	0.005	0.005	0.00024		
		[Co]	0.000082	0.146980	0.002535	<b>0.000455</b>	0.000090	0.001	0.001	-	[Co]	0.000082	0.146980	0.043942	<b>0.006541</b>	0.000090	0.001	0.001	-		
		[Fe]	0.008	0.042	0.003	0.008	0.009	0.3	6.5	-	[Fe]	0.008	0.042	0.044	<b>0.010</b>	0.009	0.3	6.5	-		
		[Li]	0.1945	0.0000	0.0025	0.1945	0.2140	-	0.008	-	[Li]	0.1945	0.0000	0.0439	0.1945	0.2140	-	0.008	-		
		[Mn]	0.01	0.27	0.00	0.01	0.01	0.12	1.5	-	[Mn]	0.01	0.27	0.04	<b>0.02</b>	0.01	0.12	1.5	-		
		[Na]	69.77	0.00	0.00	69.77	76.74	-	200	-	[Na]	69.77	0.00	0.04	69.77	76.74	-	200	-		
		[Ni]	0.00035	0.38000	0.00253	<b>0.00131</b>	0.00039	0.08	0.08	-	[Ni]	0.00035	0.38000	0.04394	<b>0.01705</b>	0.00039	0.08	0.08	-		
		[NO3]	0.121	0.500	0.003	0.122	0.133	45	10	3	[NO3]	0.121	0.500	0.044	<b>0.142</b>	0.133	45	10	3		
		[P]	0.029	0.000	0.003	0.029	0.032	0.01	-	-	[P]	0.029	0.000	0.044	0.029	0.032	0.01	-	-		
		[Se]	0.00040	0.05781	0.00253	<b>0.00055</b>	0.00044	0.01	0.01	0.019	[Se]	0.00040	0.05781	0.04394	<b>0.00294</b>	0.00044	0.01	0.01	0.019		
		[SO4]	13.87	531.76	0.00	15.22	15.26	500	500	429	[SO4]	13.87	531.76	0.04	<b>37.24</b>	15.26	500	500	429		
	Control Point # 2: Podransky Cabin/ Background GW-3-A & GW-3-B & GW-3-C	[As]	0.00028	0.00390	0.00000	0.00028	0.00030	0.01	0.01	-	[As]	0.00028	0.00390	0.00165	0.00028	0.00030	0.01	0.01	-		
		[Cd]	0.0000076	0.0027000	0.0000000	0.0000076	0.0000084	0.005	0.005	0.00024	[Cd]	0.0000076	0.0027000	0.0016540	<b>0.0000121</b>	0.0000084	0.005	0.005	0.00024		
		[Co]	0.000080	0.146980	0.0000000	0.000080	0.000087	0.001	0.001	-	[Co]	0.000080	0.146980	0.001654	<b>0.000323</b>	0.000087	0.001	0.001	-		
		[Fe]	0.015	0.042	0.000	0.015	0.017	0.3	6.5	-	[Fe]	0.015	0.042	0.002	0.015	0.017	0.3	6.5	-		
		[Li]	0.0052	0.0000	0.0000	0.0052	0.0058	-	0.008	-	[Li]	0.0052	0.0000	0.0017	0.0052	0.0058	-	0.008	-		
		[Mn]	0.11	0.27	0.00	0.11	0.12	0.12	1.5	-	[Mn]	0.11	0.27	0.00	0.11	0.12	0.12	1.5	-		
		[Na]	2.64	0.00	0.00	2.64	2.90	-	200	-	[Na]	2.64	0.00	0.00	2.64	2.90	-	200	-		
		[Ni]	0.00026	0.38000	0.00000	0.00026	0.00029	0.08	0.08	-	[Ni]	0.00026	0.38000	0.00165	<b>0.00089</b>	0.00029	0.08	0.08	-		
		[NO3]	0.072	0.500	0.000	0.072	0.080	45	10	3	[NO3]	0.072	0.500	0.002	0.073	0.080	45	10	3		
		[P]	0.025	0.000	0.000	0.025	0.028	0.01	-	-	[P]	0.025	0.000	0.002	0.025	0.028	0.01	-	-		
		[Se]	0.00099	0.05781	0.00000	0.00099	0.00108	0.01	0.01	0.019	[Se]	0.00099	0.05781	0.00165	0.00108	0.00108	0.01	0.01	0.019		
		[SO4]	19.80	531.76	0.00	19.80	21.78	500	500	429	[SO4]	19.80	531.76	0.00	20.68	21.78	500	500	429		
	Control Point # 3: Alexander Creek at LSA Boundary / Background GW-1-A & GW-1-B	[As]	0.00093	0.00390	0.00000	0.00093	0.00102	0.01	0.01	-	[As]	0.00093	0.00390	0.00000	0.00093	0.00102	0.01	0.01	-		
		[Cd]	0.0000055	0.0027000	0.0000000	0.0000055	0.0000061	0.005	0.005	0.00024	[Cd]	0.0000055	0.0027000	0.0000000	0.0000055	0.0000061	0.005	0.005	0.00024		
		[Co]	0.000154	0.146980	0.0000000	0.000154	0.000170	0.001	0.001	-	[Co]	0.000154	0.146980	0.0000000	0.000154	0.000170	0.001	0.001	-		
		[Fe]	0.040	0.042	0.000	0.040	0.044	0.3	6.5	-	[Fe]	0.040	0.042	0.000	0.040	0.044	0.3	6.5	-		
		[Li]	0.0113	0.0000	0.0000	0.0113	0.0124	-	0.008	-	[Li]	0.0113	0.0000	0.0000	0.0113	0.0124	-	0.008	-		
		[Mn]	0.08	0.27	0.00	0.08	0.09	0.12	1.5	-	[Mn]	0.08	0.27	0.00	0.08	0.09	0.12	1.5	-		
		[Na]	13.88	0.00	0.00	13.88	15.26	-	200	-	[Na]	13.88	0.00	0.00	13.88	15.26	-	200	-		
		[Ni]	0.00053	0.38000	0.00000	0.00053	0.00059	0.08	0.08	-	[Ni]	0.00053	0.38000	0.00000	0.00053	0.00059	0.08	0.08	-		
		[NO3]	0.011	0.500	0.000	0.011	0.012	45	10	3	[NO3]	0.011	0.500	0.000	0.011	0.012	45	10	3		
		[P]	0.025	0.000	0.000	0.025	0.														

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)										Long Term Closure (Year 101)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP		
			mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Control Point # 5: Grave Creek at LSA Boundary / Background GW-14-OB & GW-14-BR		[Ni]	0.00071	0.38000	0.00655	<b>0.00320</b>	0.00078	0.08	0.08	-	[Ni]	0.00071	0.38000	0.06589	<b>0.02575</b>	0.00078	0.08	0.08	-		
		[NO3]	0.044	0.500	0.007	0.047	0.048	45	10	3	[NO3]	0.044	0.500	0.066	<b>0.077</b>	0.048	45	10	3		
		[P]	0.029	0.000	0.007	0.029	0.032	0.01	-	-	[P]	0.029	0.000	0.066	0.029	0.032	0.01	-	-		
		[Se]	0.00054	0.05781	0.00655	<b>0.00092</b>	0.00059	0.01	0.01	0.019	[Se]	0.00054	0.05781	0.06589	<b>0.00435</b>	0.00059	0.01	0.01	0.019		
		[SO4]	33.05	531.76	0.01	<b>36.54</b>	36.36	500	500	429	[SO4]	33.05	531.76	0.07	<b>68.09</b>	36.36	500	500	429		
		[As]	0.00039	0.00390	0.00000	0.00039	0.00043	0.01	0.01	-	[As]	0.00039	0.00390	0.00007	0.00040	0.00043	0.01	0.01	-		
		[Cd]	0.0000072	0.0027000	0.0000002	0.0000072	0.0000079	0.005	0.005	0.00024	[Cd]	0.0000072	0.0027000	0.0000710	0.0000073	0.0000079	0.005	0.005	0.00024		
		[Co]	0.000210	0.146980	0.0000000	0.000210	0.000231	0.001	0.001	-	[Co]	0.000210	0.146980	0.0000711	0.000220	0.000231	0.001	0.001	-		
		[Fe]	0.205	0.042	0.000	0.205	0.225	0.3	6.5	-	[Fe]	0.205	0.042	0.000	0.205	0.225	0.3	6.5	-		
		[Li]	0.0143	0.0000	0.0000	<b>0.0143</b>	0.0157	-	0.008	-	[Li]	0.0143	0.0000	0.0001	<b>0.0143</b>	0.0157	-	0.008	-		
		[Mn]	0.05	0.27	0.00	0.05	0.06	0.12	1.5	-	[Mn]	0.05	0.27	0.00	0.05	0.06	0.12	1.5	-		
		[Na]	7.42	0.00	0.00	7.42	8.16	-	200	-	[Na]	7.42	0.00	0.00	7.42	8.16	-	200	-		
		[Ni]	0.00071	0.38000	0.00000	0.00071	0.00078	0.08	0.08	-	[Ni]	0.00071	0.38000	0.00007	0.00073	0.00078	0.08	0.08	-		
		[NO3]	0.044	0.500	0.000	0.044	0.048	45	10	3	[NO3]	0.044	0.500	0.000	0.044	0.048	45	10	3		
		[P]	0.029	0.000	0.000	0.029	0.032	0.01	-	-	[P]	0.029	0.000	0.000	0.029	0.032	0.01	-	-		
		[Se]	0.00054	0.05781	0.00000	0.00054	0.00059	0.01	0.01	0.019	[Se]	0.00054	0.05781	0.00007	0.00054	0.00059	0.01	0.01	0.019		
		[SO4]	33.05	531.76	0.00	33.05	36.36	500	500	429	[SO4]	33.05	531.76	0.00	33.09	36.36	500	500	429		

Notes:

- <sup>1</sup> Light blue cells represent concentrations exceeding BC Drinking Water Guideline
- <sup>2</sup> Light green cells represent concentrations exceeding CSR BC Drinking Water Guideline
- <sup>3</sup> Number in red represent concentrations exceeding EVWQP Guideline
- <sup>4</sup> Bold numbers represent exceeding significance threshold (Increase greater than 10% from the background mean)

There is no significant difference between resulting concentrations for 17 and 101 year, and usually when one parameter exceeds a guideline, this happens for both time frames.

Except for the exceedances to the BC CSR Drinking Water Guideline for cobalt expected to happen in control points North Pit Creek at Property Boundary and Sedimentation Pond, all the other exceedances to the guidelines are explained by above guidelines background baseline concentrations.

At the location of Podransky Cabin, the only potential groundwater user within the LSA, no exceedances to the guidelines are observed by 17 or 101 years at any depth.

Since no exceedances to the BC DW guideline or BC CSR DW guideline are expected to happen for any of the assessed parameters (Appendix C) at the location of Podransky Cabin and there are expected exceedances to this guideline downstream, the only explanation to this, has to do with the background concentrations selected.

Exceedances observed for background concentrations and predicted groundwater concentrations include only lithium and phosphorus. However other exceedances have been observed in other monitoring wells different to those selected as background concentrations. A detail of the exceedances to the BC Drinking Water, CSR Drinking Water and EVWQP guidelines is presented in Appendix A.

Effects to groundwater quality observed in the control point North Pit Creek at the Property Boundary and Sedimentation pond are significant since they are predicted to have an increase of greater than 10% from the mean baseline conditions in the monitoring wells nearby but these effects can be considered as locals because they are not observed in the control points downstream at the LSA boundary.

Three of the key constituents at the Podransky Cabin are predicted to have an increase greater than 10% from the mean baseline conditions in the background wells but none of the concentrations exceed the British Columbia Drinking Water guidelines by 101 years since the operation starts.

#### **5.2.4 Summary of Groundwater Quality Effects**

If the WRD layer cake design works as expected, nitrate and selenium in surface water can be above BC Aquatic Life guidelines (chronic) only during winter months when the addition of runoff and direct precipitation into the valley bottom can dilute loads. Higher concentrations are expected for the sedimentation pond but based on the numerical model, if a leakage infiltrates into the aquifer it will keep within the first 30 m from ground surface and could travel as far as 2,500 m downstream of the pond.

Water quality predictions estimate no significant change to concentrations for Grave Creek; groundwater seepage and impacts to groundwater quality are not expected to be significant at any appreciable distance from the area of the North Pit.

Groundwater quality predictions indicate that the significant effects are within the property boundaries and it's not expected that the project may cause effects on the groundwater quality at Podransky Cabin, the only potential user within the property boundaries. However, since Podransky Cabin is in a groundwater recharge zone, if loads in surface water at that point are high and flow rates recharging

the aquifer are also high, an increase on groundwater loads can be expected. In this case, it's not expected that concentrations result higher than presented on Table 5-6, since those estimations considered as the source term the sedimentation pond water quality. If sedimentation pond water is discharged to the Alexander Creek, other contributions to the surface flow will dilute loads.

### 5.3 Mitigation Options

Additional mitigations for groundwater flow and quality are not expected to be required, assuming that design components perform as expected (e.g., layered WRD design for selenium and nitrate attenuation) and predictions properly capture the range of potential outcomes. Cumulative groundwater flows for the Alexander Creek catchment are not expected to be impacted significantly.

Reduction of contaminant concentrations in seepage from the WRD is mitigated to a large extent by the design of the WRD itself. Lining of the sedimentation pond, as planned, will further limit potential effects on groundwater quality.

If the WRD does not perform as designed and impacts to groundwater quality are greater than estimated, the geologic and hydrogeologic settings of the West Alexander Creek valley present an ideal setting for groundwater mitigation. Immediately downgradient of the WRD, the valley is relatively narrow, overburden thickness is limited, and horizontal groundwater flows are low. Installation of mitigation options such as groundwater collection or cut-off systems could be implemented using conventional methods.

## 6 Conclusion and Recommendations

This study is intended to support the feasibility study and permitting applications for the Project by providing details of field investigations, data analysis, and modeling to assess potential project impacts to groundwater quantity and quality. On-going review and incorporation of new information in Project assessment

### Field Investigations

A groundwater quality monitoring network has been developed and provides data to establish baseline concentrations and assess for changes as the project proceeds.

A substantial groundwater dataset has been developed for the project.

*Recommendation:* The groundwater monitoring network and updates to the groundwater quality database should be reviewed on a quarterly basis. If there are any major changes to project design, the groundwater monitoring network should be reviewed to ensure sufficient spatial coverage.

### Data Analysis and Modeling

Conceptual models and a groundwater numerical model were developed to understand the current groundwater system and to assess the project impacts. After calibration, the groundwater numerical model represents the regional hydrogeological system reasonably well.

*Recommendations:* The conceptual model should be reviewed periodically as new data become available or if there are any major changes to project design.

The groundwater numerical model should be updated if there are any major changes to the Project that could have a substantial impact on groundwater flow or quality.

### Potential Impacts

The calibrated numerical model predicts reductions in groundwater flow along West Alexander and Alexander creeks. The most significant predicted impact on groundwater flow will be a reduction on horizontal fluxes at West Alexander Creek of about 20% (0.5 L/s from a total of 2.5 L/s) from baseline conditions at EOM. Downgradient of the confluence of West and Alexander Creek the predicted groundwater flow reduction will be less than 5% (~0.6 L/s from a total of 11.6 L/s) at EOM and is not considered significant.

The most significant predicted impact on baseflow will be a reduction of about 30% (~11.6 L/s of a total of 38.2 L/s) at West Alexander Creek at EOM, reducing to 21% (~8.1 L/s of a total of 38.2 L/s) below baseline at LTC. The cumulative impact to Alexander Creek is 7% (~18.5 L/s of a total 266.2 L/s) reduction of baseflow at EOM and 5% (~13.3 L/s of a total of 266.2 L/s) reduction at LTC.

*Recommendation:* Potential impacts of the Project should be reviewed with each update to the conceptual and numerical model.

The mining activity or infrastructure identified as most likely to contribute to water quality degradation is the ex-pit WRD. Design of the WRD is intended to reduce impacts to water quality by attenuating selenium and nitrates. No mitigation for groundwater quality is expected.

***Recommendations:*** If estimates of water quality from the WRD run-off or other mine components are changed, potential impacts on groundwater should be reviewed and updated as appropriate.

The ability of the WRD to function as designed (i.e., to inhibit mobilization of selenium and nitrate) should be closely monitored during the first few years of operation, as planned. Alternative mitigation measures are available if necessary.

## Closure

This report, Groundwater Technical Report, was prepared by

<Original signed by>

  
Claudia Hidalgo Bsc  
Hydrogeologist

and reviewed by

\_<Original signed by>

The original signature is held on file.

Daniel Mackie  
Principal Hydrogeologist

All data used as source material plus the text, tables, figures, and attachments of this document have been reviewed and prepared in accordance with generally accepted professional engineering and environmental practices.

## References

- [BC] Government of British Columbia. n.d.-a iMapBC. Accessed on February 19, 2021, from <https://www2.gov.bc.ca/gov/content/data/geographic-data-services/web-based-mapping/imapbc>
- [BC] Government of British Columbia. n/d. -b. Groundwater Wells and Aquifers. Accessed on November 2020 from <http://apps.nrs.gov/bc.ca/gwells/>
- BGC, 2019. Terrain Stability and Geohazards Mapping. Crown Mountain Project.
- Domenico, P.A. and Mifflin, M.D., 1965. Water from low-permeability sediments and land subsidence, Water Resources Research, vol. 1, no. 4., pp. 563-576.
- EOA, 2018. Application Information Requirements. Crown Mountain Coking Coal Project.
- Fischl, 1992. Limestone and Dolomite Resources in British Columbia.
- Neuman, S.P., 1974. Effect of partial penetration on flow unconfined aquifers considering delayed gravity response, Water Resources Research, vol. 10, no. 2, pp. 303-312.
- NWP, 2013. Assessment Report for The Crown Mountain Area.
- NWP, 2014. Crown Mountain Coking Coal Project. Project Description.
- NWP, 2016. Crown Mountain Property Baseline Groundwater Investigation Results.
- SNC, 2019. 2018 Regional Groundwater Monitoring Program Annual Report. Prepared for Teck Coal Limited.
- SRK, 2019. 2018 Hydrogeological Field Data Report. Crown Mountain Project, BC.
- SRK, 2020. Water Quality Prediction Model. Crown Mountain Coking Coal Project, British Columbia.
- Swiftwater, 2018. Crown Mountain Project, Alexander Creek Streamflows.
- Toth, 1963. A theoretical analysis of groundwater flow in small drainage basins.
- Wei, Z.Q., Egger, P. & Descoedres, F., 1995. Permeability predictions for jointed rock masses. International Journal of Rock Mechanics, Mineral Science and Geomechanics, Vol. 32, 251-261.
- Wels, C., Mackie, D. and Scibek, J., 2012. Guidelines for Groundwater Modelling to Assess Impacts of Proposed Natural Resource Development Activities. BC Ministry of Environment. Water Protection & Sustainability Branch.

---

## **Appendix A      Groundwater Quality Data**

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	1-Methylnaphthalene	ug/L	0.05	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	1-Methylnaphthalene	ug/L	0.05	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	1-Methylnaphthalene	ug/L	0.05	10/16/19 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	2-Methylnaphthalene	ug/L	0.02	6/10/19 0:00	EPA 3511/8270D	mg/L	0.000037
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	2-Methylnaphthalene	ug/L	0.02	8/15/19 0:00	EPA 3511/8270D	mg/L	0.000022
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	2-Methylnaphthalene	ug/L	0.02	10/16/19 0:00	EPA 3511/8270D	mg/L	0.000036
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Acenaphthene	ug/L	0.06	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00006
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Acenaphthene	ug/L	0.01	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Acenaphthene	ug/L	0.01	10/16/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Acenaphthene d10	%	1	6/10/19 0:00	EPA 3511/8270D	%	125.6
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Acenaphthene d10	%	1	8/15/19 0:00	EPA 3511/8270D	%	124.5
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Acenaphthene d10	%	1	10/16/19 0:00	EPA 3511/8270D	%	121.3
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Acenaphthylene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Acenaphthylene	ug/L	0.01	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Acenaphthylene	ug/L	0.01	10/16/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Acreidine	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	0.000557
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Acreidine	ug/L	0.01	8/15/19 0:00	EPA 3511/8270D	mg/L	0.000624
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Acreidine	ug/L	0.01	10/16/19 0:00	EPA 3511/8270D	mg/L	0.000599
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	171
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	168
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	146
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	152
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	-0.001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Aluminum (Al)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0014
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0021
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Aluminum (Al)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0029
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Antimony (Sb)-Dissolved	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.0275
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Antimony (Sb)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0167
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Antimony (Sb)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00692
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Antimony (Sb)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00569
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Antimony (Sb)-Total	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.0741
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Antimony (Sb)-Total	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0014
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Antimony (Sb)-Total	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0021
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Antimony (Sb)-Total	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0029
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Antimony (Sb)-Dissolved	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.0275
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Antimony (Sb)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0167
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Antimony (Sb)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00692
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Antimony (Sb)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00569
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Antimony (Sb)-Total	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.0565
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Antimony (Sb)-Total	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0457
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Antimony (Sb)-Total	mg/L	0.001	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.0198
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Antimony (Sb)-Total	mg/L	0.001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.027
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Arsenic (As)-Dissolved	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.00067
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Arsenic (As)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00134
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Arsenic (As)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00117
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Arsenic (As)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00121
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Arsenic (As)-Total	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Arsenic (As)-Total	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00172
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Arsenic (As)-Total	mg/L	0.001	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.00111
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Arsenic (As)-Total	mg/L	0.001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00138
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Barium (Ba)-Dissolved	mg/L	0.001	3/13/19 16:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Barium (Ba)-Dissolved	mg/L	0.005	6/10/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Barium (Ba)-Dissolved	mg/L	0.001	8/15/19 0:27	APHA 3030B/6020A (mod)	mg/L	0.032
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Barium (Ba)-Dissolved	mg/L	0.001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.032
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2241911	3/8/19 9:00	3/5/19</									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Calcium (Ca)-Total	mg/L	0.05	8/16/19 16:49	APHA 200.2/6020A (mod)	mg/L	25.4
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Calcium (Ca)-Total	mg/L	0.05	10/17/19 15:30	APHA 200.2/6020A (mod)	mg/L	25
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cation - Anion Balance	%		3/17/19 15:30	APHA 1030E	%	-5
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cation - Anion Balance	%		6/13/19 18:29	APHA 1030E	%	-1.8
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cation - Anion Balance	%		8/19/19 14:45	APHA 1030E	%	3.8
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cation - Anion Balance	%		10/18/19 16:59	APHA 1030E	%	1.1
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cation Sum	meg/L		3/17/19 15:30	APHA 1030E	meg/L	3.42
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cation Sum	meg/L		6/13/19 18:29	APHA 1030E	meg/L	3.57
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cation Sum	meg/L		8/19/19 14:45	APHA 1030E	meg/L	3.68
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cation Sum	meg/L		10/18/19 16:59	APHA 1030E	meg/L	3.58
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cesium (Cs)-Dissolved	mg/L	0.00001	3/3/19 16:19	APHA 3030B/6020A (mod)	mg/L	0.000092
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cesium (Cs)-Dissolved	mg/L	0.00001	6/3/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000084
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cesium (Cs)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000034
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cesium (Cs)-Dissolved	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000035
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cesium (Cs)-Total	mg/L	0.00001	3/3/19 16:19	APHA 200.2/6020A (mod)	mg/L	0.000137
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cesium (Cs)-Total	mg/L	0.00001	6/12/19 17:23	APHA 200.2/6020A (mod)	mg/L	0.000013
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cesium (Cs)-Total	mg/L	0.00001	8/16/19 16:49	APHA 200.2/6020A (mod)	mg/L	0.000044
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cesium (Cs)-Total	mg/L	0.00001	10/17/19 15:30	APHA 200.2/6020A (mod)	mg/L	0.000057
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Chemical Oxygen Demand	mg/L	10	3/12/19 0:00	APHA 5220 D Colorimetry	mg/L	25
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chemical Oxygen Demand	mg/L	10	6/10/19 0:00	APHA 5220 D Colorimetry	mg/L	18
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chemical Oxygen Demand	mg/L	10	8/13/19 0:00	APHA 5220 D Colorimetry	mg/L	37
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chemical Oxygen Demand	mg/L	10	10/11/19 10:00	APHA 5220 D Colorimetry	mg/L	41
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Chloride (Cl)	mg/L	0.5	3/15/19 8:00	EPHA 300.1 (mod)	mg/L	0.85
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chloride (Cl)	mg/L	0.5	6/3/19 18:06	EPHA 300.1 (mod)	mg/L	0.78
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chloride (Cl)	mg/L	0.5	8/10/19 1:27	EPHA 300.1 (mod)	mg/L	1.76
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chloride (Cl)	mg/L	0.5	10/11/19 8:43	EPHA 300.1 (mod)	mg/L	1.58
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Chromium (Cr)-Dissolved	mg/L	0.0003	3/3/19 16:19	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chromium (Cr)-Dissolved	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00017
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chromium (Cr)-Dissolved	mg/L	0.0003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00055
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chromium (Cr)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00061
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Chromium (Cr)-Total	mg/L	0.0003	3/3/19 16:19	APHA 200.2/6020A (mod)	mg/L	0.00171
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chromium (Cr)-Total	mg/L	0.0003	6/12/19 17:23	APHA 200.2/6020A (mod)	mg/L	0.00205
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chromium (Cr)-Total	mg/L	0.0003	8/16/19 16:49	APHA 200.2/6020A (mod)	mg/L	0.00106
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chromium (Cr)-Total	mg/L	0.0003	10/17/19 15:30	APHA 200.2/6020A (mod)	mg/L	0.00161
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chrysene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chrysene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chrysene	ug/L	0.01	10/16/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Chrysene d12	%	1	6/10/19 0:00	EPHA 3511/8/27D0	%	119
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Chrysene d12	%	1	8/15/19 0:00	EPHA 3511/8/27D0	%	90.8
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Chrysene d12	%	1	10/16/19 0:00	EPHA 3511/8/27D0	%	104.9
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cobalt (Co)-Dissolved	mg/L	0.0003	3/3/19 16:19	APHA 3030B/6020A (mod)	mg/L	0.00026
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cobalt (Co)-Dissolved	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00045
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cobalt (Co)-Dissolved	mg/L	0.0003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00083
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cobalt (Co)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00054
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Cobalt (Co)-Total	mg/L	0.0003	3/3/19 16:19	APHA 3030B/6020A (mod)	mg/L	0.00038
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Cobalt (Co)-Total	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00046
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Cobalt (Co)-Total	mg/L	0.0003	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.00084
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Cobalt (Co)-Total	mg/L	0.0003	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00069
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Conductivity (@ 25C)	uS/cm	2	3/16/19 0:00	APHA 2510 B	uS/cm	308
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Conductivity (@ 25C)	uS/cm	2	6/11/19 15:00	APHA 2510 B	uS/cm	342
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Conductivity (@ 25C)	uS/cm	2	8/11/19 0:00	APHA 2510 B	uS/cm	281
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Conductivity (@ 25C)	uS/cm	2	10/15/19 11:00	APHA 2510 B	uS/cm	303
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Copper (Cu)-Dissolved	mg/L	0.0002	3/3/19 16:19	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Copper (Cu)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Copper (Cu)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00023
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Copper (Cu)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Copper (Cu)-Total	mg/L	0.0003	3/3/19 16:19	APHA 200.2/6020A (mod)	mg/L	0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Copper (Cu)-Total	mg/L	0.0003	6/12/19 17:23	APHA 200.2/6020A (mod)	mg/L	0.0001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Copper (Cu)-Total	mg/L	0.0003	8/16/19 16:49	APHA 200.2/6020A (mod)	mg/L	0.0001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Copper (Cu)-Total	mg/L	0.0003	10/17/19 15:30	APHA 200.2/6020A (mod)	mg/L	0.0001
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Fluoride (F)	mg/L	0.02	3/15/19 8:00	EPHA 300.1 (mod)	mg/L	0.142
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Fluoride (F)	mg/L	0.02	6/3/19 18:06	EPHA 300.1 (mod)	mg/L	0.14
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Fluoride (F)	mg/L	0.02	8/10/19 8:27	EPHA 300.1 (mod)	mg/L	0.106
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Fluoride (F)	mg/L	0.02	10/11/19 12:43	EPHA 300.1 (mod)	mg/L	0.093
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	2241911-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	95.2
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	2284090-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	6/13/19 18:29	APHA 2340 B	mg/L	97.9
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	2326399-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/19/19 14:45	APHA 2340 B	mg/L	106
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	2364371-2	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/18/19 16:59	APHA 2340 B	mg/L	101
CM-11-11	L2241911	3/8/19 9:00	3/5/19									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Manganese (Mn)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.116
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Mercury (Hg)-Dissolved	mg/L	0.00005	6/1/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Mercury (Hg)-Dissolved	mg/L	0.00005	8/17/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Mercury (Hg)-Total	mg/L	0.00005	6/1/19 15:30	APHA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Mercury (Hg)-Total	mg/L	0.00005	8/17/19 15:30	APHA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 14:51	APHA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Mercury (Hg)-Total	mg/L	0.00005	6/1/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	0.0189
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/1/19 17:23	APHA 3030B/EPA 6020A (mod)	mg/L	0.0225
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	0.0168
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/EPA 6020A (mod)	mg/L	0.00896
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Molybdenum (Mo)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0324
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Molybdenum (Mo)-Total	mg/L	0.00005	6/1/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0335
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Molybdenum (Mo)-Total	mg/L	0.00005	8/16/19 16:45	APHA 200/2/6020A (mod)	mg/L	0.0136
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Molybdenum (Mo)-Total	mg/L	0.00005	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0156
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Naphthalene	ug/L	0.02	6/10/19 0:00	APHA 350/1/2720D	mg/L	0.00025
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Naphthalene	ug/L	0.02	8/15/19 0:00	APHA 351/1/2720D	mg/L	0.00026
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Naphthalene	ug/L	0.02	10/16/19 0:00	APHA 351/1/2720D	mg/L	0.00043
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Nickel (Ni)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	0.0076
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Nickel (Ni)-Dissolved	mg/L	0.0005	6/1/19 17:23	APHA 3030B/EPA 6020A (mod)	mg/L	0.00134
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Nickel (Ni)-Dissolved	mg/L	0.0005	8/18/19 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	0.0247
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Nickel (Ni)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/EPA 6020A (mod)	mg/L	0.0076
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Nickel (Ni)-Total	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0179
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Nickel (Ni)-Total	mg/L	0.0005	6/1/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0212
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Nickel (Ni)-Total	mg/L	0.0005	8/16/19 16:45	APHA 200/2/6020A (mod)	mg/L	0.0276
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Nickel (Ni)-Total	mg/L	0.0005	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0187
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Nitrate (as N)	mg/L	0.008	3/15/19 0:00	APHA 300-1 (mod)	mg/L	0.146
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Nitrate (as N)	mg/L	0.008	6/3/19 18:08	APHA 300-1 (mod)	mg/L	0.0131
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Nitrate (as N)	mg/L	0.008	8/10/19 2:27	APHA 300-1 (mod)	mg/L	-0.005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Nitrate (as N)	mg/L	0.008	10/11/19 18:43	APHA 300-1 (mod)	mg/L	0.234
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Nitrate (N)	mg/L	0.008	3/17/19 12:03	CALCULATION	mg/L	-0.005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Nitrate and Nitrite (as N)	mg/L	0.051	6/4/19 15:09	CALCULATION	mg/L	0.0149
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Nitrate and Nitrite (as N)	mg/L	0.051	8/15/19 11:35	CALCULATION	mg/L	-0.0051
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Nitrate and Nitrite (as N)	mg/L	0.051	10/16/19 15:59	CALCULATION	mg/L	0.0249
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Nitrite (as N)	mg/L	0.001	3/15/19 8:00	APHA 300-1 (mod)	mg/L	0.0052
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Nitrite (as N)	mg/L	0.001	6/3/19 18:08	APHA 300-1 (mod)	mg/L	0.0018
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Nitrite (as N)	mg/L	0.001	8/10/19 22:27	APHA 300-1 (mod)	mg/L	-0.001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Nitrite (as N)	mg/L	0.001	10/11/19 8:43	APHA 300-1 (mod)	mg/L	0.0015
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/8/19 18:01	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/1/19 15:30	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/10/19 15:13	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/11/19 14:45	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	pH	pH	0.1	3/16/19 9:00	APHA 4500 H-Electrode	pH	7.65
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	pH	pH	0.1	6/1/19 15:00	APHA 4500 H-Electrode	pH	8.21
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	pH	pH	0.1	8/11/19 8:00	APHA 4500 H-Electrode	pH	7.68
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	pH	pH	0.1	10/15/19 11:00	APHA 4500 H-Electrode	pH	7.57
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phenanthrene	ug/L	0.02	6/10/19 0:00	APHA 351/1/2720D	mg/L	-0.00002
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phenanthrene	ug/L	0.02	8/15/19 0:00	APHA 351/1/2720D	mg/L	-0.00002
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Phenanthrene	ug/L	0.02	10/16/19 0:00	APHA 351/1/2720D	mg/L	-0.00002
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Phenanthrene c10	%	1	6/10/19 0:00	APHA 351/1/2720D	%	119.8
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phenanthrene c10	%	1	8/15/19 0:00	APHA 351/1/2720D	%	118.1
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phenanthrene c10	%	1	10/16/19 0:00	APHA 351/1/2720D	%	116.6
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Phenanthrene c10	%	1	10/17/19 0:00	APHA 351/1/2720D	%	119.8
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Phosphorus (P)-Col-Total	mg/L	0.0001	8/12/19 16:00	9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phosphorus (P)-Col-Total	mg/L	0.0001	10/16/19 14:33	9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phosphorus (P)-Col-Total	mg/L	0.0001	8/12/19 11:33	APHA 4500-P PHOSPHORUS	mg/L	0.0199
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Phosphorus (P)-Col-Total	mg/L	0.0002	6/9/19 10:24	APHA 4500-P PHOSPHORUS	mg/L	0.0327
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phosphorus (P)-Col-Total	mg/L	0.0002	8/15/19 14:48	APHA 4500-P PHOSPHORUS	mg/L	0.0091
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phosphorus (P)-Col-Total	mg/L	0.0002	10/13/19 9:48	APHA 4500-P PHOSPHORUS	mg/L	0.0172
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Phosphorus (P)-Dissolved	mg/L	0.005	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	-0.005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phosphorus (P)-Dissolved	mg/L	0.005	6/12/19 17:23	APHA 3030B/EPA 6020A (mod)	mg/L	-0.005
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phosphorus (P)-Dissolved	mg/L	0.005	8/18/19 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	-0.005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Phosphorus (P)-Dissolved	mg/L	0.005	10/17/19 15:45	APHA 3030B/EPA 6020A (mod)	mg/L	-0.005
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Phosphorus (P)-Total	mg/L	0.005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0163
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Phosphorus (P)-Total	mg/L	0.005	6/12/19 17:23	APHA 3030B/EPA 6020A (mod)	mg/L	0.0163
CM-11-11	L2362399	8/10/19 8:00	8/8/19	3:16 PM	L2362399-4	Phosphorus (P)-Total	mg/L	0.005	8/18/19 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	0.016

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 10:30	APHA 3030B/6020A (mod)	mg/L	8.39
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Sulfur (S)-Dissolved	mg/L	0.5	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	7.74
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Sulfur (S)-Total	mg/L	0.5	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	4.95
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Sulfur (S)-Total	mg/L	0.5	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	3.89
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Sulfur (S)-Total	mg/L	0.5	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	8.29
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.81
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Tellurium (Te)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Tellurium (Te)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Tellurium (Te)-Dissolved	mg/L	0.0002	8/16/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Tellurium (Te)-Dissolved	mg/L	0.0002	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0002
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Tellurium (Te)-Total	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Tellurium (Te)-Total	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Tellurium (Te)-Total	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Tellurium (Te)-Total	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Thallium (Tl)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00216
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Thallium (Tl)-Dissolved	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.000204
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Thallium (Tl)-Dissolved	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000073
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000093
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Thallium (Tl)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Thallium (Tl)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Thallium (Tl)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Thallium (Tl)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Thallium (Tl)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Thallium (Tl)-Total	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000073
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000066
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Titanium (Ti)-Dissolved	mg/L	0.0003	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0003
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Titanium (Ti)-Dissolved	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0003
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Titanium (Ti)-Dissolved	mg/L	0.0003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0003
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Titanium (Ti)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0003
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0024
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Titanium (Ti)-Total	mg/L	0.0003	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00286
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Titanium (Ti)-Total	mg/L	0.0003	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000088
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Titanium (Ti)-Total	mg/L	0.0003	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.00134
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Total Dissolved Solids	mg/L	20	3/12/19 15:00	APHA 250 C	mg/L	202
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Total Dissolved Solids	mg/L	20	6/6/19 12:00	APHA 250 C	mg/L	192
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Total Dissolved Solids	mg/L	13	8/14/19 15:20	APHA 250 C	mg/L	190
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Total Dissolved Solids	mg/L	20	10/11/19 15:30	APHA 250 C	mg/L	179
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Total Inorganic Carbon	mg/L	1	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	45.9
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Total Inorganic Carbon	mg/L	1	6/8/19 3:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	45.9
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Total Inorganic Carbon	mg/L	1.5	8/13/19 12:20	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	38.6
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Total Inorganic Carbon	mg/L	1.5	10/15/19 10:39	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	39.4
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Total Kjeldahl Nitrogen	mg/L	0.05	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	1.16
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Total Kjeldahl Nitrogen	mg/L	0.05	6/10/19 13:00	APHA 4500-NORG (TKN)	mg/L	1.17
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Total Kjeldahl Nitrogen	mg/L	0.05	8/20/19 11:00	APHA 4500-NORG (TKN)	mg/L	0.948
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Total Kjeldahl Nitrogen	mg/L	0.05	10/16/19 12:00	APHA 4500-NORG (TKN)	mg/L	0.873
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Total Nitrogen	mg/L	0.05	3/19/19 11:18	APHA 4500 N-Calculated	mg/L	1.18
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Total Nitrogen	mg/L	0.05	6/11/19 9:44	APHA 4500 N-Calculated	mg/L	1.18
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Total Nitrogen	mg/L	0.05	8/20/19 14:19	APHA 4500 N-Calculated	mg/L	0.948
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Total Nitrogen	mg/L	0.05	10/16/19 16:04	APHA 4500 N-Calculated	mg/L	0.898
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Total Organic Carbon	mg/L	0.5	3/18/19 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.47
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Total Organic Carbon	mg/L	0.5	6/12/19 10:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.96
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Total Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	13.2
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Total Organic Carbon	mg/L	0.5	10/19/11 10:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	8.37
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Tungsten (W)-Dissolved	mg/L	0.0001	6/12/19/17:23	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Tungsten (W)-Dissolved	mg/L	0.0001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Tungsten (W)-Dissolved	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Tungsten (W)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.00073
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Tungsten (W)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00066
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Tungsten (W)-Total	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000115
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-11-11	L2284090	6/3/19 12:40	6/1/19	3:45 PM	L2284090-4	Vanadium (V)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-11-11	L2326399	8/10/19 8:00	8/8/19	3:16 PM	L2326399-4	Vanadium (V)-Dissolved	mg/L	0.0005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-11-11	L2364371	10/10/19 9:10	10/7/19	12:20 PM	L2364371-2	Vanadium (V)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-11-11	L2241911	3/8/19 9:00	3/5/19	1:10 PM	L2241911-4	Vanadium (V)-Total	mg/L	0.0005	3/13/19 16:15			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	168
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	166
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Aluminum (Al)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0019
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0015
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Aluminum (Al)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0012
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Aluminum (Al)-Total	mg/L	0.003	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0299
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Aluminum (Al)-Total	mg/L	0.003	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.0279
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Aluminum (Al)-Total	mg/L	0.003	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0389
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Ammonia as N	ug/L	0.005	6/11/19 0:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0959
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Ammonia as N	ug/L	0.005	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.138
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Ammonia as N	ug/L	0.005	10/20/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.269
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Anion Sum	meq/L	1	6/13/19 18:34	APHA 1030E	meq/L	3.98
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Anion Sum	meq/L	1	8/19/19 11:55	APHA 1030E	meq/L	3.86
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Anion Sum	meq/L	1	10/18/19 14:34	APHA 1030E	meq/L	4.1
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Anthracene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Anthracene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Anthracene	ug/L	0.01	10/16/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Antimony (Sb)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0049
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00376
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Antimony (Sb)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0283
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Antimony (Sb)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0056
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Antimony (Sb)-Total	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.0314
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Antimony (Sb)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0353
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Arsenic (As)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0037
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00072
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Arsenic (As)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0087
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Arsenic (As)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0032
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Arsenic (As)-Total	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.0067
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Arsenic (As)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0092
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Boron (Ba)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.288
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Boron (Ba)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.286
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Boron (Ba)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.263
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Boron (Ba)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.293
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Boron (Ba)-Total	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.236
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Boron (Ba)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.243
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Boron (Ba)anthracene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Boron (Ba)anthracene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Boron (Ba)anthracene	ug/L	0.01	10/16/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Boron (Ba)Dissolved	ug/L	0.0001	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Boron (Ba)Dissolved	ug/L	0.0001	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Boron (Ba)Dissolved	ug/L	0.0001	10/17/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Boron (Ba)Total	ug/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Boron (Ba)Total	ug/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Boron (Ba)Total	ug/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Bismuth (Bi)-Dissolved	mg/L	0.00008	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Bismuth (Bi)-Dissolved	mg/L	0.00008	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Bismuth (Bi)-Dissolved	mg/L	0.00008	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Bismuth (Bi)-Total	mg/L	0.00008	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Bismuth (Bi)-Total	mg/L	0.00008	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Bismuth (Bi)-Total	mg/L	0.00008	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Bismuth (Bi)Dissolved	mg/L	0.00008	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Bismuth (Bi)Dissolved	mg/L	0.00008	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Bismuth (Bi)Dissolved	mg/L	0.00008	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Bismuth (Bi)Total	mg/L	0.00008	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Bismuth (Bi)Total	mg/L	0.00008	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Bismuth (Bi)Total	mg/L	0.00008	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Chloride (Cl)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00013
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Chloride (Cl)-Dissolved	mg/L	0.0001	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.0001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Chloride (Cl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00015
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Chloride (Cl)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.00014
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Chloride (Cl)-Total	mg/L	0.0001	8/15/19 0:00	EPHA 3511/8/270D	mg/L	0.00022
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Chloride (Cl)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00022
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Chryseine	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	2326399-3	Chryseine	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	2364371-1	Chryseine d12	%	1	6/10/19 0:00	EPHA 3511/8/270D	%	99
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	2284090-5	Chryseine d12	%	1	8/15/19 0:00			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Dissolved Metals Filtration Location			6/12/19 8:00	APHA 3030B/6020A (mod)	0	FIELD
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Dissolved Metals Filtration Location			8/18/19 11:00	APHA 3030B/6020A (mod)	0	FIELD
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Dissolved Metals Filtration Location			10/17/19 11:00	APHA 3030B/6020A (mod)	0	FIELD
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Dissolved Organic Carbon	mg/L	0.5	6/7/19 0:00	APHA 5310 B-Instrumental	mg/L	0.94
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Dissolved Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 B-Instrumental	mg/L	1.31
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Dissolved Organic Carbon	ug/L	0.01	6/10/19 0:00	EPA 3511/8/270D	mg/L	-0.5
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Dissolved Organic Carbon	ug/L	0.01	8/15/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Fluoranthene	ug/L	0.01	10/16/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Fluoranthene	ug/L	0.01	8/15/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Fluoranthene	ug/L	0.01	10/16/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Fluorene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Fluorene	ug/L	0.01	8/15/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Fluorene	ug/L	0.01	10/16/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Indeno[1,2-c,d]pyrene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Indeno[1,2-c,d]pyrene	ug/L	0.01	8/15/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Indeno[1,2-c,d]pyrene	ug/L	0.01	10/16/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron Balance	%	-100	6/13/19 18:39	APHA 1030E	%	100
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron Balance	%	-100	8/9/19 12:00	APHA 1030E	%	105
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron Balance	%	-100	10/18/19 14:39	APHA 1030E	%	101
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron (Fe)-Dissolved	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.096
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron (Fe)-Dissolved	mg/L	0.01	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.234
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron (Fe)-Dissolved	mg/L	0.01	10/17/19 16:48	APHA 3030B/6020A (mod)	mg/L	0.2
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron (Fe)-Total	mg/L	0.01	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.107
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.3
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.258
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lead (Pb)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Lead (Pb)-Dissolved	mg/L	0.00005	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lead (Pb)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lead (Pb)-Total	mg/L	0.00005	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.000356
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Lead (Pb)-Total	mg/L	0.00005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.000284
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lead (Pb)-Total	mg/L	0.00005	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000732
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lithium (Li)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.169
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Lithium (Li)-Dissolved	mg/L	0.001	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.168
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lithium (Li)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.195
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lithium (Li)-Total	mg/L	0.001	8/19/19 11:55	APHA 2304 B	mg/L	157
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lithium (Li)-Total	mg/L	0.001	10/18/19 14:34	APHA 2304 B	mg/L	146
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Indeno[1,2-c,d]pyrene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Indeno[1,2-c,d]pyrene	ug/L	0.01	8/15/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Indeno[1,2-c,d]pyrene	ug/L	0.01	10/16/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron Balance	%	-100	6/13/19 18:39	APHA 1030E	%	100
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron Balance	%	-100	8/9/19 12:00	APHA 1030E	%	105
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron Balance	%	-100	10/18/19 14:39	APHA 1030E	%	101
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron (Fe)-Dissolved	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.096
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron (Fe)-Dissolved	mg/L	0.01	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.234
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron (Fe)-Dissolved	mg/L	0.01	10/17/19 16:48	APHA 3030B/6020A (mod)	mg/L	0.2
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Iron (Fe)-Total	mg/L	0.01	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.107
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.3
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.258
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lead (Pb)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Lead (Pb)-Dissolved	mg/L	0.00005	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lead (Pb)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Lead (Pb)-Total	mg/L	0.00005	6/11/19 15:30	EPA 1631E (mod)	mg/L	-0.00005
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Lead (Pb)-Total	mg/L	0.00005	8/17/19 15:00	EPA 1631E (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Lead (Pb)-Total	mg/L	0.00005	10/17/19 14:57	EPA 1631E (mod)	mg/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Manganese (Mn)-Dissolved	mg/L	0.005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.065
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Manganese (Mn)-Dissolved	mg/L	0.005	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.065
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Manganese (Mn)-Dissolved	mg/L	0.005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0636
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Manganese (Mn)-Total	mg/L	0.005	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0592
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Manganese (Mn)-Total	mg/L	0.005	8/8/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.0592
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Manganese (Mn)-Total	mg/L	0.005	10/17/19 15:45	APHA 200/2/6020A (mod)	mg/L	0.0644
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Mercury (Hg)-Dissolved	mg/L	0.00008	6/11/19 14:51	APHA 3030B/EPHA 1631E (mod)	mg/L	-0.00006
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Mercury (Hg)-Dissolved	mg/L	0.00008	8/17/19 14:51	APHA 3030B/EPHA 1631E (mod)	mg/L	-0.00006
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Mercury (Hg)-Dissolved	mg/L	0.00008	10/17/19 14:51	APHA 3030B/EPHA 1631E (mod)	mg/L	-0.00006
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Mercury (Hg)-Total	mg/L	0.00008	6/12/19 17:23	APHA 3030B/EPHA 1631E (mod)	mg/L	0.00048
CM-12-01	L2326399	8/10/19 8:00	8/8/19	2:20 PM	L2326399-3	Mercury (Hg)-Total	mg/L	0.00008	8/8/19 15:30	APHA 3030B/EPHA 1631E (mod)	mg/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Mercury (Hg)-Total	mg/L	0.00008	10/17/19 14:51	APHA 3030B/EPHA 1631E (mod)	mg/L	0.00054
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Nitrate (as N)	mg/L	0.005	6/3/19 16:08	EPA 300.1 (mod)	mg/L	0.0671
CM-12-01	L2326399	8/10/19 8:00										

STATION ID	LOGINNUM	RECEIVEDATE	SMPPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Silicon (Si)-Total	mg/L	0.05	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	2.94
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Silicon (Si)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	3.1
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Silicon (Si)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	3.38
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Silver (Ag)-Dissolved	mg/L	0.00001	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 15:30	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Silver (Ag)-Dissolved	mg/L	0.00001	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Silver (Ag)-Total	mg/L	0.00001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Silver (Ag)-Total	mg/L	0.00001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Silver (Ag)-Total	mg/L	0.00001	10/17/19 15:30	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 15:30	EPA 303B/6020A (mod)	mg/L	21.8
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Sodium (Na)-Dissolved	mg/L	0.05	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	19.7
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Sodium (Na)-Dissolved	mg/L	0.05	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	26.6
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Sodium (Na)-Total	mg/L	0.05	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	16.9
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Sodium (Na)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	16.1
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Sodium (Na)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	24.1
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Strontron (Sr)-Dissolved	mg/L	0.0002	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	0.0587
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Strontron (Sr)-Dissolved	mg/L	0.0002	8/18/19 15:30	EPA 303B/6020A (mod)	mg/L	0.0566
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Strontron (Sr)-Dissolved	mg/L	0.0002	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	0.0609
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Strontron (Sr)-Total	mg/L	0.0002	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0537
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Strontron (Sr)-Total	mg/L	0.0002	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.0512
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Strontron (Sr)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.0558
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Sulfate (SO4)-Dissolved	mg/L	0.3	6/19/19 18:00	EPA 300.1 (mod)	mg/L	41.2
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Sulfate (SO4)	mg/L	0.3	8/10/19 9:27	EPA 300.1 (mod)	mg/L	22.2
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	EPA 300.1 (mod)	mg/L	35.7
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Sulfur (S)-Dissolved	mg/L	0.5	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	14.3
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 15:30	EPA 303B/6020A (mod)	mg/L	9.16
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Sulfur (S)-Dissolved	mg/L	0.5	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	13.9
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Sulfur (S)-Total	mg/L	0.5	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	12.2
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Sulfur (S)-Total	mg/L	0.5	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	8.79
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	11.7
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Tellurium (Te)-Dissolved	mg/L	0.0002	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	-0.00002
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Tellurium (Te)-Dissolved	mg/L	0.0002	8/18/19 15:30	EPA 303B/6020A (mod)	mg/L	-0.00002
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Tellurium (Te)-Dissolved	mg/L	0.0002	10/17/19 15:45	EPA 303B/6020A (mod)	mg/L	-0.00002
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Tellurium (Te)-Total	mg/L	0.0002	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00002
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Tellurium (Te)-Total	mg/L	0.0002	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00002
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Tellurium (Te)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00002
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Thorium (Th)-Dissolved	mg/L	0.0001	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Thorium (Th)-Dissolved	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Thorium (Th)-Dissolved	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Thorium (Th)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Thorium (Th)-Total	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Thorium (Th)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Thytalum (Tl)-Dissolved	mg/L	0.0001	6/12/19 17:23	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Thytalum (Tl)-Dissolved	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Thytalum (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:30	EPA 303B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Thytalum (Tl)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Thytalum (Tl)-Total	mg/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Thytalum (Tl)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Total Dissolved Solids	mg/L	20	6/16/19 12:00	EPA 250 C	mg/L	210
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Total Dissolved Solids	mg/L	13	8/14/19 15:20	EPA 250 C	mg/L	189
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Total Dissolved Solids	mg/L	20	10/11/19 15:30	EPA 250 C	mg/L	196
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Total Inorganic Carbon	mg/L	1	6/8/19 3:44	EPA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	39.7
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Total Inorganic Carbon	mg/L	1.5	8/13/19 12:20	EPA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	41.5
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Total Inorganic Carbon	mg/L	1.0	10/15/19 10:39	EPA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	41.5
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Total Kieldahl Nitrogen	mg/L	0.05	6/10/19 13:00	EPA 4500-NORG (TKN)	mg/L	0.267
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Total Kieldahl Nitrogen	mg/L	0.05	8/20/19 11:00	EPA 4500-NORG (TKN)	mg/L	0.439
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Total Kieldahl Nitrogen	mg/L	0.05	10/16/19 12:00	EPA 4500-NORG (TKN)	mg/L	0.349
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Total Nitrogen	mg/L	0.05	6/13/19 17:14	EPA 4500 N-Calculated	mg/L	0.332
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Total Nitrogen	mg/L	0.05	8/20/19 11:45	EPA 4500 N-Calculated	mg/L	0.459
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Total Nitrogen	mg/L	0.05	10/16/19 16:04	EPA 4500 N-Calculated	mg/L	0.357
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Total Organic Carbon	mg/L	0.5	6/7/19 0:00	EPA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.96
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Total Organic Carbon	mg/L	0.5	8/14/19 8:00	EPA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.31
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Total Organic Carbon	mg/L	0.5	10/19/19 11:00	EPA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.8
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Tungsten (W)-Dissolved	ug/L	0.0001	6/12/19/ 23	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Tungsten (W)-Dissolved	ug/L	0.0001	8/18/19 15:30	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Tungsten (W)-Dissolved	ug/L	0.0001	10/17/19 15:45	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Tungsten (W)-Total	ug/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Tungsten (W)-Total	ug/L	0.0001	8/16/19 16:49	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Tungsten (W)-Total	ug/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	ug/L	-0.00001
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Zinc (Zn)-Dissolved	ug/L	0.0005	6/12/19/ 23	EPA 200/2/6020A (mod)	ug/L	-0.00005
CM-12-01	L226399	8/10/19 8:00	8/8/19	2:20 PM	L226399-3	Zinc (Zn)-Dissolved	ug/L	0.0005	8/18/19 15:30	EPA 200/2/6020A (mod)	ug/L	-0.00005
CM-12-01	L2364371	10/10/19 9:10	10/7/19	11:10 AM	L2364371-1	Zinc (Zn)-Dissolved	ug/L	0.0005	10/17/19 15:45	EPA 200/2/6020A (mod)	ug/L	-0.00005
CM-12-01	L2284090	6/3/19 12:40	6/1/19	5:25 PM	L2284090-5	Zinc (Zn)-Total	ug/L	0.0005	6/12/19/ 23	EPA 200/2/6020A (mod)	ug/L	-0.00005
CM-12-01	L226399	8/10/19 8:00	8									

STATION ID	LOGINNUM	RECEIVEDATE	SPMDEPTH	SPMTIME	SAMPLENUM	ANALYTE	UNITS	IDL	ANALDATE	METHOD	Unified units	Final Results
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Alkalinity, Total (as CaCO3)	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	16.9
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Aluminum (Al)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0328
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0361
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Aluminum (Al)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0259
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Aluminum (Al)-Total	mg/L	0.003	10/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	1.44
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Aluminum (Al)-Total	mg/L	0.01	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	1.47
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Aluminum (Al)-Total	mg/L	0.003	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	0.285
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Ammonia as N	mg/L	0.005	6/11/19 9:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0245
CM-13-06	L2263390	8/10/19 8:00	8/9/19	10:15 AM	L2263390-7	Ammonia as N	mg/L	0.005	8/10/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0095
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Ammonia as N	mg/L	0.005	10/20/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0095
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Ammonium Sum	meg/L		6/13/19 18:34	APHA 1030E	meg/L	0.36
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Ammonium Sum	meg/L		8/19/19 11:55	APHA 1030E	meg/L	0.38
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Ammonium Sum	meg/L		10/18/19 16:54	APHA 1030E	meg/L	0.4
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Anthracene	ug/L	0.01	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Anthracene	ug/L	0.01	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Anthracene	ug/L	0.01	10/4/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Antimony (Sb)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00017
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Antimony (Sb)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00045
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Antimony (Sb)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	0.0028
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Antimony (Sb)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	-0.0005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Antimony (Sb)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	0.0006
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Arsenic (As)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00027
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00029
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Arsenic (As)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00027
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Arsenic (As)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	0.0126
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Arsenic (As)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	-0.0005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Arsenic (As)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	0.0042
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Boron (Ba)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00042
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Boron (Ba)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0031
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Boron (Ba)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0411
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Boron (Ba)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	0.0753
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Boron (Ba)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	0.072
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Boron (Ba)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	0.0442
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Benz(a)anthracene	ug/L	0.01	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Benz(a)anthracene	ug/L	0.01	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00000
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Benz(a)anthracene	ug/L	0.01	10/17/19 0:00	EPA 351/18270D	ug/L	-0.00000
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Benz(a)pyrene	ug/L	0.005	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00005
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Benz(a)pyrene	ug/L	0.005	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Benz(a)pyrene	ug/L	0.005	10/17/19 0:00	EPA 351/18270D	ug/L	-0.00005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Benz(bifluoranthene)	ug/L	0.01	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Benz(bifluoranthene)	ug/L	0.01	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Benz(bifluoranthene)	ug/L	0.01	10/17/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Benz(c)fluoranthene	ug/L	0.01	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Benz(c)fluoranthene	ug/L	0.01	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Benz(c)fluoranthene	ug/L	0.01	10/17/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Benz(d)fluoranthene	ug/L	0.01	6/10/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Benz(d)fluoranthene	ug/L	0.01	8/15/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Benz(d)fluoranthene	ug/L	0.01	10/17/19 0:00	EPA 351/18270D	ug/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Bismuth (Bi)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Bismuth (Bi)-Dissolved	mg/L	0.0005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Bismuth (Bi)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Bismuth (Bi)-Total	mg/L	0.0005	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	-0.00005
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Bismuth (Bi)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	-0.00005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Bismuth (Bi)-Total	mg/L	0.0005	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	-0.00005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0000178
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0000227
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0000242
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cd)-Total	mg/L	0.000005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000105
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cd)-Total	mg/L	0.000005	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.0000277
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Cadmium (Cd)-Total	mg/L	0.000005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0000294
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cd)-Total	mg/L	0.000005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000048
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cd)-Total	mg/L	0.000005	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.000048
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Cadmium (Cd)-Total	mg/L	0.000005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000048
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000173
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cr)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000045
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Cadmium (Cr)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000046
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	0.00016
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cr)-Dissolved	mg/L	0.0001	8/16/19 16:49	APHA 200_2/6020A (mod)	mg/L	0.00016
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Cadmium (Cr)-Dissolved	mg/L	0.0001	10/17/19 15:30	APHA 200_2/6020A (mod)	mg/L	0.00016
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Cadmium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 200_2/6020A (mod)	mg/L	0.00016
CM-13-06	L2362399	8/10/19 8:00	8/9/19	10:15 AM	L2362399-7	Cadmium (Cr)-Dissolved	mg					

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Dissolved Metals Filtration Location			8/18/19 11:00	APHA 3030B/6020A (mod)	0 FIELD	
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Dissolved Metals Filtration Location			10/17/19 11:00	APHA 3030B/6020A (mod)	0 FIELD	
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Dissolved Organic Carbon	mg/L	0.5	6/7/19 0:00	APHA 5310 B-Instrumental	mg/L	4.23
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Dissolved Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 B-Instrumental	mg/L	3.69
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Dissolved Organic Carbon	mg/L	0.5	10/19/19 11:00	APHA 5310 B-Instrumental	mg/L	2.47
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Fluoranthene	ug/L	0.01	6/10/19 8:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Fluoranthene	ug/L	0.01	8/15/19 8:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Fluoranthene	ug/L	0.01	10/17/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Fluorene	ug/L	0.01	6/10/19 8:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Fluorene	ug/L	0.01	8/15/19 8:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Fluorene	ug/L	0.01	10/17/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Fluoride (F)	mg/L	0.02	6/3/19 18:00	EPHA 300-1 (mod)	mg/L	0.037
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Fluoride (F)	mg/L	0.02	8/10/19 8:27	EPHA 300-1 (mod)	mg/L	-0.02
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Fluoride (F)	mg/L	0.02	10/11/19 8:43	EPHA 300-1 (mod)	mg/L	0.032
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	6/3/19 18:34	APHA 2340 B	mg/L	17.4
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/19/19 11:59	APHA 2340 B	mg/L	20.3
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/18/19 16:54	APHA 2340 B	mg/L	19.7
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	10/17/19 0:00	EPHA 3511/8/27D0	mg/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Iron Balance	%	-100	6/13/19 18:39	APHA 1030E	%	103
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Iron Balance	%	-100	8/19/19 12:00	APHA 1030E	%	113
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Iron Balance	%	-100	10/8/19 16:59	APHA 1030E	%	104
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Iron (Fe)-Dissolved	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.019
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.026
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Iron (Fe)-Dissolved	mg/L	0.01	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.013
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Iron (Fe)-Total	mg/L	0.01	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	1.61
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	EPHA 200/2/6020A (mod)	mg/L	2.5
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	EPHA 200/2/6020A (mod)	mg/L	0.248
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Lead (Pb)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Lead (Pb)-Dissolved	mg/L	0.0005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Lead (Pb)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Lead (Pb)-Total	mg/L	0.00025	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	0.00273
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Lead (Pb)-Total	mg/L	0.0005	8/17/19 15:30	EPHA 3030B/6020A (mod)	mg/L	0.000269
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Lead (Pb)-Total	mg/L	0.0005	10/17/19 15:45	EPHA 3030B/6020A (mod)	mg/L	0.00124
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Lithium (Li)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Lithium (Li)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Lithium (Li)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Lithium (Li)-Total	mg/L	0.001	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	0.0011
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Lithium (Li)-Total	mg/L	0.005	8/16/19 16:49	EPHA 200/2/6020A (mod)	mg/L	-0.005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Lithium (Li)-Total	mg/L	0.001	10/17/19 15:30	EPHA 200/2/6020A (mod)	mg/L	-0.001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Magnesium (Mg)-Dissolved	mg/L	0.005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	1.41
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Magnesium (Mg)-Dissolved	mg/L	0.005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	1.66
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Magnesium (Mg)-Dissolved	mg/L	0.005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	1.58
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Magnesium (Mg)-Total	mg/L	0.005	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	1.54
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Magnesium (Mg)-Total	mg/L	0.002	8/16/19 16:49	EPHA 200/2/6020A (mod)	mg/L	1.7
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Magnesium (Mg)-Total	mg/L	0.005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	1.62
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Manganese (Mn)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00297
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Manganese (Mn)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0015
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Manganese (Mn)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00124
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Manganese (Mn)-Total	mg/L	0.0001	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	0.0133
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Manganese (Mn)-Total	mg/L	0.0005	8/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0289
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Manganese (Mn)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.02277
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Merkury (Hg)-Dissolved	mg/L	0.000005	6/11/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000005
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Merkury (Hg)-Dissolved	mg/L	0.000005	8/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Merkury (Hg)-Dissolved	mg/L	0.000005	10/18/19 10:00	APHA 3030B/6020A (mod)	mg/L	-0.000005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Merkury (Hg)-Total	mg/L	0.000005	6/11/19 16:49	EPHA 1631E (mod)	mg/L	-0.000005
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Merkury (Hg)-Total	mg/L	0.000005	8/17/19 15:00	EPHA 1631E (mod)	mg/L	-0.000003
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Merkury (Hg)-Total	mg/L	0.000005	10/17/19 15:45	EPHA 1631E (mod)	mg/L	0.0000217
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Molybdenum (Mo)-Dissolved	mg/L	0.000005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000064
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Molybdenum (Mo)-Dissolved	mg/L	0.000005	8/18/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000006
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Molybdenum (Mo)-Dissolved	mg/L	0.000005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000053
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Molybdenum (Mo)-Total	mg/L	0.000005	6/12/19 17:23	EPHA 200/2/6020A (mod)	mg/L	0.000126
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Molybdenum (Mo)-Total	mg/L	0.000025	8/16/19 16:49	EPHA 200/2/6020A (mod)	mg/L	-0.000025
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Molybdenum (Mo)-Total	mg/L	0.000025	10/17/19 15:45	CALCULATION	mg/L	0.0476
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Nitrate (Nitrile as N)	mg/L	0.005	6/10/19 16:59	APHA 3030B/6020A (mod)	mg/L	0.0384
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L23263							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Silicon (Si)-Total	mg/L	0.25	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	3.35
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Silicon (Si)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	2.13
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Silver (Ag)-Dissolved	mg/L	0.00001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Silver (Ag)-Dissolved	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Silver (Ag)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000098
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Silver (Ag)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.000098
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Silver (Ag)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000019
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Sodium (Na)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.283
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.265
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Sodium (Na)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.232
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Sodium (Na)-Total	mg/L	0.05	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.238
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Sodium (Na)-Total	mg/L	0.25	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.25
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Sodium (Na)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.213
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Strontium (Sr)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0177
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Strontium (Sr)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.021
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Strontium (Sr)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0183
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Strontium (Sr)-Total	mg/L	0.0002	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0181
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Strontium (Sr)-Total	mg/L	0.001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.0213
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Strontium (Sr)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.0194
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Sulfate (SO4)	mg/L	0.3	6/3/19 18:06	EPA 300 1 (mod)	mg/L	2.14
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	EPA 300 1 (mod)	mg/L	2.47
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	EPA 300 1 (mod)	mg/L	2.65
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Sulfur (S)-Dissolved	mg/L	0.5	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.58
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.72
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Sulfur (S)-Dissolved	mg/L	0.5	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.71
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Sulfur (S)-Total	mg/L	0.5	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.64
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Sulfur (S)-Total	mg/L	2.5	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-2.5
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.74
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Tellurium (Te)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Tellurium (Te)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Tellurium (Te)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Tellurium (Te)-Total	mg/L	0.0002	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.0002
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Tellurium (Te)-Total	mg/L	0.001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Tellurium (Te)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0002
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Thallium (Tl)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00013
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Thallium (Tl)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00013
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00013
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Thallium (Tl)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00013
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Thallium (Tl)-Total	mg/L	0.001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Tin (Sn)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Tin (Sn)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0001
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Tin (Sn)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0001
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Tin (Sn)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0001
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Tin (Sn)-Total	mg/L	0.0005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.0005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Tin (Sn)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Titanium (Ti)-Dissolved	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0017
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Titanium (Ti)-Dissolved	mg/L	0.0003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0017
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Titanium (Ti)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0017
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Total Dissolved Solids	mg/L	13	6/6/19 12:00	EPA 250 C	mg/L	61
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Total Dissolved Solids	mg/L	10	8/14/19 15:20	EPA 250 C	mg/L	29
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Total Dissolved Solids	mg/L	10	10/11/19 15:30	EPA 250 C	mg/L	23
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Total Inorganic Carbon	mg/L	0.5	6/11/19 3:37	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	6.66
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Total Inorganic Carbon	mg/L	0.5	8/13/19 12:20	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	6.64
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Total Inorganic Carbon	mg/L	0.1	10/15/19 10:39	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	7.5
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Total Kieldahl Nitrogen	mg/L	0.05	6/10/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.113
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Total Kieldahl Nitrogen	mg/L	0.05	8/20/19 11:00	APHA 4500-NORG (TKN)	mg/L	0.238
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Total Kieldahl Nitrogen	mg/L	0.05	10/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.074
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Total Nitrogen	mg/L	0.05	6/11/19 9:42	APHA 4500 N-Calculated	mg/L	0.137
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Total Nitrogen	mg/L	0.05	8/20/19 14:15	APHA 4500 N-Calculated	mg/L	0.286
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Total Nitrogen	mg/L	0.05	10/16/19 16:04	APHA 4500 N-Calculated	mg/L	0.113
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Vanadium (V)-Dissolved	mg/L	0.0005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Vanadium (V)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-13-06	L2364371	10/10/19 9:10	10/7/19	1:40 PM	L2364371-3	Vanadium (V)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0005
CM-13-06	L2284090	6/3/19 12:40	6/1/19	12:30 PM	L2284090-6	Vanadium (V)-Total	mg/L	0.0005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00401
CM-13-06	L2326399	8/10/19 8:00	8/9/19	10:15 AM	L2326399-7	Vanadium (V)-Total</td						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-25	L2284033	6/3/19 8:00	6/2/19	1:50 PM	L2284033-7	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0011
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0011
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Aluminum (Al)-Total	mg/L	0.003	6/10/19 16:29	EPA 200-2/6020A (mod)	mg/L	3.54
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Aluminum (Al)-Total	mg/L	0.01	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	0.084
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Ammonia as N	mg/L	0.005	6/7/19 18:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.127
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Ammonia as N	mg/L	0.005	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.265
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Ammonia as N	mg/L	0.005	8/10/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0807
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Anion Sum	meq/L	6/11/19 15:29	APHA 1030E	meq/L	3.28	
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Anion Sum	meq/L	8/19/19 11:58	APHA 1030E	meq/L	2.18	
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Anion Sum	meq/L	10/7/19 12:24	APHA 1030E	meq/L	3.35	
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Anthracene	ug/L	0.001	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Anthracene	ug/L	0.01	8/15/19 2:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Anthracene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Antimony (Sb)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.021
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.297
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0481
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Antimony (Sb)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200-2/6020A (mod)	mg/L	0.0095
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Antimony (Sb)-Total	mg/L	0.0005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	0.265
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Antimony (Sb)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	0.0451
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Arsenic (As)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.002
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0066
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Arsenic (As)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0142
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Arsenic (As)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200-2/6020A (mod)	mg/L	0.0062
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Arsenic (As)-Total	mg/L	0.0005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	0.0081
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Arsenic (As)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	0.0225
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Boron (Ba)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.189
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Boron (Ba)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.116
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Boron (Ba)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.179
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Boron (Ba)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200-2/6020A (mod)	mg/L	0.571
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Boron (Ba)-Total	mg/L	0.0005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	0.968
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Boron (Ba)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	0.206
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Benz(a)anthracene	ug/L	0.02	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00002
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Benz(a)anthracene	ug/L	0.01	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Benz(a)anthracene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Benz(a)pyrene	ug/L	0.0005	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.000126
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Benz(a)pyrene	ug/L	0.005	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Benz(a)pyrene	ug/L	0.0005	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Benz(a)pyrene	ug/L	0.01	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.000032
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Benz(a)pyrene	ug/L	0.01	8/15/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Benz(a)pyrene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Beryllium (Be)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Beryllium (Be)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Beryllium (Be)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Beryllium (Be)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200-2/6020A (mod)	mg/L	-0.00002
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Beryllium (Be)-Total	mg/L	0.0005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	-0.00005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Beryllium (Be)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Bismuth (Bi)-Dissolved	mg/L	0.000005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0000136
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Bismuth (Bi)-Dissolved	mg/L	0.000025	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	-0.000025
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Bismuth (Bi)-Dissolved	mg/L	0.000025	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	-0.000025
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Bismuth (Bi)-Total	mg/L	0.000005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	-0.000005
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Bismuth (Bi)-Total	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Bismuth (Bi)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Bismuth (Bi)-Dissolved	mg/L	0.000005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000005
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Bismuth (Bi)-Dissolved	mg/L	0.000005	8/16/19 16:49	EPA 200-2/6020A (mod)	mg/L	-0.000005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Bismuth (Bi)-Dissolved	mg/L	0.000005	10/3/19 16:20	EPA 200-2/6020A (mod)	mg/L	-0.000005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Cadmium (Cd)-Dissolved	mg/L	0.000005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.000005
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0000048
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0000048
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Cadmium (Cd)-Total	mg/L	0.000005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.0000048
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Cadmium (Cd)-Total	mg/L	0.000005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0000048
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Cadmium (Cd)-Total	mg/L	0.000005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0000048
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Chloride (Cl)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00002
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Chloride (Cl)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Chloride (Cl)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Chloride (Cl)-Total	mg/L	0.0001	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00002</

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-25	L22358663	10/21/9 9:50	10/1/19	9:50 AM	L2358663-8	Dissolved Metals Filtration Location			10/3/19 8:00	APHA 3030B/6020A (mod)	0	FIELD
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Dissolved Organic Carbon	mg/L	0.5	6/5/19 0:00	APHA 5310 B-Instrumental	mg/L	1.22
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Dissolved Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 B-Instrumental	mg/L	10.7
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Dissolved Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310 B-Instrumental	mg/L	2.3
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Fluoranthene	ug/L	0.01	6/5/19 0:00	EPAA 3511/8/27D0	mg/L	0.000029
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Fluoranthene	ug/L	0.01	8/15/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Fluorene	ug/L	0.01	6/5/19 0:00	EPAA 3511/8/27D0	mg/L	0.00013
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Fluorene	ug/L	0.01	8/15/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Fluorene	ug/L	0.02	10/10/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00002
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Fluoride (F)	mg/L	0.02	6/4/19 0:59	EPAA 300 1 (mod)	mg/L	0.186
CM-13-25	L2263099	8/10/19 8:00	8/8/19	12:25 PM	L2263099-2	Fluoride (F)	mg/L	0.02	8/10/19 2:22	EPAA 300 1 (mod)	mg/L	0.02
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Fluoride (F)	mg/L	0.02	10/2/19 9:48	EPAA 300 1 (mod)	mg/L	0.153
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Hardness (as CaCO3)	mg/L	0.5	6/11/19 15:29	APHA 2340 B	mg/L	147
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Hardness (as CaCO3)	mg/L	0.5	8/9/19 11:55	APHA 2340 B	mg/L	59.3
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Hardness (as CaCO3)	mg/L	0.5	10/4/19 12:17	APHA 2340 B	mg/L	129
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Indeno[1,2,3-c]Pyrene	ug/L	0.01	6/5/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Indeno[1,2,3-c]Pyrene	ug/L	0.01	8/15/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Indeno[1,2,3-c]Pyrene	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/27D0	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Ion Balance	%	-100	6/1/19 15:34	APHA 1030E	%	101
CM-13-25	L2263099	8/10/19 8:00	8/8/19	12:25 PM	L2263099-2	Ion Balance	%	-100	8/19/19 12:00	APHA 1030E	%	109
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Ion Balance	%	-100	10/7/19 12:34	APHA 1030E	%	89.6
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Iron (Fe)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1.65
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Iron (Fe)-Dissolved	mg/L	0.01	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.011
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	1.39
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	8.51
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.00005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Iron (Fe)-Total	mg/L	0.01	10/10/19 0:00	EPAA 3511/8/27D0	mg/L	0.00343
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Lithium (Li)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0125
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Lithium (Li)-Dissolved	mg/L	0.001	8/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0066
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Lithium (Li)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0113
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Lithium (Li)-Total	mg/L	0.001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.134
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Lithium (Li)-Total	mg/L	0.005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Lithium (Li)-Total	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0101
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	18.6
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Magnesium (Mg)-Dissolved	mg/L	0.005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	2.04
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	15.5
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Magnesium (Mg)-Total	mg/L	0.005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	23.3
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Magnesium (Mg)-Total	mg/L	0.02	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	1.84
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Magnesium (Mg)-Total	mg/L	0.02	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	15.4
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Manganese (Mn)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0043
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Manganese (Mn)-Dissolved	mg/L	0.001	8/17/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.00043
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0335
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Manganese (Mn)-Total	mg/L	0.001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.113
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Manganese (Mn)-Total	mg/L	0.005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.00663
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Manganese (Mn)-Total	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.041
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Mercury (Hg)-Dissolved	mg/L	0.00005	6/6/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Mercury (Hg)-Dissolved	mg/L	0.00005	8/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Mercury (Hg)-Dissolved	mg/L	0.00005	10/7/19 10:07	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Mercury (Hg)-Total	mg/L	0.00005	6/6/19 15:30	APHA 1631 E (mod)	mg/L	-0.00005
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Mercury (Hg)-Total	mg/L	0.00008	8/17/19 16:00	APHA 1631 E (mod)	mg/L	-0.00006
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Mercury (Hg)-Total	mg/L	0.00005	10/5/19 15:45	APHA 1631 E (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00139
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000864
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00136
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Molybdenum (Mo)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00161
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Molybdenum (Mo)-Total	mg/L	0.00025	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.00079
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Molybdenum (Mo)-Total	mg/L	0.00025	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00129
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Nitrite (N)	mg/L	0.002	6/12/19 16:00	EPAA 300 (mod)	mg/L	-0.001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Nitrite (N)	mg/L	0.001	8/10/19 9:27	EPAA 300 (mod)	mg/L	-0.001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Nitrite (N)	mg/L	0.001	10/2/19 14:48	EPAA 300 (mod)	mg/L	-0.001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Nitrate (N)	mg/L	0.001	6/3/19 17:43	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Nitrate (N)	mg/L	0.001	8/10/19 15:30	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Nitrate (N)	mg/L	0.001	10/2/19 18:04	APHA 4500-P PHOSPHORUS	mg/L	-0.001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	pH	pH	0.1	8/6/19 11:00	APHA 4500 H-Electrode	pH	8.32
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	pH	pH	0.1	8/10/19 10:00	APHA 4500 H-Electrode	pH	7.89
CM-13-25	L2358663	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	pH	pH	0.1	8/12/19 16:00	EPAA 4000 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-13-25	L2284033	6/2/19 12:40	6/2/19	1:50 PM	L2284033-7	Phenols (AA4P)	mg/L	0.001	10/4/19 20:00	APHA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-13-25	L2326399	8/10/19 8:00	8/8/19	12:25 PM	L2326399-2	Phenols (AA4P)	mg/L	0.001				

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Silicon (Si)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	2.94
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Silver (Ag)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Silver (Ag)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.000205
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Silver (Ag)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Silver (Ag)-Total	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	5.04
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	10.9
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	4.96
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	7.45
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Sodium (Na)-Total	mg/L	0.38	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	9.03
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Sodium (Na)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	4.82
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Strontron (Sr)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0514
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Strontron (Sr)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0319
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Strontron (Sr)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0468
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Strontron (Sr)-Total	mg/L	0.0002	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.0654
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Strontron (Sr)-Total	mg/L	0.001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.0283
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Strontron (Sr)-Total	mg/L	0.001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.0488
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Sulfate (SO4)	mg/L	0.3	6/4/19 19:55	EPA 300-1 (mod)	mg/L	6.91
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Sulfate (SO4)	mg/L	0.3	8/10/19 9:27	EPA 300-1 (mod)	mg/L	10.2
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Sulfate (SO4)	mg/L	0.3	10/2/19 19:48	EPA 300-1 (mod)	mg/L	6.88
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Sulfur (S)-Dissolved	mg/L	0.5	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	2.43
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	3.94
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Sulfur (S)-Dissolved	mg/L	0.5	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	2.38
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Sulfur (S)-Total	mg/L	0.5	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	2.52
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Sulfur (S)-Total	mg/L	2.6	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	3.6
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Sulfur (S)-Total	mg/L	2.5	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-2.5
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Tellurium (Te)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Tellurium (Te)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Tellurium (Te)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0002
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Tellurium (Te)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Tellurium (Te)-Total	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Tellurium (Te)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Thallium (Tl)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000076
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Thallium (Tl)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00165
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Thallium (Tl)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00109
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Thallium (Tl)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.000557
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Thallium (Tl)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.00184
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Thallium (Tl)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000355
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Thorium (Th)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Thorium (Th)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Thorium (Th)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Thorium (Th)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00001
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Thorium (Th)-Total	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00001
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Thorium (Th)-Total	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Tin (Sn)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00001
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Tin (Sn)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00001
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Tin (Sn)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.00001
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Tin (Sn)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00005
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Tin (Sn)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Tin (Sn)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Titanium (Ti)-Dissolved	mg/L	0.00003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00003
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Titanium (Ti)-Dissolved	mg/L	0.00003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00003
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Titanium (Ti)-Dissolved	mg/L	0.00003	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00003
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Titanium (Ti)-Total	mg/L	0.00003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00006
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Titanium (Ti)-Total	mg/L	0.00003	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00006
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Titanium (Ti)-Total	mg/L	0.00003	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.00006
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Titanium (Ti)-V-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Titanium (Ti)-V-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Titanium (Ti)-V-Dissolved	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Titanium (Ti)-V-Total	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000155
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Titanium (Ti)-V-Total	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000288
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Titanium (Ti)-V-Total	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000403
CM-13-25	L2284033	6/3/19 12:40	6/2/19	1:50 PM	L2284033-7	Titanium (Ti)-V-Total	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-13-25	L226399	8/10/19 8:00	8/8/19	12:25 PM	L226399-2	Titanium (Ti)-V-Total	mg/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00014
CM-13-25	L2284063	10/2/19 9:50	10/1/19	9:50 AM	L2358663-8	Zinc (Zn)-Dissolved	mg/L	0.00005	10/3/19 16:20	EPA 300/2/6020A (mod)		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Boron (B)-Total	mg/L	0.01	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.011
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Bromide (Br)	mg/L	0.05	6/3/19 18:06	EPA 300-1 (mod)	mg/L	-0.05
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000036
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cadmium (Cd)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.000108
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Calcium (Ca)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	11
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Calcium (Ca)-Total	mg/L	0.05	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	12.3
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cation - Anion Balance	%		6/13/19 18:34	APHA 1030E	%	-5.4
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cation Sum	mg/L		6/13/19 18:34	APHA 1030E	mg/L	0.9
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cesium (Cs)-Dissolved	mg/L	0.00001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cesium (Cs)-Total	mg/L	0.00001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.000304
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chemical Oxygen Demand	mg/L	10	6/10/19 0:00	EPHA 5220 D Colorimetry	mg/L	-10
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chloride (Cl)	mg/L	0.6	6/3/19 18:06	EPA 300-1 (mod)	mg/L	-0.6
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chromium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chromium (Cr)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.00201
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chrysene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	0.000021
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Chrysene d12	%	1	6/10/19 0:00	EPHA 3511/8/270D	%	117.1
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cobalt (Co)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00106
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Cobalt (Co)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.00207
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Conductivity (at 25C)	uS/cm	2	6/11/19 15:00	APHA 2510 B	uS/cm	101
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Dissolved Mercury Filtration Location			6/11/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Dissolved Metals Filtration Location			6/12/19 8:00	APHA 3030B/6020A (mod)	0 FIELD	
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Dissolved Organic Carbon	mg/L	0.5	6/7/19 0:00	APHA 5310 B-Instrumental	mg/L	2.67
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Fluoranthene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Fluorene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	0.000016
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Fluoride (F)	mg/L	0.02	6/3/19 18:06	EPA 300-1 (mod)	mg/L	0.074
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Hardness (as CaCO3)	mg/L	0.5	6/13/19 18:34	APHA 2340 B	mg/L	39.9
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Ion Balance	%	-100	6/13/19 18:39	APHA 1030E	%	89.8
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Iron (Fe)-Dissolved	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.022
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Iron (Fe)-Total	mg/L	0.01	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	1.72
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Lead (Pb)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Lead (Pb)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.00125
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Lithium (Li)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.002
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Lithium (Li)-Total	mg/L	0.001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.0026
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Magnesium (Mg)-Dissolved	mg/L	0.005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	3.04
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Magnesium (Mg)-Total	mg/L	0.005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	3.31
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Manganese (Mn)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0567
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Manganese (Mn)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.0711
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Mercury (Hg)-Dissolved	mg/L	0.000085	6/11/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Mercury (Hg)-Total	mg/L	0.00005	6/11/19 15:30	EPA 1631 E (mod)	mg/L	-0.00005
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00022
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Molybdenum (Mo)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.00036
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Naphthalene	ug/L	0.02	6/10/19 0:00	EPHA 3511/8/270D	mg/L	0.00003
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Nickel (Ni)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0034
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Nickel (Ni)-Total	mg/L	0.0005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.00647
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Nitrate (as N)	mg/L	0.005	6/3/19 18:06	EPA 300-1 (mod)	mg/L	0.0154
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Nitrate and Nitrite (as N)	mg/L	0.0051	6/4/19 15:09	CALCULATION	mg/L	0.0154
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/3/19 17:31	APHA 4500-P PHOSPHORUS	mg/L	0.0148
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Phenanthrene	ug/L	0.02	6/10/19 0:00	EPHA 3511/8/270D	mg/L	0.000063
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Phenanthrene d10	%	1	6/10/19 0:00	EPHA 3511/8/270D	%	111
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Phosphorus (P)-Col-Total	mg/L	0.0002	6/9/19 10:29	APHA 4500-P PHOSPHORUS	mg/L	0.0189
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Phosphorus (P)-Dissolved	mg/L	0.005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.05
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Phosphorus (P)-Total	mg/L	0.05	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.12
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Potassium (K)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.361
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Potassium (K)-Total	mg/L	0.05	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.947
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Pyrene	ug/L	0.01	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Quinoline	ug/L	0.05	6/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00027
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Rubidium (Rb)-Total	mg/L	0.0002	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.000347
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Selenium (Se)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000038
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Selenium (Se)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.000356
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Silicon (Si)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	1.92
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Silicon (Si)-Total	mg/L	0.05	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	3.67
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Silver (Ag)-Dissolved	mg/L	0.00001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Silver (Ag)-Total	mg/L	0.00001	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	0.000041
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Sodium (Na)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	1.97
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Sodium (Na)-Total	mg/L	0.08	6/12/19 17:23	EPA 200-2/6020A (mod)	mg/L	1.89
GW-12-BR	L2284090	6/3/19 12:40	6/1/19	10:30 AM	L2284090-1	Strontium (Sr)-Dissolved	mg/L	0.0002	6/12/19 17			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-BR	L2191749	11/18/19:20	11/1/18	11:50 AM	L2191749-2	Acetophenone	ug/L	0.01	11/18/18:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2191749	11/18/19:20	11/1/18	11:50 AM	L2191749-3	Acetophenone	ug/L	0.01	11/18/18:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Acetophenone	ug/L	0.01	6/4/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Acetophenone	ug/L	0.01	8/15/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Acetophenone	ug/L	0.01	8/15/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Acetophenone	ug/L	0.01	10/17/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Acetophenone	ug/L	0.01	10/17/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Acidity (as CaCO <sub>3</sub> )	mg/L	1	10/6/18 13:54	APHA 2310 Acidity	mg/L	1
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Acridine	ug/L	0.00003	10/10/18 07:07	EPA 3511/8270D (mod)	mg/L	-0.00003
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Acridine	ug/L	0.01	11/18/18:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Acridine	ug/L	0.01	11/18/18:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Acridine	ug/L	0.01	6/4/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Acridine	ug/L	0.01	8/15/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Acridine	ug/L	0.02	8/15/19/09:00	EPA 3511/8270D	mg/L	-0.00002
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Acridine	ug/L	0.01	10/17/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Acridine	ug/L	0.01	10/17/19/09:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Acridine d9	%	1	10/10/18 07:07	EPA 3511/8270D (mod)	%	83.7
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	11/7/18 9:00	APHA 2320 ALKALINITY	mg/L	178
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	11/7/18 9:00	APHA 2320 ALKALINITY	mg/L	196
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	187
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	194
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	189
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	196
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	199
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	11/7/18 9:00	APHA 2320 ALKALINITY	mg/L	6.4
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	11/7/18 9:00	APHA 2320 ALKALINITY	mg/L	5.4
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	6
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	11/7/18 9:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/15/19 11:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.169
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Aluminum (Al)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0022
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Aluminum (Al)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0022
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0025
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0024
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0045
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Aluminum (Al)-Dissolved	mg/L	0.001	10/15/19 11:00	APHA 3030B/6020A (mod)	mg/L	0.0022
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Aluminum (Al)-Dissolved	mg/L	0.001	10/15/19 11:00	APHA 3030B/6020A (mod)	mg/L	0.003
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Aluminum (Al)-Total	mg/L	0.003	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	3.45
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Aluminum (Al)-Total	mg/L	0.003	11/7/18 9:00	APHA 3030B/6020A (mod)	mg/L	0.0604
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Aluminum (Al)-Total	mg/L	0.003	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0492
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Aluminum (Al)-Total	mg/L	0.003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.109
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Aluminum (Al)-Total	mg/L	0.001	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.531
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Aluminum (Al)-Total	mg/L	0.001	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	0.191
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Aluminum (Al)-Total	mg/L	0.001	10/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	1.09
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Aluminum (Al)-Total	mg/L	0.001	10/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	1.18
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Antimony (Sb)-Dissolved	mg/L	0.0004	10/10/18 07:07	EPA 3511/8270D (mod)	mg/L	-0.00004
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Antimony (Sb)-Dissolved	mg/L	0.01	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Antimony (Sb)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0327
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Antimony (Sb)-Dissolved	mg/L	0.005	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0961
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Antimony (Sb)-Dissolved	mg/L	0.005	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.219
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Antimony (Sb)-Dissolved	mg/L	0.005	10/20/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.261
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Antimony (Sb)-Dissolved	mg/L	0.001	11/1/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Antimony (Sb)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Antimony (Sb)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Antimony (Sb)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00014
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Antimony (Sb)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Antimony (Sb)-Dissolved	mg/L	0.001	10/21/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Antimony (Sb)-Dissolved	mg/L	0.001	10/21/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Antimony (Sb)-Total	mg/L	0.001	10/3/18 14:03	APHA 20/2/6020A (mod)	mg/L	0.00023
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Antimony (Sb)-Total	mg/L	0.001	11/1/18 15:30			



STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Cation - Anion Balance	%		10/18/19 14:34	APHA 1030E	%	-0.5
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Cation Sum	meq/L		11/14/18 14:11	APHA 1030E	meq/L	4.54
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Cation Sum	meq/L		11/14/18 14:11	APHA 1030E	meq/L	4.53
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Cation Sum	meq/L		6/10/19 16:49	APHA 1030E	meq/L	4.42
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Cation Sum	meq/L		8/19/19 11:59	APHA 1030E	meq/L	5.28
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Cation Sum	meq/L		8/19/19 11:55	APHA 1030E	meq/L	5.2
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Cation Sum	meq/L		10/21/19 17:14	APHA 1030E	meq/L	5.06
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Cation Sum	meq/L		10/18/19 14:34	APHA 1030E	meq/L	4.81
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Cesium (Cs)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Cesium (Cs)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Cesium (Cs)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000016
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:49	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Cesium (Cs)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Cesium (Cs)-Dissolved	mg/L	0.00001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Cesium (Cs)-Dissolved	mg/L	0.00001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Cesium (Cs)-Dissolved	mg/L	0.00001	10/17/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Cesium (Cs)-Total	mg/L	0.00001	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	0.0131
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Cesium (Cs)-Total	mg/L	0.00001	11/1/18 15:30	EPAA 200/2/6020A (mod)	mg/L	0.000037
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Cesium (Cs)-Total	mg/L	0.00001	11/1/18 15:30	EPAA 200/2/6020A (mod)	mg/L	0.000031
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.000046
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Cesium (Cs)-Total	mg/L	0.00005	8/16/19 16:49	EPAA 200/2/6020A (mod)	mg/L	0.000172
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Cesium (Cs)-Total	mg/L	0.00005	8/16/19 16:49	EPAA 200/2/6020A (mod)	mg/L	0.000074
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Cesium (Cs)-Total	mg/L	0.00005	10/17/19 15:30	EPAA 200/2/6020A (mod)	mg/L	0.000351
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Cesium (Cs)-Total	mg/L	0.00005	10/17/19 15:30	EPAA 200/2/6020A (mod)	mg/L	0.000367
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Chemical Oxygen Demand	mg/L	10	11/5/18 00:00	APHA 5220 D Colorimetry	mg/L	-10
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Chemical Oxygen Demand	mg/L	10	11/5/18 00:00	APHA 5220 D Colorimetry	mg/L	-10
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Chemical Oxygen Demand	mg/L	10	6/8/19 00:00	APHA 5220 D Colorimetry	mg/L	18
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Chemical Oxygen Demand	mg/L	10	8/13/19 00:00	APHA 5220 D Colorimetry	mg/L	-10
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Chemical Oxygen Demand	mg/L	10	8/13/19 00:00	APHA 5220 D Colorimetry	mg/L	-10
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Chemical Oxygen Demand	mg/L	10	10/11/19 10:00	APHA 5220 D Colorimetry	mg/L	12
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Chemical Oxygen Demand	mg/L	10	10/11/19 10:00	APHA 5220 D Colorimetry	mg/L	16
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Chloride (Cl)	mg/L	0.5	10/2/18 17:44	EPAA 300.1 (mod)	mg/L	1.06
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Chloride (Cl)	mg/L	0.5	11/3/18 06:06	EPAA 300.1 (mod)	mg/L	1.97
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Chloride (Cl)	mg/L	0.5	11/3/18 06:06	EPAA 300.1 (mod)	mg/L	1.61
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Chloride (Cl)	mg/L	0.5	6/2/19 15:06	EPAA 300.1 (mod)	mg/L	-0.5
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Chloride (Cl)	mg/L	0.5	8/10/19 22:27	EPAA 300.1 (mod)	mg/L	0.66
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Chloride (Cl)	mg/L	0.5	8/10/19 22:27	EPAA 300.1 (mod)	mg/L	4.73
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Chloride (Cl)	mg/L	0.5	10/11/19 04:33	EPAA 300.1 (mod)	mg/L	0.77
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Chloride (Cl)	mg/L	0.5	10/11/19 04:33	EPAA 300.1 (mod)	mg/L	0.86
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Chromium (Cr)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00054
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Chromium (Cr)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Chromium (Cr)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Chromium (Cr)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Chromium (Cr)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Chromium (Cr)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00012
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Chromium (Cr)-Dissolved	mg/L	0.0001	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	0.00683
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Chromium (Cr)-Dissolved	mg/L	0.0001	11/1/18 15:30	EPAA 200/2/6020A (mod)	mg/L	0.00014
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Chromium (Cr)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.00027
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Chromium (Cr)-Dissolved	mg/L	0.0005	8/16/19 16:49	EPAA 200/2/6020A (mod)	mg/L	0.0012
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Chromium (Cr)-Dissolved	mg/L	0.0005	8/16/19 16:49	EPAA 200/2/6020A (mod)	mg/L	0.00056
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Chromium (Cr)-Dissolved	mg/L	0.0005	10/17/19 15:30	EPAA 200/2/6020A (mod)	mg/L	0.00198
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Chromium (Cr)-Dissolved	mg/L	0.0005	10/17/19 15:30	EPAA 3511/8270D	mg/L	0.00212
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Chrysenes	ug/L	0.00007	11/7/18 00:00	EPAA 3511/8270D	mg/L	-0.00007
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Chrysenes	ug/L	0.01	11/7/18 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Chrysenes	ug/L	0.01	6/4/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Chrysenes	ug/L	0.01	8/19/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Chrysenes	ug/L	0.01	8/19/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Chrysenes	ug/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000032
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Cobalt (Co)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00026
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Cobalt (Co)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00027
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Cobalt (Co)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Cobalt (Co)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-14-BR	L2263998	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Cobalt (Co)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.0002
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Conductivity	uS/cm	2	10/2/18 12:59	BCMOE Colour Single Wavelength	uS/cm	-5
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Conductivity	uS/cm	2	10/2/18 12:59	APHA 2510 Auto. Cond.	uS/cm	437
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Conductivity (@ 25C)	uS/cm	2	11/7/18 00:00	APHA 2510 B	uS/cm	433

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Dissolved Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B	mg/L	1.27	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Dissolved Organic Carbon	mg/L	0.5	11/10/18 9:00	APHA 5310 B-Instrumental	mg/L	1.85	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Dissolved Organic Carbon	mg/L	0.5	11/10/18 9:00	APHA 5310 B-Instrumental	mg/L	2.03	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Dissolved Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 B-Instrumental	mg/L	-0.5	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Dissolved Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 B-Instrumental	mg/L	0.85	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Dissolved Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 B-Instrumental	mg/L	1.4	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Dissolved Organic Carbon	mg/L	0.5	10/9/19 14:00	APHA 5310 B-Instrumental	mg/L	1	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Dissolved Organic Carbon	mg/L	0.5	10/9/19 14:00	APHA 5310 B-Instrumental	mg/L	1.45	
GW-14-BR	L2713511	10/18/8:50	9/27/18	4:15 PM	L2713511-7	Fluoranthene	ug/L	0.00001	10/10/18 0:00	EPA 3511/8/270D (mod)	mg/L	-0.00001	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Fluoranthene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Fluoranthene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Fluoranthene	ug/L	0.01	6/4/19 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Fluoranthene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Fluoranthene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Fluoranthene	ug/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Fluorene	mg/L	0.00001	10/10/18 0:00	EPA 3511/8/270D (mod)	mg/L	0.000319	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Fluorene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Fluorene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Fluorene	ug/L	0.01	6/4/19 0:00	EPA 3511/8/270D	mg/L	0.000013	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Fluorene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	0.000021	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Fluorene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	0.000023	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Fluorene	ug/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	0.000046	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Fluorene	ug/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	0.000054	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Fluorene (as CaCO3)	mg/L	0.00001	11/7/18 0:00	EPA 3511/8/270D	mg/L	0.000319	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Hardness (as CaCO3)	mg/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	0.00001	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Hardness (as CaCO3)	mg/L	0.01	6/4/19 0:00	EPA 3511/8/270D	mg/L	0.000013	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Hardness (as CaCO3)	mg/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	0.000021	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Hardness (as CaCO3)	mg/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	0.000023	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Hardness (as CaCO3)	mg/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	0.000046	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Hardness (as CaCO3)	mg/L	0.01	10/17/19 0:00	APHA 3500-Cr C (Ion Chromatography)	mg/L	-0.00005	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Indeno[1,2,3-c]pyrene	mg/L	0.00001	10/10/18 0:00	EPA 3511/8/270D (mod)	mg/L	-0.00001	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Indeno[1,2,3-c]pyrene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Indeno[1,2,3-c]pyrene	ug/L	0.01	11/7/18 0:00	EPA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Indeno[1,2,3-c]pyrene	ug/L	0.01	6/4/19 0:00	EPA 3511/8/270D	mg/L	0.000013	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Indeno[1,2,3-c]pyrene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	-0.00001	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Indeno[1,2,3-c]pyrene	ug/L	0.01	8/15/19 0:00	APHA 3511/8/270D	mg/L	0.00001	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Indeno[1,2,3-c]pyrene	ug/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	0.000046	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Indeno[1,2,3-c]pyrene	ug/L	0.01	10/17/19 0:00	APHA 3511/8/270D	mg/L	0.000046	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Iron (Fe)-Dissolved	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A	mg/L	0.948	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Iron (Fe)-Dissolved	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Iron (Fe)-Dissolved	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.027	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Iron (Fe)-Dissolved	mg/L	0.01	6/4/19 0:00	EPA 3030B/6020A	mg/L	0.29	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Iron (Fe)-Dissolved	mg/L	0.01	8/15/19 0:00	APHA 3030B/6020A	mg/L	0.169	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Iron (Fe)-Dissolved	mg/L	0.01	8/15/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.199	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Iron (Fe)-Dissolved	mg/L	0.01	10/17/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.191	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Iron (Fe)-Dissolved	mg/L	0.01	10/17/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.227	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Iron (Fe)-Total	mg/L	%	-100	11/4/18 14:25	APHA 1030E	%	97
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Iron (Fe)-Total	mg/L	%	-100	11/4/18 14:25	APHA 1030E	%	91.3
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Iron (Fe)-Total	mg/L	%	-100	6/10/19 16:54	APHA 1030E	%	94.6
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Iron (Fe)-Total	mg/L	%	-100	8/19/19 12:05	APHA 1030E	%	113
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Iron (Fe)-Total	mg/L	%	-100	8/19/19 12:00	APHA 1030E	%	111
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Iron (Fe)-Total	mg/L	%	-100	10/2/19 17:42	APHA 1030E	%	106
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Iron (Fe)-Total	mg/L	%	-100	10/18/19 14:39	APHA 1030E	%	99
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Iron (Fe)-Total	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.948	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Iron (Fe)-Total	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Iron (Fe)-Total	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.027	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:54	APHA 3030B/6020A (mod)	mg/L	0.594	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	2.49	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	1.16	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	4.28	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	4.41	
GW-14-BR	L2173511	10/18/8:50	9/27/18	4:15 PM	L2173511-7	Lead (Pb)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0000517	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Lead (Pb)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005	
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Lead (Pb)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005	
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Lead (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.0000505	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Lead (Pb)-Dissolved	mg/L	0.00005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.384	
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Lead (Pb)-Dissolved	mg/L	0.00005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.32	
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Lead (Pb)-Dissolved	mg/L	0.00005	10/2/19 17:02	APHA 3030B/6020A (mod)</			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Manganese (Mn)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.137
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Manganese (Mn)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.153
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Mercury (Hg)-Dissolved	mg/L	0.00005	10/10/18 07:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Mercury (Hg)-Dissolved	mg/L	0.00005	6/10/19 15:22	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Mercury (Hg)-Dissolved	mg/L	0.00005	8/17/19 15:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Mercury (Hg)-Total	mg/L	0.0001	10/9/18 22:03	EPA 1631E (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Mercury (Hg)-Total	mg/L	0.00005	6/10/19 15:22	EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Mercury (Hg)-Total	mg/L	0.00005	8/17/19 15:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:10 AM	L2263994-8	Mercury (Hg)-Total	mg/L	0.00005	8/18/19 11:00	EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 14:51	EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00101
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00238
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00225
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00243
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/17/19 15:00	APHA 3030B/6020A (mod)	mg/L	0.00042
GW-14-BR	L2364371	10/10/19 8:00	8/9/19	8:55 AM	L2364371-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/18/19 15:00	APHA 3030B/6020A (mod)	mg/L	0.00043
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/17/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00052
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000567
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Molybdenum (Mo)-Total	mg/L	0.00005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.00152
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Molybdenum (Mo)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00076
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Molybdenum (Mo)-Total	mg/L	0.00005	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.00062
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Molybdenum (Mo)-Total	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00051
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Molybdenum (Mo)-Total	mg/L	0.00005	8/17/19 15:00	APHA 3030B/6020A (mod)	mg/L	0.00042
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Molybdenum (Mo)-Total	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00043
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Naphthalene	ug/L	0.00005	10/10/18 07:00	EPA 3511/8/270D (mod)	mg/L	0.00051
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Naphthalene	ug/L	0.05	11/7/18 00:00	EPA 3511/8/270D	mg/L	0.000051
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Naphthalene	ug/L	0.02	8/15/19 00:00	EPA 3511/8/270D	mg/L	0.000049
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	9:10 AM	L2263994-8	Naphthalene	ug/L	0.02	8/15/19 00:00	EPA 3511/8/270D	mg/L	0.000077
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Naphthalene	ug/L	0.02	10/17/19 00:00	EPA 3511/8/270D	mg/L	0.000097
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Naphthalene d8	%	1	10/10/18 07:07	EPA 3511/8/270D (mod)	%	106.9
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Nickel (Ni)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00202
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Nickel (Ni)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00077
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-4	Nickel (Ni)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00097
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Nickel (Ni)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Nickel (Ni)-Dissolved	mg/L	0.00005	8/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Nickel (Ni)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Nickel (Ni)-Total	mg/L	0.00005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.00911
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Nickel (Ni)-Total	mg/L	0.00005	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.00071
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Nickel (Ni)-Total	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00068
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Nickel (Ni)-Total	mg/L	0.00005	8/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Nickel (Ni)-Total	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Nitrate (as N)	mg/L	0.00005	10/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Nitrate (as N)	mg/L	0.00005	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.000069
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Nitrate (as N)	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000068
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Nitrate (as N)	mg/L	0.00005	8/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Nitrate (as N)	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Nitrate (as N)	mg/L	0.00005	10/1/18 15:30	EPA 300/1 (mod)	mg/L	-0.005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Nitrate (as N)	mg/L	0.00005	11/1/18 15:30	EPA 300/1 (mod)	mg/L	-0.005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Nitrate (as N)	mg/L	0.00005	6/2/19 15:06	EPA 300/1 (mod)	mg/L	-0.005
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Nitrate (as N)	mg/L	0.00005	8/10/19 15:30	EPA 300/1 (mod)	mg/L	0.0184
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Nitrate (as N)	mg/L	0.00005	8/10/19 15:30	EPA 300/1 (mod)	mg/L	-0.005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Nitrate (as N)	mg/L	0.00005	10/1/18 15:30	EPA 300/1 (mod)	mg/L	-0.001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Nitrate (as N)	mg/L	0.00005	11/1/18 15:30	EPA 300/1 (mod)	mg/L	-0.001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Nitrate (as N)	mg/L	0.00005	6/2/19 15:06	EPA 300/1 (mod)	mg/L	-0.001
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	8:55 AM	L2263994-6	Nitrate (as N)	mg/L	0.00005	8/10/19 15:30	EPA 300/1 (mod)	mg/L	-0.001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Nitrate (as N)	mg/L	0.00005	10/17/19 15:45	APHA 300/1 (mod)	mg/L	0.0019
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Nitrate (as N)	mg/L	0.00005	10/1/19 11:00	EPA 4500 H-Electrode	pH	8.28
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	pH	pH	0.1	11/7/18 00:00	EPA 4500 H-Electrode	pH	8.35
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	pH	pH	0.1	11/7/18 00:00	EPA 4500 H-Electrode	pH	8.31
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	pH	pH	0.1	6/8/19 11:00	EPA 4500 H-Electrode	pH	8.39
GW-14-BR	L2263994	8/10/19 8:00	8/9/19	9:10 AM	L2263994-8	pH	pH	0.1	8/11/19 00:00	EPA 4500 H-Electrode	pH	8.16
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	pH	pH	0.1	10/15/19 11:00	EPA 4500 H-Electrode	pH	8.15
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	pH	pH	0.1	10/15/19 11:00	EPA 4500 H-Electrode	pH	8.08
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	p						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Phosphorus (P)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	U2326399-6	Phosphorus (P)-Total	mg/L	0.25	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.25
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-8	Phosphorus (P)-Total	mg/L	0.25	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.25
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Phosphorus (P)-Total	mg/L	0.25	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.25
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-7	Phosphorus (P)-Total	mg/L	0.25	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.25
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Phosphorus (K)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	1.5
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Potassium (K)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	1.3
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Potassium (K)-Dissolved	mg/L	0.05	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	0.751
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	U2326399-6	Potassium (K)-Dissolved	mg/L	0.05	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.981
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-8	Potassium (K)-Dissolved	mg/L	0.05	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.47
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Potassium (K)-Dissolved	mg/L	0.08	10/23/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.897
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	U2364371-7	Potassium (K)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.862
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Potassium (K)-Total	mg/L	0.05	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	2.88
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Potassium (K)-Total	mg/L	0.05	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	1.15
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Potassium (K)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	1.1
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	U2326399-6	Potassium (K)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.81
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-8	Potassium (K)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.99
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Potassium (K)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	5.47
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	U2364371-7	Potassium (K)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	1.36
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Pyrone	ug/L	0.00001	10/10/18 07:00	EPAA 3511/8/27D	mg/L	0.000042
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Pyrone	ug/L	0.01	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Pyrone	ug/L	0.01	6/4/19 00:00	EPAA 3511/8/27D	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:10 AM	U2326399-8	Pyrone	ug/L	0.01	8/15/19 00:00	EPAA 3511/8/27D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Pyrone	ug/L	0.01	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	U2364371-7	Pyrone	ug/L	0.01	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Quinoline	ug/L	0.00005	10/10/18 07:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Quinoline	ug/L	0.05	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-3	Quinoline	ug/L	0.05	6/4/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Quinoline	ug/L	0.05	8/15/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Quinoline	ug/L	0.05	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2283659	8/10/19 8:00	8/9/19	8:55 AM	U2283659-2	Quinoline	ug/L	0.05	8/16/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Quinoline	ug/L	0.05	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Quinoline	ug/L	0.05	8/16/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	U2326399-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Quinoline	ug/L	0.05	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Quinoline	ug/L	0.05	8/16/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Quinoline	ug/L	0.05	11/7/18 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Quinoline	ug/L	0.05	8/16/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Quinoline	ug/L	0.05	10/17/19 00:00	EPAA 3511/8/27D	mg/L	-0.00005
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Selenium (Se)-Dissolved	ug/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000135
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Selenium (Se)-Dissolved	ug/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Selenium (Se)-Dissolved	ug/L	0.00005	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000177
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Selenium (Se)-Dissolved	ug/L	0.00005	10/17/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.000223
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Selenium (Se)-Dissolved	ug/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Selenium (Se)-Total	ug/L	0.00005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.000076
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Selenium (Se)-Total	ug/L	0.00001	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Selenium (Se)-Total	ug/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Selenium (Se)-Total	ug/L	0.00001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Selenium (Se)-Total	ug/L	0.00001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	U2173511-7	Sodium (Na)-Dissolved	mg/L	0.08	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	14.6
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	U2191749-2	Sodium (Na)-Dissolved	mg/L	0.08	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	14.4
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	U2283659-2	Sodium (Na)-Dissolved	mg/L	0.08	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	14.7
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-6	Sodium (Na)-Dissolved	mg/L	0.08	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	9.28
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	U2326399-8	Sodium (Na)-Dissolved	mg/L	0.08	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	10.2
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	U2364371-6	Sodium (Na)-Dissolved	mg/L	0.08	10/2/19 16:29	APHA 3030B/6020A (mod)	mg/L	9.59
GW-14-BR	L2173511	10/1/18 8:50</										

STATION ID	LOGNUMINUM	RECEIVEDATE	SPMDATE	SPMTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Result
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Sulfate (SO4)	mg/L	0.3	11/13/18 9:06	EPA 300.1 (mod)	mg/L	44.3
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Sulfate (SO4)	mg/L	0.3	11/13/18 9:06	EPA 300.1 (mod)	mg/L	42.4
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Sulfate (SO4)	mg/L	0.3	6/21/19 15:30	EPA 300.1 (mod)	mg/L	38.4
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Sulfate (SO4)	mg/L	0.3	8/10/19 9:27	EPA 300.1 (mod)	mg/L	36.7
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Sulfate (SO4)	mg/L	0.3	8/10/19 9:27	EPA 300.1 (mod)	mg/L	37.2
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	EPA 300.1 (mod)	mg/L	38.1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	EPA 300.1 (mod)	mg/L	40.6
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Sulfur (S)-Dissolved	mg/L	0.5	10/2/18 12:50	APHA 3030B/6020A (mod)	mg/L	15.4
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Sulfur (S)-Dissolved	mg/L	0.5	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	15.8
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Sulfur (S)-Dissolved	mg/L	0.5	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	15.7
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Sulfur (S)-Dissolved	mg/L	0.5	6/10/19 16:28	APHA 3030B/6020A (mod)	mg/L	13.3
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	14.7
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Sulfur (S)-Dissolved	mg/L	0.5	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	15.0
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfur (S)-Dissolved	mg/L	0.5	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	13.1
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfur (S)-Dissolved	mg/L	0.5	10/11/19 15:45	APHA 3030B/6020A (mod)	mg/L	16.0
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Sulfur (S)-Total	mg/L	0.5	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	17.2
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Sulfur (S)-Total	mg/L	0.5	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	14.4
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Sulfur (S)-Total	mg/L	0.5	6/10/19 16:28	APHA 3030B/6020A (mod)	mg/L	13.5
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Sulfur (S)-Total	mg/L	0.5	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	13.4
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Sulfur (S)-Total	mg/L	0.5	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	13.2
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	11.3
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	11.9
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Tellurium (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Tellurium (Te)-Dissolved	mg/L	0.0002	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Tellurium (Te)-Dissolved	mg/L	0.0002	6/10/19 16:28	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Tellurium (Te)-Dissolved	mg/L	0.0002	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Tellurium (Te)-Dissolved	mg/L	0.0002	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Tellurium (Te)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Tellurium (Te)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Tellurium (Te)-Total	mg/L	0.0001	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Tellurium (Te)-Total	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Tellurium (Te)-Total	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Thallium (Tl)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Thallium (Tl)-Dissolved	mg/L	0.0001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Thallium (Tl)-Dissolved	mg/L	0.0001	6/10/19 16:28	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Thallium (Tl)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Thallium (Tl)-Dissolved	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Thallium (Tl)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Thallium (Tl)-Total	mg/L	0.0001	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Thallium (Tl)-Total	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Thallium (Tl)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Thallium (Tl)-Total	mg/L	0.0001	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Thallium (Tl)-Total	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Thallium (Tl)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Thallium (Tl)-Total	mg/L	0.0001	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Thallium (Tl)-Total	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Thallium (Tl)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Thallium (Tl)-Total	mg/L	0.0001	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Thallium (Tl)-Total	mg/L	0.0001	10/21/19 12:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Total Dissolved Solids	mg/L	20	10/4/18 8:50	APHA 2540C - GRAVIMETRIC	mg/L	-0.00340
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Total Dissolved Solids	mg/L	20	11/7/18 9:15	APHA 2540C	mg/L	-0.00210
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Total Dissolved Solids	mg/L	20	11/7/18 9:15	APHA 2540C	mg/L	-0.00207
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Total Dissolved Solids	mg/L	20	6/5/19 16:00	APHA 2540C	mg/L	-0.00231
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Total Dissolved Solids	mg/L	13	8/14/19 15:20	APHA 2540C	mg/L	-0.00240
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Total Dissolved Solids	mg/L	20	8/14/19 15:20	APHA 2540C	mg/L	-0.00378
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Total Dissolved Solids	mg/L	20	10/11/19 15:30	APHA 2540C	mg/L	-0.00244
GW-14-BR	L2173511	10/1/18 8:50	9/27/18	4:15 PM	L2173511-7	Total Dissolved Solids	mg/L	20	10/11/19 15:30	APHA 2540C	mg/L	-0.00246
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Total Inorganic Carbon	mg/L	1	1/10/18 14:55	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.484
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Total Inorganic Carbon	mg/L	1	1/10/18 14:55	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.448
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Total Inorganic Carbon	mg/L	1	6/8/19 13:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.455
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L226399-8	Total Inorganic Carbon	mg/L	1	8/13/19 12:20	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.475
GW-14-BR	L226399	8/10/19 8:00	8/9/19	9:10 AM	L226399-8	Total Inorganic Carbon	mg/L	1	8/13/19 12:20	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.469
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-1	Total Inorganic Carbon	mg/L	1	10/15/19 10:38	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.477
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Total Kjeldahl Nitrogen	mg/L	0.05	1/16/18 12:00	APHA 4500-NORG (TKN)	mg/L	-0.00312
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Total Kjeldahl Nitrogen	mg/L	0.05	1/16/18 12:00	APHA 4500-NORG (TKN)	mg/L	-0.00455
GW-14-BR	L226399	8/10/19 8:00	8/9/19	8:55 AM	L2							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-14-BR	L2191749	11/18/19 9:20	11/1/18	11:50 AM	L2191749-2	Total Organic Carbon	mg/L	0.5	11/10/18 9:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.68
GW-14-BR	L2191749	11/18/19 9:20	11/1/18	11:50 AM	L2191749-3	Total Organic Carbon	mg/L	0.5	11/10/18 9:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.72
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Total Organic Carbon	mg/L	0.5	6/4/19 9:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.78
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Total Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.58
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	9:10 AM	L2326399-8	Total Organic Carbon	mg/L	0.5	8/14/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.36
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Total Organic Carbon	mg/L	0.5	10/9/19 14:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.79
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Total Organic Carbon	mg/L	0.5	10/9/19 14:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.39
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Total Suspended Solids	mg/L	3	10/4/18 13:25	APHA 2540B	mg/L	206
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Tungsten (W)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Tungsten (W)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Tungsten (W)-Dissolved	mg/L	0.0001	6/10/19 16:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Tungsten (W)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Tungsten (W)-Dissolved	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Tungsten (W)-Total	mg/L	0.0001	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.00021
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Tungsten (W)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Tungsten (W)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Tungsten (W)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Tungsten (W)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Tungsten (W)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Tungsten (U)-Total	mg/L	0.0001	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.000874
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Tungsten (U)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Tungsten (U)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Tungsten (U)-Total	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0013
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Tungsten (U)-Total	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.000173
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Tungsten (U)-Total	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.000203
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Turbidity	NTU	0.1	10/2/18 18:00	APHA 2130 Turbidity	NTU	157
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Uranium (U)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000573
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Uranium (U)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0026
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Uranium (U)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00259
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Uranium (U)-Dissolved	mg/L	0.0001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00061
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Uranium (U)-Dissolved	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	0.000114
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Uranium (U)-Dissolved	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	0.000203
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Uranium (U)-Total	mg/L	0.0001	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.000874
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-3	Uranium (U)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0003
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Uranium (U)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00089
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Uranium (U)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.00195
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Uranium (U)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	0.000288
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Uranium (U)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	0.000328
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Vanadium (V)-Dissolved	mg/L	0.0005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00069
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Vanadium (V)-Dissolved	mg/L	0.0005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Vanadium (V)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00089
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Vanadium (V)-Dissolved	mg/L	0.0005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	0.00195
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Vanadium (V)-Dissolved	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Vanadium (V)-Dissolved	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0106
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Vanadium (V)-Total	mg/L	0.0005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00045
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Vanadium (V)-Total	mg/L	0.0005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Vanadium (V)-Total	mg/L	0.0005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00058
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Vanadium (V)-Total	mg/L	0.0005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Vanadium (V)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0042
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Vanadium (V)-Total	mg/L	0.0005	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0047
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Zinc (Zn)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00106
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Zinc (Zn)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0119
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Zinc (Zn)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00077
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Zinc (Zn)-Dissolved	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Zinc (Zn)-Dissolved	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Zinc (Zn)-Dissolved	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-7	Zinc (Zn)-Total	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000317
GW-14-BR	L2191749	11/3/18 9:20	11/1/18	11:50 AM	L2191749-2	Zinc (Zn)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0109
GW-14-BR	L2283659	6/1/19 9:30	5/30/19	8:20 AM	L2283659-2	Zinc (Zn)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-14-BR	L2326399	8/10/19 8:00	8/9/19	8:55 AM	L2326399-6	Zinc (Zn)-Total	mg/L	0.0001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:30 PM	L2364371-6	Zinc (Zn)-Total	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-BR	L2364371	10/10/19 9:10	10/7/19	4:50 PM	L2364371-7	Zinc (Zn)-Total	mg/L	0.0001	10/7/19 15:49	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-BR	L2173511	10/18/18 8:50	9/27/18	4:15 PM	L2173511-6	Zinc (Zn)-Total	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Acridine	ug/L	0.01	11/7/18 00:00	EPHA 3511/8270D	ug/L	

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Aluminum (Al)-Total	mg/L	0.01	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	8.34
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Amonia as N	mg/L	0.005	11/7/18 18:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0082
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Amonia as N	mg/L	0.005	6/7/19 18:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0067
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Amonia as N	mg/L	0.005	10/20/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0284
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Amonia, Total (as N)	mg/L	0.005	10/18/18 12:24	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0081
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Amon Sum	meq/L	11/14/18 14:11	APHA 1030E	meq/L	3.52	
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Amon Sum	meq/L	0.001	6/10/19 16:49	APHA 1030E	meq/L	3.56
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Amon Sum	meq/L	0.001	10/2/19 17:44	APHA 1030E	meq/L	4.01
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Anthracene	mg/L	0.0001	10/18/18 07:07	EPA 3511/8/270D (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Anthracene	ug/L	0.01	11/7/18 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Anthracene	ug/L	0.01	6/4/19 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Anthracene	ug/L	0.01	10/17/19 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Antimony (Sb)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Antimony (Sb)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Antimony (Sb)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0012
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Antimony (Sb)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00014
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Antimony (Sb)-Total	mg/L	0.0001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0018
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Antimony (Sb)-Total	mg/L	0.0001	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.0051
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Antimony (Sb)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Antimony (Sb)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.00079
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Arsenic (As)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Arsenic (As)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Arsenic (As)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0027
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Arsenic (As)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Arsenic (As)-Total	mg/L	0.0001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0155
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Arsenic (As)-Total	mg/L	0.0001	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.0095
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Arsenic (As)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.0054
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Arsenic (As)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.00752
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Barium (Ba)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0436
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Barium (Ba)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0404
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Barium (Ba)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.068
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Barium (Ba)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.0425
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Barium (Ba)-Total	mg/L	0.0001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0901
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Barium (Ba)-Total	mg/L	0.0001	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.0714
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Barium (Ba)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.0866
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Barium (Ba)-Total	mg/L	0.0005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.26
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Benz(a)anthracene	mg/L	0.00001	10/2/18 12:57	EPA 3511/8/270D (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Benz(a)anthracene	ug/L	0.01	11/7/18 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Benz(a)anthracene	ug/L	0.01	6/4/19 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Benz(a)anthracene	ug/L	0.01	10/17/19 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Benz(a)pyrene	mg/L	0.000005	10/10/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.00005
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Benz(a)pyrene	ug/L	0.005	11/7/18 00:00	EPA 3511/8/270D	mg/L	-0.00005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Benz(a)pyrene	ug/L	0.005	6/4/19 00:00	EPA 3511/8/270D	mg/L	-0.00005
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Benz(a)pyrene	ug/L	0.000015	10/10/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.000015
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Benz(b)anthracene	mg/L	0.00001	10/10/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.00001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Benz(b)anthracene	ug/L	0.01	11/7/18 00:00	EPA 3511/8/270D	mg/L	-0.00001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Benz(b)anthracene	ug/L	0.01	6/4/19 00:00	EPA 3511/8/270D	mg/L	-0.00001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Benz(b)anthracene	ug/L	0.000005	10/10/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.000005
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Benz(b)fluoranthene	mg/L	0.0001	10/17/18 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Benz(b)fluoranthene	ug/L	0.01	11/7/18 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Benz(b)fluoranthene	ug/L	0.01	6/4/19 00:00	EPA 3511/8/270D	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Benz(b)fluoranthene	ug/L	0.0001	10/17/19 00:00	EPA 3511/8/270D (mod)	mg/L	-0.0001
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Boron (B)-Dissolved	mg/L	0.0001	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.00025
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Boron (B)-Dissolved	mg/L	0.01	10/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.027
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Boron (B)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Boron (B)-Dissolved	mg/L	0.00025	10/17/19 15:30	EPA 3030B/6020A (mod)	mg/L	-0.00025
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Boron (B)-Total	mg/L	0.01	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Boron (B)-Total	mg/L	0.01	10/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.023
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Boron (B)-Total	mg/L	0.000025	10/17/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.0000283
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	50.8
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Cadmium (Cd)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	39.8
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Cadmium (Cd)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	42.1
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Cadmium (Cd)-Dissolved	mg/L	0.005	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	54.2
GW-14-OB	L2173511	10/11/18 8:50	9/27/18	4:55 PM	L2173511-6	Cadmium (Cd)-Total	mg/L	0.000005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.000486
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Cadmium (Cd)-Total	mg/L	0.000005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000044
GW-14-OB	L2283659	6/1/19 9:30</										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Chrysene d12	%	1	10/18/18 9:07	APHA 3511/8270D (mod)	%	81.9
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Chrysene d12	%	1	11/17/18 0:00	APHA 3511/8270D	%	114.3
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Chrysene d12	%	1	6/4/19 0:00	APHA 3511/8270D	%	113.4
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Chrysene d12	%	1	10/17/19 0:00	APHA 3511/8270D	%	104.4
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Cobalt (Co)-Dissolved	mg/L	0.0001	10/21/18 12:59	APHA 3508/6020A (mod)	mg/L	0.00031
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Cobalt (Co)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3508/6020A (mod)	mg/L	0.00002
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Cobalt (Co)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3508/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3508/6020A (mod)	mg/L	-0.00001
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Cobalt (Co)-Total	mg/L	0.0001	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.0295
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Cobalt (Co)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0126
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Cobalt (Co)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00031
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Cobalt (Co)-Total	mg/L	0.0008	10/17/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.0968
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Colour, True	CU	5	10/2/18 7:36	BCMO Colour Single Wavelength	CU	5
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Conductivity	uS/cm	2	10/2/18 10:15	APHA 2510 Auto. Conduct.	uS/cm	331
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Conductivity (@ 25C)	uS/cm	2	11/17/18 9:00	APHA 2510 B	uS/cm	321
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Conductivity (@ 25C)	uS/cm	2	6/8/19 11:00	APHA 2510 B	uS/cm	325
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Conductivity (@ 25C)	uS/cm	2	10/15/19 11:00	APHA 2510 B	uS/cm	330
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Copper (Cu)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3508/6020A (mod)	mg/L	-0.0002
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Copper (Cu)-Dissolved	mg/L	0.0002	11/1/18 15:30	APHA 3508/6020A (mod)	mg/L	-0.0002
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Copper (Cu)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3508/6020A (mod)	mg/L	0.00022
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Copper (Cu)-Dissolved	mg/L	0.0002	10/2/19 17:02	APHA 3508/6020A (mod)	mg/L	-0.00002
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Copper (Cu)-Total	mg/L	0.0005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00491
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Copper (Cu)-Total	mg/L	0.0005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00097
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Copper (Cu)-Total	mg/L	0.0025	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.028
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Copper (Cu)-Total	mg/L	0.0005	10/18/19 0:07	APHA 3511/8270D (mod)	mg/L	-0.00005
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dibenzo(a,h)anthracene	ug/L	0.008	11/7/18 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Dibenzo(a,h)anthracene	ug/L	0.005	6/4/19 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dibenzo(a,h)anthracene	ug/L	0.005	10/17/19 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dibenzo(a,h)anthracene	ug/L	0.005	10/17/19 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dissolved Mercury Filtration Location			10/2/18 9:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dissolved Mercury Filtration Location			6/10/19 11:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dissolved Mercury Filtration Location			10/17/19 11:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dissolved Metals Filtration Location			10/1/21 10:29	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Dissolved Metals Filtration Location			11/1/18 11:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dissolved Metals Filtration Location			6/10/19 11:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dissolved Metals Filtration Location			10/7/19 11:00	APHA 3508/6020A (mod)	0 FIELD	
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dissolved Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B	mg/L	0.54
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Dissolved Organic Carbon	mg/L	0.5	11/10/18 19:00	APHA 5310 B-Instrumental	mg/L	1
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dissolved Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 B-Instrumental	mg/L	0.8
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dissolved Organic Carbon	mg/L	0.5	10/19/19 11:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dibenz(a,f)anthracene	ug/L	0.00005	10/18/19 0:07	APHA 3511/8270D (mod)	ug/L	-0.00001
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Dibenz(a,f)anthracene	ug/L	0.008	11/7/18 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dibenz(a,f)anthracene	ug/L	0.005	6/4/19 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dibenz(a,f)anthracene	ug/L	0.005	10/17/19 0:00	APHA 3511/8270D	ug/L	-0.00005
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Difluoranthene	ug/L	0.00001	10/18/19 0:07	APHA 3511/8270D (mod)	ug/L	-0.00001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Difluoranthene	ug/L	0.001	11/7/18 0:00	APHA 3511/8270D	ug/L	-0.00001
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Difluoranthene	ug/L	0.001	6/4/19 0:00	APHA 3511/8270D	ug/L	-0.00001
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Difluoranthene	ug/L	0.001	10/2/18 7:14	APHA 300 1 (mod)	ug/L	0.162
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Difluoranthene	ug/L	0.002	11/3/18 9:08	APHA 300 1 (mod)	ug/L	0.144
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Difluoranthene	ug/L	0.002	6/2/19 15:06	APHA 300 1 (mod)	ug/L	0.158
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Difluoranthene	ug/L	0.002	10/11/19 8:43	APHA 300 1 (mod)	ug/L	0.119
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Difluoranthene	ug/L	0.002	10/3/18 15:10	APHA 3511/8270D (mod)	ug/L	-0.00001
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Difluoranthene	ug/L	0.001	11/7/18 0:00	APHA 3511/8270D	ug/L	-0.00001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Difluoranthene	ug/L	0.001	6/4/19 0:00	APHA 3511/8270D	ug/L	-0.00001
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Difluoranthene	ug/L	0.001	10/17/19 15:30	APHA 3511/8270D (mod)	ug/L	-0.00001
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Dihardness (as CaCO3)	mg/L	0.5	10/3/18 15:10	APHA 2340B	mg/L	193
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Dihardness (as CaCO3)	mg/L	0.5	11/13/18 8:41	APHA 2340 B	mg/L	155
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Dihardness (as CaCO3)	mg/L	0.5	6/10/19 16:49	APHA 2340 B	mg/L	149
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Dihardness (as CaCO3)	mg/L	0.5	10/2/19 17:14	APHA 2340 B	mg/L	197
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Hexavalent Chromium	mg/L	0.00005	10/4/18 17:00	APHA 3500-Cr (Ion Chromatography)	mg/L	0.00005
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Hexavalent Chromium	mg/L	0.00001	10/10/18 9:07	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Hexavalent Chromium	mg/L	0.001	11/7/18 0:00	APHA 3511/8270D	mg/L	91.8
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Hexavalent Chromium	mg/L	0.001	10/6/19 16:54	APHA 1030E	mg/L	92
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Iron (Fe)-Balance	%	100	10/2/19 17:24	APHA 1030E	%	103
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Iron (Fe)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3038/6020A (mod)	mg/L	-0.001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Iron (Fe)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3038/6020A (mod)	mg/L	-0.001
GW-14-OB	L2364371	10/10/19:9:0	10/7/19	3:45 PM	L2364371-5	Iron (Fe)-Dissolved	mg/L	0.001	10/2/19 17:02	APHA 3038/6020A (mod)	mg/L	-0.00005
GW-14-OB	L2173511	10/18/8:50	9/27/18	4:55 PM	L2173511-6	Iron (Fe)-Total	mg/L	0.001	10/3/18 15:30	APHA 200/2/6020A (mod)	mg/L	4.87
GW-14-OB	L2191749	11/3/18 9:20	3/01/18	4:20 PM	L2191749-1	Iron (Fe)-Total	mg/L	0.001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	2.72
GW-14-OB	L2283659	6/1/19 9:30</										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Nitrate (as N)	mg/L	0.005	10/11/19 8:43	EPHA 300.1 (mod)	mg/L	0.137
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Nitrate and Nitrite (as N)	mg/L	0.05	11/5/18 15:26	CALCULATION	mg/L	0.074
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Nitrate and Nitrite (as N)	mg/L	0.05	6/5/19 12:19	CALCULATION	mg/L	0.0836
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Nitrate and Nitrite (as N)	mg/L	0.0051	10/16/19 15:59	CALCULATION	mg/L	0.137
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Nitrite (as N)	mg/L	0.001	10/2/18 7:14	EPHA 300.1 (mod)	mg/L	-0.001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Nitrite (as N)	mg/L	0.001	11/3/18 9:06	EPHA 300.1 (mod)	mg/L	-0.001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Nitrite (as N)	mg/L	0.001	10/11/19 8:43	EPHA 300.1 (mod)	mg/L	0.011
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Nitrite (as N)	mg/L	0.001	10/2/18 4:29	APHA 4500-P Phosphorus	mg/L	0.024
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/4/18 8:52	APHA 4500-P PHOSPHORUS	mg/L	0.0014
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/2/19 11:46	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/15/19 11:00	APHA 4500-H-Electrode	mg/L	0.002
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/1/19 14:14	APHA 4500-P PHOSPHORUS	mg/L	0.002
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	pH	0.1	0.1	10/2/18 20:13	APHA 4500-H pH Value	pH	7.71
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	pH	0.1	0.1	11/7/18 9:00	APHA 4500-H-Electrode	pH	8.11
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	pH	0.1	0.1	6/8/19 11:00	APHA 4500-H-Electrode	pH	8.41
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	pH	0.1	0.1	10/15/19 11:00	APHA 4500-H-Electrode	pH	7.92
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Phanthrene	mg/L	0.0002	10/10/19 8:07	EPHA 3511/8/27D (mod)	mg/L	0.000201
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Phanthrene	ug/L	0.02	11/7/18 8:06	EPHA 3511/8/27D	mg/L	0.000218
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Phanthrene	ug/L	0.02	6/4/19 0:00	EPHA 3511/8/27D	mg/L	-0.00002
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Phanthrene	ug/L	0.02	10/17/19 0:00	EPHA 3511/8/27D	mg/L	0.000986
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Phanthrene	%	1	10/10/18 9:07	EPHA 3511/8/27D (mod)	%	86.3
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Phanthrene	%	1	11/7/18 8:00	EPHA 3511/8/27D	%	108
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Phanthrene	%	1	6/4/19 0:00	EPHA 3511/8/27D	%	106
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Phanthrene	%	1	10/17/19 0:00	EPHA 3511/8/27D	%	110
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Phosphorus (P)-Col-Total	mg/L	0.002	11/5/18 10:41	APHA 4500-P PHOSPHORUS	mg/L	0.319
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Phosphorus (P)-Col-Total	mg/L	0.002	6/7/19 16:00	APHA 4500-P PHOSPHORUS	mg/L	0.0547
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Phosphorus (P)-Col-Total	mg/L	0.001	10/13/19 10:00	APHA 4500-P PHOSPHORUS	mg/L	1.25
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Phosphorus (P)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Phosphorus (P)-Dissolved	mg/L	0.001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Phosphorus (P)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Phosphorus (P)-Dissolved	mg/L	0.001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Phosphorus (P)-Total	mg/L	0.001	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	0.17
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Phosphorus (P)-Total	mg/L	0.001	11/1/18 15:30	EPHA 200/2/6020A (mod)	mg/L	0.144
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Phosphorus (P)-Total	mg/L	0.001	6/10/19 16:29	EPHA 200/2/6020A (mod)	mg/L	0.07
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Phosphorus (P)-Total	mg/L	0.001	10/17/19 15:30	EPHA 200/2/6020A (mod)	mg/L	0.98
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Potassium (K)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.8
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Potassium (K)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.722
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Potassium (K)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.662
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Potassium (K)-Dissolved	mg/L	0.001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Potassium (K)-Dissolved	mg/L	0.001	10/3/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.834
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Potassium (K)-Dissolved	mg/L	0.001	11/1/18 15:30	EPHA 200/2/6020A (mod)	mg/L	2.21
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Potassium (K)-Dissolved	mg/L	0.001	6/10/19 16:29	EPHA 200/2/6020A (mod)	mg/L	1.25
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Potassium (K)-Dissolved	mg/L	0.001	10/2/19 12:59	APHA 200/2/6020A (mod)	mg/L	0.799
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Potassium (K)-Total	mg/L	0.001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	3.62
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Pyrene	mg/L	0.00001	10/10/18 9:07	EPHA 3511/8/27D (mod)	mg/L	0.000013
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Pyrene	ug/L	0.01	11/7/18 0:00	EPHA 3511/8/27D	mg/L	0.00001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Pyrene	ug/L	0.01	10/21/19 0:07	EPHA 3511/8/27D (mod)	mg/L	0.000046
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Quinoline	mg/L	0.00005	10/10/18 9:07	EPHA 3511/8/27D (mod)	mg/L	-0.00005
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Quinoline	ug/L	0.05	11/7/18 0:00	EPHA 3511/8/27D	mg/L	-0.00005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Quinoline	ug/L	0.05	6/4/19 0:00	EPHA 3511/8/27D	mg/L	-0.00005
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Quinoline	ug/L	0.05	10/17/19 0:07	EPHA 3511/8/27D (mod)	mg/L	0.00005
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00043
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00036
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00037
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/21/19 0:02	APHA 3030B/6020A (mod)	mg/L	0.00051
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Rubidium (Rb)-Total	mg/L	0.0002	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	0.000959
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Rubidium (Rb)-Total	mg/L	0.0002	11/1/18 15:30	EPHA 200/2/6020A (mod)	mg/L	0.00334
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Rubidium (Rb)-Total	mg/L	0.0002	6/10/19 16:29	EPHA 200/2/6020A (mod)	mg/L	0.00103
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Rubidium (Rb)-Total	mg/L	0.0002	10/2/19 12:59	APHA 3030B/6020A (mod)	mg/L	0.00201
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Silicon (Si)-Dissolved	mg/L	0.00005	10/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000902
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Silicon (Si)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000043
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Silicon (Si)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000044
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Silicon (Si)-Dissolved	mg/L	0.00005	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.000991
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173511-6	Silicon (Si)-Total	mg/L	0.00005	11/1/18 15:30	EPHA 200/2/6020A (mod)	mg/L	0.00112
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Silicon (Si)-Total	mg/L	0.00005	11/1/18 15:30	EPHA 200/2/6020A (mod)	mg/L	0.00112
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Silicon (Si)-Total	mg/L	0.00005	6/10/19 16:29	EPHA 200/2/6020A (mod)	mg/L	0.00112
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Silicon (Si)-Total	mg/L	0.00005	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	0.00113
GW-14-OB	L2173511	10/1/18 8:50	9/27/18	4:55 PM	L2173							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-1	Thorium (Th)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200_2/6020A (mod)	mg/L	0.00052
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Thorium (Th)-Total	mg/L	0.0001	11/1/18 15:30	EPHA 200_2/6020A (mod)	mg/L	0.00034
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Thorium (Th)-Total	mg/L	0.0001	6/10/19 16:29	EPHA 200_2/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-3	Thorium (Th)-Total	mg/L	0.0005	10/17/19 15:30	EPHA 200_2/6020A (mod)	mg/L	0.00307
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Tin (Sn)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Tin (Sn)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Tin (Sn)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 200_2/6020A (mod)	mg/L	0.00011
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Tin (Sn)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Tin (Sn)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200_2/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Tin (Sn)-Total	mg/L	0.0001	11/1/18 15:30	EPHA 200_2/6020A (mod)	mg/L	0.00181
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Tin (Sn)-Total	mg/L	0.0001	6/10/19 16:29	EPHA 200_2/6020A (mod)	mg/L	0.0004
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Tin (Sn)-Total	mg/L	0.0008	10/17/19 16:30	EPHA 200_2/6020A (mod)	mg/L	0.00093
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Titanium (Ti)-Dissolved	mg/L	0.0003	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Titanium (Ti)-Dissolved	mg/L	0.0003	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Titanium (Ti)-Dissolved	mg/L	0.0003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Titanium (Ti)-Dissolved	mg/L	0.0003	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Titanium (Ti)-Total	mg/L	0.0003	10/3/18 14:03	EPHA 200_2/6020A (mod)	mg/L	0.0067
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Titanium (Ti)-Total	mg/L	0.0003	11/1/18 15:30	EPHA 200_2/6020A (mod)	mg/L	0.0102
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Titanium (Ti)-Total	mg/L	0.0003	6/10/19 16:29	EPHA 200_2/6020A (mod)	mg/L	0.00317
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Titanium (Ti)-Total	mg/L	0.0015	10/17/19 15:30	EPHA 200_2/6020A (mod)	mg/L	0.0217
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Total Dissolved Solids	mg/L	20	10/4/18 8:50	APHA 2540 C - GRAVIMETRIC	mg/L	273
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Total Dissolved Solids	mg/L	20	11/5/18 12:45	APHA 2540 C	mg/L	344
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Dissolved Solids	mg/L	20	6/5/19 16:00	APHA 2540 C	mg/L	178
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Dissolved Solids	mg/L	20	10/11/19 15:30	APHA 2540 C	mg/L	244
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Total Inorganic Carbon	mg/L	1	11/10/18 4:15	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	36.2
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Inorganic Carbon	mg/L	1	6/8/19 3:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	39
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Inorganic Carbon	mg/L	1	10/15/19 10:39	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	40.1
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Total Kjeldahl Nitrogen	mg/L	0.05	11/6/18 12:09	APHA 4500-NORG (TKN)	mg/L	0.283
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Kjeldahl Nitrogen	mg/L	0.05	6/7/19 15:00	APHA 4500-NORG (TKN)	mg/L	0.085
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Kjeldahl Nitrogen	mg/L	0.1	10/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	1.53
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Total Nitrogen	mg/L	0.03	10/5/18 2:39	APHA4500-PJUNEM917/USGS03-4174	mg/L	0.104
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Total Nitrogen	mg/L	0.05	11/6/18 12:55	APHA 4500 N-Calculated	mg/L	0.357
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Nitrogen	mg/L	0.05	6/10/19 16:44	APHA 4500 N-Calculated	mg/L	0.169
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Nitrogen	mg/L	0.1	10/16/19 16:04	APHA 4500 N-Calculated	mg/L	1.67
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Total Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.27
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Total Organic Carbon	mg/L	2.5	11/10/18 9:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-2.5
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.8
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Organic Carbon	mg/L	5	10/19/19 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	10.2
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Total Suspended Solids	mg/L	3	10/4/18 12:59	APHA 3030B/6020A	mg/L	123
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Total Turbidity	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A	mg/L	-0.0001
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Total Turbidity	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A	mg/L	-0.0001
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Total Turbidity	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A	mg/L	-0.0001
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Uranium (U)-Dissolved	mg/L	0.05	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	0.000124
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Uranium (U)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000055
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Uranium (U)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00105
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Uranium (U)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.00014
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Uranium (U)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200_2/6020A (mod)	mg/L	0.000251
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Uranium (U)-Total	mg/L	0.0001	11/1/18 15:30	EPHA 200_2/6020A (mod)	mg/L	0.000189
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Uranium (U)-Total	mg/L	0.0001	6/10/19 16:29	EPHA 200_2/6020A (mod)	mg/L	0.000012
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Uranium (U)-Total	mg/L	0.0005	10/17/19 15:30	EPHA 200_2/6020A (mod)	mg/L	0.000619
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Vanadium (V)-Dissolved	mg/L	0.0008	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Vanadium (V)-Dissolved	mg/L	0.0005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Vanadium (V)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Vanadium (V)-Dissolved	mg/L	0.0001	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.00014
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Vanadium (V)-Total	mg/L	0.0008	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Vanadium (V)-Total	mg/L	0.0005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Vanadium (V)-Total	mg/L	0.0005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Vanadium (V)-Total	mg/L	0.0008	10/17/19 15:30	EPHA 200_2/6020A (mod)	mg/L	-0.0006
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Zinc (Zn)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Zinc (Zn)-Dissolved	mg/L	0.0006	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Zinc (Zn)-Dissolved	mg/L	0.0006	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Zinc (Zn)-Dissolved	mg/L	0.0002	10/2/19 17:02	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-OB	L2173511	10/18 8:50	9/27/18	4:55 PM	L2173511-6	Zinc (Zn)-Total	mg/L	0.0006	10/3/18 14:03	EPHA 200_2/6020A (mod)	mg/L	0.00121
GW-14-OB	L2191749	11/3/18 9:20	10/31/18	4:20 PM	L2191749-1	Zinc (Zn)-Total	mg/L	0.0006	11/1/18 15:30	EPHA 200_2/6020A (mod)	mg/L	0.00243
GW-14-OB	L2283659	6/1/19 9:30	5/30/19	9:15 AM	L2283659-1	Zinc (Zn)-Total	mg/L	0.0006	6/10/19 16:29	EPHA 200_2/6020A (mod)	mg/L	0.000178
GW-14-OB	L2364371	10/10/19 9:10	10/7/19	3:45 PM	L2364371-5	Zinc (Zn)-Total	mg/L	0.001	10/17/19 15:30	EPHA 200_2/6020A (mod)	mg/L	-0.0001
GW-1-A	L2194370	11/8/18 9:30	5/15/19	11:45 AM	L2194370-1	Acenaphthene d10	%	1	11/9/18 0:00	EPHA 3511/8/2700	mg/L	91.8
GW-1-A	L											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Aluminum (Al)-Dissolved	mg/L	0.001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.0039
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0056
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Aluminum (Al)-Dissolved	mg/L	0.001	5/29/19 14:53	APHA 3030B/6020A (mod)	mg/L	0.0045
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Aluminum (Al)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0053
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	0.0032
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Aluminum (Al)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0024
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Aluminum (Al)-Total	mg/L	0.003	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.108
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Aluminum (Al)-Total	mg/L	0.003	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0046
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Aluminum (Al)-Total	mg/L	0.001	5/29/19 14:53	APHA 200/2/6020A (mod)	mg/L	0.107
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Aluminum (Al)-Total	mg/L	0.003	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.466
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Aluminum (Al)-Total	mg/L	0.001	10/3/19 16:00	APHA 200/2/6020A (mod)	mg/L	0.334
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Aluminum (Al)-Total	mg/L	0.003	3/13/20 16:38	APHA 200/2/6020A (mod)	mg/L	0.123
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Ammonia (N)	mg/L	0.005	11/13/18 16:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0856
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Ammonia (N)	mg/L	0.005	3/18/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0642
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Ammonia (N)	mg/L	0.003	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0502
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Ammonia (N)	mg/L	0.001	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0307
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Ammonia (N)	mg/L	0.005	3/12/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.114
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Ammonia, Total (as N)	mg/L	0.005	5/30/19 14:00	APHA 4500 NH3-NITROGEN (AMMONIA)	mg/L	0.0396
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Ammonium Sum	meg/L	11/4/18 16:35	APHA 1030E	meg/L	5.16	
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Ammonium Sum	meg/L	3/17/19 15:03	APHA 1030E	meg/L	4.93	
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Ammonium Sum	meg/L	5/30/19 18:29	APHA 1030E	meg/L	4.94	
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Ammonium Sum	meg/L	8/9/19 11:40	APHA 1030E	meg/L	4.79	
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Ammonium Sum	meg/L	10/7/19 12:24	APHA 1030E	meg/L	4.81	
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Ammonium Sum	meg/L	3/15/20 12:10	APHA 1030E	meg/L	4.93	
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Anthracene	ug/L	0.01	11/9/18 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Anthracene	ug/L	0.01	5/28/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Anthracene	ug/L	0.01	8/12/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Anthracene	ug/L	0.01	10/3/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Anthracene	ug/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Anthracene	ug/L	0.001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00003
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Antimony (Sb)-Dissolved	mg/L	0.001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Antimony (Sb)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Antimony (Sb)-Dissolved	mg/L	0.001	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Antimony (Sb)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0011
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Antimony (Sb)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0009
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Antimony (Sb)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00101
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Antimony (Sb)-Total	mg/L	0.001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.0119
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Antimony (Sb)-Total	mg/L	0.001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0112
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Antimony (Sb)-Total	mg/L	0.001	5/29/19 14:59	APHA 200/2/6020A (mod)	mg/L	0.00091
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Antimony (Sb)-Total	mg/L	0.001	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0149
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Antimony (Sb)-Total	mg/L	0.001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0107
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Antimony (Sb)-Total	mg/L	0.001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.0095
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Barium (Ba)-Dissolved	mg/L	0.001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.051
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Barium (Ba)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0538
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Barium (Ba)-Dissolved	mg/L	0.001	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	0.0477
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Barium (Ba)-Dissolved	mg/L	0.001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.06
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Barium (Ba)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0434
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Barium (Ba)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0525
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Barium (Ba)-Total	mg/L	0.001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.0483
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Barium (Ba)-Total	mg/L	0.001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0482
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Barium (Ba)-Total	mg/L	0.001	5/29/19 14:59	APHA 200/2/6020A (mod)	mg/L	0.0467
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Barium (Ba)-Total	mg/L	0.001	8/19/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.064
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Barium (Ba)-Total	mg/L	0.001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0595
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Barium (Ba)-Total	mg/L	0.001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.0512
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Barzo(a)anthracene	ug/L	0.01	11/9/18 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Barzo(a)anthracene	ug/L	0.01	5/28/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Barzo(a)anthracene	ug/L	0.01	8/12/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Barzo(a)anthracene	ug/L	0.001	10/10/19 00:00	EPHA 3511/8/27D0	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Barzo(a)anthracene	ug/L	0.001	3/13/20 00:00	EPHA 3511/8/27D0	mg/L	-0.00005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Beryllium (Be)-Dissolved	mg/L	0.001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Beryllium (Be)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Beryllium (Be)-Dissolved	mg/L	0.001	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Beryllium (Be)-Dissolved	mg/L	0.001	8/18/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-A	L2358663	10/21/19 9:50	9/30/19	3:46 PM	L2358663-6	Beryllium (Be)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Beryllium (Be)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Beryllium (Be)-Total	mg/L	0.001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Beryllium (Be)-Total	mg/L	0.001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Beryll						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	5/29/19 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Cadmium (Cd)-Total	mg/L	0.000005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.0000105
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Cadmium (Cd)-Total	mg/L	0.000005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0000054
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cadmium (Cd)-Total	mg/L	0.000025	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000029
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cadmium (Cd)-Total	mg/L	0.000005	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0000331
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cadmium (Cd)-Total	mg/L	0.000025	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000034
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cadmium (Cd)-Total	mg/L	0.000005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000014
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Calcium (Ca)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	48.2
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	48.1
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Calcium (Ca)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	49.9
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Calcium (Ca)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	54.4
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	47.3
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	49.7
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Calcium (Ca)-Total	mg/L	0.05	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	47.1
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	51.7
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Calcium (Ca)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	48.6
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Calcium (Ca)-Total	mg/L	0.05	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	61.6
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Calcium (Ca)-Total	mg/L	0.25	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	48.1
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Calcium (Ca)-Total	mg/L	0.05	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	50
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Cation - Anion Balance	%		11/14/18 16:35	APHA 1030E	%	-3
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Cation - Anion Balance	%		3/17/19 15:03	APHA 1030E	%	-3.1
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cation - Anion Balance	%		5/30/19 18:29	APHA 1030E	%	-1.7
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cation - Anion Balance	%		8/19/19 11:40	APHA 1030E	%	2.3
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cation - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-3.5
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cation - Anion Balance	%		3/15/20 12:10	APHA 1030E	%	-1.6
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Cation Sum	meq/L		11/14/18 16:35	APHA 1030E	meq/L	4.86
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Cation Sum	meq/L		3/17/19 15:03	APHA 1030E	meq/L	4.63
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cation Sum	meq/L		5/30/19 18:29	APHA 1030E	meq/L	4.77
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cation Sum	meq/L		8/19/19 11:40	APHA 1030E	meq/L	5.01
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cation Sum	meq/L		10/7/19 12:24	APHA 1030E	meq/L	4.49
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cation Sum	meq/L		3/15/20 12:10	APHA 1030E	meq/L	4.77
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Cesium (Cs)-Dissolved	mg/L	0.000001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Cesium (Cs)-Dissolved	mg/L	0.000001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.000011
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cesium (Cs)-Dissolved	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cesium (Cs)-Dissolved	mg/L	0.000001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cesium (Cs)-Dissolved	mg/L	0.000001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cesium (Cs)-Dissolved	mg/L	0.000001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Cesium (Cs)-Total	mg/L	0.000001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Cesium (Cs)-Total	mg/L	0.000001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Cesium (Cs)-Total	mg/L	0.000001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Cesium (Cs)-Total	mg/L	0.000001	8/19/19 16:04	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Cesium (Cs)-Total	mg/L	0.000001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Cesium (Cs)-Total	mg/L	0.000001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Chloride (Cl)-Dissolved	mg/L	0.5	11/18/19 0:09	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Chloride (Cl)-Dissolved	mg/L	0.5	3/15/19 8:41	EPHA 300 1 (mod)	mg/L	1.35
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Chloride (Cl)-Dissolved	mg/L	0.5	5/27/19 12:24	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Chloride (Cl)-Dissolved	mg/L	0.5	8/19/19 11:33	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Chloride (Cl)-Dissolved	mg/L	0.5	10/7/19 12:24	APHA 5220 D Colorimetry	mg/L	13
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Chloride (Cl)-Dissolved	mg/L	0.5	3/12/20 16:35	APHA 5220 D Colorimetry	mg/L	13
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Chloride (Cl)-Total	mg/L	0.5	11/18/19 0:09	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Chloride (Cl)-Total	mg/L	0.5	3/15/19 8:41	EPHA 300 1 (mod)	mg/L	1.35
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Chloride (Cl)-Total	mg/L	0.5	5/27/19 12:24	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Chloride (Cl)-Total	mg/L	0.5	8/19/19 11:33	EPHA 300 1 (mod)	mg/L	-0.5
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Chloride (Cl)-Total	mg/L	0.5	10/7/19 12:24	APHA 5220 D Colorimetry	mg/L	13
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Chloride (Cl)-Total	mg/L	0.5	3/12/20 16:35	APHA 5220 D Colorimetry	mg/L	13
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Chrysene	ug/L	0.01	11/18/18 0:09	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Chrysene	ug/L	0.01	3/18/19 8:00	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Chrysene	ug/L	0.01	10/10/19 10:00	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Chrysene	ug/L	0.01	3/13/20 0:00	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Chrysene	ug/L	0.01	11/18/18 0:09	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5	Chrysene	ug/L	0.01	3/12/20 16:35	EPHA 3511/8270D	ug/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	2194370-1	Conductivity (@ 25C)	uS/cm	2	11/11/18 10:00	APHA 2510 B	uS/cm	385
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	2241911-1	Conductivity (@ 25C)	uS/cm	2	3/16/19 9:00	APHA 2510 B	uS/cm	426
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	2279628-1	Conductivity (@ 25C)	uS/cm	2	5/29/19 10:00	APHA 2510 B	uS/cm	430
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	2325831-2	Conductivity (@ 25C)	uS/cm	2	8/11/19 8:00	APHA 2510 B	uS/cm	441
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	2358663-6	Conductivity (@ 25C)	uS/cm	2	10/4/19 14:00	APHA 2510 B	uS/cm	431
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	2426723-5							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2358663	10/21/9:50	9/30/19	3:46 PM	L2358663-6	Fluoranthene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Fluoranthene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Fluorene	ug/L	0.01	11/18/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Fluorene	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Fluorene (F)	ug/L	0.01	8/9/19 9:33	EPA 300-1 (mod)	mg/L	0.693
GW-1-A	L2358663	10/21/9:50	9/30/19	3:46 PM	L2358663-6	Fluorene (F)	ug/L	0.01	10/21/9:48	EPA 300-1 (mod)	mg/L	0.734
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Fluorene (F)	ug/L	0.01	3/11/20 9:24	EPA 300-1 (mod)	mg/L	0.601
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Fluorope (F)	ug/L	0.02	11/18/18 0:09	EPA 300-1 (mod)	mg/L	0.601
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Fluorope (F)	ug/L	0.02	3/15/19 0:08	EPA 300-1 (mod)	mg/L	0.576
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Fluorope (F)	ug/L	0.02	5/27/19 9:41	EPA 300-1 (mod)	mg/L	0.651
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Fluorope (F)	ug/L	0.02	8/9/19 9:33	EPA 300-1 (mod)	mg/L	0.693
GW-1-A	L2358663	10/21/9:50	9/30/19	3:46 PM	L2358663-6	Fluorope (F)	ug/L	0.02	10/21/9:48	EPA 300-1 (mod)	mg/L	0.601
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Fluorope (F)	ug/L	0.02	3/11/20 9:24	EPA 300-1 (mod)	mg/L	0.601
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	11/14/18 16:35	APHA 2340 B	mg/L	184
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	178
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	5/30/19 13:49	APHA 2340 B	mg/L	184
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/19/19 11:40	APHA 2340 B	mg/L	197
GW-1-A	L2358663	10/21/9:50	9/30/19	3:46 PM	L2358663-6	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/5/19 11:02	APHA 2340 B	mg/L	175
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/15/20 12:10	APHA 2340 B	mg/L	185
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Indeno(1,2,3-cd)pyrene	ug/L	0.01	11/18/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Indeno(1,2,3-cd)pyrene	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Indeno(1,2,3-cd)pyrene	ug/L	0.01	8/19/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Indeno(1,2,3-cd)pyrene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Ion Balance	%	-100	11/16/18 16:50	APHA 1030E	%	94.2
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Ion Balance	%	-100	3/17/19 15:08	APHA 1030E	%	93.9
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Ion Balance	%	-100	5/30/19 18:34	APHA 1030E	%	96.6
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Ion Balance	%	-100	8/19/19 0:04	APHA 3030B/6020A (mod)	mg/L	0.058
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Ion Balance	%	-100	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.044
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.031
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Iron (Fe)-Total	mg/L	0.01	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.219
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.102
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Iron (Fe)-Total	mg/L	0.05	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.361
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Iron (Fe)-Total	mg/L	0.01	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.85
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Iron (Fe)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	1.09
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Iron (Fe)-Total	mg/L	0.01	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.505
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Lead (Pb)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.000064
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Lead (Pb)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Lead (Pb)-Dissolved	mg/L	0.00005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Lead (Pb)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Lithium (Li)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000054
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Lithium (Li)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Lithium (Li)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Lithium (Li)-Dissolved	mg/L	0.00005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Lithium (Li)-Dissolved	mg/L	0.00005	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Lithium (Li)-Total	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000054
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Lithium (Li)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000054
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Lithium (Li)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000054
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Lithium (Li)-Total	mg/L	0.00005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.000054
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Lithium (Li)-Total	mg/L	0.00005	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000054
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Manganese (Mn)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.13
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Manganese (Mn)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.154
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Manganese (Mn)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.141
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Manganese (Mn)-Dissolved	mg/L	0.00005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.145
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Manganese (Mn)-Dissolved	mg/L	0.00005	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.137
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Manganese (Mn)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.127
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Manganese (Mn)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.124
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Manganese (Mn)-Total	mg/L	0.00001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.127
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Manganese (Mn)-Total	mg/L	0.00001	8/19/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.147
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Manganese (Mn)-Total	mg/L	0.00001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.147
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.00777
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00699
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00397
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	L2358663-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00367
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.00367
GW-1-A	L194370	11/8/18 9:30	11/5/18	11:45 AM	L194370-1	Molybdenum (Mo)-Total	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.00443
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Molybdenum (Mo)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00453
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Molybdenum (Mo)-Total	mg/L	0.00005	5/28/19 14:37	APHA 1631E (mod)	mg/L	-0.00005
GW-1												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Nitrate and Nitrite (as N)	mg/L	0.05	3/17/19 12:03	CALCULATION	mg/L	-0.05
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Nitrate and Nitrite (as N)	mg/L	0.0051	5/28/19 19:49	CALCULATION	mg/L	-0.0051
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Nitrate and Nitrite (as N)	mg/L	0.0051	8/10/19 10:55	CALCULATION	mg/L	0.0305
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Nitrate and Nitrite (as N)	mg/L	0.0051	10/3/19 11:27	CALCULATION	mg/L	0.0235
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Nitrate and Nitrite (as N)	mg/L	0.0051	3/12/20 14:00	CALCULATION	mg/L	-0.0051
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Nitrate (as N)	mg/L	0.001	11/8/18 09:09	EPA 300.1 (mod)	mg/L	-0.001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Nitrate (as N)	mg/L	0.001	3/15/19 10:01	EPA 300.1 (mod)	mg/L	-0.001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Nitrate (as N)	mg/L	0.001	5/27/19 19:41	EPA 300.1 (mod)	mg/L	-0.001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Nitrate (as N)	mg/L	0.001	8/9/19 19:33	EPA 300.1 (mod)	mg/L	0.0014
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Nitrate (as N)	mg/L	0.001	10/2/19 19:49	EPA 300.1 (mod)	mg/L	-0.001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Nitrate and Nitrite-Dissolved (as P)	mg/L	0.001	3/11/20 12:44	EPA 300.1 (mod)	mg/L	-0.001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Orthophosphate Dissolved (as P)	mg/L	0.001	11/8/18 17:32	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/8/19 17:59	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/27/19 17:43	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:03	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/19 18:02	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/11/20 12:34	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	pH	pH	0.1	11/1/18 10:00	APHA 4500-H-Electrode	pH	7.88
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	pH	pH	0.1	3/16/19 9:00	APHA 4500-H-Electrode	pH	7.92
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	pH	pH	0.1	5/29/19 10:00	APHA 4500-H-Electrode	pH	7.89
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	pH	pH	0.1	8/11/19 8:00	APHA 4500-H-Electrode	pH	8.32
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	pH	pH	0.1	10/4/19 14:00	APHA 4500-H-Electrode	pH	8.03
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	pH	pH	0.1	3/11/20 13:00	APHA 4500-H-Electrode	pH	8.12
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Phenanthrene	ug/L	0.02	11/9/18 09:00	EPA 3511/8/27D	mg/L	-0.0002
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Phenanthrene	ug/L	0.02	5/28/19 09:00	EPA 3511/8/27D	mg/L	-0.0002
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Phenanthrene	ug/L	0.02	8/12/19 09:00	EPA 3511/8/27D	mg/L	0.00022
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Phenanthrene	ug/L	0.02	10/10/19 09:00	EPA 3511/8/27D	mg/L	-0.0002
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Phenanthrene	ug/L	0.02	3/13/20 09:00	EPA 3511/8/27D	mg/L	-0.0002
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Phenols (AAAP)	mg/L	0.001	5/28/19 13:00	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	0.0014
GW-1-A	L225831	8/9/19 9:00	8/6/19	12:00 PM	L225831-2	Phenols (AAAP)	mg/L	0.001	8/16/19 15:00	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Phenols (AAAP)	mg/L	0.001	10/4/19 20:00	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Phenols (AAAP)	mg/L	0.001	3/16/20 13:27	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-1-A	L2194370	3/8/19 9:00	3/5/19	4:00 PM	L2194370-1	Phosphorus (P)-Col-Total	mg/L	0.002	11/1/18 12:27	APHA 4500-P PHOSPHORUS	mg/L	0.0091
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Phosphorus (P)-Col-Total	mg/L	0.002	3/12/19 11:30	APHA 4500-P PHOSPHORUS	mg/L	0.0403
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Phosphorus (P)-Col-Total	mg/L	0.002	5/28/19 11:42	APHA 4500-P PHOSPHORUS	mg/L	0.16
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Phosphorus (P)-Col-Total	mg/L	0.002	8/16/19 11:21	APHA 4500-P PHOSPHORUS	mg/L	0.214
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Phosphorus (P)-Col-Total	mg/L	0.002	10/4/19 13:46	APHA 4500-P PHOSPHORUS	mg/L	0.209
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Phosphorus (P)-Col-Total	mg/L	0.002	3/12/20 09:59	APHA 4500-P PHOSPHORUS	mg/L	0.002
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Phosphorus (P)-Dissolved	mg/L	0.005	11/1/18 15:59	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Phosphorus (P)-Dissolved	mg/L	0.005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Phosphorus (P)-Dissolved	mg/L	0.005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Phosphorus (P)-Dissolved	mg/L	0.005	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Phosphorus (P)-Dissolved	mg/L	0.005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Phosphorus (P)-Dissolved	mg/L	0.005	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Potassium (K)-Dissolved	mg/L	0.005	11/13/18 15:59	EPA 3030B/6020A (mod)	mg/L	1.14
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Potassium (K)-Dissolved	mg/L	0.005	3/13/19 16:18	EPA 3030B/6020A (mod)	mg/L	2.13
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Potassium (K)-Dissolved	mg/L	0.005	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Potassium (K)-Dissolved	mg/L	0.005	8/17/19 15:59	EPA 3030B/6020A (mod)	mg/L	1.05
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Potassium (K)-Dissolved	mg/L	0.005	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Potassium (K)-Dissolved	mg/L	0.005	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Potassium (K)-Total	mg/L	0.005	11/1/18 15:59	EPA 200/2/6020A (mod)	mg/L	1.07
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Potassium (K)-Total	mg/L	0.005	3/13/19 16:19	EPA 200/2/6020A (mod)	mg/L	1.25
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Potassium (K)-Total	mg/L	0.005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.99
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Potassium (K)-Total	mg/L	0.005	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	1.41
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Potassium (K)-Total	mg/L	0.005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	1.12
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Potassium (K)-Total	mg/L	0.005	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	1.15
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Pyrene	ug/L	0.01	11/9/18 09:00	EPA 3511/8/27D	mg/L	-0.0001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Pyrene	ug/L	0.01	5/28/19 09:00	EPA 3511/8/27D	mg/L	-0.0001
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Pyrene	ug/L	0.01	8/12/19 09:00	EPA 3511/8/27D	mg/L	-0.0001
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Pyrene	ug/L	0.01	10/10/19 09:00	EPA 3511/8/27D	mg/L	-0.0001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Pyrene	ug/L	0.01	3/12/20 09:00	EPA 3511/8/27D	mg/L	-0.0001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Quinoline	ug/L	0.01	11/9/18 09:00	EPA 3511/8/27D	mg/L	-0.0005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Quinoline	ug/L	0.01	5/28/19 09:00	EPA 3511/8/27D	mg/L	-0.0005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L2325831-2	Quinoline	ug/L	0.01	8/12/19 09:00	EPA 3511/8/27D	mg/L	-0.0005
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Quinoline	ug/L	0.01	10/10/19 09:00	EPA 3511/8/27D	mg/L	-0.0005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Quinoline	ug/L	0.01	3/12/20 09:00	EPA 3511/8/27D	mg/L	-0.0005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Selenium (Se)-Dissolved	mg/L	0.0005	11/1/18 15:59	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Selenium (Se)-Dissolved	mg/L	0.0005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Selenium (Se)-Dissolved	mg/L	0.0005	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	L23							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z235831-2	Sodium (Na)-Total	mg/L	0.05	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	26
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Sodium (Na)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	20.8
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	22.8
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Strontium (Sr)-Dissolved	mg/L	0.0002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.501
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Strontium (Sr)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.433
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Strontium (Sr)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.407
GW-1-A	L2358663	8/9/19 9:00	8/6/19	12:00 PM	Z2358663-2	Strontium (Sr)-Dissolved	mg/L	0.0002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.476
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Strontium (Sr)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.445
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Strontium (Sr)-Dissolved	mg/L	0.0002	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.473
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Strontium (Sr)-Total	mg/L	0.0002	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.482
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Strontium (Sr)-Total	mg/L	0.0002	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.447
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Strontium (Sr)-Total	mg/L	0.0001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.397
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Strontium (Sr)-Total	mg/L	0.0002	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.528
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Strontium (Sr)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.425
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Strontium (Sr)-Total	mg/L	0.0002	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.466
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Sulfate (SO4)	mg/L	0.3	11/18/19 09:09	EPA 300/1 (mod)	mg/L	34.1
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Sulfate (SO4)	mg/L	0.3	3/15/19 8:00	EPA 300/1 (mod)	mg/L	36.3
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Sulfate (SO4)	mg/L	0.3	5/27/19 9:41	EPA 300/1 (mod)	mg/L	32
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Sulfate (SO4)	mg/L	0.3	8/9/19 9:33	APHA 300/1 (mod)	mg/L	31.7
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Sulfate (SO4)	mg/L	0.3	10/2/19 9:49	EPA 300/1 (mod)	mg/L	30.6
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Sulfate (SO4)	mg/L	0.3	3/11/20 9:24	EPA 300/1 (mod)	mg/L	22.8
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Sulfur (S)-Dissolved	mg/L	0.5	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	13.3
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Sulfur (S)-Dissolved	mg/L	0.5	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	14.1
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Sulfur (S)-Dissolved	mg/L	0.5	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	13.5
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Sulfur (S)-Dissolved	mg/L	0.5	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	16.6
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Sulfur (S)-Dissolved	mg/L	0.5	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	14.4
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Sulfur (S)-Dissolved	mg/L	0.5	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	9.48
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Tellurium (Te)-Dissolved	mg/L	0.0002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Tellurium (Te)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Tellurium (Te)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Tellurium (Te)-Dissolved	mg/L	0.0002	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Tellurium (Te)-Dissolved	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Tellurium (Te)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Tellurium (Te)-Total	mg/L	0.0002	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Tellurium (Te)-Total	mg/L	0.0002	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Tellurium (Te)-Total	mg/L	0.0002	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Tellurium (Te)-Total	mg/L	0.0002	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Tellurium (Te)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Tellurium (Te)-Total	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Thallium (Tl)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Thallium (Tl)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Thallium (Tl)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Thallium (Tl)-Dissolved	mg/L	0.00001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.000014
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Thallium (Tl)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Thallium (Tl)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Thallium (Tl)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Thallium (Tl)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Thallium (Tl)-Total	mg/L	0.00001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Thallium (Tl)-Total	mg/L	0.00001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.000014
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Thallium (Tl)-Total	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Thallium (Tl)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Tin (Sn)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Tin (Sn)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Tin (Sn)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Tin (Sn)-Dissolved	mg/L	0.00001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.000014
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Tin (Sn)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Tin (Sn)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Tin (Sn)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Tin (Sn)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Tin (Sn)-Total	mg/L	0.00001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Tin (Sn)-Total	mg/L	0.00001	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.000014
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2358663-6	Tin (Sn)-Total	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	Z2426723-5	Tin (Sn)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	Z194370-1	Total Dissolved Solids	mg/L	20	11/18/18 8:30	APHA 250 C	mg/L	259
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	Z2241911-1	Total Dissolved Solids	mg/L	20	3/12/19 15:00	APHA 250 C	mg/L	256
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	Z2279628-1	Total Dissolved Solids	mg/L	20	5/28/19 15:00	APHA 250 C	mg/L	234
GW-1-A	L2325831	8/9/19 9:00	8/6/19	12:00 PM	Z2325831-2	Total Dissolved Solids	mg/L	20	13/12/19 13:45	APHA 250 C	mg/L	261
GW-1-A	L2358663	10/2/19 9:50	9/30/19	3:46 PM	Z2							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	IDL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2426723	3/11/20 8:50	3/10/20	12:40 PM	L2426723-5	Tungsten (W)-Total	mg/L	0.0001	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Uranium (U)-Dissolved	mg/L	0.00001	11/13/18 15:59	EPA 303B/6020A (mod)	mg/L	0.000525
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Uranium (U)-Dissolved	mg/L	0.00001	3/13/19 16:15	EPA 303B/6020A (mod)	mg/L	0.000502
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Uranium (U)-Dissolved	mg/L	0.00001	5/29/19 14:55	EPA 303B/6020A (mod)	mg/L	0.000527
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Uranium (U)-Dissolved	mg/L	0.00001	8/9/19 16:04	EPA 303B/6020A (mod)	mg/L	0.000564
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Uranium (U)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 303B/6020A (mod)	mg/L	0.000528
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Uranium (U)-Dissolved	mg/L	0.00001	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	0.000567
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Uranium (U)-Total	mg/L	0.00001	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	0.000506
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Uranium (U)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.000518
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Uranium (U)-Total	mg/L	0.00005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.000532
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Uranium (U)-Total	mg/L	0.00001	8/8/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000629
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Uranium (U)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000528
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Uranium (U)-Total	mg/L	0.00001	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	0.000545
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Vanadium (V)-Dissolved	mg/L	0.0005	11/13/18 15:59	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Vanadium (V)-Dissolved	mg/L	0.0005	5/29/19 14:55	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Vanadium (V)-Dissolved	mg/L	0.0005	8/9/19 16:04	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Vanadium (V)-Dissolved	mg/L	0.0005	10/3/19 16:20	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Vanadium (V)-Dissolved	mg/L	0.0005	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	-0.0005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Vanadium (V)-Total	mg/L	0.0005	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Vanadium (V)-Total	mg/L	0.0005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Vanadium (V)-Total	mg/L	0.0005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Vanadium (V)-Total	mg/L	0.0005	8/9/19 16:04	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Vanadium (V)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Vanadium (V)-Total	mg/L	0.0005	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Zinc (Zn)-Dissolved	mg/L	0.0001	11/13/18 15:59	EPA 303B/6020A (mod)	mg/L	0.0089
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Zinc (Zn)-Dissolved	mg/L	0.0001	3/13/19 16:15	EPA 303B/6020A (mod)	mg/L	0.0036
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Zinc (Zn)-Dissolved	mg/L	0.0001	5/29/19 14:55	EPA 303B/6020A (mod)	mg/L	0.0013
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Zinc (Zn)-Dissolved	mg/L	0.0001	8/9/19 16:04	EPA 303B/6020A (mod)	mg/L	0.0003
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Zinc (Zn)-Dissolved	mg/L	0.0001	10/3/19 16:20	EPA 303B/6020A (mod)	mg/L	0.0001
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Zinc (Zn)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	0.0001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Zinc (Zn)-Total	mg/L	0.0001	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Zinc (Zn)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Zinc (Zn)-Total	mg/L	0.0001	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Zinc (Zn)-Total	mg/L	0.0001	8/9/19 16:04	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Zinc (Zn)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Zinc (Zn)-Total	mg/L	0.0001	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	11/13/18 15:59	EPA 303B/6020A (mod)	mg/L	0.000088
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	3/13/19 16:15	EPA 303B/6020A (mod)	mg/L	-0.00006
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	5/29/19 14:55	EPA 303B/6020A (mod)	mg/L	-0.00006
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	8/9/19 16:04	EPA 303B/6020A (mod)	mg/L	-0.00006
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Zirconium (Zr)-Dissolved	mg/L	0.00002	10/3/19 16:20	EPA 303B/6020A (mod)	mg/L	-0.00002
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Zirconium (Zr)-Dissolved	mg/L	0.00002	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	-0.00002
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	Zirconium (Zr)-Total	mg/L	0.00006	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	0.000078
GW-1-A	L2241911	3/8/19 9:00	3/5/19	4:00 PM	L2241911-1	Zirconium (Zr)-Total	mg/L	0.00006	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.000078
GW-1-A	L2279628	5/27/19 12:24	5/26/19	7:47 AM	L2279628-1	Zirconium (Zr)-Total	mg/L	0.00006	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.000078
GW-1-A	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-2	Zirconium (Zr)-Total	mg/L	0.00006	8/9/19 16:04	EPA 200/2/6020A (mod)	mg/L	0.000078
GW-1-A	L358663	10/2/19 9:50	9/30/19	3:46 PM	L2358663-6	Zirconium (Zr)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.0001
GW-1-A	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-5	Zirconium (Zr)-Total	mg/L	0.0001	3/12/20 16:00	EPA 303B/6020A (mod)	mg/L	0.0001
GW-1-A	L2194370	11/8/18 9:30	11/5/18	11:45 AM	L2194370-1	1-Methylnaphthalene	ug/L	0.05	1/17/18 00:00	EPA 351/18270D	mg/L	0.0081
GW-1-B	L3258351	8/9/19 9:00	8/6/19	12:00 PM	L2358351-1	1-Methylnaphthalene	ug/L	0.05	8/1/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-6	1-Methylnaphthalene	ug/L	0.05	3/13/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	2-Methylnaphthalene	ug/L	0.05	1/17/18 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L3258351	8/9/19 9:00	8/6/19	8:30 AM	L2358351-1	2-Methylnaphthalene	ug/L	0.05	8/1/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	2-Methylnaphthalene	ug/L	0.05	10/3/19 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-6	2-Methylnaphthalene	ug/L	0.05	3/13/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Acenaphthene	ug/L	0.05	1/17/18 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L3258351	8/9/19 9:00	8/6/19	8:30 AM	L2358351-1	Acenaphthene	ug/L	0.05	8/1/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Acenaphthene	ug/L	0.05	10/3/19 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-7	Acenaphthene	ug/L	0.05	3/14/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Acenaphthylene	ug/L	0.05	1/17/18 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L3258351	8/9/19 9:00	8/6/19	8:30 AM	L2358351-1	Acenaphthylene	ug/L	0.05	8/1/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Acenaphthylene	ug/L	0.05	10/3/19 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-6	Acenaphthylene	ug/L	0.05	3/14/20 00:00	EPA 351/18270D	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	1/18/18 12:00	EPA 3230 ALKALINITY	mg/L	154
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/16/19 9:00	EPA 3230 ALKALINITY	mg/L	166
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	5/29/19 10:00	EPA 3230 ALKALINITY	mg/L	161
GW-1-B	L3258351	8/9/19 9:00	8/6/19	1:00 PM	L2358351-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/11/20 13:00	EPA 3230 ALKALINITY	mg/L	206
GW-1-B	L358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	1/18/18 12:00	EPA 3230 ALKALINITY	mg/L	6.8
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-6	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/14/20 14:00	EPA 3230 ALKALINITY	mg/L	-1
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	3/11/20 13:00	EPA 3230 ALKALINITY	mg/L	-1
GW-1-B	L3258351	8/9/19 9:00	8/6/19	8:30 AM	L2358351-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	3/11/20 13:00	EPA 3230 ALKALINITY	mg/L	-1
GW-1-B	L358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/1/19 8:00	EPA 3230 ALKALINITY	mg/L	-1
GW-1-B	L2426723	3/1/20 8:50	3/10/20	12:40 PM	L2426723-6	Alkalinity, Hydroxide (as CaCO3)	mg/L					

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Anion Sum	meq/L		11/14/18 8:25	APHA 1030E	meq/L	3.63
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Anion Sum	meq/L		3/17/19 15:03	APHA 1030E	meq/L	3.74
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Anion Sum	meq/L		5/30/19 8:14	APHA 1030E	meq/L	3.65
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Anion Sum	meq/L		8/15/19 11:25	APHA 1030E	meq/L	4.06
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Anion Sum	meq/L		10/7/19 12:24	APHA 1030E	meq/L	3.99
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Anion Sum	meq/L		3/15/20 9:55	APHA 1030E	meq/L	4.26
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Anion Sum	meq/L		3/15/20 12:10	APHA 1030E	meq/L	4.7
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Anthracene	ug/L	0.01	11/17/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Anthracene	ug/L	0.01	5/28/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Anthracene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Anthracene	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Anthracene	ug/L	0.01	3/12/20 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Anthracene	ug/L	0.01	3/14/20 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Antimony (Sb)-Dissolved	mg/L	0.0001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00019
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00018
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Antimony (Sb)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00032
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Antimony (Sb)-Dissolved	mg/L	0.0001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00031
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Antimony (Sb)-Dissolved	mg/L	0.0005	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.0002
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Antimony (Sb)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Antimony (Sb)-Total	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00017
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Antimony (Sb)-Total	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00018
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Antimony (Sb)-Total	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00104
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Antimony (Sb)-Total	mg/L	0.0001	8/14/19 16:23	APHA 200/2/6020A (mod)	mg/L	0.00383
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Antimony (Sb)-Total	mg/L	0.0005	10/5/19 12:00	APHA 200/2/6020A (mod)	mg/L	0.0036
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Antimony (Sb)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00347
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Antimony (Sb)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00849
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Arsenic (As)-Dissolved	mg/L	0.0001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00042
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Arsenic (As)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00071
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Arsenic (As)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00058
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Arsenic (As)-Dissolved	mg/L	0.0001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00102
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Arsenic (As)-Dissolved	mg/L	0.0001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	0.00075
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Arsenic (As)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00077
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Arsenic (As)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00073
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Arsenic (As)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00059
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Arsenic (As)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00061
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Arsenic (As)-Total	mg/L	0.0005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.00104
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Arsenic (As)-Total	mg/L	0.0001	8/14/19 16:23	APHA 200/2/6020A (mod)	mg/L	0.00383
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Arsenic (As)-Total	mg/L	0.0005	10/5/19 12:00	APHA 200/2/6020A (mod)	mg/L	0.00045
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Arsenic (As)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00149
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Arsenic (As)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00328
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Benz(a)anthracene	ug/L	0.01	11/17/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Benz(a)anthracene	ug/L	0.01	3/13/19 16:15	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Benz(a)anthracene	ug/L	0.01	5/28/19 14:55	EPA 3511/8/270D	mg/L	0.00009
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Benz(a)anthracene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Benz(a)anthracene	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Benz(a)anthracene	ug/L	0.01	3/13/20 0:00	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Benz(a)anthracene	ug/L	0.01	3/14/20 0:00	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Benz(a)anthracene	ug/L	0.01	11/17/18 0:00	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Benz(a)anthracene	ug/L	0.01	3/13/19 16:15	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Benz(a)anthracene	ug/L	0.01	5/28/19 14:55	EPA 3511/8/270D	mg/L	0.00009
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Benz(a)anthracene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Benz(a)anthracene	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Benz(a)anthracene	ug/L	0.01	3/13/20 0:00	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Benz(a)anthracene	ug/L	0.01	3/14/20 0:00	EPA 3511/8/270D	mg/L	0.00001
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Bismuth (Be)-Dissolved	ug/L	0.0001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Bismuth (Be)-Dissolved	ug/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Bismuth (Be)-Dissolved	ug/L	0.0001	5/28/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Bismuth (Be)-Dissolved	ug/L	0.0001	8/12/19 0:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Bismuth (Be)-Dissolved	ug/L	0.0001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Bismuth (Be)-Dissolved	ug/L	0.0001	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Bismuth (Be)-Dissolved	ug/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-B	L2192945	11/16/18 12:20	11/18/18	6:52 PM	L2192945-6	Bismuth (Be)-Total	ug/L	0.0001	11/17/18 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Bismuth (Be)-Total	ug/L	0.0001	3/13/19 16:15	EPA 3511/8/270D	mg/L	-0.00011
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Bismuth (Be)-Total	ug/L	0.0001	5/28/19 14:55	EPA 3511/8/270D	mg/L	-0.00011
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Bismuth (Be)-Total	ug/L	0.0001	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00013
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Bismuth (Be)-Total	ug/L	0.0001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00025
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Bismuth (Be)-Total	ug/L	0.0001	3/12/20 16:35	AP		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0000112
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0000282
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:55 PM	L2358663-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Cadmium (Cd)-Total	mg/L	0.000005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0000089
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Cadmium (Cd)-Total	mg/L	0.000005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.000005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Cadmium (Cd)-Total	mg/L	0.000025	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000074
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Cadmium (Cd)-Total	mg/L	0.000005	8/14/19 16:23	APHA 200/2/6020A (mod)	mg/L	0.000466
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Cadmium (Cd)-Total	mg/L	0.000028	10/5/19 12:00	APHA 200/2/6020A (mod)	mg/L	0.000516
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Cadmium (Cd)-Total	mg/L	0.000005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000385
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Cadmium (Cd)-Total	mg/L	0.000005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.000158
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Calcium (Ca)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	44.6
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	42.6
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Calcium (Ca)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	45.2
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/14/19 16:04	APHA 3030B/6020A (mod)	mg/L	47.7
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Calcium (Ca)-Dissolved	mg/L	0.05	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	45.2
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	47.2
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	46.1
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Calcium (Ca)-Total	mg/L	0.05	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	42.3
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	46.6
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Calcium (Ca)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	51
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Calcium (Ca)-Total	mg/L	0.05	8/14/19 16:23	APHA 200/2/6020A (mod)	mg/L	58.1
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Calcium (Ca)-Total	mg/L	0.25	10/5/19 12:00	APHA 200/2/6020A (mod)	mg/L	61.3
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Calcium (Ca)-Total	mg/L	0.05	3/13/20 16:38	APHA 200/2/6020A (mod)	mg/L	56.1
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Calcium (Ca)-Total	mg/L	0.05	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	78
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Calcium - Anion Balance	%		11/1/18 15:30	APHA 200/2/6020A (mod)	%	-2.6
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Calcium - Anion Balance	%		3/17/19 15:03	APHA 1030E	%	-6.3
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Calcium - Anion Balance	%		5/30/19 18:14	APHA 1030E	%	-2.9
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Calcium - Anion Balance	%		8/15/19 11:25	APHA 1030E	%	-5.7
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Calcium - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-7.3
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Calcium - Anion Balance	%		3/15/20 9:55	APHA 1030E	%	-8.4
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Calcium - Anion Balance	%		3/15/20 12:10	APHA 1030E	%	-11.5
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Calcium Sum	meq/L		11/14/18 8:25	APHA 1030E	meq/L	3.43
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Calcium Sum	meq/L		3/17/19 15:03	APHA 1030E	meq/L	3.3
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Calcium Sum	meq/L		5/30/19 8:14	APHA 1030E	meq/L	3.44
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Calcium Sum	meq/L		8/15/19 11:25	APHA 1030E	meq/L	3.63
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Calcium Sum	meq/L		10/7/19 12:24	APHA 1030E	meq/L	3.45
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Calcium Sum	meq/L		3/15/20 9:55	APHA 1030E	meq/L	3.6
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Calcium Sum	meq/L		3/15/20 12:10	APHA 1030E	meq/L	3.73
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Cesium (Cs)-Dissolved	mg/L	0.000001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Cesium (Cs)-Dissolved	mg/L	0.000001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Cesium (Cs)-Dissolved	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Cesium (Cs)-Dissolved	mg/L	0.000001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Cesium (Cs)-Dissolved	mg/L	0.000001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Cesium (Cs)-Dissolved	mg/L	0.000001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Cesium (Cs)-Dissolved	mg/L	0.000001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Cesium (Cs)-Total	mg/L	0.000001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.000001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Cesium (Cs)-Total	mg/L	0.000001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.000001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Cesium (Cs)-Total	mg/L	0.000005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000231
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Cesium (Cs)-Total	mg/L	0.000001	8/14/19 16:23	APHA 200/2/6020A (mod)	mg/L	0.00129
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Cesium (Cs)-Total	mg/L	0.000005	10/5/19 12:00	APHA 200/2/6020A (mod)	mg/L	0.000182
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Cesium (Cs)-Total	mg/L	0.000001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000097
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Cesium (Cs)-Total	mg/L	0.000001	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.000219
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Chloride (Cl)-Dissolved	mg/L	0.5	11/1/18 9:29	APHA 3030B/6020A (mod)	mg/L	-0.5
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Chloride (Cl)-Dissolved	mg/L	0.5	3/12/19 0:00	APHA 300/1 (mod)	mg/L	-0.5
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Chloride (Cl)-Dissolved	mg/L	0.5	5/27/19 9:41	APHA 300/1 (mod)	mg/L	-0.5
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Chloride (Cl)-Dissolved	mg/L	0.5	8/9/19 9:33	APHA 300/1 (mod)	mg/L	-0.5
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Chloride (Cl)-Dissolved	mg/L	0.5	10/2/19 9:49	APHA 300/1 (mod)	mg/L	-0.5
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Chloride (Cl)-Dissolved	mg/L	0.5	1/28/19 0:24	APHA 300/1 (mod)	mg/L	-0.5
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Chloride (Cl)-Dissolved	mg/L	0.5	1/28/19 0:29	APHA 3511/8270D	mg/L	-0.000017
GW-1-B	L2192945	11/6/18 12:20	11/1/18	6:52 PM	L2192945-6	Chloride (Cl)-Total	mg/L	0.5	1/28/19 0:00	APHA 3511/8270D	mg/L	-0.000017
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Chloride (Cl)-Total	mg/L	0.5	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.000014
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Chloride (Cl)-Total	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000013
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	L2325831-1	Chloride (Cl)-Total	mg/L	0.000001	8/14/19 16:23	APHA 3030B/6020A (mod)	mg/L	-0.000012
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	L2358663-7	Chloride (Cl)-Total	mg/L	0.000005	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.000011
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dibenz(a,h)anthracene	ug/L	0.005	10/10/19 0:00	APHA 3511/8270D	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dibenz(a,h)anthracene	ug/L	0.005	3/13/20 0:00	APHA 3511/8270D	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dibenz(a,h)anthracene	ug/L	0.005	3/14/20 0:00	APHA 3511/8270D	mg/L	-0.00005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Mercury Filtration Location			5/30/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Mercury Filtration Location			8/16/19 0:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Mercury Filtration Location			10/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Mercury Filtration Location			3/13/20 10:00	APHA 3030B/EPA 1631E (mod)	0 LAB	
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Mercury Filtration Location			3/13/20 10:00	APHA 3030B/EPA 1631E (mod)	0 LAB	
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Metals Filtration Location			11/11/18 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Metals Filtration Location			3/13/19 0:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Metals Filtration Location			5/29/19 8:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Metals Filtration Location			8/13/19 8:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Metals Filtration Location			5/29/19 8:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Metals Filtration Location			10/3/19 8:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Metals Filtration Location			3/12/20 12:00	APHA 3030B/EPA 1631E (mod)	0 LAB	
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Metals Filtration Location			3/12/20 12:00	APHA 3030B/EPA 1631E (mod)	0 LAB	
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organic Carbon	mg/L	0.5	11/12/18 8:00	APHA 5310 B-Instrumental	mg/L	2.6
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organic Carbon	mg/L	0.5	3/18/19 11:00	APHA 5310 B-Instrumental	mg/L	1.23
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organic Carbon	mg/L	0.5	5/28/19 0:00	APHA 5310 B-Instrumental	mg/L	1.22
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organic Carbon	mg/L	0.5	8/12/19 9:00	APHA 5310 B-Instrumental	mg/L	0.75
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310 B-Instrumental	mg/L	0.92
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organic Carbon	mg/L	0.5	3/14/20 14:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organic Carbon	mg/L	0.5	3/14/20 14:00	APHA 5310 B-Instrumental	mg/L	1.46
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organic Fluorine	ug/L	0.01	11/17/18 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organic Fluorine	ug/L	0.01	5/28/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organic Fluorine	ug/L	0.01	8/12/19 0:00	APHA 3511/8270D	mg/L	0.00013
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organic Fluorine	ug/L	0.01	10/10/19 0:00	APHA 3511/8270D	mg/L	0.00014
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organic Fluorine	ug/L	0.01	3/13/20 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organic Fluorine	ug/L	0.01	3/14/20 0:00	APHA 3511/8270D	mg/L	0.00006
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organic Fluoride	ug/L	0.02	11/17/18 9:29	APHA 300.1 (mod)	mg/L	0.175
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organic Fluoride	ug/L	0.02	3/15/19 8:00	APHA 300.1 (mod)	mg/L	0.125
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organic Fluoride	ug/L	0.02	5/27/19 9:41	APHA 300.1 (mod)	mg/L	0.186
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organic Fluoride	ug/L	0.02	8/19/19 9:33	APHA 300.1 (mod)	mg/L	0.19
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organic Fluoride	ug/L	0.02	10/21/19 4:48	APHA 300.1 (mod)	mg/L	0.176
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organic Fluoride	ug/L	0.02	3/11/20 9:24	APHA 300.1 (mod)	mg/L	0.124
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organic Fluoride	ug/L	0.02	3/11/20 9:24	APHA 300.1 (mod)	mg/L	0.129
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organonitrogen	ug/L	0.5	11/14/18 8:23	APHA 2340 B	mg/L	163
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organonitrogen	ug/L	0.5	3/16/19 14:15	APHA 2340 B	mg/L	159
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organonitrogen	ug/L	0.5	5/30/19 8:14	APHA 2340 B	mg/L	166
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organonitrogen	ug/L	0.5	8/15/19 11:25	APHA 2340 B	mg/L	175
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organonitrogen	ug/L	0.5	10/5/19 13:02	APHA 2340 B	mg/L	167
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organonitrogen	ug/L	0.5	3/19/20 9:55	APHA 2340 B	mg/L	174
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organonitrogen	ug/L	0.5	3/15/20 12:10	APHA 2340 B	mg/L	172
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organotin	ug/L	0.01	11/17/18 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organotin	ug/L	0.01	5/28/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organotin	ug/L	0.01	8/12/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organotin	ug/L	0.01	10/10/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organotin	ug/L	0.01	3/13/20 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organotin	ug/L	0.01	3/14/20 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organotin	ug/L	0.01	11/14/18 14:35	APHA 1030E	mg/L	94.5
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organotin	ug/L	0.01	3/17/19 15:08	APHA 1030E	mg/L	88.2
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organotin	ug/L	0.01	5/30/19 16:39	APHA 1030E	mg/L	94.4
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organotin	ug/L	0.01	8/15/19 11:30	APHA 1030E	mg/L	89.2
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organotin	ug/L	0.01	10/7/19 12:34	APHA 1030E	mg/L	86.3
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organotin	ug/L	0.01	3/17/20 0:50	APHA 1030E	mg/L	84.5
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organotin	ug/L	0.01	3/18/20 13:05	APHA 1030E	mg/L	79.4
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organotin	mg/L	0.01	11/11/18 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	-0.01
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organotin	mg/L	0.01	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	-0.01
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organotin	mg/L	0.01	5/29/19 14:55	APHA 3030B/EPA 6020A (mod)	mg/L	0.075
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organotin	mg/L	0.01	8/17/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	0.0122
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organotin	mg/L	0.01	10/5/19 14:55	APHA 3030B/EPA 6020A (mod)	mg/L	0.0654
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organotin	mg/L	0.01	3/12/20 0:00	APHA 200/2/6020A (mod)	mg/L	0.0079
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organotin	mg/L	0.01	3/12/20 0:39	APHA 200/2/6020A (mod)	mg/L	0.0046
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organotin	mg/L	0.01	11/11/18 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	12.7
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Dissolved Organotin	mg/L	0.01	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	12.8
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Dissolved Organotin	mg/L	0.01	5/29/19 14:55	APHA 3030B/EPA 6020A (mod)	mg/L	12.9
GW-1-B	L2358531	8/9/19 9:00	8/6/19	1:00 PM	L2358531-1	Dissolved Organotin	mg/L	0.01	8/19/19 16:04	APHA 3030B/EPA 6020A (mod)	mg/L	13.5
GW-1-B	L2358663	10/21/9:50	9/30/19	3:54 PM	L2358663-7	Dissolved Organotin	mg/L	0.01	10/5/19 12:00	APHA 3030B/EPA 6020A (mod)	mg/L	13.1
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Dissolved Organotin	mg/L	0.01	3/12/20 0:00	APHA 3030B/EPA 6020A (mod)	mg/L	13.7
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Dissolved Organotin	mg/L	0.01	3/12/20 0:39	APHA 3030B/EPA 6020A (mod)	mg/L	13.8
GW-1-B	L192945	11/6/18 12:20	11/12/18	6:52 PM	L192945-6	Dissolved Organotin	mg/L	0.01	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	11.2
GW-1-B												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Mercury (Hg)-Dissolved	mg/L	0.00005	3/13/20 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Mercury (Hg)-Dissolved	mg/L	0.00005	3/13/20 15:11	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Mercury (Hg)-Total	mg/L	0.00005	5/30/19 14:37	APHA 1631E (mod)	mg/L	0.000199
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Mercury (Hg)-Total	mg/L	0.00005	8/16/19 12:00	APHA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:55 PM	2358663-1	Mercury (Hg)-Total	mg/L	0.00005	10/5/19 15:45	APHA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Mercury (Hg)-Dissolved	mg/L	0.00005	3/13/20 17:11	APHA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Mercury (Hg)-Dissolved	mg/L	0.00005	3/13/20 17:11	APHA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	0.00126
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/EPA 6020A (mod)	mg/L	0.00096
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/EPA 6020A (mod)	mg/L	0.000805
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/9/19 16:04	APHA 3030B/EPA 6020A (mod)	mg/L	0.00115
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/5/19 12:00	APHA 3030B/EPA 6020A (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.00014
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/5/19 12:00	APHA 3030B/EPA 6020A (mod)	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.000062
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00105
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000272
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Naphthalene	ug/L	0.05	11/7/18 00:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Naphthalene	ug/L	0.02	5/28/19 00:00	EPHA 3511/8/270D	mg/L	0.000074
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Naphthalene	ug/L	0.02	8/10/19 00:00	EPHA 3511/8/270D	mg/L	0.000119
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Naphthalene	ug/L	0.02	10/10/19 00:00	EPHA 3511/8/270D	mg/L	0.000054
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Naphthalene	ug/L	0.02	3/13/20 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Naphthalene	ug/L	0.02	3/14/20 00:00	EPHA 3511/8/270D	mg/L	0.000096
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Nickel (Ni)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/EPA 6020A (mod)	mg/L	0.00072
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00074
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Nickel (Ni)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.00025
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Nickel (Ni)-Dissolved	mg/L	0.00005	8/9/19 16:04	APHA 3030B/EPA 6020A (mod)	mg/L	0.00082
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Nickel (Ni)-Dissolved	mg/L	0.00005	10/5/19 12:00	APHA 3030B/EPA 6020A (mod)	mg/L	-0.0005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Nickel (Ni)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/EPA 6020A (mod)	mg/L	0.0008
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Nickel (Ni)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/EPA 6020A (mod)	mg/L	0.00112
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Nickel (Ni)-Total	mg/L	0.00005	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00059
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Nickel (Ni)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Nickel (Ni)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.0025
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Nickel (Ni)-Total	mg/L	0.00005	8/9/19 16:04	APHA 3030B/EPA 6020A (mod)	mg/L	0.000974
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Nickel (Ni)-Total	mg/L	0.00005	10/5/19 12:00	APHA 3030B/EPA 6020A (mod)	mg/L	0.0126
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Nickel (Ni)-Total	mg/L	0.00005	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.00769
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Nickel (Ni)-Total	mg/L	0.00005	3/12/20 16:00	APHA 3030B/EPA 6020A (mod)	mg/L	0.0288
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Nitrate (as N)	mg/L	0.00005	1/17/18 00:00	EPHA 300-1 (mod)	mg/L	0.0496
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Nitrate (as N)	mg/L	0.00005	3/15/19 00:00	EPHA 300-1 (mod)	mg/L	-0.005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Nitrate (as N)	mg/L	0.00005	5/27/19 00:00	EPHA 300-1 (mod)	mg/L	-0.005
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Nitrate (as N)	mg/L	0.00005	8/19/19 00:00	EPHA 300-1 (mod)	mg/L	0.0169
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Nitrate (as N)	mg/L	0.00005	10/21/19 00:00	EPHA 300-1 (mod)	mg/L	-0.005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Nitrate (as N)	mg/L	0.00005	3/12/20 16:00	APHA 3030B/EPA 6020A (mod)	mg/L	0.005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Nitrate (as N)	mg/L	0.00005	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Nitrate and Nitrite (as N)	mg/L	0.05	1/18/18 00:00	CALCULATION	mg/L	0.051
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Nitrate and Nitrite (as N)	mg/L	0.05	1/17/19 00:00	CALCULATION	mg/L	-0.05
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Nitrate and Nitrite (as N)	mg/L	0.05	5/28/19 00:00	CALCULATION	mg/L	-0.0051
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Nitrate and Nitrite (as N)	mg/L	0.05	8/19/19 00:00	CALCULATION	mg/L	0.0169
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Nitrate and Nitrite (as N)	mg/L	0.05	10/21/19 00:00	CALCULATION	mg/L	-0.005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Nitrate and Nitrite (as N)	mg/L	0.05	3/12/20 14:00	CALCULATION	mg/L	-0.051
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Nitrate and Nitrite (as N)	mg/L	0.05	3/12/20 14:00	CALCULATION	mg/L	0.0051
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Orthophosphate-Dissolved (as P)	mg/L	0.00005	1/17/18 00:00	EPHA 300-1 (mod)	mg/L	0.001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Orthophosphate-Dissolved (as P)	mg/L	0.00005	1/17/19 00:00	EPHA 300-1 (mod)	mg/L	-0.001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Orthophosphate-Dissolved (as P)	mg/L	0.00005	5/27/19 00:00	EPHA 300-1 (mod)	mg/L	-0.001
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Orthophosphate-Dissolved (as P)	mg/L	0.00005	8/19/19 00:00	EPHA 300-1 (mod)	mg/L	0.001
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Orthophosphate-Dissolved (as P)	mg/L	0.00005	10/21/19 00:00	EPHA 300-1 (mod)	mg/L	0.0015
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Orthophosphate-Dissolved (as P)	mg/L	0.00005	3/12/20 12:32	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Orthophosphate-Dissolved (as P)	mg/L	0.00005	3/12/20 12:32	APHA 4500-P PHOSPHORUS	mg/L	0.0019
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Phenanthrene	pH	0.1	1/18/18 00:00	APHA 4500-H Electrode	pH	8.41
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Phenanthrene	pH	0.1	3/16/19 00:00	APHA 4500-H Electrode	pH	7.97
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Phenanthrene	pH	0.1	5/29/19 00:00	APHA 4500-H Electrode	pH	7.94
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Phenanthrene	pH	0.1	8/11/19 00:00	APHA 4500-H Electrode	pH	8.37
GW-1-B	L2358663	10/21/19 9:50	9/30/19	3:54 PM	2358663-1	Phenanthrene	pH	0.1	10/4/19 00:00	APHA 4500-H Electrode	pH	8.13
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Phenanthrene	pH	0.1	3/12/20 13:00	APHA 4500-H Electrode	pH	8.13
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Phenanthrene	pH	0.1	3/12/20 13:00	APHA 4500-H Electrode	pH	8.12
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Phenanthrene d10	%	1	1/18/18 00:00	EPHA 3511/8/270D	%	94.8
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Phenanthrene d10	%	1	5/28/19 00:00	EPHA 3511/8/270D	%	109
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Phenanthrene d10	%	1	8/12/19 00:00	EPHA 3511/8/270D	%	109.8

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Quinoline	ug/L	0.05	11/7/18 10:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Quinoline	ug/L	0.05	5/28/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Quinoline	ug/L	0.05	8/12/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Quinoline	ug/L	0.05	10/10/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Quinoline	ug/L	0.05	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Quinoline	ug/L	0.05	3/14/20 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Rubidium (Rb)-Dissolved	mg/L	0.0002	11/1/18 15:30	APHA 3038/6020A (mod)	mg/L	0.00034
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/3/19 16:15	APHA 3038/6020A (mod)	mg/L	0.00038
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3038/6020A (mod)	mg/L	0.00027
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	0.00005
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/5/19 12:00	APHA 3038/6020A (mod)	mg/L	0.00033
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	0.00063
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/13/20 16:35	APHA 3038/6020A (mod)	mg/L	0.00083
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Rubidium (Rb)-Total	mg/L	0.0002	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	0.00086
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Rubidium (Rb)-Total	mg/L	0.0002	3/13/20 16:35	APHA 2/6020A (mod)	mg/L	0.0135
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Rubidium (Rb)-Total	mg/L	0.0002	11/1/18 15:30	EPA 2/6020A (mod)	mg/L	0.00032
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Rubidium (Rb)-Total	mg/L	0.0002	3/3/19 16:15	EPA 2/6020A (mod)	mg/L	0.00033
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Rubidium (Rb)-Total	mg/L	0.0002	5/29/19 14:55	EPA 2/6020A (mod)	mg/L	0.0022
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Rubidium (Rb)-Total	mg/L	0.0002	10/5/19 12:00	EPA 2/6020A (mod)	mg/L	0.00033
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Rubidium (Rb)-Total	mg/L	0.0002	3/12/20 16:00	EPA 2/6020A (mod)	mg/L	0.00083
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Rubidium (Rb)-Total	mg/L	0.0002	3/13/20 16:35	EPA 2/6020A (mod)	mg/L	0.00184
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Rubidium (Rb)-Total	mg/L	0.0002	3/12/20 16:00	APHA 2/6020A (mod)	mg/L	0.00086
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Selenium (Se)-Dissolved	mg/L	0.0005	11/1/18 15:30	APHA 3038/6020A (mod)	mg/L	0.00053
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Selenium (Se)-Dissolved	mg/L	0.0005	3/3/19 16:15	APHA 3038/6020A (mod)	mg/L	0.00044
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Selenium (Se)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 3038/6020A (mod)	mg/L	0.000502
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Selenium (Se)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	0.00014
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Selenium (Se)-Dissolved	mg/L	0.0005	10/5/19 12:00	APHA 3038/6020A (mod)	mg/L	0.000155
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Selenium (Se)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	0.00041
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Selenium (Se)-Dissolved	mg/L	0.0005	3/13/20 16:35	APHA 3038/6020A (mod)	mg/L	0.000403
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Selenium (Se)-Total	mg/L	0.0005	11/1/18 15:30	APHA 2/6020A (mod)	mg/L	0.000432
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Selenium (Se)-Total	mg/L	0.0005	3/3/19 16:15	APHA 2/6020A (mod)	mg/L	0.000208
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Selenium (Se)-Total	mg/L	0.0005	5/29/19 14:55	APHA 2/6020A (mod)	mg/L	0.000205
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Selenium (Se)-Total	mg/L	0.0005	8/9/19 16:04	APHA 2/6020A (mod)	mg/L	0.000741
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Selenium (Se)-Total	mg/L	0.0005	10/5/19 12:00	APHA 2/6020A (mod)	mg/L	0.001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Selenium (Se)-Total	mg/L	0.0005	3/12/20 16:00	APHA 2/6020A (mod)	mg/L	0.00086
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Selenium (Se)-Total	mg/L	0.0005	3/13/20 16:35	APHA 2/6020A (mod)	mg/L	0.00241
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Silicon (Si)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 2/6020A (mod)	mg/L	2.53
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Silicon (Si)-Dissolved	mg/L	0.05	3/3/19 16:15	APHA 3038/6020A (mod)	mg/L	2.82
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Silicon (Si)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3038/6020A (mod)	mg/L	2.2
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Silicon (Si)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	2.71
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Silicon (Si)-Dissolved	mg/L	0.05	10/5/19 12:00	APHA 3038/6020A (mod)	mg/L	2.76
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Silicon (Si)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	2.82
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Silicon (Si)-Dissolved	mg/L	0.05	3/12/20 16:35	APHA 3038/6020A (mod)	mg/L	2.86
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Silicon (Si)-Total	mg/L	0.1	11/1/18 15:30	APHA 2/6020A (mod)	mg/L	2.43
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Silicon (Si)-Total	mg/L	0.1	3/3/19 16:15	EPA 2/6020A (mod)	mg/L	2.79
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Silicon (Si)-Total	mg/L	0.1	5/29/19 14:55	EPA 2/6020A (mod)	mg/L	3.18
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Silicon (Si)-Total	mg/L	0.1	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	8.17
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Silicon (Si)-Total	mg/L	0.1	10/5/19 12:00	APHA 2/6020A (mod)	mg/L	18.5
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Silicon (Si)-Total	mg/L	0.1	3/12/20 16:00	APHA 2/6020A (mod)	mg/L	6.35
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Silicon (Si)-Total	mg/L	0.1	3/12/20 16:35	EPA 2/6020A (mod)	mg/L	12.5
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Sodium (Na)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Sodium (Na)-Dissolved	mg/L	0.0001	3/3/19 16:15	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Sodium (Na)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Sodium (Na)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Sodium (Na)-Dissolved	mg/L	0.0001	10/5/19 12:00	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Sodium (Na)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 2/6020A (mod)	mg/L	-0.00001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Sodium (Na)-Dissolved	mg/L	0.0001	3/13/20 16:35	EPA 2/6020A (mod)	mg/L	-0.00001
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	L2192945-6	Sodium (Na)-Total	mg/L	0.05	8/14/19 23	EPA 200/2/6020A (mod)	mg/L	2.68
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Sodium (Na)-Total	mg/L	0.05	10/5/19 12:00	EPA 200/2/6020A (mod)	mg/L	2.39
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	L2279628-2	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	2.27
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	2.56
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	2.17
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	2.51
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	L2426723-7	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	2.56
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	L2241911-2	Sodium (Na)-Total	mg/L	0.05	8/14/19 23	EPA 200/2/6020A (mod)	mg/L	2.68
GW-1-B	L2358381	8/9/19 9:00	8/6/19	1:00 PM	L2358381-1	Sodium (Na)-Total	mg/L	0.05	10/5/19 12:00	EPA 200/2/6020A (mod)	mg/L	2.39
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	L2358663-7	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	2.27
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	L2426723-6	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	EPA 300/1 (mod)	mg/L	19.9
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM								

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Thallium (Tl)-Total	mg/L	0.00005	5/29/19 16:45	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	2325831-1	Thallium (Tl)-Total	mg/L	0.00001	8/14/19 16:23	EPA 200/2/6020A (mod)	mg/L	0.000176
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Thallium (Tl)-Total	mg/L	0.00005	10/5/19 12:00	EPA 200/2/6020A (mod)	mg/L	0.000232
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Thallium (Tl)-Total	mg/L	0.00001	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.000141
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Thallium (Tl)-Dissolved	mg/L	0.00001	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.000441
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Thomium (Th)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Thomium (Th)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Thomium (Th)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Thomium (Th)-Total	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Thomium (Th)-Dissolved	mg/L	0.00001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	0.000177
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Thomium (Th)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Thomium (Th)-Dissolved	mg/L	0.00001	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Thomium (Th)-Total	mg/L	0.00001	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.000653
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Tin (Sn)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Tin (Sn)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00054
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Tin (Sn)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00004
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Tin (Sn)-Dissolved	mg/L	0.00001	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Tin (Sn)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Tin (Sn)-Dissolved	mg/L	0.00001	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Tin (Sn)-Total	mg/L	0.00001	3/13/18 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Tin (Sn)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.00035
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Tin (Sn)-Total	mg/L	0.00005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.00149
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Tin (Sn)-Total	mg/L	0.00001	8/14/19 16:23	EPA 200/2/6020A (mod)	mg/L	0.00208
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Tin (Sn)-Total	mg/L	0.00005	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Tin (Sn)-Total	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00039
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Tin (Sn)-Total	mg/L	0.00001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00086
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Titanium (Ti)-Dissolved	mg/L	0.00003	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Titanium (Ti)-Dissolved	mg/L	0.00003	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Titanium (Ti)-Dissolved	mg/L	0.00003	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Titanium (Ti)-Dissolved	mg/L	0.00003	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Titanium (Ti)-Dissolved	mg/L	0.00003	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Titanium (Ti)-Dissolved	mg/L	0.00003	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Titanium (Ti)-Dissolved	mg/L	0.00003	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Titanium (Ti)-Total	mg/L	0.00003	3/13/18 16:35	EPA 200/2/6020A (mod)	mg/L	0.0003
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Titanium (Ti)-Total	mg/L	0.00003	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0004
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Titanium (Ti)-Total	mg/L	0.00003	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.0004
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Titanium (Ti)-Total	mg/L	0.00003	8/14/19 16:23	EPA 200/2/6020A (mod)	mg/L	0.00141
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Titanium (Ti)-Total	mg/L	0.00003	10/5/19 12:00	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Titanium (Ti)-Total	mg/L	0.00003	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Titanium (Ti)-Total	mg/L	0.00003	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Total Dissolved Solids	mg/L	0.00001	3/13/18 16:35	EPA 200/2/6020A (mod)	mg/L	0.192
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Total Dissolved Solids	mg/L	0.00001	5/28/19 15:00	APHA 250 C	mg/L	0.175
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Total Dissolved Solids	mg/L	0.00001	8/12/19 13:45	APHA 250 C	mg/L	0.202
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Total Dissolved Solids	mg/L	0.00001	10/3/20 15:00	APHA 250 C	mg/L	0.256
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Total Dissolved Solids	mg/L	0.00001	3/15/20 15:00	APHA 250 C	mg/L	0.222
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Total Dissolved Solids	mg/L	0.00001	3/15/20 15:00	APHA 250 C	mg/L	0.252
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Total Inorganic Carbon	mg/L	1	11/1/18 19:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	40
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Total Inorganic Carbon	mg/L	1	1/8/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	39.6
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Total Inorganic Carbon	mg/L	1	5/30/19 0:32	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	42
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Total Inorganic Carbon	mg/L	1	1/8/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	39.6
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Total Inorganic Carbon	mg/L	1	1/8/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	43.4
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Total Inorganic Carbon	mg/L	1	1/8/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	34
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Total Inorganic Carbon	mg/L	1	1/8/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	0.281
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Total Kjeldahl Nitrogen	mg/L	1	1/11/18 11:00	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.345
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Total Kjeldahl Nitrogen	mg/L	1	1/11/18 11:00	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.345
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Total Kjeldahl Nitrogen	mg/L	1	5/30/19 0:32	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.554
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Total Kjeldahl Nitrogen	mg/L	1	1/8/19 11:16	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.424
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Total Kjeldahl Nitrogen	mg/L	1	1/8/19 11:16	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.71
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Total Kjeldahl Nitrogen	mg/L	1	1/8/19 11:16	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.261
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Total Kjeldahl Nitrogen	mg/L	1	1/8/19 11:16	APHA 4500-N TOTAL KJELDAHL NITROGEN (TKN)	mg/L	0.345
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Total Nitrogen	mg/L	0.1	10/4/19 15:32	APHA 4500 N-Calculated	mg/L	0.71
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	2241911-2	Total Nitrogen	mg/L	0.05	3/13/20 11:45	APHA 4500 N-Calculated	mg/L	0.281
GW-1-B	L2279628	5/27/19 12:24	5/26/19	8:30 AM	2279628-2	Total Nitrogen	mg/L	0.05	3/13/20 0:00	APHA 4500 N-Calculated	mg/L	0.207
GW-1-B	L225831	8/9/19 9:00	8/6/19	1:00 PM	225831-1	Total Nitrogen	mg/L	0.05	3/13/20 11:55	APHA 4500 N-Calculated	mg/L	0.345
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	2358663-7	Total Nitrogen	mg/L	0.05	3/13/20 11:55	APHA 4500 N-Calculated	mg/L	0.554
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	2426723-6	Total Nitrogen	mg/L	0.05	3/13/20 11:55	APHA 4500 N-Calculated	mg/L	0.441
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	2426723-7	Total Nitrogen	mg/L	0.05	3/13/20 11:55	APHA 4500 N-Calculated	mg/L	0.71
GW-1-B	L2192945	11/6/18 12:20	11/2/18	6:52 PM	2192945-6	Total Organic Carbon	mg/L	0.5	11/12/18 6:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	2.55
GW												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2325831	8/9/19 9:00	8/6/19	1:00 PM	Z235831-1	Zinc (Zn)-Total	mg/L	0.003	8/4/19 16:23	EPA 200/2/6020A (mod)	mg/L	0.0399
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	Z2358663-7	Zinc (Zn)-Total	mg/L	0.01	10/5/19 12:00	EPA 200/2/6020A (mod)	mg/L	0.039
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	Z2426723-6	Zinc (Zn)-Total	mg/L	0.003	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.0307
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	Z2426723-7	Zinc (Zn)-Total	mg/L	0.003	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.111
GW-1-B	L2192945	11/6/18 12:20	11/18/18	6:52 PM	Z2192945-6	Zirconium (Zr)-Dissolved	mg/L	0.00006	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00006
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	Z2241911-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00006
GW-1-B	L2796268	5/27/19 12:24	5/26/19	8:30 AM	Z2796268-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00006
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	Z2358663-7	Zirconium (Zr)-Dissolved	mg/L	0.0002	10/5/19 12:00	EPA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	Z2426723-6	Zirconium (Zr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	Z2426723-7	Zirconium (Zr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-1-B	L2192945	11/6/18 12:20	11/18/18	6:52 PM	Z2192945-6	Zirconium (Zr)-Total	mg/L	0.00006	11/1/18 16:30	EPA 200/2/6020A (mod)	mg/L	0.00028
GW-1-B	L2241911	3/8/19 9:00	3/5/19	4:30 PM	Z2241911-2	Zirconium (Zr)-Total	mg/L	0.00006	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.00006
GW-1-B	L2796268	5/27/19 12:24	5/26/19	8:30 AM	Z2796268-2	Zirconium (Zr)-Total	mg/L	0.00003	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.00003
GW-1-B	L2358663	10/2/19 9:50	9/30/19	3:54 PM	Z2358663-7	Zirconium (Zr)-Total	mg/L	0.00006	10/5/19 12:00	EPA 3030B/6020A (mod)	mg/L	0.00024
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:20 PM	Z2426723-6	Zirconium (Zr)-Total	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00063
GW-1-B	L2426723	3/11/20 8:50	3/10/20	1:40 PM	Z2426723-7	Zirconium (Zr)-Total	mg/L	0.0002	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	1-Methylnaphthalene	ug/L	0.05	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	1-Methylnaphthalene	ug/L	0.05	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	1-Methylnaphthalene	ug/L	0.05	5/28/19 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	1-Methylnaphthalene	ug/L	0.05	8/12/19 0:00	EPA 3511/8/270D	mg/L	0.000091
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	1-Methylnaphthalene	ug/L	0.05	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	1-Methylnaphthalene	ug/L	0.05	3/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	2-Methylnaphthalene	ug/L	0.02	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	2-Methylnaphthalene	ug/L	0.02	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00002
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	2-Methylnaphthalene	ug/L	0.02	5/28/19 0:00	EPA 3511/8/270D	mg/L	0.000083
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	2-Methylnaphthalene	ug/L	0.02	8/12/19 0:00	EPA 3511/8/270D	mg/L	0.000253
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	2-Methylnaphthalene	ug/L	0.02	10/10/19 0:00	EPA 3511/8/270D	mg/L	0.000079
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	2-Methylnaphthalene	ug/L	0.02	3/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Acenaphthene	ug/L	0.01	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Acenaphthene	ug/L	0.01	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Acenaphthene	ug/L	0.01	5/28/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Acenaphthene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Acenaphthene	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Acenaphthene	ug/L	0.01	3/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Acenaphthene d10	ug/L	1	11/9/18 0:00	EPA 3511/8/270D	%	94.3
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Acenaphthene d10	ug/L	1	11/9/18 0:00	EPA 3511/8/270D	%	93.1
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Acenaphthene d10	ug/L	1	5/28/19 0:00	EPA 3511/8/270D	%	114.4
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Acenaphthene d10	ug/L	1	8/12/19 0:00	EPA 3511/8/270D	%	108.5
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Acenaphthene d10	ug/L	1	10/10/19 0:00	EPA 3511/8/270D	%	110.6
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Acenaphthene d10	ug/L	1	3/13/20 0:00	EPA 3511/8/270D	%	82.6
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Acenaphthene d10	ug/L	0.01	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Acenaphthene d10	ug/L	0.01	11/9/18 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Acenaphthene d10	ug/L	0.01	5/28/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Acenaphthene d10	ug/L	0.01	8/12/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Acenaphthene d10	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Acenaphthene d10	ug/L	0.01	3/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	167
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	149
GW-3-A	L242116	3/9/19 8:50	3/7/19	3:00 PM	Z242116-8	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	117
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	5/29/19 10:00	APHA 2320 ALKALINITY	mg/L	156
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/11/19 8:00	APHA 2320 ALKALINITY	mg/L	150
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	136
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/10/20 19:00	APHA 2320 ALKALINITY	mg/L	150
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Alkalinity, Carbonate (as CaCO3)	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Alkalinity, Carbonate (as CaCO3)	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-3-A	L242116	3/9/19 8:50	3/7/19	3:00 PM	Z242116-8	Alkalinity, Carbonate (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	1
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Alkalinity, Carbonate (as CaCO3)	mg/L	1	5/30/19 18:29	APHA 1030E	mg/L	3.43
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/19/19 11:59	APHA 1030E	mg/L	3.31
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Alkalinity, Carbonate (as CaCO3)	mg/L	0.003	10/12/20 12:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	1.08
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Alkalinity (Al)-Total	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.478
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Aluminum (Al)-Dissolved	mg/L	0.001	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.0113
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-3	Ammonia N	mg/L	0.005	11/13/18 16:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.063
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	Z2194370-4	Ammonia N	mg/L	0.005	11/13/18 16:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0646
GW-3-A	L242116	3/9/19 8:50	3/7/19	3:00 PM	Z242116-8	Ammonia N	mg/L	0.005	3/18/19 11:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.04
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	Z235901-3	Ammonia N	mg/L	0.005	8/15/19 11:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.032
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	Z2358663-4	Ammonia N	mg/L	0.005	10/8/19 12:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.0005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	Z2426328-3	Ammonia N	mg/L	0.003	3/11/20 12:00	JEN/ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0487
GW-3-A	L2796268	5/27/19 12:24	5/26/19	9:50 AM	Z2796268-3	Ammonia, Total (as N)	mg/L	0.005	5/30/19 14:00	APHA 4500 NH3-NITROGEN (AMMONIA)	mg/L	0.0414
GW-3-A	L2194370	11/8/18 9:30</										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00067
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Arsenic (As)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00049
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Arsenic (As)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00057
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Arsenic (As)-Total	mg/L	0.0001	11/13/18 15:59	EPAA 200/2/6020A (mod)	mg/L	0.00033
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Arsenic (As)-Total	mg/L	0.0001	11/13/18 15:59	EPAA 200/2/6020A (mod)	mg/L	0.00039
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Arsenic (As)-Total	mg/L	0.0001	3/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.00082
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Arsenic (As)-Total	mg/L	0.0005	5/29/19 14:55	EPAA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Arsenic (As)-Total	mg/L	0.0001	8/18/19 11:39	EPAA 200/2/6020A (mod)	mg/L	0.00105
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Arsenic (As)-Total	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00065
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Arsenic (As)-Total	mg/L	0.0001	3/11/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00051
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Barium (Ba)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.0625
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Barium (Ba)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0665
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Barium (Ba)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.0693
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Barium (Ba)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0712
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Barium (Ba)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0585
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Barium (Ba)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0753
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Barium (Ba)-Total	mg/L	0.0001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.0658
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Barium (Ba)-Total	mg/L	0.0001	11/13/18 15:59	EPAA 200/2/6020A (mod)	mg/L	0.066
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Barium (Ba)-Total	mg/L	0.0001	3/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.0762
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Barium (Ba)-Total	mg/L	0.0005	5/29/19 14:55	EPAA 200/2/6020A (mod)	mg/L	0.0705
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Barium (Ba)-Total	mg/L	0.0001	8/18/19 11:39	EPAA 200/2/6020A (mod)	mg/L	0.111
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Barium (Ba)-Total	mg/L	0.0005	10/3/19 16:20	EPAA 200/2/6020A (mod)	mg/L	0.0744
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Barium (Ba)-Total	mg/L	0.0001	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	0.065
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Benz(a)anthracene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Benz(a)anthracene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Benz(a)anthracene	ug/L	0.01	5/28/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Benz(a)anthracene	ug/L	0.01	8/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Benz(a)anthracene	ug/L	0.01	10/3/19 16:20	EPAA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Benz(a)anthracene	ug/L	0.0005	3/12/20 16:00	EPAA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Benz(b)anthracene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Benz(b)anthracene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Benz(b)anthracene	ug/L	0.01	5/28/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Benz(b)anthracene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Benz(b)anthracene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Benz(b)anthracene	ug/L	0.0005	3/13/20 00:00	EPAA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Benz(b)fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Benz(b)fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Benz(b)fluoranthene	ug/L	0.01	5/28/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Benz(b)fluoranthene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Benz(b)fluoranthene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Benz(b)fluoranthene	ug/L	0.0005	3/13/20 00:00	EPAA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Benz(c)fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Benz(c)fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Benz(c)fluoranthene	ug/L	0.01	5/28/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Benz(c)fluoranthene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Benz(c)fluoranthene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Benz(c)fluoranthene	ug/L	0.0005	3/13/20 00:00	EPAA 3511/8/270D	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Boron (B)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Boron (B)-Dissolved	mg/L	0.0005	8/17/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Boron (B)-Dissolved	mg/L	0.0005	5/28/19 10:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Boron (B)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Boron (B)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Boron (B)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Boron (B)-Total	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Boron (B)-Total	mg/L	0.0005	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Boron (B)-Total	mg/L	0.0005	5/28/19 10:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Boron (B)-Total	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Boron (B)-Total	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Boron (B)-Total	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Boron (Cd)-Dissolved	mg/L	0.08	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	36.9
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Boron (Cd)-Dissolved	mg/L	0.08	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	39.3
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Boron (Cd)-Dissolved	mg/L	0.08	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	39.4
GW-3-A	L2796262	5/27/19 12:24	5/26/19	9:50 AM	L2796262-3	Boron (Cd)-Dissolved	mg/L	0.08	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	42.2
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	L2325901-3	Boron (Cd)-Dissolved	mg/L	0.08	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	42.9
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Boron (Cd)-Dissolved	mg/L	0.08	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	33.2
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Boron (Cd)-Dissolved	mg/L	0.08	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	33.5
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Boron (Cd)-Dissolved	mg/L	0.08	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	40.2
GW-3-A	L2194370											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Cation - Anion Balance	%		5/30/19 18:29	APHA 1030E	%	-0.8
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Cation - Anion Balance	%		8/19/19 11:55	APHA 1030E	%	2.9
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Cation - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-1.9
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Cation - Anion Balance	%		3/13/20 14:35	APHA 1030E	%	-1.1
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Cation Sum	meq/L		11/14/18 16:35	APHA 1030E	meq/L	3.11
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Cation Sum	meq/L		11/14/18 16:10	APHA 1030E	meq/L	3.31
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Cation Sum	meq/L		3/17/19 15:03	APHA 1030E	meq/L	3.21
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Cation Sum	meq/L		5/30/19 18:29	APHA 1030E	meq/L	3.37
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Cation Sum	meq/L		8/19/19 11:55	APHA 1030E	meq/L	3.51
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Cation Sum	meq/L		10/7/19 12:24	APHA 1030E	meq/L	2.91
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Cation Sum	meq/L		3/13/20 14:35	APHA 1030E	meq/L	3.06
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Cesium (Cs)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Cesium (Cs)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Cesium (Cs)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000135
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Cesium (Cs)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000053
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Cesium (Cs)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000251
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Cesium (Cs)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000125
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Cesium (Cs)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Cesium (Cs)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000028
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Cesium (Cs)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000029
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Cesium (Cs)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000135
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Cesium (Cs)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000053
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Cesium (Cs)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000251
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Cesium (Cs)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000125
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Cesium (Cs)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Chloride (Cl)-Dissolved	mg/L	0.1	11/15/18 0:00	APHA 5220 D Colorimetry	mg/L	180
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Chloride (Cl)-Dissolved	mg/L	0.1	11/15/18 0:00	APHA 5220 D Colorimetry	mg/L	189
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Chloride (Cl)-Dissolved	mg/L	0.1	3/12/19 0:00	APHA 5220 D Colorimetry	mg/L	485
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Chloride (Cl)-Dissolved	mg/L	0.1	5/29/19 0:00	APHA 5220 D Colorimetry	mg/L	49
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Chloride (Cl)-Dissolved	mg/L	0.1	8/13/19 0:00	APHA 5220 D Colorimetry	mg/L	338
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Chloride (Cl)-Dissolved	mg/L	0.1	10/3/19 0:00	APHA 5220 D Colorimetry	mg/L	307
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Chloride (Cl)-Dissolved	mg/L	0.1	3/12/20 0:00	APHA 5220 D Colorimetry	mg/L	220
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Chloride (Cl)	mg/L	0.5	11/18/18 0:09	EPHA 300.1 (mod)	mg/L	1.38
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Chloride (Cl)	mg/L	0.5	11/18/18 0:09	EPHA 300.1 (mod)	mg/L	1.39
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Chloride (Cl)	mg/L	0.5	3/12/19 0:00	EPHA 300.1 (mod)	mg/L	1.32
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Chloride (Cl)	mg/L	0.5	5/27/19 0:41	EPHA 300.1 (mod)	mg/L	0.5
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Chloride (Cl)	mg/L	0.5	8/9/19 0:26	EPHA 300.1 (mod)	mg/L	0.55
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Chloride (Cl)	mg/L	0.5	10/2/19 0:48	EPHA 300.1 (mod)	mg/L	0.89
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Chloride (Cl)	mg/L	0.5	3/10/20 0:26	EPHA 300.1 (mod)	mg/L	0.83
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Chromium (Cr)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Chromium (Cr)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Chromium (Cr)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Chromium (Cr)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Chromium (Cr)-Dissolved	mg/L	0.00001	8/17/19 0:44	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Chromium (Cr)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000085
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Chromium (Cr)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Chromium (Cr)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000089
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Chromium (Cr)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000089
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Chromium (Cr)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000016
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Chromium (Cr)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.000012
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Chromium (Cr)-Total	mg/L	0.00001	8/17/19 0:44	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Chromium (Cr)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Chromium (Cr)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Conductivity (@ 25C)	uS/cm	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	uS/cm	91.6
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Conductivity (@ 25C)	uS/cm	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Conductivity (@ 25C)	uS/cm	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Conductivity (@ 25C)	uS/cm	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Conductivity (@ 25C)	uS/cm	0.00001	8/17/19 0:44	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Conductivity (@ 25C)	uS/cm	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Conductivity (@ 25C)	uS/cm	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	uS/cm	90.0015
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Copper (Cu)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.000083
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Copper (Cu)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.000028
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	2242116-8	Copper (Cu)-Dissolved	mg/L	0.00002	1/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	2279628-3	Copper (Cu)-Dissolved	mg/L	0.00002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-A	L2325901	8/9/19 9:00	8/7/19	2:25 PM	2325901-3	Copper (Cu)-Dissolved	mg/L	0.00002	8/17/19 0:44	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	2358663-4	Copper (Cu)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-A	L2426328	3/10/20 8:50	3/9/20	1:25 PM	2426328-3	Copper (Cu)-Dissolved	mg/L	0.00002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-3	Copper (Cu)-Total	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	2194370-4	Copper (						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Fluorene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Fluorene	ug/L	0.01	3/12/20 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Fluoride (F)	mg/L	0.02	11/18/18 9:09	EPHA 300.1 (mod.)	mg/L	0.39
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Fluoride (F)	mg/L	0.02	11/18/18 9:09	EPHA 300.1 (mod.)	mg/L	0.382
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Fluoride (F)	mg/L	0.02	3/12/19 11:29	EPHA 300.1 (mod.)	mg/L	0.18
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Fluoride (F)	mg/L	0.02	5/27/19 9:41	EPHA 300.1 (mod.)	mg/L	0.36
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Fluoride (F)	mg/L	0.02	8/9/19 9:26	EPHA 300.1 (mod.)	mg/L	0.197
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Fluoride (F)	mg/L	0.02	10/2/19 9:49	EPHA 300.1 (mod.)	mg/L	0.361
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Fluoride (F)	mg/L	0.02	3/10/20 9:26	EPHA 300.1 (mod.)	mg/L	0.272
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	11/14/18 16:35	APHA 2340 B	mg/L	140
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	11/14/18 15:10	APHA 2340 B	mg/L	149
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	147
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	5/30/19 13:49	APHA 2340 B	mg/L	158
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/9/19 11:55	APHA 2340 B	mg/L	165
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/5/19 10:57	APHA 2340 B	mg/L	134
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/10/20 16:59	APHA 2340 B	mg/L	0
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Indeno[1,2-c]pyrene	ug/L	0.01	11/9/18 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Indeno[1,2-c]pyrene	ug/L	0.01	11/9/18 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Indeno[1,2-c]pyrene	ug/L	0.01	5/28/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Indeno[1,2-c]pyrene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Indeno[1,2-c]pyrene	ug/L	0.01	3/12/20 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Ion Balance	%	-100	11/16/18 16:50	APHA 1030E	%	78.8
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Ion Balance	%	-100	11/16/18 16:50	APHA 1030E	%	91.9
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Ion Balance	%	-100	3/17/19 15:08	APHA 1030E	%	109
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Ion Balance	%	-100	5/30/19 18:34	APHA 1030E	%	98.4
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Ion Balance	%	-100	8/19/19 12:00	APHA 1030E	%	106
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Ion Balance	%	-100	10/7/19 12:34	APHA 1030E	%	96.2
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Ion Balance	%	-100	3/13/20 14:40	APHA 1030E	%	97.8
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Iron (Fe)-Dissolved	mg/L	0.01	11/13/18 15:59	APHA 3030B/6020A (mod.)	mg/L	0.064
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Iron (Fe)-Dissolved	mg/L	0.01	11/13/18 15:59	APHA 3030B/6020A (mod.)	mg/L	0.021
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod.)	mg/L	0.016
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Iron (Fe)-Dissolved	mg/L	0.01	5/29/19 14:55	APHA 3030B/6020A (mod.)	mg/L	0.018
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 11:39	APHA 3030B/6020A (mod.)	mg/L	0.01
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 10:44	APHA 3030B/6020A (mod.)	mg/L	0.005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 0:00	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod.)	mg/L	-0.00005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod.)	mg/L	0.011
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Iron (Fe)-Dissolved	mg/L	0.01	5/29/19 14:55	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 11:39	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Lithium (Li)-Dissolved	mg/L	0.01	11/13/18 15:59	APHA 200/2/6020A (mod.)	mg/L	0.0095
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Lithium (Li)-Dissolved	mg/L	0.01	11/13/18 15:59	APHA 200/2/6020A (mod.)	mg/L	0.0103
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Lithium (Li)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod.)	mg/L	0.00042
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Lithium (Li)-Dissolved	mg/L	0.01	5/29/19 14:55	APHA 200/2/6020A (mod.)	mg/L	-0.00205
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Lithium (Li)-Dissolved	mg/L	0.01	8/18/19 11:39	APHA 200/2/6020A (mod.)	mg/L	0.00134
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Lithium (Li)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 200/2/6020A (mod.)	mg/L	0.009
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Lithium (Li)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 200/2/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Magnesium (Mg)-Dissolved	mg/L	0.0005	11/13/18 15:59	APHA 3030B/6020A (mod.)	mg/L	0.0095
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Magnesium (Mg)-Dissolved	mg/L	0.0005	11/13/18 15:59	APHA 200/2/6020A (mod.)	mg/L	0.0105
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Magnesium (Mg)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod.)	mg/L	0.0114
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Magnesium (Mg)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 200/2/6020A (mod.)	mg/L	0.00005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Magnesium (Mg)-Dissolved	mg/L	0.0005	8/18/19 11:39	APHA 200/2/6020A (mod.)	mg/L	0.0086
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Magnesium (Mg)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod.)	mg/L	0.009
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Magnesium (Mg)-Dissolved	mg/L	0.0005	3/11/20 16:00	APHA 200/2/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Manganese (Mn)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3030B/6020A (mod.)	mg/L	0.118
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Manganese (Mn)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod.)	mg/L	0.121
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Manganese (Mn)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod.)	mg/L	0.115
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Manganese (Mn)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod.)	mg/L	0.0452
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Manganese (Mn)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod.)	mg/L	0.0566
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Manganese (Mn)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Manganese (Mn)-Total	mg/L	0.0001	11/13/18 15:59	APHA 200/2/6020A (mod.)	mg/L	0.143
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Manganese (Mn)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod.)	mg/L	0.129
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Manganese (Mn)-Total	mg/L	0.0001	5/29/19 14:55	APHA 200/2/6020A (mod.)	mg/L	0.131
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Manganese (Mn)-Total	mg/L	0.0001	8/18/19 10:44	APHA 200/2/6020A (mod.)	mg/L	0.152
GW-3-A	L2358663	10/21/9:50	9/30/19	1:32 PM	L2358663-4	Manganese (Mn)-Total	mg/L	0.0001	10/3/19 16:20	APHA 200/2/6020A (mod.)	mg/L	0.185
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Manganese (Mn)-Total	mg/L	0.0001	3/11/20 16:00	APHA 200/2/6020A (mod.)	mg/L	0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/16/20 15:07	APHA 3030B/EPA 1631E (mod.)	mg/L	-0.00005
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Molybdenum (Mo)-						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Nickel (Ni)-Total	mg/L	0.0005	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Nickel (Ni)-Total	mg/L	0.0005	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Nickel (Ni)-Total	mg/L	0.0005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0018
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Nickel (Ni)-Total	mg/L	0.0025	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.0025
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Nickel (Ni)-Total	mg/L	0.0005	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.00259
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Nickel (Ni)-Total	mg/L	0.0025	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0025
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Nickel (Ni)-Total	mg/L	0.0005	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Nitrate (as N)	mg/L	0.005	11/18/18 0:09	EPA 300-1 (mod)	mg/L	-0.005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Nitrate (as N)	mg/L	0.005	11/18/18 0:09	EPA 300-1 (mod)	mg/L	-0.005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Nitrate (as N)	mg/L	0.005	3/12/19 11:29	EPA 300-1 (mod)	mg/L	-0.005
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Nitrate (as N)	mg/L	0.005	5/27/19 14:41	EPA 300-1 (mod)	mg/L	-0.005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Nitrate and Nitrite (as N)	mg/L	0.05	11/9/18 15:15	CALCULATION	mg/L	-0.05
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Nitrate and Nitrite (as N)	mg/L	0.05	3/12/19 12:00	CALCULATION	mg/L	-0.05
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Nitrate and Nitrite (as N)	mg/L	0.05	5/28/19 9:49	CALCULATION	mg/L	-0.051
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Nitrate and Nitrite (as N)	mg/L	0.0051	8/15/19 12:40	CALCULATION	mg/L	0.152
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Nitrate and Nitrite (as N)	mg/L	0.0051	10/3/19 11:27	CALCULATION	mg/L	-0.0051
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Nitrate and Nitrite (as N)	mg/L	0.0051	3/11/20 10:20	CALCULATION	mg/L	-0.0051
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Nitrite (as N)	mg/L	0.001	11/18/18 0:09	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Nitrite (as N)	mg/L	0.001	11/18/18 0:09	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Nitrite (as N)	mg/L	0.001	3/12/19 11:29	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Nitrite (as N)	mg/L	0.001	5/27/19 14:41	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Nitrite (as N)	mg/L	0.001	8/19/19 2:26	EPA 300-1 (mod)	mg/L	0.0069
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Nitrite (as N)	mg/L	0.001	10/2/19 9:48	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Nitrite (as N)	mg/L	0.001	3/10/20 9:28	EPA 300-1 (mod)	mg/L	-0.001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/8/18 17:35	APHA 4500-P PHOSPHORUS	mg/L	0.002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/8/18 17:35	APHA 4500-P PHOSPHORUS	mg/L	0.0015
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/19 9:40	APHA 4500-P PHOSPHORUS	mg/L	0.0012
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/27/19 17:43	APHA 4500-P PHOSPHORUS	mg/L	0.0036
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:45	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/4/19 18:02	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/20 16:01	APHA 4500-P PHOSPHORUS	mg/L	0.0014
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	pH	pH	0.1	11/11/18 10:00	APHA 4500-H Electrode	pH	7.97
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	pH	pH	0.1	11/11/18 10:00	APHA 4500-H Electrode	pH	8.06
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	pH	pH	0.1	3/16/19 0:00	APHA 4500-H Electrode	pH	8.23
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	pH	pH	0.1	5/29/19 10:00	APHA 4500-H Electrode	pH	8.31
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	pH	pH	0.1	8/11/19 0:00	APHA 4500-H Electrode	pH	8.37
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	pH	pH	0.1	10/4/19 14:00	APHA 4500-H Electrode	pH	8.31
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	pH	pH	0.1	3/10/20 19:00	APHA 4500-H Electrode	pH	8.32
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Pheanthrene	ug/L	0.02	11/18/18 0:00	EPA 3511/8/27D0	mg/L	-0.0002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Pheanthrene	ug/L	0.02	11/18/18 0:00	EPA 3511/8/27D0	mg/L	-0.0002
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Pheanthrene	ug/L	0.02	5/28/19 0:00	EPA 3511/8/27D0	mg/L	-0.0002
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Pheanthrene	ug/L	0.02	8/12/19 0:00	EPA 3511/8/27D0	mg/L	0.00043
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Pheanthrene	ug/L	0.02	10/19/19 0:00	EPA 3511/8/27D0	mg/L	-0.0002
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Pheanthrene	ug/L	0.02	3/13/20 0:00	EPA 3511/8/27D0	mg/L	-0.0002
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Pheanthrene	ug/L	0.02	3/10/20 16:01	EPA 3511/8/27D0	mg/L	0.00044
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Phenol (P)-Total	mg/L	0.002	11/10/18 12:36	APHA 4500-P PHOSPHORUS	mg/L	0.0112
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Phenol (P)-Total	mg/L	0.002	11/10/18 12:39	APHA 4500-P PHOSPHORUS	mg/L	0.0093
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Phenol (P)-Total	mg/L	0.002	3/12/19 13:00	APHA 4500-P PHOSPHORUS	mg/L	0.054
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Phenol (P)-Total	mg/L	0.002	5/28/19 11:32	APHA 4500-P PHOSPHORUS	mg/L	0.0809
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Phenol (P)-Total	mg/L	0.002	8/15/19 11:23	APHA 4500-P PHOSPHORUS	mg/L	0.0609
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Phenol (P)-Total	mg/L	0.002	10/4/19 13:46	APHA 4500-P PHOSPHORUS	mg/L	0.0389
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Phenol (P)-Total	mg/L	0.002	3/11/20 10:03	APHA 4500-P PHOSPHORUS	mg/L	0.0394
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Phenol (P)-Dissolved	mg/L	0.005	11/13/18 15:59	APHA 3030B/6020A	mg/L	-0.005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Phenol (P)-Dissolved	mg/L	0.005	11/13/18 15:59	APHA 3030B/6020A	mg/L	-0.005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Phenol (P)-Dissolved	mg/L	0.005	3/13/19 16:15	APHA 3030B/6020A	mg/L	-0.005
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Phenol (P)-Dissolved	mg/L	0.005	5/29/19 14:55	APHA 3030B/6020A	mg/L	-0.005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Phenol (P)-Dissolved	mg/L	0.005	8/18/19 10:44	APHA 3030B/6020A	mg/L	0.925
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Phenol (P)-Dissolved	mg/L	0.005	3/12/20 16:00	APHA 3030B/6020A	mg/L	0.997
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Phenol (P)-Dissolved	mg/L	0.005	3/11/20 16:00	APHA 3030B/6020A	mg/L	0.005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Pyrene	ug/L	0.01	11/18/18 0:00	EPA 3511/8/27D0	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Pyrene	ug/L	0.01	11/18/18 0:00	EPA 3511/8/27D0	mg/L	-0.00001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Pyrene	ug/L	0.01	5/28/19 0:00	EPA 3511/8/27D0	mg/L	-0.00001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Pyrene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/27D0	mg/L	-0.00001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Pyrene	ug/L	0.01	8/18/19 11:39	APHA 200/2/6020A	mg/L	0.12
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Pyrene	ug/L	0.01	10/10/19 0:00	APHA 200/2/6020A	mg/L	1.41
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Pyrene	ug/L	0.01	3/13/19 16:15	APHA 200/2/6020A	mg/L	0.75
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Rubidium (Rb)-Dissolved	mg/L	0.002	11/13/18 15:59	APHA 3030B/6020A	mg/L	0.0054
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Rubidium (Rb)-Dissolved	mg/L	0.002	11/13/18 15:59	APHA 3030B/6020A	mg/L	0.0058
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Rubidium (Rb)-Dissolved	mg/L	0.002	3/13/19 16:15	APHA 3030B/6020A	mg/L	0.0049
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Rubidium (Rb)-Dissolved	mg/L	0.002	5/29/19 14:55	APHA 3030B/6020A	mg/L	0.0033

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Silicon (Si)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	4.01
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Silicon (Si)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	3.8
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Silicon (Si)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	3.45
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Silicon (Si)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	4.2
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	3.78
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Silicon (Si)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	4.25
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Silicon (Si)-Total	mg/L	0.1	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	4.17
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Silicon (Si)-Total	mg/L	0.1	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	4.81
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Silicon (Si)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	4.33
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Silicon (Si)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	5.67
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Silicon (Si)-Total	mg/L	0.25	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	4.48
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Silicon (Si)-Total	mg/L	0.05	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	4.01
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Silver (Ag)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Silver (Ag)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Silver (Ag)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000018
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Silver (Ag)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Silver (Ag)-Dissolved	mg/L	0.00001	3/10/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Sodium (Na)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	6.21
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Sodium (Na)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	6.42
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Sodium (Na)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	5.31
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Sodium (Na)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	4.35
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	4.4
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	4.69
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	5.44
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Sodium (Na)-Total	mg/L	0.05	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	6.67
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Sodium (Na)-Total	mg/L	0.05	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	6.28
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	5.7
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Sodium (Na)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	3.54
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Sodium (Na)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	4.5
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Sodium (Na)-Total	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	4.67
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Sodium (Na)-Total	mg/L	0.05	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	6.26
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Strontron (Sr)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.242
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Strontron (Sr)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.261
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Strontron (Sr)-Dissolved	mg/L	0.00002	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.237
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Strontron (Sr)-Dissolved	mg/L	0.00002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.245
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Strontron (Sr)-Dissolved	mg/L	0.00002	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.31
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Strontron (Sr)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.266
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Strontron (Sr)-Dissolved	mg/L	0.00002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.287
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Strontron (Sr)-Total	mg/L	0.00002	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.268
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Strontron (Sr)-Total	mg/L	0.00002	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.265
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Strontron (Sr)-Total	mg/L	0.00002	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.26
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Strontron (Sr)-Total	mg/L	0.00002	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.273
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Strontron (Sr)-Total	mg/L	0.00002	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.334
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Strontron (Sr)-Total	mg/L	0.00002	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.268
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Strontron (Sr)-Total	mg/L	0.00002	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.236
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Sulfate (SO4)-Dissolved	mg/L	0.3	11/18/18 09:09	APHA 300-1 (mod)	mg/L	26.8
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Sulfate (SO4)-Dissolved	mg/L	0.3	3/12/19 11:29	EPA 300-1 (mod)	mg/L	26.6
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Sulfate (SO4)-Dissolved	mg/L	0.3	5/27/19 9:41	EPA 300-1 (mod)	mg/L	13.7
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Sulfate (SO4)-Dissolved	mg/L	0.3	8/9/19 9:26	EPA 300-1 (mod)	mg/L	9.06
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Sulfate (SO4)-Dissolved	mg/L	0.3	10/2/19 9:48	EPA 300-1 (mod)	mg/L	9.08
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Sulfate (SO4)-Dissolved	mg/L	0.3	3/10/20 09:26	EPA 300-1 (mod)	mg/L	2.46
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Tellurium (Te)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	9.05
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Tellurium (Te)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	9.75
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Tellurium (Te)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	9.95
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Tellurium (Te)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	10.7
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tellurium (Te)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	12.8
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Tellurium (Te)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	15.5
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Tellurium (Te)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	4.94
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Tellurium (Te)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	4.2
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Tellurium (Te)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	4.99
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Tellurium (Te)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	4.5
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tellurium (Te)-Total	mg/L	0.25	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	2.86
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Tellurium (Te)-Total	mg/L	0.25	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	9.54
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Tellurium (Te)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	4.2
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tellurium (Te)-Total	mg/L	0.25	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00001
GW-3-A	L2358663	10/21/19 9:50	9/30/19	1:32 PM	L2358663-4	Tellurium (Te)-Total	mg/L	0.25	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Titanium (Ti)-Dissolved	mg/L	0.0003	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Titanium (Ti)-Dissolved	mg/L	0.0003	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Titanium (Ti)-Dissolved	mg/L	0.0003	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Titanium (Ti)-Dissolved	mg/L	0.0003	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Titanium (Ti)-Dissolved	mg/L	0.0003	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Titanium (Ti)-Total	mg/L	0.0003	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	0.00145
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Titanium (Ti)-Total	mg/L	0.0003	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	0.001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00495
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Titanium (Ti)-Total	mg/L	0.0015	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.0016
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Titanium (Ti)-Total	mg/L	0.0003	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00831
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Titanium (Ti)-Total	mg/L	0.0015	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0059
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Titanium (Ti)-Total	mg/L	0.0003	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.00032
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Total Dissolved Solids	mg/L	20	11/9/18 8:30	APHA 2540 C	mg/L	205
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Total Dissolved Solids	mg/L	20	11/9/18 8:30	APHA 2540 C	mg/L	215
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540 C	mg/L	197
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Total Dissolved Solids	mg/L	20	5/28/19 15:00	APHA 2540 C	mg/L	166
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Total Dissolved Solids	mg/L	13	8/13/19 15:30	APHA 2540 C	mg/L	189
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Total Dissolved Solids	mg/L	20	10/3/19 14:15	APHA 2540 C	mg/L	161
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Total Dissolved Solids	mg/L	20	3/14/20 13:00	APHA 2540 C	mg/L	207
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Total Inorganic Carbon	mg/L	1	11/15/18 5:15	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	38.4
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Total Inorganic Carbon	mg/L	1	11/15/18 5:15	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	38.2
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Total Inorganic Carbon	mg/L	1	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	24.9
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Total Inorganic Carbon	mg/L	1	5/30/19 14:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	40.8
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Total Inorganic Carbon	mg/L	1	8/11/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	31.5
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Total Inorganic Carbon	mg/L	1	10/8/19 10:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	29.4
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Total Inorganic Carbon	mg/L	5	3/15/20 7:00	APHA 5310 B-Instrumental	mg/L	19.3
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Total Kjeldahl Nitrogen	mg/L	0.008	11/14/18 10:00	APHA 4500-NORG (TKN)	mg/L	0.094
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Total Kjeldahl Nitrogen	mg/L	0.005	11/14/18 10:00	APHA 4500-NORG (TKN)	mg/L	0.165
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Total Kjeldahl Nitrogen	mg/L	0.005	3/18/19 00:00	APHA 4500-NORG (TKN)	mg/L	0.314
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Total Kjeldahl Nitrogen	mg/L	0.005	5/30/19 15:24	APHA 4500-N-Calculated	mg/L	0.403
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Total Kjeldahl Nitrogen	mg/L	0.005	8/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.687
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Total Kjeldahl Nitrogen	mg/L	0.2	10/4/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.33
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Total Kjeldahl Nitrogen	mg/L	0.005	3/12/20 10:00	APHA 4500-NORG (TKN)	mg/L	0.566
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Total Nitrogen	mg/L	0.005	11/14/18 13:41	APHA 4500 N-Calculated	mg/L	0.094
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Total Nitrogen	mg/L	0.005	11/14/18 13:41	APHA 4500 N-Calculated	mg/L	0.165
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Total Nitrogen	mg/L	0.005	3/20/19 13:13	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.314
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Total Nitrogen	mg/L	0.005	5/30/19 15:24	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.403
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Total Nitrogen	mg/L	0.005	8/16/19 15:40	APHA 5310 N-Calculated	mg/L	0.839
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Total Nitrogen	mg/L	0.2	10/4/19 15:32	APHA 5310 N-Calculated	mg/L	0.33
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Total Nitrogen	mg/L	0.005	3/12/20 14:00	APHA 5310 N-Calculated	mg/L	0.566
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Tungsten (W)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3510B/6020A (mod)	mg/L	-0.0001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Tungsten (W)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Tungsten (W)-Dissolved	mg/L	0.0001	5/29/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tungsten (W)-Dissolved	mg/L	0.0001	8/17/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Tungsten (W)-Dissolved	mg/L	0.0001	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Tungsten (W)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Tungsten (W)-Total	mg/L	0.0005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Tungsten (W)-Total	mg/L	0.0001	8/17/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00012
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Tungsten (W)-Total	mg/L	0.0001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00097
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Tungsten (W)-Total	mg/L	0.0001	5/29/19 15:00	EPA 3030B/6020A (mod)	mg/L	-0.00065
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tungsten (W)-Total	mg/L	0.0001	8/13/19 15:59	EPA 3030B/6020A (mod)	mg/L	-0.00096
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Tungsten (W)-Total	mg/L	0.0005	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Tungsten (W)-Total	mg/L	0.0005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Tungsten (V)-Dissolved	mg/L	0.0005	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Tungsten (V)-Dissolved	mg/L	0.0005	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Tungsten (V)-Dissolved	mg/L	0.0005	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Tungsten (V)-Dissolved	mg/L	0.0005	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Tungsten (V)-Dissolved	mg/L	0.0005	8/13/19 15:59	EPA 3030B/6020A (mod)	mg/L	-0.00009
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Tungsten (V)-Dissolved	mg/L	0.0005	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00009
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Tungsten (V)-Dissolved	mg/L	0.0002	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Zinc (Zn)-Dissolved	mg/L	0.0006	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.000644
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-4	Zinc (Zn)-Dissolved	mg/L	0.0006	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.000123
GW-3-A	L2242116	3/9/19 8:50	3/7/19	3:00 PM	L2242116-8	Zinc (Zn)-Dissolved	mg/L	0.0006	3/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.000018
GW-3-A	L2279628	5/27/19 12:24	5/26/19	9:50 AM	L2279628-3	Zinc (Zn)-Dissolved	mg/L	0.0006	3/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.000006
GW-3-A	L235901	8/9/19 9:00	8/7/19	2:25 PM	L235901-3	Zinc (Zn)-Dissolved	mg/L	0.0006	8/13/19 15:59	APHA 3030B/6020A (mod)	mg/L	-0.000006
GW-3-A	L2358663	10/2/19 9:50	9/30/19	1:32 PM	L2358663-4	Zinc (Zn)-Dissolved	mg/L	0.0006	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.000006
GW-3-A	L2426328	3/10/20 8:50	3/9/20	12:25 PM	L2426328-3	Zinc (Zn)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000002
GW-3-A	L2194370	11/8/18 9:30	11/5/18	3:45 PM	L2194370-3	Zirconium (Zr						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-3-B	L232901	8/19/9:00	8/7/19	1:50 PM	L232901-4	Acenaphthene d10	%	1	8/12/19 0:00	EPA 3511/8270D	%	88.8
GW-3-B	L2358663	10/2/19:50	9/30/19	1:50 PM	L2358663-5	Acenaphthene d10	%	1	10/10/19 0:00	EPA 3511/8270D	%	115.7
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Acenaphthene d10	%	1	3/13/20 0:00	EPA 3511/8270D	%	85.1
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Acenaphthylene	ug/L	0.01	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Acenaphthylene	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2358663	10/2/19:50	9/30/19	1:50 PM	L2358663-5	Acenaphthylene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Acenaphthylene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Acridine	ug/L	0.01	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Acridine	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Acridine	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Acridine	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3230 ALKALINITY	mg/L	141
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 3230 ALKALINITY	mg/L	171
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	5/29/19 10:00	APHA 3230 ALKALINITY	mg/L	142
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/11/19 18:00	APHA 3230 ALKALINITY	mg/L	141
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3230 ALKALINITY	mg/L	146
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/10/20 19:00	APHA 3230 ALKALINITY	mg/L	136
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3230 ALKALINITY	mg/L	5.4
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 3230 ALKALINITY	mg/L	-1
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	5/29/19 10:00	APHA 3230 ALKALINITY	mg/L	-1
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/11/19 8:00	APHA 3230 ALKALINITY	mg/L	3.8
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3230 ALKALINITY	mg/L	-1
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3230 ALKALINITY	mg/L	5.2
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 3230 ALKALINITY	mg/L	-1
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	5/29/19 10:00	APHA 3230 ALKALINITY	mg/L	142
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/11/19 8:00	APHA 3230 ALKALINITY	mg/L	145
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3230 ALKALINITY	mg/L	146
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Alkalinity, Total (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3230 ALKALINITY	mg/L	147
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Alkalinity, Total (as CaCO3)	mg/L	1	3/16/19 9:00	APHA 3230 ALKALINITY	mg/L	171
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Alkalinity, Total (as CaCO3)	mg/L	1	5/29/19 10:00	APHA 3230 ALKALINITY	mg/L	142
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Alkalinity, Total (as CaCO3)	mg/L	1	8/11/19 8:00	APHA 3230 ALKALINITY	mg/L	145
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Alkalinity, Total (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3230 ALKALINITY	mg/L	146
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Aluminum (Al)-Dissolved	mg/L	0.001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0085
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0028
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Aluminum (Al)-Dissolved	mg/L	0.001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.0027
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0043
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0028
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Aluminum (Al)-Dissolved	mg/L	0.001	1/2/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0044
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Aluminum (Al)-Dissolved	mg/L	0.001	1/20/20 19:30	APHA 3030B/6020A (mod)	mg/L	0.0523
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Aluminum (Al)-Dissolved	mg/L	0.001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.0174
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Aluminum (Al)-Dissolved	mg/L	0.001	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	0.0107
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0617
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Antimon (S)-Total	mg/L	0.003	5/30/19 14:00	APHA 4500 NH3-NITROGEN (AMMONIA)	mg/L	0.0135
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Antimon (S)-Total	mg/L	0.003	11/18/18 8:15	APHA 1030E	mg/L	3.4
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Antimon (S)-Total	mg/L	0.003	5/30/19 8:14	APHA 1030E	mg/L	3.39
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Antimon (S)-Total	mg/L	0.003	8/19/19 11:50	APHA 1030E	mg/L	3.47
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Antimon (S)-Total	mg/L	0.003	10/8/19 12:00	APHA 1030E	mg/L	3.48
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Anthracene	ug/L	0.001	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Anthracene	ug/L	0.001	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Anthracene	ug/L	0.001	5/29/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Anthracene	ug/L	0.001	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Anthracene	ug/L	0.001	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Antimony (Sb)-Dissolved	mg/L	0.0001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Antimony (Sb)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00016
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Antimony (Sb)-Dissolved	mg/L	0.0001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Antimony (Sb)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00029
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	0.00018
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Antimony (Sb)-Total	mg/L	0.0001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-3-B	L2242116	3/9/19:50	3/7/19	2:00 PM	L2242116-7	Antimony (Sb)-Total	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Antimony (Sb)-Total	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-3-B	L2358663	10/9/19:00	8/7/19	1:50 PM	L2358663-4	Antimony (Sb)-Total	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Antimony (Sb)-Total	mg/L	0.0001	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Benz(a)anthracene	ug/L	0.001	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Benz(a)anthracene	ug/L	0.001	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Beryllium (Be)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Beryllium (Be)-Total	mg/L	0.0005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Beryllium (Be)-Total	mg/L	0.0001	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Beryllium (Be)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Beryllium (Be)-Dissolved	mg/L	0.0001	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Boron (B)-Dissolved	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Boron (B)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Boron (B)-Dissolved	mg/L	0.01	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Boron (B)-Dissolved	mg/L	0.01	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Boron (B)-Dissolved	mg/L	0.01	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Boron (B)-Dissolved	mg/L	0.01	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Boron (B)-Total	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Boron (B)-Total	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Boron (B)-Total	mg/L	0.01	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Boron (B)-Total	mg/L	0.01	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Boron (B)-Total	mg/L	0.01	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Boron (B)-Total	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Bromide (Br)	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Bromide (Br)	mg/L	0.00005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.013
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Bromide (Br)	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.011
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Bromide (Br)	mg/L	0.00005	8/18/19 11:39	EPA 3030B/6020A (mod)	mg/L	0.014
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Bromide (Br)	mg/L	0.00005	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	0.014
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Bromide (Br)	mg/L	0.00005	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.014
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Bromide (Br)	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Bromide (Br)	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.013
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Bromide (Br)	mg/L	0.01	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Bromide (Br)	mg/L	0.01	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Bromide (Br)	mg/L	0.01	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Bromide (Br)	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000012
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000082
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cadmium (Cd)-Total	mg/L	0.00008	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000054
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cadmium (Cd)-Total	mg/L	0.00008	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0000151
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cadmium (Cd)-Total	mg/L	0.00008	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000028
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Cadmium (Cd)-Total	mg/L	0.00008	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.000059
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Cadmium (Cd)-Total	mg/L	0.00008	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000108
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Cadmium (Cd)-Total	mg/L	0.00008	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cadmium (Cd)-Total	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	36.4
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cadmium (Cd)-Total	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	38.6
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cadmium (Cd)-Total	mg/L	0.01	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	42.6
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Cadmium (Cd)-Total	mg/L	0.01	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	50
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Cadmium (Cd)-Total	mg/L	0.01	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	41
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Cadmium (Cd)-Total	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	42.3
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cadmium (Cd)-Total	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	41.9
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cadmium (Cd)-Total	mg/L	0.01	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	42.6
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cadmium (Cd)-Total	mg/L	0.01	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Cadmium (Cd)-Total	mg/L	0.01	8/18/19 11:50	APHA 3030B/6020A (mod)	mg/L	-1.3
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Cadmium (Cd)-Total	mg/L	0.01	10/3/19 11:50	APHA 3030B/6020A (mod)	mg/L	-1.9
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Cadmium (Cd)-Total	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-5.7
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cadmium - Anion Balance	%	0.00001	11/1/18 15:30	APHA 1030E	%	-1.1
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cadmium - Anion Balance	%	0.00001	3/13/19 16:15	APHA 1030E	%	2.87
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cadmium - Anion Balance	%	0.00001	5/29/19 14:55	APHA 1030E	%	2.99
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Cadmium - Anion Balance	%	0.00001	8/18/19 11:50	APHA 1030E	%	3.26
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Cadmium - Anion Balance	%	0.00001	10/3/19 11:50	APHA 1030E	%	3.62
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Cadmium - Anion Balance	%	0.00001	3/12/20 16:00	EPA 3030B/6020A (mod)	%	3.1
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Cesium (Cs)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Cesium (Cs)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 3030B		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2426328	11/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Conductivity ((@ 25C))	uS/cm	2	3/10/20 19:00	APHA 2510 B	uS/cm	294
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Copper (Cu)-Dissolved	mg/L	0.0002	1/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00073
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Copper (Cu)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Copper (Cu)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Copper (Cu)-Dissolved	mg/L	0.0002	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Copper (Cu)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Copper (Cu)-Total	mg/L	0.0005	1/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Copper (Cu)-Total	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0193
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Copper (Cu)-Total	mg/L	0.0025	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Copper (Cu)-Total	mg/L	0.0005	8/8/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00148
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Copper (Cu)-Total	mg/L	0.0005	10/10/19 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Copper (Cu)-Total	mg/L	0.0005	3/13/20 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Mercury Filtration Location			5/30/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Mercury Filtration Location			8/16/19 0:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Mercury Filtration Location			10/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Mercury Filtration Location			3/13/20 10:00	APHA 3030B/EPA 1631E (mod)	0 LAB	
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Metals Filtration Location			1/11/18 11:00	APHA 3030B/6020A (mod)	0 FIELD	
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Metals Filtration Location			3/13/19 8:00	APHA 3030B/6020A (mod)	0 LAB	
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Metals Filtration Location			5/29/19 8:00	APHA 3030B/6020A (mod)	0 FIELD	
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Metals Filtration Location			8/16/19 8:00	APHA 3030B/6020A (mod)	0 FIELD	
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Metals Filtration Location			10/3/19 8:00	APHA 3030B/6020A (mod)	0 FIELD	
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Metals Filtration Location			3/12/20 12:00	APHA 3030B/6020A (mod)	0 LAB	
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Organic Carbon	mg/L	0.5	1/11/18 8:00	APHA 5310 B-Instrumental	mg/L	0.59
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 B-Instrumental	mg/L	0.59
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Organic Carbon	mg/L	0.5	5/28/19 0:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Organic Carbon	mg/L	0.5	8/13/19 8:00	APHA 5310 B-Instrumental	mg/L	0.93
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Organic Carbon	mg/L	0.5	10/10/19 0:00	APHA 5311 B-Instrumental	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Fluoranthene	ug/L	0.01	1/11/18 8:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Fluoranthene	ug/L	0.01	5/28/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Fluoranthene	ug/L	0.01	8/12/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Fluoranthene	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Fluoranthene	ug/L	0.01	3/13/20 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Fluorene	ug/L	0.01	1/11/18 8:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Fluorene	ug/L	0.01	3/19/19 8:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Fluorene	ug/L	0.01	5/27/19 9:41	EPAA 300 1 (mod)	mg/L	0.203
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Fluorene	ug/L	0.01	8/19/19 9:26	EPAA 300 1 (mod)	mg/L	0.188
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Fluorene	ug/L	0.01	10/2/19 9:48	EPAA 300 1 (mod)	mg/L	0.217
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Fluorene	ug/L	0.01	3/10/20 9:26	EPAA 300 1 (mod)	mg/L	0.254
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Hardness (as CaCO3)	mg/L	0.5	1/11/18 8:15	APHA 2340 B	mg/L	137
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Hardness (as CaCO3)	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	144
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Hardness (as CaCO3)	mg/L	0.5	5/30/19 8:14	APHA 2340 B	mg/L	158
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Hardness (as CaCO3)	mg/L	0.5	8/19/19 11:50	APHA 2340 B	mg/L	176
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Hardness (as CaCO3)	mg/L	0.5	10/5/19 11:02	APHA 2340 B	mg/L	150
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Hardness (as CaCO3)	mg/L	0.5	3/10/20 16:59	APHA 2340 B	mg/L	0
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Indeno[1,3,2-c]pyrene	ug/L	0.01	1/17/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Indeno[1,3,2-c]pyrene	ug/L	0.01	5/28/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Indeno[1,3,2-c]pyrene	ug/L	0.01	8/12/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Indeno[1,3,2-c]pyrene	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Indeno[1,3,2-c]pyrene	ug/L	0.01	3/13/20 0:00	EPAA 3511/8/270D	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	1/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.01
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.015
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.052
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	0.038
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Iron (Fe)-Total	mg/L	0.01	1/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.053
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Iron (Fe)-Total	mg/L	0.01	3/13/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.211
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Iron (Fe)-Total	mg/L	0.01	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	0.316
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Iron (Fe)-Total	mg/L	0.01	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.193
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Iron (Fe)-Total	mg/L	0.01	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0963
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Iron (Fe)-Total	mg/L	0.01	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.027
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Lead (Pb)-Dissolved	mg/L	0.0028	5/29/19 14:59	EPAA 200/2/6020A (mod)	mg/L	-0.0042
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Dissolved Lead (Pb)-Dissolved	mg/L	0.0005	8/18/19 11:39	EPAA 200/2/6020A (mod)	mg/L	0.00324
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Dissolved Lead (Pb)-Dissolved	mg/L	0.0005	5/29/19 14:59	EPAA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	L235901-4	Dissolved Lead (Pb)-Dissolved	mg/L	0.0005	8/18/19 10:44	EPAA 200/2/6020A (mod)	mg/L	0.00005
GW-3-B	L2279628	10/21/19 9:50	9/30/19	1:05 PM	L2279628-4	Dissolved Lead (Pb)-Dissolved	mg/L	0.0005	10/3/19 16:00	EPAA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Dissolved Lead (Pb)-Dissolved	mg/L	0.0005	3/12/20 16:00	EPAA 200/2/6020A (mod)	mg/L	0.00005
GW-3-B	L2192945	11/6/18 12:20	1/14/18	1:07 PM	L2192945-3	Dissolved Lithium (Li)-Dissolved	mg/L	0.0001	1/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0059
GW-3-B	L224116	3/9/19 8:50	3/7/19									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Mercury (Hg)-Total	mg/L	0.000005	3/12/20 16:45	EPA 1631E (mod)	mg/L	-0.00005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/1/18 15:30	EPA 3030B/6020A (mod)	mg/L	0.00225
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	0.00156
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.00107
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/8/19 10:44	EPA 3030B/6020A (mod)	mg/L	0.000954
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.00127
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Molybdenum (Mo)-Total	mg/L	0.00005	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.00219
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Molybdenum (Mo)-Total	mg/L	0.00005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.00165
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Molybdenum (Mo)-Total	mg/L	0.00025	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.00106
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Molybdenum (Mo)-Total	mg/L	0.00005	8/8/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.00102
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Molybdenum (Mo)-Total	mg/L	0.00008	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.000965
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Molybdenum (Mo)-Total	mg/L	0.00005	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.00111
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Nickel (Ni)-Dissolved	mg/L	0.00005	11/1/18 15:30	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Nickel (Ni)-Dissolved	mg/L	0.00005	5/28/19 17:27	EPA 3030B/6020A (mod)	mg/L	0.000085
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Nickel (Ni)-Dissolved	mg/L	0.00005	8/8/19 12:09	EPA 3030B/6020A (mod)	mg/L	0.000069
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Nickel (Ni)-Dissolved	mg/L	0.00005	10/3/19 16:00	EPA 3030B/6020A (mod)	mg/L	0.000042
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/20 00:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Nickel (Ni)-Dissolved	mg/L	0.00005	11/1/18 15:30	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Nickel (Ni)-Dissolved	mg/L	0.00005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Nickel (Ni)-Dissolved	mg/L	0.00005	8/8/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.000069
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Nickel (Ni)-Dissolved	mg/L	0.00005	10/3/19 16:00	EPA 3030B/6020A (mod)	mg/L	0.000042
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/20 00:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Nickel (Ni)-Total	mg/L	0.00005	11/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Nickel (Ni)-Total	mg/L	0.00005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.000069
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Nickel (Ni)-Total	mg/L	0.00005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.000069
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Nickel (Ni)-Total	mg/L	0.00005	8/8/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.000069
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Nickel (Ni)-Total	mg/L	0.00005	10/3/19 16:00	EPA 3030B/6020A (mod)	mg/L	0.000042
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Nickel (Ni)-Total	mg/L	0.00005	3/13/20 00:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Orthophosphate-Dissolved (as P)	mg/L	0.00001	11/1/18 10:50	EPA 4500-P PHOSPHORUS	mg/L	0.00012
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Orthophosphate-Dissolved (as P)	mg/L	0.00001	3/10/19 9:40	EPA 4500-P PHOSPHORUS	mg/L	0.00012
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Orthophosphate-Dissolved (as P)	mg/L	0.00001	5/27/19 17:46	EPA 4500-P PHOSPHORUS	mg/L	-0.00001
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Orthophosphate-Dissolved (as P)	mg/L	0.00001	8/8/19 17:59	EPA 4500-P PHOSPHORUS	mg/L	-0.00001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Orthophosphate-Dissolved (as P)	mg/L	0.00001	10/3/19 14:40	EPA 4500-P PHOSPHORUS	mg/L	0.00013
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Orthophosphate-Dissolved (as P)	mg/L	0.00001	3/10/20 16:01	EPA 4500-P PHOSPHORUS	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	pH	pH	0.1	11/18/12 00	EPA 4500-H Electrode	pH	8.39
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	pH	pH	0.1	3/18/19 0:00	EPA 4500-H Electrode	pH	8.19
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	pH	pH	0.1	5/29/19 10:00	EPA 4500-H Electrode	pH	7.97
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	pH	pH	0.1	8/11/19 8:00	EPA 4500-H Electrode	pH	8.31
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	pH	pH	0.1	10/4/19 14:00	EPA 4500-H Electrode	pH	8.06
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	pH	pH	0.1	3/10/20 19:00	EPA 4500-H Electrode	pH	8.41
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Phenanthrene	ug/L	0.02	11/18/12 00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Phenanthrene	ug/L	0.02	3/10/19 20:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Phenanthrene	ug/L	0.02	5/28/19 11:47	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Phenanthrene	ug/L	0.02	8/12/19 0:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Phenanthrene	ug/L	0.02	10/10/19 0:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Phenanthrene	ug/L	0.02	3/12/20 0:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Phenanthrene	ug/L	0.02	11/1/18 10:00	EPA 3511/8/270D	mg/L	99.8
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Phenanthrene	ug/L	0.02	1/5/19 0:00	EPA 3511/8/270D	mg/L	114.7
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Phenanthrene	ug/L	0.02	1/8/19 0:00	EPA 3511/8/270D	mg/L	94.2
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Phenanthrene	ug/L	0.02	1/10/19 0:00	EPA 3511/8/270D	mg/L	117.3
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Phenanthrene	ug/L	0.02	1/13/20 0:00	EPA 3511/8/270D	mg/L	109.8
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Phenanthrene	ug/L	0.02	1/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00002
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.00021
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00001
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Phenols (4AAP)	mg/L	0.0001	1/1/19 13:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 3030B/6020A (mod)	mg/L	0.44
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:50 PM	L235901-4	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.474
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	L224116-7	Potassium (K)-Dissolved	mg/L	0.00005	1/1/18 15:30	EPA 3030B/6020A (mod)	mg/L	

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Selenium (Se)-Total	mg/L	0.00025	5/29/19 14:59	EPA 200_2/6020A (mod)	mg/L	0.00064
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Selenium (Se)-Total	mg/L	0.00005	8/18/19 11:39	EPA 200_2/6020A (mod)	mg/L	0.00022
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Selenium (Se)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	0.00026
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Selenium (Se)-Total	mg/L	0.00005	3/11/20 16:00	EPA 200_2/6020A (mod)	mg/L	0.00036
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Silicon (Si)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	3.38
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Silicon (Si)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	3.86
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Silicon (Si)-Dissolved	mg/L	0.05	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	3.52
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Silicon (Si)-Dissolved	mg/L	0.05	8/18/19 11:39	EPA 200_2/6020A (mod)	mg/L	4.03
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	3.53
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Silicon (Si)-Dissolved	mg/L	0.05	3/11/20 16:00	EPA 200_2/6020A (mod)	mg/L	3.94
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Silicon (Si)-Total	mg/L	0.3	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	3.7
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Silicon (Si)-Total	mg/L	0.3	3/13/19 16:15	EPA 200_2/6020A (mod)	mg/L	4.66
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Silicon (Si)-Total	mg/L	0.25	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	3.66
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Silicon (Si)-Total	mg/L	0.05	8/18/19 11:39	EPA 200_2/6020A (mod)	mg/L	4.03
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Silicon (Si)-Total	mg/L	0.05	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	3.53
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Silicon (Si)-Total	mg/L	0.05	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	3.82
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Silver (Ag)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Silver (Ag)-Dissolved	mg/L	0.00001	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Silver (Ag)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Silver (Ag)-Dissolved	mg/L	0.00001	3/11/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Silver (Ag)-Total	mg/L	0.05	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	-0.00001
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Silver (Ag)-Total	mg/L	0.05	3/13/19 16:15	EPA 200_2/6020A (mod)	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Silver (Ag)-Total	mg/L	0.00005	5/29/19 14:59	APHA 200_2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Silver (Ag)-Total	mg/L	0.05	8/18/19 11:39	EPA 200_2/6020A (mod)	mg/L	-0.00001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Silver (Ag)-Total	mg/L	0.05	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Silver (Ag)-Total	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sodium (Na)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	2.64
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sodium (Na)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	2.09
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sodium (Na)-Dissolved	mg/L	0.05	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	2.04
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	1.85
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	1.74
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	1.98
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sodium (Na)-Total	mg/L	0.05	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	2.16
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	EPA 200_2/6020A (mod)	mg/L	2.47
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sodium (Na)-Total	mg/L	0.05	5/29/19 14:59	APHA 200_2/6020A (mod)	mg/L	1.77
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sodium (Na)-Total	mg/L	0.05	8/18/19 11:39	EPA 200_2/6020A (mod)	mg/L	1.94
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sodium (Na)-Total	mg/L	0.05	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	1.73
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sodium (Na)-Total	mg/L	0.05	3/12/20 16:00	EPA 200_2/6020A (mod)	mg/L	1.98
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sodium (Na)-Total	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sodium (Na)-Total	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sodium (Na)-Total	mg/L	0.00005	5/29/19 14:59	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sodium (Na)-Total	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sodium (Na)-Total	mg/L	0.00001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sodium (Na)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sulfate (SO4)-Dissolved	mg/L	0.3	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	21.6
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sulfate (SO4)-Dissolved	mg/L	0.3	3/11/19 8:00	EPA 300_1 (mod)	mg/L	0.155
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sulfate (SO4)-Dissolved	mg/L	0.00002	5/29/19 14:59	EPA 300_1 (mod)	mg/L	0.192
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sulfate (SO4)-Dissolved	mg/L	0.00002	8/18/19 10:44	EPA 300_1 (mod)	mg/L	0.164
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sulfate (SO4)-Dissolved	mg/L	0.00002	10/3/19 16:20	EPA 300_1 (mod)	mg/L	0.174
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sulfate (SO4)-Dissolved	mg/L	0.00002	3/12/20 16:00	EPA 300_1 (mod)	mg/L	0.154
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sulfate (SO4)	mg/L	0.3	11/1/18 15:30	APHA 300_1 (mod)	mg/L	21.6
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sulfate (SO4)	mg/L	0.3	3/11/19 8:00	EPA 300_1 (mod)	mg/L	22.2
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sulfate (SO4)	mg/L	0.3	5/27/19 14:41	APHA 300_1 (mod)	mg/L	25.5
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sulfate (SO4)	mg/L	0.3	8/19/19 26	EPA 300_1 (mod)	mg/L	25.7
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sulfate (SO4)	mg/L	0.3	10/2/19 49	EPA 300_1 (mod)	mg/L	26.2
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sulfate (SO4)	mg/L	0.3	3/10/20 9:26	EPA 300_1 (mod)	mg/L	21.3
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sulfur (Te)-Dissolved	mg/L	0.5	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	7.6
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sulfur (Te)-Dissolved	mg/L	0.5	3/13/19 16:15	EPA 200_2/6020A (mod)	mg/L	8.24
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sulfur (Te)-Dissolved	mg/L	0.5	5/29/19 14:59	EPA 200_2/6020A (mod)	mg/L	8.47
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sulfur (Te)-Dissolved	mg/L	0.5	8/18/19 10:44	EPA 200_2/6020A (mod)	mg/L	9.43
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sulfur (Te)-Dissolved	mg/L	0.5	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	9.23
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	L2426328-4	Sulfur (Te)-Dissolved	mg/L	0.5	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	7.53
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Sulfur (Te)-Total	mg/L	0.5	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	6.89
GW-3-B	L2242116	3/9/19 8:50	3/7/19	2:00 PM	L2242116-7	Sulfur (Te)-Total	mg/L	0.5	3/13/19 16:15	EPA 200_2/6020A (mod)	mg/L	8.16
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	L2279628-4	Sulfur (Te)-Total	mg/L	0.25	5/29/19 14:59	APHA 200_2/6020A (mod)	mg/L	7.6
GW-3-B	L2325901	8/9/19 9:00	8/7/19	1:50 PM	L2325901-4	Sulfur (Te)-Total	mg/L	0.5	8/18/19 11:39	APHA 200_2/6020A (mod)	mg/L	9.92
GW-3-B	L2358663	10/2/19 9:50	9/30/19	1:50 PM	L2358663-5	Sulfur (Te)-						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Total Dissolved Solids	mg/L	20	10/3/19 14:19	APHA 2540 C	mg/L	181
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Total Dissolved Solids	mg/L	20	3/14/20 13:00	APHA 2540 C	mg/L	214
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Total Inorganic Carbon	mg/L	1	11/11/18 9:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	35.9
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Total Inorganic Carbon	mg/L	1	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	34.7
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Total Inorganic Carbon	mg/L	1	5/30/19 03:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	36.8
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Total Inorganic Carbon	mg/L	1	8/11/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	33
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Total Inorganic Carbon	mg/L	1.5	10/9/19 11:11	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	34.5
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Total Inorganic Carbon	mg/L	5	3/15/20 7:00	APHA 5310B-B Instrumental	mg/L	27.1
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Total Kjeldahl Nitrogen	mg/L	0.05	11/11/18 10:00	APHA 4500-NORG (TKN)	mg/L	0.133
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Total Kjeldahl Nitrogen	mg/L	0.05	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	0.132
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Total Kjeldahl Nitrogen	mg/L	0.05	5/30/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.25
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Total Kjeldahl Nitrogen	mg/L	0.05	8/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.239
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Total Kjeldahl Nitrogen	mg/L	0.05	10/9/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.05
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Total Kjeldahl Nitrogen	mg/L	0.05	3/12/20 14:50	APHA 4500 N-Calculated	mg/L	0.055
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Total Organic Carbon	mg/L	0.5	11/12/18 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.88
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Total Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.26
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Total Organic Carbon	mg/L	0.5	5/28/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	9.86
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Total Organic Carbon	mg/L	0.5	8/13/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.45
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Total Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.56
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Total Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 N-Calculated	mg/L	0.5
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Tungsten (W)-Dissolved	mg/L	0.0003	11/11/18 16:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Tungsten (W)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Tungsten (W)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Tungsten (W)-Dissolved	mg/L	0.0001	10/9/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Tungsten (W)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Tungsten (W)-Total	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Tungsten (W)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Tungsten (W)-Total	mg/L	0.0005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Tungsten (W)-Total	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000361
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Tungsten (W)-Total	mg/L	0.0001	10/9/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000266
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Tungsten (W)-Total	mg/L	0.0001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.000307
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Vanadium (V)-Dissolved	mg/L	0.0005	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Vanadium (V)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Vanadium (V)-Dissolved	mg/L	0.0005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000291
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Vanadium (V)-Dissolved	mg/L	0.0005	10/9/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000289
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Vanadium (V)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.000288
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Vanadium (V)-Total	mg/L	0.0005	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Vanadium (V)-Total	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Vanadium (V)-Total	mg/L	0.0005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Vanadium (V)-Total	mg/L	0.0005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000318
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Vanadium (V)-Total	mg/L	0.0005	10/9/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000361
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Vanadium (V)-Total	mg/L	0.0005	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.000286
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Vanadium (V)-Dissolved	mg/L	0.0001	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Vanadium (V)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Vanadium (V)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Vanadium (V)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000291
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Vanadium (V)-Dissolved	mg/L	0.0001	10/9/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000289
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Vanadium (V)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.000288
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Zirconium (Zr)-Dissolved	ug/L	0.0008	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Zirconium (Zr)-Dissolved	ug/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Zirconium (Zr)-Dissolved	ug/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Zirconium (Zr)-Dissolved	ug/L	0.0005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Zirconium (Zr)-Dissolved	ug/L	0.0005	10/9/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Zirconium (Zr)-Dissolved	ug/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-B	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-3	Zirconium (Zr)-Total	mg/L	0.0006	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-3-B	L224116	3/9/19 8:50	3/7/19	2:00 PM	C224116-7	Zirconium (Zr)-Total	mg/L	0.0006	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-3-B	L2279628	5/27/19 12:24	5/26/19	10:30 AM	C2279628-4	Zirconium (Zr)-Total	mg/L	0.0006	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-3-B	L235901	8/9/19 9:00	8/7/19	1:05 PM	C235901-4	Zirconium (Zr)-Total	mg/L	0.0006	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000606
GW-3-B	L2358663	10/21/9:50	9/30/19	1:50 PM	C2358663-5	Zirconium (Zr)-Total	mg/L	0.0006	10/9/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000606
GW-3-B	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-4	Zirconium (Zr)-Total	mg/L	0.0006	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.000606
GW-3-C	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-4	1-Methylnaphthalene	ug/L	0.05	11/17/18 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	C2279628-5	1-Methylnaphthalene	ug/L	0.05	5/28/19 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	C235901-5	1-Methylnaphthalene	ug/L	0.05	8/12/19 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-C	L2358663	10/21/9:50	9/30/19	1:05 PM	C2358663-3	1-Methylnaphthalene	ug/L	0.05	10/10/19 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:05 PM	C2426328-5	1-Methylnaphthalene	ug/L	0.05	3/13/20 0:00	APHA 3511/8/270D	mg/L	-0.0005
GW-3-C	L2192945	11/6/18 12:20	11/4/18	1:07 PM	L2192945-4	Aceanaphthene	ug/L	0.01	11/17/18 0:00	APHA 3511/8/270D	mg/L	-0.0001
GW-3-C												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	11/18/18 10:00	EPA 2320 ALKALINITY	mg/L	123
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	EPA 2320 ALKALINITY	mg/L	136
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	5/29/19 10:30	EPA 2320 ALKALINITY	mg/L	125
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/11/19 8:00	EPA 2320 ALKALINITY	mg/L	119
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	EPA 2320 ALKALINITY	mg/L	128
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/10/20 19:00	EPA 2320 ALKALINITY	mg/L	121
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Aluminum (Al)-Dissolved	mg/L	0.0001	11/13/18 15:30	EPA 3030B/6020A (mod)	mg/L	0.0029
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Aluminum (Al)-Dissolved	mg/L	0.0001	3/13/19 14:37	EPA 3030B/6020A (mod)	mg/L	0.0032
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Aluminum (Al)-Dissolved	mg/L	0.0001	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.0017
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Aluminum (Al)-Dissolved	mg/L	0.0001	8/18/19 10:44	EPA 3030B/6020A (mod)	mg/L	0.0019
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Aluminum (Al)-Dissolved	mg/L	0.0001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	0.0002
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Aluminum (Al)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.0028
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Ammonia (N)	mg/L	0.005	11/8/18 19:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0175
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Ammonia (N)	mg/L	0.005	3/10/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Ammonia (N)	mg/L	0.005	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0228
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Ammonia (N)	mg/L	0.005	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0395
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Ammonia (N)	mg/L	0.005	3/11/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0247
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Ammonia, Total (as N)	mg/L	0.005	5/30/19 14:00	EPA 4500 NH <sub>3</sub> -NITROGEN (AMMONIA)	mg/L	0.0073
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Anion Sum	meq/L	1	11/14/18 8:30	APHA 1030E	meq/L	3.11
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Anion Sum	meq/L	1	3/19/19 14:18	APHA 1030E	meq/L	3.53
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Anion Sum	meq/L	1	10/7/19 12:24	APHA 1030E	meq/L	2.91
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Anion Sum	meq/L	1	3/13/20 14:35	APHA 1030E	meq/L	3.07
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Anion Sum	meq/L	1	3/12/20 16:00	EPA 3030B/6020A (mod)	meq/L	2.68
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Anion Sum	meq/L	1	5/30/19 8:14	APHA 1030E	meq/L	2.6
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Anion Sum	meq/L	1	8/19/19 11:50	APHA 1030E	meq/L	-0.0001
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Anion Sum	meq/L	1	3/12/20 16:00	EPA 3030B/6020A (mod)	meq/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Anthracene	ug/L	0.01	11/7/18 00:00	EPA 3511/8270D	ug/L	-0.0001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Anthracene	ug/L	0.01	3/12/20 16:00	EPA 3511/8270D	ug/L	-0.0001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Anthracene	ug/L	0.01	5/28/19 00:00	EPA 3511/8270D	ug/L	-0.0001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Anthracene	ug/L	0.01	8/12/19 00:00	EPA 3511/8270D	ug/L	-0.0001
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Anthracene	ug/L	0.01	10/10/19 00:00	EPA 3511/8270D	ug/L	-0.0001
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Anthracene	ug/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	ug/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Antimony (Sb)-Dissolved	mg/L	0.0001	11/13/18 15:30	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 14:37	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Antimony (Sb)-Dissolved	mg/L	0.0001	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 10:44	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Antimony (Sb)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Antimony (Sb)-Total	mg/L	0.0001	11/13/18 15:30	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Antimony (Sb)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Antimony (Sb)-Total	mg/L	0.0001	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Antimony (Sb)-Total	mg/L	0.0001	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	-0.0012
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Antimony (Sb)-Total	mg/L	0.0001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0018
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Antimony (Sb)-Total	mg/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.0004
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Arsenic (As)-Dissolved	mg/L	0.0001	11/13/18 15:30	EPA 3030B/6020A (mod)	mg/L	0.00014
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Arsenic (As)-Dissolved	mg/L	0.0001	3/13/19 14:37	EPA 3030B/6020A (mod)	mg/L	0.00015
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Arsenic (As)-Dissolved	mg/L	0.0001	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.00015
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 10:44	EPA 3030B/6020A (mod)	mg/L	0.00013
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Arsenic (As)-Dissolved	mg/L	0.0001	10/3/19 16:20	EPA 3030B/6020A (mod)	mg/L	0.00013
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Arsenic (As)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.00026
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Arsenic (As)-Total	mg/L	0.0001	11/13/18 15:30	EPA 3030B/6020A (mod)	mg/L	0.00015
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Arsenic (As)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.00026
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Arsenic (As)-Total	mg/L	0.0001	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.00026
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Arsenic (As)-Total	mg/L	0.0001	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.0043
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Arsenic (As)-Total	mg/L	0.0001	10/10/19 00:00	EPA 3511/8270D	mg/L	0.0378
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Arsenic (As)-Total	mg/L	0.0001	3/12/20 16:00	EPA 3511/8270D	mg/L	0.0402
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Benz(a)anthracene	ug/L	0.0001	11/7/18 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Benz(a)anthracene	ug/L	0.0001	3/12/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Benz(a)anthracene	ug/L	0.0001	5/28/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Benz(a)anthracene	ug/L	0.0001	8/12/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Benz(a)anthracene	ug/L	0.0001	10/10/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Benz(a)anthracene	ug/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	ug/L	-0.00001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Benz(b)fluoranthene	ug/L	0.0001	11/7/18 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Benz(b)fluoranthene	ug/L	0.0001	3/12/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Benz(b)fluoranthene	ug/L	0.0001	5/28/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Benz(b)fluoranthene	ug/L	0.0001	8/12/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2358663	10/21/19 9:50	9/30/19	1:05 PM	L2358663-3	Benz(b)fluoranthene	ug/L	0.0001	10/10/19 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2426326	3/10/20 8:50	3/9/20	1:30 PM	L2426326-5	Benz(b)fluoranthene	ug/L	0.0001	3/12/20 1			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Bromide (Br)	mg/L	0.05	5/27/19 11:49	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Bromide (Br)	mg/L	0.05	8/9/19 22:56	EPA 3001 (mod)	mg/L	-0.05
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Bromide (Br)	mg/L	0.05	10/2/19 09:48	EPA 3001 (mod)	mg/L	-0.05
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Bromide (Br)	mg/L	0.05	3/10/20 09:26	EPA 3001 (mod)	mg/L	-0.05
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Cadmium (Cd)-Dissolved	mg/L	0.000005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0000067
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	0.0000059
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Cadmium (Cd)-Dissolved	mg/L	0.000005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000007
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0000062
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Cadmium (Cd)-Total	mg/L	0.000005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0000056
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Cadmium (Cd)-Total	mg/L	0.000005	3/13/19 16:18	APHA 200/26020A (mod)	mg/L	-0.000005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Cadmium (Cd)-Total	mg/L	0.000025	5/29/19 14:55	APHA 200/26020A (mod)	mg/L	-0.000025
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Cadmium (Cd)-Total	mg/L	0.000005	8/18/19 11:39	APHA 200/26020A (mod)	mg/L	0.0000119
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Cadmium (Cd)-Total	mg/L	0.000005	10/3/19 16:20	APHA 200/26020A (mod)	mg/L	0.0000147
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Cadmium (Cd)-Total	mg/L	0.000005	3/11/20 16:00	APHA 200/26020A (mod)	mg/L	0.0000171
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Calcium (Ca)-Dissolved	mg/L	0.05	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	40.7
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	38.2
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Calcium (Ca)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	32.8
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Calcium (Ca)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	40.6
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	36.2
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	40.6
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Calcium (Ca)-Total	mg/L	0.05	11/1/18 15:30	APHA 200/26020A (mod)	mg/L	44.1
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	APHA 200/26020A (mod)	mg/L	41.5
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Calcium (Ca)-Total	mg/L	0.25	5/29/19 14:55	APHA 200/26020A (mod)	mg/L	37.8
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Calcium (Ca)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/26020A (mod)	mg/L	41.7
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Calcium (Ca)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/26020A (mod)	mg/L	34.4
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Calcium (Ca)-Total	mg/L	0.05	3/11/20 16:00	APHA 200/26020A (mod)	mg/L	43.4
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Calcium - Anion Balance	%		11/14/18 8:30	APHA 1030E	%	0.6
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Calcium - Anion Balance	%		3/19/19 14:18	APHA 1030E	%	-6.7
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Calcium - Anion Balance	%		5/30/19 8:14	APHA 1030E	%	-4.9
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Calcium - Anion Balance	%		8/19/19 11:50	APHA 1030E	%	5.2
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Calcium - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-4.9
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Calcium - Anion Balance	%		3/13/20 14:35	APHA 1030E	%	-0.9
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Cesium (Cs)-Dissolved	mg/L	0.000001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Cesium (Cs)-Dissolved	mg/L	0.000001	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Cesium (Cs)-Dissolved	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Cesium (Cs)-Dissolved	mg/L	0.000001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Cesium (Cs)-Dissolved	mg/L	0.000001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Cesium (Cs)-Dissolved	mg/L	0.000001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Cesium (Cs)-Total	mg/L	0.000001	11/1/18 15:30	APHA 200/26020A (mod)	mg/L	0.0000037
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Cesium (Cs)-Total	mg/L	0.000001	3/13/19 14:37	APHA 200/26020A (mod)	mg/L	0.0000017
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Cesium (Cs)-Total	mg/L	0.000001	5/29/19 14:55	APHA 200/26020A (mod)	mg/L	0.0000048
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Cesium (Cs)-Total	mg/L	0.000001	8/18/19 11:39	APHA 200/26020A (mod)	mg/L	-10
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Cesium (Cs)-Total	mg/L	0.000001	10/3/19 16:20	APHA 200/26020A (mod)	mg/L	-10
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Cesium (Cs)-Total	mg/L	0.000001	3/12/20 16:00	APHA 200/26020A (mod)	mg/L	-10
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Chemical Oxygen Demand	mg/L	10	11/18/00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Chemical Oxygen Demand	mg/L	10	3/12/19 09:00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Chemical Oxygen Demand	mg/L	10	5/29/19 09:00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Chemical Oxygen Demand	mg/L	10	8/13/19 09:00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Chemical Oxygen Demand	mg/L	10	10/19/19 00:00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Chemical Oxygen Demand	mg/L	10	3/13/20 00:00	APHA 5220 D Colormetry	mg/L	-10
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Chloride (Cl)-Dissolved	mg/L	0.000001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000029
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Chloride (Cl)-Dissolved	mg/L	0.000001	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	0.000025
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Chloride (Cl)-Dissolved	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.000022
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Chloride (Cl)-Dissolved	mg/L	0.000001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000006
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Chloride (Cl)-Dissolved	mg/L	0.000001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000004
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Chloride (Cl)-Dissolved	mg/L	0.000001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.000008
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Chloride (Cl)-Total	mg/L	0.000001	11/1/18 15:30	APHA 200/26020A (mod)	mg/L	-0.000001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Chloride (Cl)-Total	mg/L	0.000001	3/13/19 16:15	APHA 200/26020A (mod)	mg/L	-0.000005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Chloride (Cl)-Total	mg/L	0.000001	5/29/19 14:55	APHA 200/26020A (mod)	mg/L	-0.000005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Chloride (Cl)-Total	mg/L	0.000001	8/18/19 11:39	APHA 200/26020A (mod)	mg/L	-0.000005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	2358663-3	Chloride (Cl)-Total	mg/L	0.000001	10/10/19 00:00	APHA 3511/8270D	mg/L	-0.000005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	2426328-5	Chloride (Cl)-Total	mg/L	0.000001	3/13/20 00:00	APHA 3511/8270D	mg/L	91.7
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	2192945-4	Cobalt (Co)-Dissolved	mg/L	0.000001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	2242116-9	Cobalt (Co)-Dissolved	mg/L	0.000001	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	2279628-5	Cobalt (Co)-Dissolved	mg/L	0.000001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.000001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	2325901-5	Cobalt (Co)-Dissolved	mg/L	0.000001	8/18/19 10:44	APHA 3030B/6020A (mod)		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Dissolved Organic Carbon	mg/L	0.5	8/13/19 8:00	APHA 5310 B-Instrumental	mg/L	1.1
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Dissolved Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310 B-Instrumental	mg/L	1
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Dissolved Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Fluoranthene	ug/L	0.01	11/7/18 0:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Fluoranthene	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	3:02 PM	L2358663-3	Fluoranthene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Fluoranthene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	ug/L	-0.00001
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Fluoride (F)	mg/L	0.02	11/7/18 9:29	APHA 300.1 (mod)	mg/L	0.21
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Fluoride (F)	mg/L	0.02	3/12/19 11:23	APHA 300.1 (mod)	mg/L	0.19
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Fluoride (F)	mg/L	0.02	5/27/19 9:41	APHA 300.1 (mod)	mg/L	0.199
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Fluoride (F)	mg/L	0.02	8/12/19 0:00	EPA 3511/8270D	mg/L	0.18
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Fluoride (F)	mg/L	0.02	10/10/19 0:00	EPA 3511/8270D	mg/L	0.206
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Fluoride (F)	mg/L	0.02	3/10/20 9:26	APHA 300.1 (mod)	mg/L	0.167
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	11/14/18 8:30	APHA 2340 B	mg/L	149
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/19/19 14:18	APHA 2340 B	mg/L	152
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	5/30/19 8:14	APHA 2340 B	mg/L	120
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/19/19 11:50	APHA 2340 B	mg/L	142
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/4/19 12:17	APHA 2340 B	mg/L	130
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/10/20 16:55	APHA 2340 B	0	149
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Iron Balance	mg/L	0.01	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Iron Balance	mg/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Iron Balance	mg/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Iron Balance	mg/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Iron Balance	mg/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Iron Balance	mg/L	0.01	10/7/19 12:34	APHA 1030E	mg/L	90.7
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Iron Balance	mg/L	0.01	3/13/20 14:40	APHA 1030E	mg/L	98.2
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Iron (Fe)-Dissolved	mg/L	0.01	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Iron (Fe)-Dissolved	mg/L	0.01	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Lead (Pb)-Dissolved	mg/L	0.00005	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Lead (Pb)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Lead (Pb)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Lead (Pb)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Lead (Pb)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Lead (Pb)-Total	mg/L	0.00005	11/13/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Lead (Pb)-Total	mg/L	0.00005	3/13/19 16:13	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Lead (Pb)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Lead (Pb)-Total	mg/L	0.00005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Lead (Pb)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Lead (Pb)-Total	mg/L	0.00005	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Manganese (Mn)-Dissolved	mg/L	0.00005	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Manganese (Mn)-Dissolved	mg/L	0.00005	3/13/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Manganese (Mn)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Manganese (Mn)-Dissolved	mg/L	0.00005	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Manganese (Mn)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Manganese (Mn)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Manganese (Mn)-Total	mg/L	0.00005	11/13/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Manganese (Mn)-Total	mg/L	0.00005	3/13/19 14:37	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Manganese (Mn)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Manganese (Mn)-Total	mg/L	0.00005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Manganese (Mn)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Manganese (Mn)-Total	mg/L	0.00005	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Molybdenum (Mo)-Total	mg/L	0.00005	11/13/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Molybdenum (Mo)-Total	mg/L	0.00005	3/13/19 14:37	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Molybdenum (Mo)-Total	mg/L	0.00005	5/29/19 14:55	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L2325901-5	Molybdenum (Mo)-Total	mg/L	0.00005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Molybdenum (Mo)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Molybdenum (Mo)-Total	mg/L	0.00005	3/12/20 16:00			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Nitrate (as N)	mg/L	0.005	3/12/19 11:29	EPA 300.1 (mod)	mg/L	0.117
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Nitrate (as N)	mg/L	0.005	5/27/19 9:41	EPA 300.1 (mod)	mg/L	0.0706
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Nitrate (as N)	mg/L	0.005	8/9/19 9:26	EPA 300.1 (mod)	mg/L	0.165
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Nitrate (as N)	mg/L	0.005	10/2/19 9:48	EPA 300.1 (mod)	mg/L	0.139
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Nitrate (as N)	mg/L	0.005	3/10/20 9:28	EPA 300.1 (mod)	mg/L	0.21
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Nitrate and Nitrite (as N)	mg/L	0.05	11/8/18 11:05	CALCULATION	mg/L	0.143
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Nitrate and Nitrite (as N)	mg/L	0.05	3/12/19 11:29	CALCULATION	mg/L	0.119
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Nitrate and Nitrite (as N)	mg/L	0.0051	5/28/19 9:49	CALCULATION	mg/L	0.0706
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Nitrate and Nitrite (as N)	mg/L	0.0051	8/15/19 12:40	CALCULATION	mg/L	0.165
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Nitrate and Nitrite (as N)	mg/L	0.0051	10/3/19 11:27	CALCULATION	mg/L	0.17
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Nitrate and Nitrite (as N)	mg/L	0.0051	3/11/20 10:29	CALCULATION	mg/L	0.21
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Nitrite (as N)	mg/L	0.003	11/7/18 9:29	EPA 300.1 (mod)	mg/L	-0.001
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Nitrite (as N)	mg/L	0.003	3/12/19 11:29	EPA 300.1 (mod)	mg/L	0.0022
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Nitrite (as N)	mg/L	0.003	5/27/19 9:41	EPA 300.1 (mod)	mg/L	-0.001
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Nitrite (as N)	mg/L	0.003	8/9/19 9:26	EPA 300.1 (mod)	mg/L	-0.001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Nitrite (as N)	mg/L	0.003	10/2/19 9:48	EPA 300.1 (mod)	mg/L	0.0307
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Nitrite (as N)	mg/L	0.003	3/10/20 9:28	EPA 300.1 (mod)	mg/L	-0.001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/7/18 10:50	APHA 4500-P PHOSPHORUS	mg/L	0.0013
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/19 13:00	APHA 4500-P PHOSPHORUS	mg/L	0.0036
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/27/19 17:48	APHA 4500-P PHOSPHORUS	mg/L	0.0045
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:59	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/19 18:07	APHA 4500-P PHOSPHORUS	mg/L	0.0072
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/20 16:03	APHA 4500-P PHOSPHORUS	mg/L	0.0089
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	pH	pH	0.1	11/8/18 12:00	APHA 4500-H-Electrode	pH	8.34
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	pH	pH	0.1	3/16/19 9:00	APHA 4500-H-Electrode	pH	8.13
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	pH	pH	0.1	5/29/19 10:00	APHA 4500-H-Electrode	pH	8.06
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	pH	pH	0.1	8/12/19 9:00	APHA 4500-H-Electrode	pH	8.31
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	pH	pH	0.1	10/4/19 14:49	APHA 4500-H-Electrode	pH	8.03
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	pH	pH	0.1	3/10/20 19:00	APHA 4500-H-Electrode	pH	8.39
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Pheanthrene	ug/L	0.02	11/7/18 00:00	APHA 3511/8/27D0	mg/L	-0.0002
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Pheanthrene	ug/L	0.02	5/28/19 00:00	APHA 3511/8/27D0	mg/L	-0.0002
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Pheanthrene	ug/L	0.02	8/12/19 00:00	APHA 3511/8/27D0	mg/L	-0.0002
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Pheanthrene	ug/L	0.02	10/10/19 00:00	APHA 3511/8/27D0	mg/L	-0.0002
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Pheanthrene	ug/L	0.02	3/13/20 00:00	APHA 3511/8/27D0	mg/L	-0.0002
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Pheanthrene 110	%	1	11/7/18 00:00	APHA 3511/8/27D0	%	105.5
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Pheanthrene 110	%	1	5/28/19 00:00	APHA 3511/8/27D0	%	111.7
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Pheanthrene 110	%	1	8/12/19 00:00	APHA 3511/8/27D0	%	126.2
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Pheanthrene 110	%	1	10/10/19 00:00	APHA 3511/8/27D0	%	116.1
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Pheanthrene 110	%	1	3/13/20 00:00	APHA 3511/8/27D0	%	104.9
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Phenols (4AAP)	mg/L	0.001	5/28/19 13:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0017
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Phenols (4AAP)	mg/L	0.001	8/12/19 16:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Phenols (4AAP)	mg/L	0.001	5/29/19 16:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0016
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Phenols (4AAP)	mg/L	0.001	8/14/19 20:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Phenols (4AAP)	mg/L	0.001	10/4/19 20:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0018
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Phenols (4AAP)	mg/L	0.001	3/12/20 12:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Phosphorus (P)-Dissolved	mg/L	0.002	11/10/18 10:37	APHA 4500-P PHOSPHORUS	mg/L	0.036
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Phosphorus (P)-Dissolved	mg/L	0.002	3/12/19 13:00	APHA 4500-P PHOSPHORUS	mg/L	0.0072
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Phosphorus (P)-Dissolved	mg/L	0.002	5/28/19 11:34	APHA 4500-P PHOSPHORUS	mg/L	0.0412
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Phosphorus (P)-Dissolved	mg/L	0.002	8/15/19 11:23	APHA 4500-P PHOSPHORUS	mg/L	0.0082
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Phosphorus (P)-Dissolved	mg/L	0.002	10/4/19 13:38	APHA 4500-P PHOSPHORUS	mg/L	0.0097
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Phosphorus (P)-Dissolved	mg/L	0.002	3/11/20 10:06	APHA 4500-P PHOSPHORUS	mg/L	0.0329
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Phosphorus (P)-Dissolved	mg/L	0.005	11/13/18 15:30	APHA 3030B/6020A	mg/L	-0.005
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Phosphorus (P)-Dissolved	mg/L	0.005	8/17/19 11:39	APHA 200/2/6020A	mg/L	-0.005
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Phosphorus (P)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A	mg/L	-0.005
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Phosphorus (P)-Dissolved	mg/L	0.005	8/12/19 16:00	APHA 200/2/6020A	mg/L	-0.005
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Phosphorus (P)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A	mg/L	-0.005
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Phosphorus (P)-Dissolved	mg/L	0.005	3/11/20 16:00	APHA 200/2/6020A	mg/L	0.0406
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Pyrene	ug/L	0.01	11/7/18 00:00	APHA 3511/8/27D0	mg/L	-0.0001
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Pyrene	ug/L	0.01	5/28/19 00:00	APHA 3511/8/27D0	mg/L	-0.0001
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Pyrene	ug/L	0.01	8/12/19 00:00	APHA 3511/8/27D0	mg/L	-0.0001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Pyrene	ug/L	0.01	10/10/19 00:00	APHA 3511/8/27D0	mg/L	-0.0001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Pyrene	ug/L	0.01	3/13/20 00:00	APHA 3511/8/27D0	mg/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Rubidium (Rb)-Dissolved	mg/L	0.0002	11/13/18 15:30	APHA 3030B/6020A	mg/L	-0.0002
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A	mg/L	-0.0002
GW-3-C	L2192945	11/6/18 12:20	11/4/18	3:15 PM	L2192945-4	Rubidium (Rb)-Total	mg/L	0.0002	11/13/18 15:30	APHA 200/2/6020A	mg/L	-0.0002
GW-3-C	L2242116	3/9/19 8:50	3/7/19	4:00 PM	L2242116-9	Rubidium (Rb)-Total	mg/L	0.0002	3/13/19 15:30	APHA 200/2/6020A	mg/L	-0.0002
GW-3-C	L2279628	5/27/19 12:24	5/26/19	11:10 AM	L2279628-5	Rubidium (Rb)-Total	mg/L	0.0002	3/13/19 16:15	APHA 200/2/6020A	mg/L	0.0023
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Rubidium (Rb)-Total	mg/L	0.0002	8/18/19 11:39	APHA 200/2/6020A	mg/L	0.0012
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Rubidium (Rb)-Total	mg/L	0.0002	10/3/19 16:00	APHA 200/2/6020A	mg/L	0.0034
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Rubidium (Rb)-Total	mg/L	0.0002	3/11/20 16:00			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2325901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Sodium (Na)-Dissolved	mg/L	0.05	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.636
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.821
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.738
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Sodium (Na)-Total	mg/L	0.05	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	1.6
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Sodium (Na)-Total	mg/L	0.05	3/3/19 16:15	EPAs 200/2/6020A (mod)	mg/L	0.809
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Sodium (Na)-Total	mg/L	0.25	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	0.48
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Sodium (Na)-Total	mg/L	0.05	8/8/19 11:39	EPAs 200/2/6020A (mod)	mg/L	0.646
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Sodium (Na)-Total	mg/L	0.05	10/3/19 16:20	EPAs 200/2/6020A (mod)	mg/L	0.83
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Sodium (Na)-Total	mg/L	0.05	3/11/20 16:00	EPAs 200/2/6020A (mod)	mg/L	0.902
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Stronitum (Sr)-Dissolved	mg/L	0.0002	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0869
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Stronitum (Sr)-Dissolved	mg/L	0.0002	3/3/19 14:37	APHA 3030B/6020A (mod)	mg/L	0.0844
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Stronitum (Sr)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.0667
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Stronitum (Sr)-Dissolved	mg/L	0.0002	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0837
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Stronitum (Sr)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0764
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Stronitum (Sr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0919
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Stronitum (Sr)-Total	mg/L	0.0002	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	0.903
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Stronitum (Sr)-Total	mg/L	0.0002	3/3/19 14:37	EPAs 200/2/6020A (mod)	mg/L	0.0916
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Stronitum (Sr)-Total	mg/L	0.0001	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	0.0707
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Stronitum (Sr)-Total	mg/L	0.0002	8/8/19 11:39	EPAs 200/2/6020A (mod)	mg/L	0.0864
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Stronitum (Sr)-Total	mg/L	0.0002	10/3/19 16:20	EPAs 200/2/6020A (mod)	mg/L	0.0775
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Stronitum (Sr)-Total	mg/L	0.0002	3/1/20 16:00	EPAs 200/2/6020A (mod)	mg/L	0.0831
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Sulfur (S)-Dissolved	mg/L	0.3	11/18/19 2:29	EPAs 300-1 (mod)	mg/L	30.5
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Sulfur (S)-Dissolved	mg/L	0.3	3/3/19 11:29	EPAs 300-1 (mod)	mg/L	37.8
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Sulfur (S)-Dissolved	mg/L	0.3	5/27/19 14:41	EPAs 300-1 (mod)	mg/L	7.67
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Sulfur (S)-Dissolved	mg/L	0.3	8/9/19 10:26	EPAs 300-1 (mod)	mg/L	9.4
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Sulfur (S)-Dissolved	mg/L	0.3	10/2/19 14:48	EPAs 300-1 (mod)	mg/L	15.6
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Sulfur (S)-Dissolved	mg/L	0.3	3/10/20 16:00	EPAs 300-1 (mod)	mg/L	30.7
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Sulfur (S)-Dissolved	mg/L	0.3	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	14.3
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Sulfur (S)-Dissolved	mg/L	0.3	3/3/19 14:37	EPAs 200/2/6020A (mod)	mg/L	13.9
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Sulfur (S)-Dissolved	mg/L	0.3	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	2.65
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Sulfur (S)-Dissolved	mg/L	0.3	8/8/19 10:44	EPAs 300/2/6020A (mod)	mg/L	3.43
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Sulfur (S)-Dissolved	mg/L	0.3	10/3/19 16:20	EPAs 300/2/6020A (mod)	mg/L	5.56
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Sulfur (S)-Dissolved	mg/L	0.3	3/1/20 16:00	EPAs 300/2/6020A (mod)	mg/L	10.6
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Sulfur (S)-Total	mg/L	0.3	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	11.1
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Sulfur (S)-Total	mg/L	0.3	3/3/19 16:15	EPAs 200/2/6020A (mod)	mg/L	13.7
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Sulfur (S)-Total	mg/L	2.5	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	-2.5
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Sulfur (S)-Total	mg/L	0.5	8/8/19 11:39	EPAs 200/2/6020A (mod)	mg/L	3.63
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Sulfur (S)-Total	mg/L	0.5	10/3/19 16:20	EPAs 200/2/6020A (mod)	mg/L	5.33
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Sulfur (S)-Total	mg/L	0.5	3/1/20 16:00	EPAs 200/2/6020A (mod)	mg/L	10.2
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Tellurium (Te)-Dissolved	mg/L	0.0002	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Tellurium (Te)-Dissolved	mg/L	0.0002	3/3/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Tellurium (Te)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Tellurium (Te)-Dissolved	mg/L	0.0002	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Tellurium (Te)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Tellurium (Te)-Dissolved	mg/L	0.0002	3/1/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Tellurium (Te)-Total	mg/L	0.0002	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Tellurium (Te)-Total	mg/L	0.0002	3/3/19 16:15	EPAs 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Tellurium (Te)-Total	mg/L	0.0002	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	-0.0005
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Tellurium (Te)-Total	mg/L	0.0002	8/8/19 11:39	EPAs 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Tellurium (Te)-Total	mg/L	0.0002	10/3/19 16:20	EPAs 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Tellurium (Te)-Total	mg/L	0.0002	3/1/20 16:00	EPAs 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Tellurium (Th)-Dissolved	mg/L	0.0001	11/13/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Tellurium (Th)-Dissolved	mg/L	0.0001	3/3/19 14:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Tellurium (Th)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Tellurium (Th)-Dissolved	mg/L	0.0001	8/8/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Tellurium (Th)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Tellurium (Th)-Dissolved	mg/L	0.0001	3/1/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Tellurium (Th)-Total	mg/L	0.0001	11/13/18 15:30	EPAs 200/2/6020A (mod)	mg/L	-0.0003
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Tellurium (Th)-Total	mg/L	0.0001	3/3/19 16:15	EPAs 200/2/6020A (mod)	mg/L	-0.0003
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Tellurium (Th)-Total	mg/L	0.0001	5/29/19 14:55	EPAs 200/2/6020A (mod)	mg/L	-0.0005
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Tellurium (Th)-Total	mg/L	0.0001	8/8/19 11:39	EPAs 200/2/6020A (mod)	mg/L	-0.0003
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Tellurium (Th)-Total	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM	L2426328-5	Tellurium (Th)-Total	mg/L	0.0001	3/1/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-C	L2192945	11/6/18 12:20	1/14/18	3:15 PM	L2192945-4	Total Dissolved Solids	mg/L	20	1/18/18 10:30	APHA 250 C	mg/L	193
GW-3-C	L224116	3/9/19 8:50	3/7/19	4:00 PM	L224116-9	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 250 C	mg/L	162
GW-3-C	L2279626	5/27/19 12:24	5/26/19	11:10 AM	L2279626-5	Total Dissolved Solids	mg/L	20	5/28/19 15:00	APHA 250 C	mg/L	133
GW-3-C	L235901	8/9/19 9:00	8/7/19	3:02 PM	L235901-5	Total Dissolved Solids	mg/L	13	8/13/19 15:30	APHA 250 C	mg/L	143
GW-3-C	L2358663	10/2/19 9:50	9/30/19	1:05 PM	L2358663-3	Total Dissolved Solids	mg/L	20	10/3/19 14:50	APHA 250 C	mg/L	127
GW-3-C	L2426328	3/10/20 8:50	3/9/20	1:30 PM</td								



STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Amonia as N	mg/L	0.005	3/18/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0469
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Amonia as N	mg/L	0.005	6/5/19 17:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Amonia as N	mg/L	0.005	6/5/19 17:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Amonia as N	mg/L	0.005	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0227
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Amonia as N	mg/L	0.005	10/01/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0063
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Amonia as N	mg/L	0.005	3/11/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0495
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Anion Sum	meq/L		11/14/18 2:58	APHA 1030E	meq/L	6.19
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Anion Sum	meq/L		3/17/19 16:43	APHA 1030E	meq/L	6.07
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Anion Sum	meq/L		6/7/19 15:49	APHA 1030E	meq/L	6.06
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Anion Sum	meq/L		6/7/19 15:49	APHA 1030E	meq/L	6.44
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Anion Sum	meq/L		8/19/19 11:58	APHA 1030E	meq/L	6.61
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Anion Sum	meq/L		10/01/19 12:00	APHA 1030E	meq/L	-0.0001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Anion Sum	meq/L		3/13/20 0:00	APHA 1030E	meq/L	-0.0001
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Anion (Sb)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00041
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Anion (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00071
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Anion (Sb)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00058
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Anion (Sb)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00022
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Anion (Sb)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Anion (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Anion (Sb)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00029
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Anion (Sb)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00043
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Anion (Sb)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00075
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Anion (Sb)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.00087
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Anion (Sb)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Anion (Sb)-Total	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00027
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Anion (Sb)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Anion (Sb)-Total	mg/L	0.0001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0004
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Arsenic (As)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00046
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Arsenic (As)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00084
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Arsenic (As)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00099
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Arsenic (As)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00127
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Arsenic (As)-Dissolved	mg/L	0.0001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0014
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Arsenic (As)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00115
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Arsenic (As)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00161
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Barium (Ba)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0322
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Barium (Ba)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0328
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Barium (Ba)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0323
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Barium (Ba)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0375
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Barium (Ba)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.0397
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Barium (Ba)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0362
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Barium (Ba)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0383
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Barium (Ba)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0314
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Barium (Ba)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0444
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Barium (Ba)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0432
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Barium (Ba)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0432
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Barium (Ba)-Total	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.0447
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Barium (Ba)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0408
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Barium (Ba)-Total	mg/L	0.0001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0486
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Benz(a)anthracene	ug/L	0.01	11/7/18 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Benz(a)anthracene	ug/L	0.01	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Benz(a)anthracene	ug/L	0.01	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Benz(a)anthracene	ug/L	0.01	8/12/19 0:00	APHA 351/8/270D	mg/L	-0.00005
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Benz(a)anthracene	ug/L	0.01	10/3/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Benz(a)anthracene	ug/L	0.01	3/13/20 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Benz(o)pyrene	ug/L	0.005	11/7/18 0:00	APHA 351/8/270D	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Benz(o)pyrene	ug/L	0.005	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Benz(o)pyrene	ug/L	0.005	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00005
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Benz(o)pyrene	ug/L	0.008	10/10/19 0:00	APHA 351/8/270D	mg/L	-0.00006
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Benz(o)pyrene	ug/L	0.005	10/3/19 0:00	APHA 351/8/270D	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Benz(o)pyrene	ug/L	0.001	3/12/20 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Benz(h,j)fluoranthene	ug/L	0.01	11/7/18 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Benz(h,j)fluoranthene	ug/L	0.01	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Benz(h,j)fluoranthene	ug/L	0.01	6/4/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Benz(h,j)fluoranthene	ug/L	0.01	8/12/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Benz(h,j)fluoranthene	ug/L	0.01	10/3/19 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Benz(h,j)fluoranthene	ug/L	0.01	3/13/20 0:00	APHA 351/8/270D	mg/L	-0.00001
GW-4-BR	L2192345	11/6/18 12:20	11/4/18	10:50 AM	L2192345-1	Boron (B)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2242116	3/9/19 8:50	3/7/									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Bromide (Br)	mg/L	0.05	3/11/18 9:00	EPA 300.1 (mod)	mg/L	-0.05
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Bromide (Br)	mg/L	0.05	5/30/19 4:45	EPA 300.1 (mod)	mg/L	0.07
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Bromide (Br)	mg/L	0.05	5/30/19 4:45	EPA 300.1 (mod)	mg/L	-0.05
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Bromide (Br)	mg/L	0.05	8/9/19 9:26	EPA 300.1 (mod)	mg/L	-0.05
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Bromide (Br)	mg/L	0.05	10/21/19 9:48	EPA 300.1 (mod)	mg/L	0.092
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Bromide (Br)	mg/L	0.05	3/10/20 9:26	EPA 300.1 (mod)	mg/L	-0.05
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0000102
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/18/19 11:39	APHA 200.2/6020A (mod)	mg/L	0.000036
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.000026
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Cadmium (Cd)-Total	mg/L	0.00005	3/11/20 16:00	APHA 200.2/6020A (mod)	mg/L	0.000038
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Calcium (Ca)-Dissolved	mg/L	0.05	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	34.7
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	36.3
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Calcium (Ca)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	39.1
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Calcium (Ca)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	37.2
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	43.9
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Calcium (Ca)-Dissolved	mg/L	0.05	8/18/19 11:39	APHA 200.2/6020A (mod)	mg/L	37.3
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	36.9
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Calcium (Ca)-Total	mg/L	0.05	11/11/18 15:30	APHA 200.2/6020A (mod)	mg/L	37.4
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	APHA 200.2/6020A (mod)	mg/L	40.9
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Calcium (Ca)-Total	mg/L	0.25	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	43
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Calcium (Ca)-Total	mg/L	0.25	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	39.4
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Calcium (Ca)-Total	mg/L	0.05	8/17/19 11:59	APHA 200.2/6020A (mod)	mg/L	45.9
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Calcium (Ca)-Total	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	39.1
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Calcium (Ca)-Total	mg/L	0.05	3/11/20 16:00	APHA 200.2/6020A (mod)	mg/L	43.2
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Calcium - Anion Balance	%		11/14/18 8:25	APHA 1030E	%	-3.8
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Calcium - Anion Balance	%		3/17/19 16:43	APHA 1030E	%	-2.9
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Calcium - Anion Balance	%		6/7/19 15:49	APHA 1030E	%	-5
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Calcium - Anion Balance	%		6/7/19 15:49	APHA 1030E	%	-2.3
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Calcium - Anion Balance	%		8/19/19 11:55	APHA 1030E	%	2.5
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Calcium - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-3.7
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Calcium - Anion Balance	%		3/16/20 8:35	APHA 1030E	%	-0.8
GW-4-BR	L2020465	11/6/18 12:20	11/4/18	10:50 AM	L2020465-1	Calcium Sum	meq/L		11/14/18 8:23	APHA 1030E	meq/L	5.74
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Calcium Sum	meq/L		3/17/19 16:43	APHA 1030E	meq/L	5.72
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Calcium Sum	meq/L		6/7/19 15:49	APHA 1030E	meq/L	5.48
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Calcium Sum	meq/L		6/7/19 15:49	APHA 1030E	meq/L	6.14
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Calcium Sum	meq/L		8/19/19 11:59	APHA 1030E	meq/L	6.94
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Calcium Sum	meq/L		10/3/19 16:20	APHA 200.2/6020A (mod)	meq/L	6.1
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Calcium Sum	meq/L		3/16/20 8:35	APHA 1030E	meq/L	5.91
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Cesium (Cs)-Dissolved	mg/L	0.00001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Cesium (Cs)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Cesium (Cs)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Cesium (Cs)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Cesium (Cs)-Dissolved	mg/L	0.00001	3/11/20 16:00	APHA 200.2/6020A (mod)	mg/L	-0.00008
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Cesium (Cs)-Total	mg/L	0.00001	1/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Cesium (Cs)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200.2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Cesium (Cs)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	-0.000062
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Cesium (Cs)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	-0.000064
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Cesium (Cs)-Total	mg/L	0.00001	8/18/19 11:59	APHA 200.2/6020A (mod)	mg/L	-0.000067
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Cesium (Cs)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	-0.000065
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Cesium (Cs)-Total	mg/L	0.00001	3/12/20 16:00	APHA 200.2/6020A (mod)	mg/L	-0.000082
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Chloride (Cl)-Dissolved	mg/L	0.00001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00045
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Chloride (Cl)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00048
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Chloride (Cl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000334
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Chloride (Cl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00035
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Chloride (Cl)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000359
GW-4-BR	L2358663	10/21/19 9:50	9/30/19	12:01 PM	L2358663-2	Chloride (Cl)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000395
GW-4-BR	L2426326	3/10/20 8:50	3/9/20	11:10 AM	L2426326-2	Chloride (Cl)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.000372
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Chloride (Cl)-Dissolved	mg/L	0.00001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000133
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Chloride (Cl)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00013
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Chloride (Cl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000113
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Chloride (Cl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000113
GW-4-BR	L2235901	8/9/19 9:00	8/7/19	4:10 PM	L2235901-1	Chloride (Cl)-Dissolved	mg/L	0.00001	8/18/19 11:59	APHA 200.2/6020A (mod)	mg/L	0.000113
GW-4-BR	L2358663	10/21/19										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Copper (Cu)-Total	mg/L	0.0005	8/18/19 11:39	EPA 200.2/6020A (mod)	mg/L	0.0009
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Copper (Cu)-Total	mg/L	0.025	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.0025
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Copper (Cu)-Total	mg/L	0.0005	3/11/20 16:00	EPA 200.2/6020A (mod)	mg/L	0.00148
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Dibenz(a,h)anthracene	ug/L	0.005	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Dibenz(a,h)anthracene	ug/L	0.005	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:05 PM	L2285150-2	Dibenz(a,h)anthracene	ug/L	0.005	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Dibenz(a,h)anthracene	ug/L	0.005	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Dibenz(a,h)anthracene	ug/L	0.005	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Dibenz(a,h)anthracene	ug/L	0.005	3/12/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Dissolved Mercury Filtration Location			6/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Dissolved Mercury Filtration Location			6/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-4-BR	L2366001	8/9/19 9:00	8/7/19	4:10 PM	L2366001-1	Dissolved Mercury Filtration Location			8/16/19 8:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Dissolved Mercury Filtration Location			10/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0 FIELD	
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Dissolved Mercury Filtration Location			3/13/20 10:00	EPA 3030B/EPA 1631E (mod)	0 LAB	
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Dissolved Metals Filtration Location			11/1/18 11:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Dissolved Metals Filtration Location			3/13/19 11:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Dissolved Metals Filtration Location			6/5/19 8:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Dissolved Metals Filtration Location			6/5/19 8:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Dissolved Metals Filtration Location			8/16/19 8:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Dissolved Metals Filtration Location			10/5/19 8:00	APHA 3030B/EPA 020A (mod)	0 FIELD	
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Dissolved Metals Filtration Location			3/12/20 12:00	APHA 3030B/EPA 020A (mod)	0 LAB	
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Dissolved Organic Carbon	mg/L	0.5	11/12/18 8:00	APHA 5310 B-Instrumental	mg/L	4.22
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Dissolved Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 B-Instrumental	mg/L	4.45
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Dissolved Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 B-Instrumental	mg/L	4.7
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Dissolved Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 B-Instrumental	mg/L	4.03
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Dissolved Organic Carbon	mg/L	0.5	8/13/19 8:00	APHA 5310 B-Instrumental	mg/L	4.83
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Dissolved Organic Carbon	mg/L	0.5	8/13/19 8:00	APHA 5310 B-Instrumental	mg/L	3.54
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Dissolved Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 B-Instrumental	mg/L	2.2
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Fluoranthene	ug/L	0.01	11/17/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Fluoranthene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Fluoranthene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Fluoranthene	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Fluoranthene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Fluoranthene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Fluorene	ug/L	0.01	11/17/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Fluorene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Fluorene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Fluorene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Fluorene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Fluorene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Fluorene	ug/L	0.01	10/17/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Fluoranthene	ug/L	0.02	3/11/19 8:00	APHA 300.1 (mod)	mg/L	0.67
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Fluoranthene	ug/L	0.02	5/30/19 9:45	APHA 300.1 (mod)	mg/L	0.867
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Fluoranthene	ug/L	0.02	5/30/19 9:45	APHA 300.1 (mod)	mg/L	0.87
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Fluoranthene	ug/L	0.02	8/20/19 9:26	APHA 300.1 (mod)	mg/L	0.805
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Fluoranthene	ug/L	0.02	10/21/19 9:48	APHA 300.1 (mod)	mg/L	0.915
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Fluoranthene	ug/L	0.02	3/10/20 0:26	APHA 300.1 (mod)	mg/L	0.937
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Hardness (as CaCO3)	mg/L	0.5	11/14/18 8:25	APHA 2340 B	mg/L	173
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Hardness (as CaCO3)	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	177
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Hardness (as CaCO3)	mg/L	0.5	6/6/19 9:19	APHA 2340 B	mg/L	186
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Hardness (as CaCO3)	mg/L	0.5	6/6/19 14:54	APHA 2340 B	mg/L	173
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Hardness (as CaCO3)	mg/L	0.5	8/10/19 16:55	APHA 2340 B	mg/L	200
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Hardness (as CaCO3)	mg/L	0.5	8/10/19 16:55	APHA 2340 B	mg/L	172
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Hardness (as CaCO3)	mg/L	0.5	3/10/20 16:55	APHA 2340 B	0	178
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	11/7/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	6/10/19 16:19	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	6/10/19 16:19	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Indeno(1,2,3-c,d)pyrene	ug/L	0.01	10/17/19 14:59	APHA 1030E	%	92.7
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Ion Balance	ug/L	100	3/17/19 16:49	APHA 1030E	%	94.3
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2	Ion Balance	ug/L	100	6/7/19 16:04	APHA 1030E	%	90.4
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Ion Balance	ug/L	100	6/7/19 16:04	APHA 1030E	%	95.4
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Ion Balance	ug/L	100	8/19/19 12:00	APHA 1030E	%	105
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Iron (Fe)-Dissolved	mg/L	0.05	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	0.411
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Iron (Fe)-Dissolved	mg/L	0.05	3/11/20 16:00	EPA 200.2/6020A (mod)	mg/L	0.6
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Iron (Fe)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0103
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:10 PM	L2285150-1	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00025
GW-4-BR	L2285150	5/30/19 9:15	5/27/19	1:50 PM	L2285150-2</							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Manganese (Mn)-Total	mg/L	0.0001	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.392
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Manganese (Mn)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.348
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Manganese (Mn)-Total	mg/L	0.0001	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.483
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Mercury (Hg)-Dissolved	mg/L	0.000005	6/5/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-1	Mercury (Hg)-Dissolved	mg/L	0.000005	6/5/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Mercury (Hg)-Total	mg/L	0.000005	6/5/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Mercury (Hg)-Total	mg/L	0.000005	6/5/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Mercury (Hg)-Total	mg/L	0.000005	3/12/20 16:46	EPA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	0.0911
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/3/19 16:15	APHA 3030B/EPA 1631E (mod)	mg/L	0.0846
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/EPA 1631E (mod)	mg/L	0.0725
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/EPA 1631E (mod)	mg/L	0.0812
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Mercury (Hg)-Total	mg/L	0.00005	8/18/19 10:44	EPA 200/2/6020A (mod)	mg/L	0.092
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Mercury (Hg)-Total	mg/L	0.00005	8/18/19 10:44	EPA 200/2/6020A (mod)	mg/L	0.0839
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	0.0844
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/1/20 22:00	APHA 3030B/EPA 1631E (mod)	mg/L	0.00912
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Molybdenum (Mo)-Total	mg/L	0.00005	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.09057
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Molybdenum (Mo)-Total	mg/L	0.00005	3/3/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0908
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Molybdenum (Mo)-Total	mg/L	0.00025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0723
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Molybdenum (Mo)-Total	mg/L	0.00025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.009
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Mercury (Hg)-Total	mg/L	0.00005	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.0975
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Mercury (Hg)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	0.0004
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Molybdenum (Mo)-Total	mg/L	0.00005	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0845
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Nickel (Ni)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	0.0085
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/EPA 1631E (mod)	mg/L	0.00068
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nickel (Ni)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/EPA 1631E (mod)	mg/L	0.0058
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Nickel (Ni)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/EPA 1631E (mod)	mg/L	-0.0005
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nickel (Ni)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	-0.0005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Nickel (Ni)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/EPA 1631E (mod)	mg/L	0.0018
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Nickel (Ni)-Dissolved	mg/L	0.00005	1/1/18 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	0.00118
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Nickel (Ni)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0266
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nickel (Ni)-Total	mg/L	0.0025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.053
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Nickel (Ni)-Total	mg/L	0.0025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nickel (Ni)-Total	mg/L	0.00005	8/18/19 11:39	EPA 200/2/6020A (mod)	mg/L	0.0176
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Nickel (Ni)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Nickel (Ni)-Total	mg/L	0.00005	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0286
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Nitrate (as N)	mg/L	0.00005	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.03
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Nitrate (as N)	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00265
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nitrate (as N)	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.053
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Nitrate (as N)	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nitrate (as N)	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00176
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Nitrate (as N)	mg/L	0.00005	3/10/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.0051
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Nitrate (as N)	mg/L	0.00005	3/11/20 26:00	APHA 300.1 (mod)	mg/L	-0.005
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Nitrate and Nitrite (as N)	mg/L	0.00005	3/13/19 16:15	APHA 300.1 (mod)	mg/L	-0.005
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nitrate and Nitrite (as N)	mg/L	0.00005	6/5/19 16:47	APHA 300.1 (mod)	mg/L	0.0053
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Nitrate and Nitrite (as N)	mg/L	0.00005	6/5/19 16:47	APHA 300.1 (mod)	mg/L	-0.0025
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nitrate and Nitrite (as N)	mg/L	0.00005	10/3/19 16:20	APHA 300.1 (mod)	mg/L	0.0176
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Nitrate and Nitrite (as N)	mg/L	0.00005	3/10/20 16:00	APHA 300.1 (mod)	mg/L	-0.0051
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Nitrate and Nitrite (as N)	mg/L	0.00005	3/11/20 26:00	APHA 300.1 (mod)	mg/L	-0.0001
GW-4-BR	L2242116	3/9/19 9:00	8/7/19	4:10 PM	L2242116-6	Nitrate (as N)	mg/L	0.001	8/19/19 26:00	APHA 300.1 (mod)	mg/L	0.0016
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nitrate (as N)	mg/L	0.001	10/2/19 26:00	APHA 300.1 (mod)	mg/L	-0.0001
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nitrate (as N)	mg/L	0.001	10/19/19 26:00	APHA 300.1 (mod)	mg/L	0.0023
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Nitrate (as N)	mg/L	0.001	3/19/19 26:00	APHA 300.1 (mod)	mg/L	0.0016
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Nitrate (as N)	mg/L	0.001	6/5/19 26:00	APHA 300.1 (mod)	mg/L	0.0045
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Nitrate (as N)	mg/L	0.001	6/5/19 26:00	APHA 300.1 (mod)	mg/L	0.0051
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Nitrate (as N)	mg/L	0.001	8/19/19 26:00	APHA 300.1 (mod)	mg/L	0.0051
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Nitrate (as N)	mg/L	0.001	3/10/20 16:00	APHA 300.1 (mod)	mg/L	-0.0005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Nitrate (as N)	mg/L	0.001	3/12/20 26:00	APHA 300.1 (mod)	mg/L	-0.0005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Phenanthrene	ug/L	0.002	11/7/18 10:00	APHA 3511/8270D	mg/L	-0.00002
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Phenanthrene	ug/L	0.002	6/4/19 00:00	APHA 3511/8270D	mg/L	0.00002
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	L2285218-2	Phenanthrene	ug/L	0.002	6/4/19 00:00	APHA 3511/8270D	mg/L	-0.00002
GW-4-BR	L2325901	8/9/19 9:00	8/7/19	4:10 PM	L2325901-1	Phenanthrene	ug/L	0.002	8/12/19 00:00	APHA 3511/8270D	mg/L	0.00002
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	1:20 PM	L2358663-2	Phenanthrene	ug/L	0.002	3/13/20 00:00	APHA 3511/8270D	mg/L	0.00002
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Phenanthrene	ug/L	0.002	3/14/20 00:00	APHA 3511/8270D	mg/L	0.00002
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Phosphorus (P)-Col-Total	mg/L	0.002	11/7/18 10:20	APHA 4500-P PHOSPHORUS	mg/L	-0.00002
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Phosphorus (P)-Col-Total	mg/L	0.002	3/10/19 00:00	APHA 4500-P PHOSPHORUS	mg/L	0.0002
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	L2285218-1	Phosphorus (P)-Col-Total	mg/L	0.002	6/5/19 18:00	APHA 4500-P PH		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Pyrene	ug/L	0.01	6/4/19 0:00	EPHA 3030B/6020A	mg/L	-0.00001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Pyrene	ug/L	0.01	8/12/19 0:00	EPHA 3030B/6020A	mg/L	-0.00001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Pyrene	ug/L	0.01	10/10/19 0:00	EPHA 3030B/6020A	mg/L	-0.00001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Pyrene	ug/L	0.01	3/13/20 0:00	EPHA 3030B/6020A	mg/L	-0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Quinoline	ug/L	0.05	11/7/18 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Quinoline	ug/L	0.05	6/4/19 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Quinoline	ug/L	0.05	6/4/19 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Quinoline	ug/L	0.05	8/12/19 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Quinoline	ug/L	0.05	10/10/19 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Quinoline	ug/L	0.05	3/13/20 0:00	EPHA 3030B/6020A	mg/L	-0.00005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00092
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/13/19 16:19	APHA 3030B/6020A (mod)	mg/L	0.00087
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00077
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00095
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00052
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00039
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00047
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Rubidium (Rb)-Total	mg/L	0.0002	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00098
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Rubidium (Rb)-Total	mg/L	0.0002	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00208
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Rubidium (Rb)-Total	mg/L	0.0001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0029
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Rubidium (Rb)-Total	mg/L	0.0001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Rubidium (Rb)-Total	mg/L	0.0002	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.0011
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Rubidium (Rb)-Total	mg/L	0.0002	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Rubidium (Rb)-Total	mg/L	0.0002	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Selenium (Se)-Dissolved	mg/L	0.0005	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00082
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Selenium (Se)-Dissolved	mg/L	0.0005	3/13/19 16:19	APHA 3030B/6020A (mod)	mg/L	0.00348
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Selenium (Se)-Dissolved	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00248
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Selenium (Se)-Dissolved	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00533
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Selenium (Se)-Dissolved	mg/L	0.0005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00358
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Selenium (Se)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0056
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Selenium (Se)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00052
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Selenium (Se)-Total	mg/L	0.0005	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00504
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Selenium (Se)-Total	mg/L	0.0005	3/13/19 16:19	APHA 200/2/6020A (mod)	mg/L	0.00393
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Selenium (Se)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0028
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Selenium (Se)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00025
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Selenium (Se)-Total	mg/L	0.0005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00012
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Selenium (Se)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00025
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Selenium (Se)-Total	mg/L	0.0005	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00007
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Silicon (Si)-Dissolved	mg/L	0.0001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	2.68
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Silicon (Si)-Dissolved	mg/L	0.0001	3/13/19 16:19	APHA 3030B/6020A (mod)	mg/L	3.05
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Silicon (Si)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	2.74
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Silicon (Si)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	3.04
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Silicon (Si)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	3.51
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Silicon (Si)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	3.13
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Silicon (Si)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	3.32
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Silicon (Si)-Total	mg/L	0.05	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	2.68
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Silicon (Si)-Total	mg/L	0.05	3/13/19 16:19	APHA 200/2/6020A (mod)	mg/L	4.29
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Silicon (Si)-Total	mg/L	0.05	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	4.79
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Silicon (Si)-Total	mg/L	0.05	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	3.52
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Silicon (Si)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	3.52
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Silicon (Si)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	4.01
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Silicon (Si)-Total	mg/L	0.05	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	5.07
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Silver (Ag)-Dissolved	mg/L	0.0001	1/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Silver (Ag)-Dissolved	mg/L	0.0001	3/13/19 16:19	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Silver (Ag)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Silver (Ag)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Silver (Ag)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Silver (Ag)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Silver (Ag)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Silver (Ag)-Total	mg/L	0.05	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	59.7
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Silver (Ag)-Total	mg/L	0.05	3/13/19 16:19	APHA 200/2/6020A (mod)	mg/L	48.6
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:10 PM	L2282518-1	Silver (Ag)-Total	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	39.1
GW-4-BR	L2282518	5/30/19 9:15	5/27/19	1:50 PM	L2282518-2	Silver (Ag)-Total	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	60
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Silver (Ag)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	66.2
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	L2358663-2	Silver (Ag)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	59.7
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Silver (Ag)-Total	mg/L	0.05	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	52.7
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Silicon (Si)-Dissolved	mg/L	0.05	1/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	48.6
GW-4-BR	L2242116	3/9/										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2358663	10/21/9:50	9/30/19	12:01 PM	L2358663-2	Thallium (Tl)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Thallium (Tl)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Thallium (Tl)-Total	mg/L	0.00001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.000038
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Thallium (Tl)-Total	mg/L	0.00001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00006
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Thallium (Tl)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000129
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Thallium (Tl)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Thallium (Tl)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000043
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Thallium (Tl)-Total	mg/L	0.00001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Thorium (Th)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Thorium (Th)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Thorium (Th)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Thorium (Th)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Thorium (Th)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000012
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Thorium (Th)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Thorium (Th)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000012
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Thorium (Th)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Thorium (Th)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2358663	10/21/9:50	9/30/19	12:01 PM	L2358663-2	Thorium (Th)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Thorium (Th)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2358663	10/21/9:50	9/30/19	12:01 PM	L2358663-2	Thorium (Th)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Thorium (Th)-Total	mg/L	0.00001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Tin (Sn)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Tin (Sn)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.000091
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Tin (Sn)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000132
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Tin (Sn)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.000074
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Tin (Sn)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000089
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Tin (Sn)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.000035
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Tin (Sn)-Total	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.000036
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Tin (Sn)-Total	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.000043
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Tin (Sn)-Total	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000072
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Tin (Sn)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000111
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Tin (Sn)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000019
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Tin (Sn)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.000034
GW-4-BR	L2358663	10/21/9:50	9/30/19	12:01 PM	L2358663-2	Titanium (Ti)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Titanium (Ti)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.000363
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Titanium (Ti)-Dissolved	mg/L	0.00003	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Titanium (Ti)-Dissolved	mg/L	0.00003	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Titanium (Ti)-Dissolved	mg/L	0.00003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Titanium (Ti)-Dissolved	mg/L	0.00003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Titanium (Ti)-Dissolved	mg/L	0.00003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Titanium (Ti)-Dissolved	mg/L	0.00003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	L235901-1	Titanium (Ti)-Dissolved	mg/L	0.00003	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.000018
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Titanium (Ti)-Dissolved	mg/L	0.00003	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00094
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Titanium Dissolved Solids	mg/L	20	11/18/18 8:30	APHA 2540 C	mg/L	365
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540 C	mg/L	346
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Dissolved Solids	mg/L	20	6/1/19 15:30	APHA 2540 C	mg/L	347
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Dissolved Solids	mg/L	20	6/1/19 15:30	APHA 2540 C	mg/L	356
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Dissolved Solids	mg/L	13	8/13/19 15:30	APHA 2540 C	mg/L	389
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Dissolved Solids	mg/L	20	10/19/14:18	APHA 2540 C	mg/L	338
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Total Dissolved Solids	mg/L	20	3/14/20 13:00	APHA 2540 C	mg/L	353
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Total Inorganic Carbon	mg/L	1	11/11/18 9:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	40.7
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Total Inorganic Carbon	mg/L	1	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	41.4
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Inorganic Carbon	mg/L	1	6/6/19 6:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	42.8
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Inorganic Carbon	mg/L	1	6/6/19 6:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	43
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Inorganic Carbon	mg/L	1	8/11/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	42.4
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	L2426328-2	Total Inorganic Carbon	mg/L	0.008	3/12/20 10:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	44.5
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Total Nitrogen	mg/L	5	3/15/20 7:00	APHA 5310 B-Instrumental	mg/L	26.9
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Total Kieldahl Nitrogen	mg/L	0.005	11/1/18 10:00	APHA 4500-NORG (TKN)	mg/L	0.279
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Total Kieldahl Nitrogen	mg/L	0.005	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	0.285
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Kieldahl Nitrogen	mg/L	0.005	6/5/19 19:00	APHA 4500-NORG (TKN)	mg/L	0.081
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Kieldahl Nitrogen	mg/L	0.005	6/5/19 19:00	APHA 4500-NORG (TKN)	mg/L	0.136
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Kieldahl Nitrogen	mg/L	0.005	10/4/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.163
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Kieldahl Nitrogen	mg/L	0.008	3/12/20 10:00	APHA 4500-N-Calculated	mg/L	0.368
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	L2192945-1	Total Organic Carbon	mg/L	0.005	11/1/18 11:00	APHA 4500 N-Calculated	mg/L	0.311
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	L2242116-6	Total Nitrogen	mg/L	0.005	3/18/19 12:23	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.285
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-1	Total Nitrogen	mg/L	0.005	6/7/19 13:34	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.081
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L2282518-2	Total Nitrogen	mg/L	0.005	6/7/19 13:34	APHA 5310 N-Calculated	mg/L	0.136
GW-4-BR	L2282518	5/30/19:9:15	5/27/19	1:10 PM	L							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	2426328-2	Zinc (Zn)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	2192945-1	Zinc (Zn)-Total	mg/L	0.003	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0068
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	2242116-6	Zinc (Zn)-Total	mg/L	0.003	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0182
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	2285218-1	Zinc (Zn)-Total	mg/L	0.01	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.042
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	2285218-2	Zinc (Zn)-Total	mg/L	0.01	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.015
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	235901-1	Zinc (Zn)-Total	mg/L	0.003	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.0137
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	2358663-2	Zinc (Zn)-Total	mg/L	0.01	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.015
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	2426328-2	Zinc (Zn)-Total	mg/L	0.003	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0171
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	2192945-1	Zirconium (Zr)-Dissolved	mg/L	0.0006	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00062
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	2242116-6	Zirconium (Zr)-Dissolved	mg/L	0.0006	3/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000106
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	2285218-1	Zirconium (Zr)-Dissolved	mg/L	0.0006	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00093
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	235901-1	Zirconium (Zr)-Dissolved	mg/L	0.0006	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	2358663-2	Zirconium (Zr)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00071
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	2426328-2	Zirconium (Zr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	2192945-1	Zirconium (Zr)-Total	mg/L	0.0006	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.000107
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	2242116-6	Zirconium (Zr)-Total	mg/L	0.0006	3/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000278
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:10 PM	2285218-1	Zirconium (Zr)-Total	mg/L	0.0003	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.00037
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	235901-1	Zirconium (Zr)-Total	mg/L	0.0003	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.0003
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	2358663-2	Zirconium (Zr)-Total	mg/L	0.001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000347
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	2426328-2	Zirconium (Zr)-Total	mg/L	0.0002	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	2192945-1	Zirconium (Zr)-Dissolved	ug/L	0.05	11/1/18 15:30	APHA 3511/8/270D	mg/L	-0.00005
GW-4-BR	L2242116	3/9/19 8:50	3/7/19	1:45 PM	2242116-6	Zirconium (Zr)-Dissolved	ug/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2285218	5/30/19 9:15	5/27/19	1:50 PM	2285218-2	Zirconium (Zr)-Dissolved	ug/L	0.05	10/10/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:10 PM	235901-1	Zirconium (Zr)-Dissolved	ug/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	12:01 PM	2358663-2	Zirconium (Zr)-Dissolved	ug/L	0.02	10/3/19 16:20	APHA 3511/8/270D	mg/L	-0.00002
GW-4-BR	L2426328	3/10/20 8:50	3/9/20	11:10 AM	2426328-2	Zirconium (Zr)-Dissolved	ug/L	0.02	3/11/20 16:00	APHA 3511/8/270D	mg/L	-0.00002
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	10:50 AM	2192945-1	1-Methylnaphthalene	ug/L	0.05	11/1/18 15:30	APHA 3511/8/270D	mg/L	-0.00005
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	1-Methylnaphthalene	ug/L	0.05	6/5/19 16:47	APHA 3511/8/270D	mg/L	-0.00005
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-1	1-Methylnaphthalene	ug/L	0.05	8/12/19 16:47	APHA 3511/8/270D	mg/L	-0.00005
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	1-Methylnaphthalene	ug/L	0.05	10/10/19 16:47	APHA 3511/8/270D	mg/L	0.00005
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	2-Methylnaphthalene	ug/L	0.03	11/7/18 15:30	APHA 3511/8/270D	mg/L	-0.00002
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	2-Methylnaphthalene	ug/L	0.02	6/5/19 16:47	APHA 3511/8/270D	mg/L	0.00001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	2-Methylnaphthalene	ug/L	0.02	8/12/19 16:47	APHA 3511/8/270D	mg/L	0.00001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	2-Methylnaphthalene	ug/L	0.02	10/10/19 16:47	APHA 3511/8/270D	mg/L	0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Acenaphthene	ug/L	0%	11/7/18 15:30	APHA 3511/8/270D	%	86.7
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Acenaphthene	ug/L	0%	6/5/19 16:47	APHA 3511/8/270D	%	121.1
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Acenaphthene	ug/L	0%	8/12/19 16:47	APHA 3511/8/270D	%	110.9
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Acenaphthene	ug/L	0%	10/10/19 16:47	APHA 3511/8/270D	%	115.4
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Acenaphthylene	ug/L	0.01	11/7/18 15:30	APHA 3511/8/270D	mg/L	-0.00001
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Acenaphthylene	ug/L	0.01	6/5/19 16:47	APHA 3511/8/270D	mg/L	-0.00001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Acenaphthylene	ug/L	0.01	8/12/19 16:47	APHA 3511/8/270D	mg/L	-0.00001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Acenaphthylene	ug/L	0.01	10/10/19 16:47	APHA 3511/8/270D	mg/L	-0.00001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Acenaphthene	ug/L	1	11/7/18 15:30	APHA 2320 ALKALINITY	mg/L	160
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Acenaphthene	ug/L	1	6/5/19 16:47	APHA 2320 ALKALINITY	mg/L	147
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Acenaphthene	ug/L	1	8/12/19 16:47	APHA 2320 ALKALINITY	mg/L	121.1
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Acenaphthene	ug/L	1	10/10/19 16:47	APHA 2320 ALKALINITY	mg/L	110.9
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 2320 ALKALINITY	mg/L	171
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	6/5/19 16:47	APHA 2320 ALKALINITY	mg/L	5.8
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/12/19 16:47	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Alkalinity, Carbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Alkalinity, Carbonate (as CaCO3)	mg/L	1	6/5/19 16:47	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/12/19 16:47	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Alkalinity, Carbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	6/5/19 16:47	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/12/19 16:47	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Aluminum (Al)-Dissolved	mg/L	0.001	00/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0089
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0029
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Aluminum (Al)-Dissolved	mg/L	0.001	00/3/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0023
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00203
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Antimony (Sb)-Dissolved	mg/L	0.0001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00015
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Antimony (Sb)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-4-BR	L235901	8/9/19 9:00	8/7/19	4:50 PM	235901-2	Antimony (Sb)-Dissolved	mg/L	0.0001	8/18/19 11:39	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-4-BR	L2358663	10/2/19 9:50	9/30/19	11:17 AM	2358663-1	Antimony (Sb)-Dissolved	mg/L	0.0001	10/1/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-4-BR	L2192945	11/6/18 12:20	11/4/18	11:22 AM	2192945-2	Antimony (Sb)-Total	mg/L	0.0001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2283659	6/1/19 9:30	5/30/19	3:10 PM	2283659-4	Antimony (Sb)-Total	mg/L	0.0001	6/1			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Bismuth (Bi)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Bismuth (Bi)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Bismuth (Bi)-Total	mg/L	0.0025	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Boron (B)-Dissolved	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Boron (B)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.027
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Boron (B)-Dissolved	mg/L	0.01	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Boron (B)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Boron (B)-Total	mg/L	0.01	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.01
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.026
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Boron (B)-Total	mg/L	0.01	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	-0.01
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Boron (B)-Total	mg/L	0.01	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Bromide (Br)-Dissolved	mg/L	0.05	11/7/19 13:29	APHA 300-1 (mod)	mg/L	-0.05
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Bromide (Br)-Dissolved	mg/L	0.05	6/2/19 15:06	APHA 300-1 (mod)	mg/L	-0.05
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Bromide (Br)-Dissolved	mg/L	0.05	8/9/19 9:26	APHA 300-1 (mod)	mg/L	-0.05
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Bromide (Br)-Dissolved	mg/L	0.05	10/2/19 9:48	APHA 300-1 (mod)	mg/L	-0.05
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000026
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000014
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000018
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cadmium (Cd)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0000518
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cadmium (Cd)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.000013
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cadmium (Cd)-Total	mg/L	0.00005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.0000341
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cadmium (Cd)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000089
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cadmium (Cd)-Total	mg/L	0.05	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	37.9
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cadmium (Cd)-Total	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	42.9
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cadmium (Cd)-Total	mg/L	0.05	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	52.7
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cadmium (Cd)-Total	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	45.4
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cadmium (Cd)-Total	mg/L	0.05	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	46.9
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cadmium (Cd)-Total	mg/L	0.05	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	44.5
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cadmium (Cd)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	54.1
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cadmium (Cd)-Total	mg/L	0.25	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	51.9
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cation - Anion Balance	%		11/14/18 12:24	APHA 1030E	%	-5.4
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cation - Anion Balance	%		6/10/19 16:29	APHA 1030E	%	-3.1
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cation - Anion Balance	%		8/19/19 11:50	APHA 1030E	%	1.8
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cation - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-4.7
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cation Sum	meq/L		11/14/18 12:25	APHA 1030E	meq/L	3.4
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cation Sum	meq/L		6/10/19 16:49	APHA 1030E	meq/L	3.39
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cation Sum	meq/L		8/19/19 11:50	APHA 1030E	meq/L	4.04
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cation Sum	meq/L		10/7/19 12:24	APHA 1030E	meq/L	3.41
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cesium (Cs)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cesium (Cs)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cesium (Cs)-Total	mg/L	0.00001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.000009
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.000099
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cesium (Cs)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.000099
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cesium (Cs)-Total	mg/L	0.00001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000017
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Chloride (Cl)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000025
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Chloride (Cl)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Chloride (Cl)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000028
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Chloride (Cl)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Chloride (Cl)-Total	mg/L	0.05	11/7/19 13:29	APHA 300-1 (mod)	mg/L	1.04
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Chloride (Cl)-Total	mg/L	0.05	6/2/19 15:06	APHA 300-1 (mod)	mg/L	-0.5
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Chloride (Cl)-Total	mg/L	0.05	8/18/19 2:29	APHA 300-1 (mod)	mg/L	-0.5
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Chloride (Cl)-Total	mg/L	0.05	10/7/19 12:27	APHA 300-1 (mod)	mg/L	-0.00001
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Chrysene	ug/L	0.01	11/7/19 12:00	APHA 3511/8270D	ug/L	103.2
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Chrysene	ug/L	0.01	6/5/19 15:00	APHA 3511/8270D	ug/L	120.8
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Chrysene	ug/L	0.01	8/12/19 1:00	APHA 3511/8270D	ug/L	100.3
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Chrysene	ug/L	0.01	10/10/19 9:00	APHA 3511/8270D	ug/L	98.5
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cobalt (Co)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.000026
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Cobalt (Co)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-OB	L235901	8/9/19 9:00	8/7/19	4:50 PM	L235901-2	Cobalt (Co)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.000013
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Cobalt (Co)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Cobalt (Co)-Total	mg/L	0.00001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.000004

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Iron Balance	%	<100	10/7/19 12:43	APHA 1030E	%	91
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Iron (Fe)-Dissolved	mg/L	0.01	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Iron (Fe)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	4:50 PM	L2358663-1	Iron (Fe)-Dissolved	mg/L	0.01	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Iron (Fe)-Total	mg/L	0.01	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.535
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.519
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Iron (Fe)-Total	mg/L	0.01	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.194
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Lead (Pb)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.062
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Lead (Pb)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	4:50 PM	L2358663-1	Lead (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Lead (Pb)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Lead (Pb)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00025
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Lead (Pb)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00051
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Lithium (Li)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0024
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Lithium (Li)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0103
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Lithium (Li)-Dissolved	mg/L	0.001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0021
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Lithium (Li)-Total	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0025
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Lithium (Li)-Total	mg/L	0.001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.019
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Lithium (Li)-Total	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Magnesium (Mg)-Dissolved	mg/L	0.005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	10.1
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	13.3
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	12.9
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	12.6
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	11.7
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	14.2
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Magnesium (Mg)-Total	mg/L	0.005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	13.9
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Magnesium (Mg)-Total	mg/L	0.002	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	13.8
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Magnesium (Mg)-Total	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0225
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Manganese (Mn)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00106
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Manganese (Mn)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00212
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Manganese (Mn)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0598
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Manganese (Mn)-Total	mg/L	0.00001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0388
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Manganese (Mn)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00748
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Manganese (Mn)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0866
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Molybdenum (Mo)-Dissolved	mg/L	0.000085	6/10/19 16:29	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	8:17/19	L2283659-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/16/19 12:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	11:17 AM	L2358663-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	0.00005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Molybdenum (Mo)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00394
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Molybdenum (Mo)-Total	mg/L	0.00005	6/10/19 16:29	APHA 3030B/EPA 1631E (mod)	mg/L	0.00124
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.00236
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Molybdenum (Mo)-Total	mg/L	0.00005	12/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.00301
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Molybdenum (Mo)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Molybdenum (Mo)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Naphthalene	ug/L	0.05	11/7/18 12:00	EPHA 3511/8/270D	ug/L	-0.00005
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	8:17/19	L2283659-2	Naphthalene	ug/L	0.02	8/12/19 0:00	EPHA 3511/8/270D	ug/L	-0.00002
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	4:50 PM	L2358663-1	Naphthalene	ug/L	0.02	8/12/19 0:00	EPHA 3511/8/270D	ug/L	0.00103
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Nickel (Ni)-Dissolved	mg/L	0.005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0025
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Nickel (Ni)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00055
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Nickel (Ni)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00068
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Nickel (Ni)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00067
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Nickel (Ni)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00067
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Nickel (Ni)-Dissolved	mg/L	0.005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.0131
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Nickel (Ni)-Total	mg/L	0.005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00118
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Nickel (Ni)-Total	mg/L	0.005	8/18/19 11:39	APHA 200/2/6020A (mod)	mg/L	0.00103
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Nickel (Ni)-Total	mg/L	0.005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Nitrate (as N)	mg/L	0.005	11/7/18 12:00	EPHA 300.1 (mod)	mg/L	0.0322
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Nitrate (as N)	mg/L	0.005	6/2/19 15:06	EPHA 300.1 (mod)	mg/L	0.0845
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Nitrate (as N)	mg/L	0.005	10/3/19 11:27	EPHA 300.1 (mod)	mg/L	0.0554
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Nitrate (as N)	mg/L	0.005	11/7/18 12:00	EPHA 300.1 (mod)	mg/L	0.0587
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Nitrate (as N)	mg/L	0.005	6/2/19 15:06	EPHA 300.1 (mod)	mg/L	0.067
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Nitrate (as N)	mg/L	0.005	11/8/19 11:36	CALCULATION	mg/L	0.067
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/7/18 10:50	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/2/19 11:48	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:17/19	L2358663-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/19/19 12:40	APHA 4500-P PHOSPHORUS	mg/L	0.0012
GW-4-OB	L2192945	11/6/18 12:20	11/4/18	11:22 AM	L2192945-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/19 17:57	APHA 4500-P PHOSPHORUS	mg/L	0.0036
GW-4-OB	L2283659	6/1/19 9:30	5/30/19	3:10 PM	L2283659-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/8/19 11:20	APHA 4500-P H-Electrode	ph	8.4
GW-4-OB	L2358663	10/2/19 9:50	9/30/19	8:1								

STATION ID	LOGNUMINUM	RECEIVEDATE	SPMDATE	SPMTIME	SAMPLENUM	ANALYTE	UNITS	IDL	ANALDATE	METHOD	Unified units	Final Results
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Selenium (Se)-Dissolved	mg/L	0.00005	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	0.00119
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Selenium (Se)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.0169
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Selenium (Se)-Dissolved	mg/L	0.00005	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	0.000504
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Selenium (Se)-Dissolved	mg/L	0.00005	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.00033
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Selenium (Se)-Total	mg/L	0.00005	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	0.00663
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Selenium (Se)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.001048
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Selenium (Se)-Total	mg/L	0.00005	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	0.00038
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Selenium (Se)-Total	mg/L	0.00005	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.000202
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Silicon (Si)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	1.99
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Silicon (Si)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	3.7
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Silicon (Si)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	2.48
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	2.55
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Silicon (Si)-Total	mg/L	0.1	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	2.78
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Silicon (Si)-Total	mg/L	0.05	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	4.1
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Silicon (Si)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	2.83
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Silicon (Si)-Total	mg/L	0.25	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	3.06
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Silver (Ag)-Dissolved	mg/L	0.00001	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Silver (Ag)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Silver (Ag)-Dissolved	mg/L	0.00001	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Silver (Ag)-Total	mg/L	0.00001	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Silver (Ag)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Silver (Ag)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Silver (Ag)-Total	mg/L	0.00005	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.00005
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sodium (Na)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	14.8
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sodium (Na)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	3.04
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sodium (Na)-Dissolved	mg/L	0.05	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	0.0687
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.242
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sodium (Na)-Total	mg/L	0.05	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	0.0736
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.0736
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sodium (Na)-Total	mg/L	0.05	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	0.0695
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Sodium (Na)-Total	mg/L	0.00002	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	0.0838
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sodium (Na)-Total	mg/L	0.00002	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	0.245
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sodium (Na)-Total	mg/L	0.00002	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	0.0714
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sodium (Na)-Total	mg/L	0.00002	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.075
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sulfate (SO4)-Dissolved	mg/L	0.3	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	1.84
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sulfate (SO4)-Dissolved	mg/L	0.3	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	2.09
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sulfate (SO4)-Dissolved	mg/L	0.3	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	16.4
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Sulfate (SO4)-Dissolved	mg/L	0.3	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	16.3
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sulfate (SO4)-Total	mg/L	0.3	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	7.67
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sulfate (SO4)-Total	mg/L	0.3	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	10.9
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sulfate (SO4)-Total	mg/L	0.3	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	6.12
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sulfide (H2S)-Dissolved	mg/L	0.00002	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sulfide (H2S)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sulfide (H2S)-Dissolved	mg/L	0.00002	8/18/19 11:39	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Sulfide (H2S)-Dissolved	mg/L	0.00005	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00005
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Sulfide (H2S)-Total	mg/L	0.00002	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Sulfide (H2S)-Total	mg/L	0.00002	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Sulfide (H2S)-Total	mg/L	0.00002	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Sulfide (H2S)-Total	mg/L	0.00005	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	-0.00005
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Thallium (Tl)-Dissolved	mg/L	0.00001	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Thallium (Tl)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Thallium (Tl)-Dissolved	mg/L	0.00001	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Thallium (Tl)-Dissolved	mg/L	0.00001	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	-0.00001
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Thallium (Tl)-Total	mg/L	0.00001	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Thallium (Tl)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Thallium (Tl)-Total	mg/L	0.00001	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	-0.00001
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Thallium (Tl)-Total	mg/L	0.00005	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	-0.00005
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Titanium (Ti)-Dissolved	mg/L	0.00003	11/11/18 15:30	APHA 3030B/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Titanium (Ti)-Dissolved	mg/L	0.00003	6/10/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Titanium (Ti)-Dissolved	mg/L	0.00003	8/18/19 10:44	APHA 3030B/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Titanium (Ti)-Dissolved	mg/L	0.00003	10/3/19 16:29	APHA 3030B/6202A (mod)	mg/L	0.00003
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Titanium (Ti)-Total	mg/L	0.00003	11/11/18 15:30	APHA 200/2/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Titanium (Ti)-Total	mg/L	0.00003	6/10/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Titanium (Ti)-Total	mg/L	0.00003	8/18/19 11:39	APHA 200/2/6202A (mod)	mg/L	0.00003
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Titanium (Ti)-Total	mg/L	0.00005	10/3/19 16:29	APHA 200/2/6202A (mod)	mg/L	0.00005
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Total Dissolved Solids	mg/L	20	11/11/18 8:30	APHA 250C	mg/L	234
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Total Dissolved Solids	mg/L	20	6/19/16 20:00	APHA 250C	mg/L	184
GW-4-OB	L2283663	8/9/19 9:00	8/7/19	4:50 PM	2283663-1	Total Dissolved Solids	mg/L	13	8/13/19 15:30	APHA 250C	mg/L	202
GW-4-OB	L2283663	10/2/19 9:50	9/30/19	11:17 AM	2283663-1	Total Dissolved Solids	mg/L	20	10/3/19 14:15	APHA 250C	mg/L	173
GW-4-OB	L1292945	11/16/18 12:20	11/14/18	11:22 AM	2192945-2	Total Inorganic Carbon	mg/L	1	11/11/18 8:30	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	42.7
GW-4-OB	L2283659	6/17/19 9:30	5/30/19	3:10 PM	2283659-4	Total Inorganic Carbon	mg/L	1	6/18/19 3:44	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	37.9
GW-4-OB	L228											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-B0B	L2325901	8/9/19 9:00	8/7/19	4:50 PM	C2325901-2	Vanadium (V)-Total	mg/L	0.0005	8/8/19 10:39	EPA 200.2/6020A (mod)	mg/L	0.00064
GW-4-B0B	L2358663	10/2/19 9:50	9/30/19	11:17 AM	C2358663-1	Vanadium (V)-Total	mg/L	0.0025	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.0025
GW-4-B0B	L2192945	11/6/18 12:20	11/14/18	11:22 AM	C2192945-2	Zinc (Zn)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0055
GW-4-B0B	L2283659	6/1/19 9:30	5/30/19	3:10 PM	C2283659-4	Zinc (Zn)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0032
GW-4-B0B	L2325901	8/9/19 9:00	8/7/19	4:50 PM	C2325901-2	Zinc (Zn)-Dissolved	mg/L	0.001	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	0.0024
GW-4-B0B	L2358663	10/2/19 9:50	9/30/19	11:17 AM	C2358663-1	Zinc (Zn)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0015
GW-4-B0B	L2192945	11/6/18 12:20	11/14/18	11:22 AM	C2192945-2	Zinc (Zn)-Total	mg/L	0.003	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	0.0063
GW-4-B0B	L2283659	6/1/19 9:30	5/30/19	3:10 PM	C2283659-4	Zinc (Zn)-Total	mg/L	0.003	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.0055
GW-4-B0B	L2325901	8/9/19 9:00	8/7/19	4:50 PM	C2325901-2	Zinc (Zn)-Total	mg/L	0.003	8/8/19 11:39	EPA 200.2/6020A (mod)	mg/L	0.0034
GW-4-B0B	L2358663	10/2/19 9:50	9/30/19	11:17 AM	C2358663-1	Zinc (Zn)-Total	mg/L	0.01	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.015
GW-4-B0B	L2192945	11/6/18 12:20	11/14/18	11:22 AM	C2192945-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-4-B0B	L2283659	6/1/19 9:30	5/30/19	3:10 PM	C2283659-4	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-4-B0B	L2325901	8/9/19 9:00	8/7/19	4:50 PM	C2325901-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	8/8/19 10:44	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-4-B0B	L2358663	10/2/19 9:50	9/30/19	11:17 AM	C2358663-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-4-B0B	L2192945	11/6/18 12:20	11/14/18	11:22 AM	C2192945-2	Zirconium (Zr)-Total	mg/L	0.00006	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	0.0028
GW-4-B0B	L2283659	6/1/19 9:30	5/30/19	3:10 PM	C2283659-4	Zirconium (Zr)-Total	mg/L	0.00006	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	-0.0006
GW-4-B0B	L2325901	8/9/19 9:00	8/7/19	4:50 PM	C2325901-2	Zirconium (Zr)-Total	mg/L	0.00006	8/8/19 11:39	EPA 200.2/6020A (mod)	mg/L	0.00194
GW-4-B0B	L2358663	10/2/19 9:50	9/30/19	11:17 AM	C2358663-1	Zirconium (Zr)-Total	mg/L	0.00006	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.001
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	1-Methylnaphthalene	mg/L	0.00005	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	0.000326
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	1-Methylnaphthalene	ug/L	0.05	6/5/19 09:00	EPA 3511B/270D	mg/L	-0.00005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	1-Methylnaphthalene	ug/L	0.05	8/12/19 00:00	EPA 3511B/270D	mg/L	-0.00005
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	1-Methylnaphthalene	ug/L	0.05	10/17/19 00:00	EPA 3511B/270D	mg/L	-0.00005
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	1-Methylnaphthalene	ug/L	0.02	6/5/19 09:00	EPA 3511B/270D	mg/L	0.00032
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	1-Methylnaphthalene	ug/L	0.02	8/12/19 00:00	EPA 3511B/270D	mg/L	0.00031
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	1-Methylnaphthalene	ug/L	0.02	10/17/19 00:00	EPA 3511B/270D	mg/L	-0.00002
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acenaphthene	mg/L	0.00003	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	0.00048
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthene	ug/L	0.01	6/5/19 09:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acenaphthene	ug/L	0.01	8/12/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthene	ug/L	0.01	10/17/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthene	ug/L	%	1/6/19 09:00	EPA 3511B/270D	%	121.5
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Acenaphthene	ug/L	%	1/8/19 09:00	EPA 3511B/270D	%	109.6
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthene	ug/L	%	1/10/19 09:00	EPA 3511B/270D	%	106.7
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acenaphthylene	mg/L	0.00001	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthylene	ug/L	0.01	6/5/19 09:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acenaphthylene	ug/L	0.01	8/12/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthylene	ug/L	0.01	10/17/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthylene	ug/L	1	1/6/19 09:00	EPA 3511B/270D	1	121.5
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Acenaphthylene	ug/L	1	1/8/19 09:00	EPA 3511B/270D	1	109.6
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthylene	ug/L	1	1/10/19 09:00	EPA 3511B/270D	1	106.7
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acenaphthylene	mg/L	0.00001	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthylene	ug/L	0.01	6/5/19 09:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acenaphthylene	ug/L	0.01	8/12/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthylene	ug/L	0.01	10/17/19 00:00	EPA 3511B/270D	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acenaphthylene	ug/L	1	1/6/19 09:00	EPA 3511B/270D	1	121.5
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Acenaphthylene	ug/L	1	1/8/19 09:00	EPA 3511B/270D	1	109.6
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acenaphthylene	ug/L	1	1/10/19 09:00	EPA 3511B/270D	1	106.7
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acridine	mg/L	0.00001	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	45.6
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	1	6/8/19 09:00	EPA 3511B/270D	1	277
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acridine	mg/L	1	8/12/19 00:00	EPA 3511B/270D	1	329
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acridine	mg/L	1	10/15/19 00:00	EPA 3511B/270D	1	311
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	1	6/8/19 00:00	EPA 3511B/270D	1	18.4
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Acridine	mg/L	1	8/12/19 00:00	EPA 3511B/270D	1	-1
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acridine	mg/L	1	10/15/19 00:00	EPA 3511B/270D	1	-1
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acridine	mg/L	0.00001	10/15/18 11:18	EPA 3511B/270D (mod)	mg/L	0.0051
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.003
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acridine	mg/L	0.001	8/17/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.0046
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acridine	mg/L	0.001	10/09/18 10:00	APHA 3030B/6020A (mod)	mg/L	0.0073
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	0.001	8/17/19 16:35	EPA 200.2/6020A (mod)	mg/L	13.9
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Acridine	mg/L	0.001	8/17/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.126
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acridine	mg/L	0.001	8/17/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.339
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Acridine	mg/L	0.00001	10/17/19 15:30	EPA 200.2/6020A (mod)	mg/L	0.0477
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	0.00001	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	0.00081
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:30 PM	C2325364-1	Acridine	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.00217
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	C2364371-9	Acridine	mg/L	0.00001	8/16/19 14:08	EPA 200.2/6020A (mod)	mg/L	0.00384
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Acridine	mg/L	0.00001	10/17/19 15:30	EPA 200.2/6020A (mod)	mg/L	0.0266
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	C2176012-2	Barium (Ba)-Dissolved	mg/L	0.00001	10/6/18 13:45	EPA 3030B/6020A (mod)	mg/L	0.0956
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	C2284033-4	Barium (Ba)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.135
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	C2325364-1	Barium (Ba)-Dissolved	mg/L	0.00001	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.178
GW-6-BR	L2364371											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Bismuth (Bi)-Total	mg/L	0.00025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.0025
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Bismuth (Bi)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Boron (B)-Dissolved	mg/L	0.01	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.234
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Boron (B)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.277
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Boron (B)-Dissolved	mg/L	0.01	8/9/19 19:35	APHA 3030B/6020A (mod)	mg/L	0.261
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Boron (B)-Dissolved	mg/L	0.01	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.309
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Boron (B)-Total	mg/L	0.05	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.251
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.249
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Boron (B)-Total	mg/L	0.05	8/16/19 14:08	APHA 200/2/6020A (mod)	mg/L	0.282
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Boron (B)-Total	mg/L	0.01	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.311
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Bromide (Br)	mg/L	0.25	10/5/18 16:32	APHA 300.1 (mod)	mg/L	0.8
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Bromide (Br)	mg/L	0.26	6/4/19 19:58	APHA 300.1 (mod)	mg/L	1.27
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Bromide (Br)	mg/L	0.25	8/9/19 9:28	APHA 300.1 (mod)	mg/L	1.31
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Bromide (Br)	mg/L	0.05	10/11/19 8:43	APHA 300.1 (mod)	mg/L	0.996
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.0000287
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000084
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cadmium (Cd)-Total	mg/L	0.00025	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.000406
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cadmium (Cd)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.0000225
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cadmium (Cd)-Total	mg/L	0.00025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.000049
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cadmium (Cd)-Total	mg/L	0.00005	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000142
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Calcium (Ca)-Dissolved	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	74.5
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Calcium (Ca)-Dissolved	mg/L	0.05	8/16/19 16:29	APHA 3030B/6020A (mod)	mg/L	65.5
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	82.9
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Calcium (Ca)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	60.2
GW-6-BR	L2176012	10/4/18 10:26	10/2/18	10:30 AM	L2176012-2	Calcium (Ca)-Total	mg/L	0.28	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	351
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Calcium (Ca)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	69.8
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Calcium (Ca)-Total	mg/L	0.25	8/16/19 14:05	EPA 200/2/6020A (mod)	mg/L	86.2
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Calcium (Ca)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	59.6
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cation - Anion Balance	%		6/11/19 16:35	APHA 1030E	%	1.5
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cation - Anion Balance	%		8/19/19 16:30	APHA 1030E	%	4
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cation - Anion Balance	%		10/18/19 17:09	APHA 1030E	%	-1.2
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cation Sum	meq/L		6/11/19 15:29	APHA 1030E	meq/L	18
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cation Sum	meq/L		8/19/19 16:30	APHA 1030E	meq/L	20.9
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cation Sum	meq/L		10/18/19 17:09	APHA 1030E	meq/L	16.2
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cesium (Cs)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000069
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000031
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cesium (Cs)-Dissolved	mg/L	0.00001	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.000023
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cesium (Cs)-Dissolved	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000022
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cesium (Cs)-Total	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.00365
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.000066
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cesium (Cs)-Total	mg/L	0.00005	8/16/19 14:05	EPA 200/2/6020A (mod)	mg/L	0.000113
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cesium (Cs)-Total	mg/L	0.00001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000033
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Chromium (Cr)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 5220 D Colorimetry	mg/L	63
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Chemical Oxygen Demand	mg/L	10	6/9/19 0:00	APHA 5220 D Colorimetry	mg/L	75
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Chemical Oxygen Demand	mg/L	10	8/13/19 0:00	APHA 5220 D Colorimetry	mg/L	54
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Chemical Oxygen Demand	mg/L	10	10/11/19 10:00	APHA 5220 D Colorimetry	mg/L	235
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Chloride (Cl)	mg/L	2.5	10/5/18 6:32	APHA 300.1 (mod)	mg/L	285
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Chloride (Cl)	mg/L	2.5	8/9/19 9:28	APHA 300.1 (mod)	mg/L	283
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Chloride (Cl)	mg/L	0.5	10/11/19 8:43	APHA 300.1 (mod)	mg/L	269
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Chloride (Cl)	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Chromium (Cr)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00546
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Chromium (Cr)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00014
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Chromium (Cr)-Total	mg/L	0.00001	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.00025
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Chromium (Cr)-Total	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000533
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cobalt (Co)-Dissolved	mg/L	0.00008	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.00043
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cobalt (Co)-Dissolved	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.00112
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cobalt (Co)-Dissolved	mg/L	0.00005	8/16/19 14:05	EPA 200/2/6020A (mod)	mg/L	0.0106
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cobalt (Co)-Dissolved	mg/L	0.00001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.00541
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cobalt (Co)-Total	mg/L	0.0025	10/5/19 8:55	BCMO Colour Single Wavelength	CU	-5
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cobalt (Co)-Total	mg/L	0.00001	10/15/19 11:00	APHA 2510 B	us/cm	1310
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cobalt (Co)-Total	mg/L	0.00001	8/6/19 15:00	APHA 2510 B	us/cm	1680
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cobalt (Co)-Total	mg/L	0.00001	8/12/19 13:00	APHA 2510 B	us/cm	1790
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Cobalt (Co)-Dissolved	mg/L	0.00002	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.00081
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Cobalt (Co)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Cobalt (Co)-Dissolved	mg/L	0.00002	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Cobalt (Co)-Dissolved	mg/L	0.00002	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Iron (Fe)-Total	mg/L	0.05	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	5.71
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Iron (Fe)-Total	mg/L	0.01	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.729
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Lead (Pb)-Dissolved	mg/L	0.00005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Lead (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Lead (Pb)-Dissolved	mg/L	0.00005	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2364371	10/10/19 9:10	10/2/18	10:30 AM	Z2176012-2	Lead (Pb)-Total	mg/L	0.0025	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.236
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Lead (Pb)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Lead (Pb)-Total	mg/L	0.0025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.009
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Lead (Pb)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000116
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Lithium (Li)-Dissolved	mg/L	0.001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.474
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Lithium (Li)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.618
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Lithium (Li)-Dissolved	mg/L	0.001	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.737
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Lithium (Li)-Dissolved	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.978
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Lithium (Li)-Total	mg/L	0.005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.49
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Lithium (Li)-Total	mg/L	0.001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.604
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Lithium (Li)-Total	mg/L	0.005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.746
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Lithium (Li)-Total	mg/L	0.001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.757
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Magnesium (Mg)-Dissolved	mg/L	0.005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	42.9
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	35.3
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	37.6
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Magnesium (Mg)-Dissolved	mg/L	0.005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	29.7
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Magnesium (Mg)-Total	mg/L	0.02	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	168
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Magnesium (Mg)-Total	mg/L	0.005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	35.9
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Magnesium (Mg)-Total	mg/L	0.02	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	42.8
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Magnesium (Mg)-Total	mg/L	0.005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	30.8
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Manganese (Mn)-Dissolved	mg/L	0.0003	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.492
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Manganese (Mn)-Dissolved	mg/L	0.0003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Manganese (Mn)-Dissolved	mg/L	0.0003	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	1.38
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Manganese (Mn)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	1.02
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Manganese (Mn)-Total	mg/L	0.005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	14.2
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Manganese (Mn)-Total	mg/L	0.001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	1.16
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Manganese (Mn)-Total	mg/L	0.005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	1.81
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Manganese (Mn)-Total	mg/L	0.001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	1.16
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Mercury (Hg)-Dissolved	mg/L	0.00005	10/11/18 14:38	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Mercury (Hg)-Dissolved	mg/L	0.00005	6/6/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Mercury (Hg)-Dissolved	mg/L	0.00005	8/16/19 16:29	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Mercury (Hg)-Total	mg/L	0.0025	10/12/18 10:24	EPA 1631E (mod)	mg/L	-0.0025
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Mercury (Hg)-Total	mg/L	0.00005	6/16/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Mercury (Hg)-Total	mg/L	0.0025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.00446
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00458
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Molybdenum (Mo)-Dissolved	mg/L	0.0003	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.00814
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Molybdenum (Mo)-Dissolved	mg/L	0.0003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00443
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Molybdenum (Mo)-Dissolved	mg/L	0.0003	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.00432
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Molybdenum (Mo)-Dissolved	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00445
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Molybdenum (Mo)-Total	mg/L	0.0025	10/12/18 10:24	EPA 1631E (mod)	mg/L	0.00845
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Molybdenum (Mo)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.00487
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Molybdenum (Mo)-Total	mg/L	0.0025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.00446
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Molybdenum (Mo)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.00458
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Naphthalene	mg/L	0.00005	10/15/18 11:18	EPA 3511/8/27/0D (mod)	mg/L	0.00002
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Naphthalene	ug/L	0.02	6/5/19 00:00	EPA 3511/8/27/0D	mg/L	0.000054
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Naphthalene	ug/L	0.02	8/12/19 00:00	EPA 3511/8/27/0D	mg/L	0.000027
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Naphthalene	ug/L	0.02	10/17/19 11:18	EPA 3511/8/27/0D (mod)	mg/L	78.3
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Nickel (Ni)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00268
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Nickel (Ni)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00268
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Nickel (Ni)-Dissolved	mg/L	0.0005	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.00317
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Nickel (Ni)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00268
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Nickel (Ni)-Total	mg/L	0.0025	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.0693
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Nickel (Ni)-Total	mg/L	0.0005	6/10/19 16:32	EPA 300.1 (mod)	mg/L	0.00538
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Nickel (Ni)-Total	mg/L	0.0025	8/16/19 14:08	EPA 300.1 (mod)	mg/L	0.0059
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Nickel (Ni)-Total	mg/L	0.0005	10/17/19 15:30	EPA 300.1 (mod)	mg/L	0.00319
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Nitrate (as N)	mg/L	0.02	10/5/18 6.32	EPA 300.1 (mod)	mg/L	0.045
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Nitrate (as N)	mg/L	0.02	8/9/19 2:28	EPA 300.1 (mod)	mg/L	0.037
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	Z2325364-1	Nitrate (as N)	mg/L	0.02	8/19/19 2:28	EPA 300.1 (mod)	mg/L	0.041
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	Z2364371-9	Nitrate (as N)	mg/L	0.02	10/11/19 8:43	EPA 300.1 (mod)	mg/L	0.232
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	Z2176012-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/5/18 3:44	APHA 4500-P PHOSPHORUS	mg/L	7.93
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	Z2284033-4	Orthophosphate-Dissolved (as P)	mg					

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Selenium (Se)-Total	mg/L	0.00025	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.0025
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Selenium (Se)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000276
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Silicon (Si)-Dissolved	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	4.33
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Silicon (Si)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	6.05
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Silicon (Si)-Dissolved	mg/L	0.05	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	7.22
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Silicon (Si)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	5.07
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Silicon (Si)-Total	mg/L	0.5	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	29.3
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Silicon (Si)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	6.24
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Silicon (Si)-Total	mg/L	0.25	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	7.41
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Silicon (Si)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	5.48
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Silver (Ag)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Silver (Ag)-Dissolved	mg/L	0.00001	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Silver (Ag)-Dissolved	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Silver (Ag)-Total	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.000222
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Silver (Ag)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Silver (Ag)-Total	mg/L	0.00005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Silver (Ag)-Total	mg/L	0.00001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Sodium (Na)-Dissolved	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	157
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Sodium (Na)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	263
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Sodium (Na)-Dissolved	mg/L	0.05	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	283
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Sodium (Na)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	242
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Sodium (Na)-Total	mg/L	0.25	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	135
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	260
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Sodium (Na)-Total	mg/L	0.25	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	287
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Sodium (Na)-Total	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	234
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Strontrium (Sr)-Dissolved	mg/L	0.0002	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.536
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Strontrium (Sr)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1.16
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Strontrium (Sr)-Dissolved	mg/L	0.0002	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	1.65
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Strontrium (Sr)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	1.47
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Strontrium (Sr)-Total	mg/L	0.001	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.815
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Strontrium (Sr)-Total	mg/L	0.0002	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	1.18
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Strontrium (Sr)-Total	mg/L	0.001	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	1.52
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Strontrium (Sr)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	1.53
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Sulfate (SO4)	mg/L	1.5	10/5/18 6:32	APHA 300/2/6020A (mod)	mg/L	44.2
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Sulfate (SO4)	mg/L	1.5	6/4/19 9:55	APHA 300/1 (mod)	mg/L	166
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Sulfate (SO4)	mg/L	1.5	8/9/19 9:26	APHA 300/1 (mod)	mg/L	229
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Sulfate (SO4)	mg/L	0.3	10/11/19 8:43	APHA 300/1 (mod)	mg/L	135
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Sulfur (S)-Dissolved	mg/L	0.5	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	28.3
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Sulfur (S)-Dissolved	mg/L	0.5	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	63.8
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Sulfur (S)-Dissolved	mg/L	0.5	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	95.8
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Sulfur (S)-Dissolved	mg/L	0.5	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	51.4
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Sulfur (S)-Total	mg/L	2.5	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	39
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Sulfur (S)-Total	mg/L	0.5	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	67.8
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Sulfur (S)-Total	mg/L	2.5	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	81.4
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	47.4
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Tellurium (Te)-Dissolved	mg/L	0.0002	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Tellurium (Te)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Tellurium (Te)-Dissolved	mg/L	0.0002	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Tellurium (Te)-Dissolved	mg/L	0.00001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Tellurium (Te)-Total	mg/L	0.0005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	-0.00021
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Tellurium (Te)-Total	mg/L	0.0002	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.000019
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Tellurium (Te)-Total	mg/L	0.0005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.00006
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Tellurium (Te)-Total	mg/L	0.00001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.000011
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Thallium (Tl)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.000133
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Thallium (Tl)-Dissolved	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.00001
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Thallium (Tl)-Dissolved	mg/L	0.00005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.00025
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Thallium (Tl)-Dissolved	mg/L	0.00001	10/17/19 15:40	EPA 4500-NORG (TKN)	mg/L	0.748
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Thallium (Tl)-Dissolved Solids	mg/L	20	6/16/19 12:00	APHA 2540 C - GRAVIMETRIC	mg/L	935
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Thallium (Tl)-Dissolved Solids	mg/L	20	8/13/19 15:30	APHA 2540 C	mg/L	1150
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Thallium (Tl)-Dissolved Solids	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00003
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Thallium (Tl)-Dissolved Solids	mg/L	0.00015	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.0409
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Thallium (Tl)-Total	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0123
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Thallium (Tl)-Total	mg/L	0.00015	8/12/19 12:28	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	95.6
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Thallium (Tl)-Total	mg/L	0.00015	10/17/19 7:10	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	82.8
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-1	Thallium (Tl)-Total	mg/L	0.00005	10/14/18 10:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	74.3
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Total Kjeldahl Nitrogen	mg/L	0.05	6/17/19 10:00			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Zinc (Zn)-Total	mg/L	0.01	10/9/18 12:47	EPA 200.2/6020A (mod)	mg/L	5.86
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Zinc (Zn)-Total	mg/L	0.003	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.0038
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Zinc (Zn)-Total	mg/L	0.01	8/16/19 14:08	EPA 200.2/6020A (mod)	mg/L	-0.015
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-9	Zinc (Zn)-Total	mg/L	0.003	10/17/19 15:30	EPA 200.2/6020A (mod)	mg/L	0.0065
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000175
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.000212
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	8/19/19 16:35	APHA 3030B/6020A (mod)	mg/L	0.000326
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-9	Zirconium (Zr)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00035
GW-6-BR	L2176012	10/4/18 10:25	10/2/18	10:30 AM	L2176012-2	Zirconium (Zr)-Total	mg/L	0.003	10/9/18 12:47	EPA 200.2/6020A (mod)	mg/L	0.00043
GW-6-BR	L2284033	6/3/19 12:40	6/2/19	9:40 AM	L2284033-4	Zirconium (Zr)-Total	mg/L	0.00006	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.000236
GW-6-BR	L2325364	8/8/19 9:20	8/7/19	12:50 PM	L2325364-1	Zirconium (Zr)-Total	mg/L	0.00003	8/16/19 14:08	EPA 200.2/6020A (mod)	mg/L	0.00037
GW-6-BR	L2364371	10/10/19 9:10	10/7/19	11:50 AM	L2364371-9	Zirconium (Zr)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200.2/6020A (mod)	mg/L	0.00022
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	1-Methylnaphthalene	mg/L	0.00005	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00005
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	1-Methylnaphthalene	ug/L	0.05	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	1-Methylnaphthalene	ug/L	0.05	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	1-Methylnaphthalene	ug/L	0.05	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	1-Methylnaphthalene	ug/L	0.05	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	1-Methylnaphthalene	ug/L	0.05	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	2-Methylnaphthalene	mg/L	0.00005	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00005
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	2-Methylnaphthalene	ug/L	0.02	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	2-Methylnaphthalene	ug/L	0.02	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	2-Methylnaphthalene	ug/L	0.02	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	2-Methylnaphthalene	ug/L	0.02	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacenaphthene	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacenaphthene	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacenaphthene	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacenaphthene	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacenaphthene	ug/L	0.01	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacenaphthene	ug/L	0.01	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacenaphthene d10	%	1	10/10/18 9:07	EPA 3511/8270D (mod)	%	126
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacenaphthene d10	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacenaphthene d10	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacenaphthene d10	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacenaphthene d10	ug/L	0.01	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacenaphthene d10	ug/L	0.01	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacenaphthylene	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacenaphthylene	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacenaphthylene	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacenaphthylene	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacenaphthylene	ug/L	0.01	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacenaphthylene	ug/L	0.01	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacridine	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	72.6
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacridine	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacridine	mg/L	0.00001	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacridine	mg/L	0.00001	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacridine	mg/L	0.00001	10/10/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacridine	mg/L	0.00001	3/13/20 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacridine d9	%	1	10/10/18 9:07	EPA 3511/8270D (mod)	%	72.6
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aalkalinity, Bicarbonate (as CaCO3)	mg/L	1	3/16/19 09:00	APHA 2320 ALKALINITY	mg/L	238
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aalkalinity, Bicarbonate (as CaCO3)	mg/L	1	6/8/19 15:00	APHA 2320 ALKALINITY	mg/L	213
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aalkalinity, Bicarbonate (as CaCO3)	mg/L	1	6/8/19 15:00	APHA 2320 ALKALINITY	mg/L	216
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aalkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	232
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aalkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	230
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacridine	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacridine	mg/L	0.00001	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacridine	mg/L	0.00001	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacridine	mg/L	0.00001	8/15/19 12:45	APHA 1030E	mg/L	0.843
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacridine	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.808
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacridine	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1.93
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aacenaphthene	mg/L	0.00001	3/12/19 13:00	APHA 2320 ALKALINITY	mg/L	0.527
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Aacenaphthene	mg/L	0.00001	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	0.477
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Aacenaphthene	mg/L	0.00001	3/11/20 16:00	APHA 200.2/6020A (mod)	mg/L	0.426
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-3	Aacenaphthene	mg/L	0.00001	3/13/19 16:00	APHA 3030B/6020A (mod)	mg/L	1.69
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-4	Aacenaphthene	mg/L	0.00001	6/12/19 13:00	APHA 200.2/6020A (mod)	mg/L	15.6
GW-6-JB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Aacenaphthene	mg/L	0.00001	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-6-JB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Aacenaphthene	mg/L	0.00001	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-6-JB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Aacenaphthene	mg/L	0.00001	3/10/20 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-6-JB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Aalkalinity, Total (as CaCO3)	mg/L	1	10/18/10 09:07	EPA 2320 ALKALINITY	mg/L	230
GW-6-JB	L2284033	6/3/19 12:40	6/2/19	8:05 AM</td								

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Arsenic (As)-Total	mg/L	0.0001	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.00175
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Barium (Ba)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.377
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Barium (Ba)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.274
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Barium (Ba)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.266
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Barium (Ba)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.278
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Barium (Ba)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.245
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Barium (Ba)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.221
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Barium (Ba)-Total	mg/L	0.0001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.354
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Barium (Ba)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.289
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Barium (Ba)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.321
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Barium (Ba)-Total	mg/L	0.0001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.319
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Barium (Ba)-Total	mg/L	0.0001	8/12/19 14:39	EPA 3030B/6020A (mod)	mg/L	0.322
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Barium (Ba)-Total	mg/L	0.0001	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.262
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Barium (Ba)-Total	mg/L	0.0001	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.369
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Benz(a)anthracene	ug/L	0.00001	10/10/19 18:07	APHA 3511/8270D (mod)	ug/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-1	Benz(a)anthracene	ug/L	0.0001	6/5/19 19:00	EPA 3511/8270D	ug/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Benz(a)anthracene	ug/L	0.0001	6/5/19 19:00	EPA 3511/8270D	ug/L	-0.00005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Benz(a)anthracene	ug/L	0.0001	8/12/19 14:39	EPA 3511/8270D	ug/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Benz(a)anthracene	ug/L	0.0001	10/10/19 18:07	EPA 3511/8270D	ug/L	-0.00005
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Benz(a)anthracene	ug/L	0.0001	3/12/20 16:00	EPA 3511/8270D	ug/L	-0.00006
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Benz(a)anthracene	ug/L	0.0001	10/10/19 18:07	EPA 3511/8270D	ug/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Benz(a)anthracene	ug/L	0.0001	6/13/20 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-2	Benz(a)anthracene	ug/L	0.0001	6/5/19 19:00	EPA 3511/8270D	ug/L	-0.00005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Benz(a)anthracene	ug/L	0.0001	8/12/19 14:39	EPA 3511/8270D	ug/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Benz(a)anthracene	ug/L	0.0001	10/10/19 18:07	EPA 3511/8270D	ug/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Benz(a)anthracene	ug/L	0.0001	3/13/20 00:00	EPA 3511/8270D	ug/L	-0.00001
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Benz(b+j)fluoranthene	mg/L	0.000015	10/10/19 18:07	EPA 3511/8270D (mod)	mg/L	-0.000015
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Benz(b+j)fluoranthene	mg/L	0.00001	10/10/19 18:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Benz(b+j)fluoranthene	mg/L	0.0001	6/5/19 19:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Benz(b+j)fluoranthene	mg/L	0.0001	8/12/19 14:39	EPA 3511/8270D	mg/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Benz(b+j)fluoranthene	mg/L	0.0001	10/10/19 18:07	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Benz(b+j)fluoranthene	mg/L	0.0001	3/12/20 16:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Benz(h,j)fluoranthene	mg/L	0.000015	10/10/19 18:07	EPA 3511/8270D (mod)	mg/L	-0.000015
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Benz(h,j)fluoranthene	mg/L	0.0001	6/5/19 19:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Benz(h,j)fluoranthene	mg/L	0.0001	6/5/19 19:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Benz(h,j)fluoranthene	mg/L	0.0001	8/12/19 14:39	EPA 3511/8270D	mg/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Benz(h,j)fluoranthene	mg/L	0.0001	10/10/19 18:07	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Benz(h,j)fluoranthene	mg/L	0.0001	3/12/20 16:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Boron (B)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Boron (B)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Boron (B)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Boron (B)-Dissolved	mg/L	0.0001	8/12/19 14:39	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Boron (B)-Dissolved	mg/L	0.0001	10/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Boron (B)-Dissolved	mg/L	0.0001	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Boron (B)-Total	mg/L	0.00005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	-0.000016
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Boron (B)-Total	mg/L	0.00005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Boron (B)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Boron (B)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Boron (B)-Total	mg/L	0.00005	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	-0.00002
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Boron (B)-Total	mg/L	0.00005	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Boron (B)-Total	mg/L	0.00005	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Boron (B)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Boron (B)-Dissolved	mg/L	0.00005	3/11/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Boron (B)-Dissolved	mg/L	0.00005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Boron (B)-Dissolved	mg/L	0.00005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Boron (B)-Dissolved	mg/L	0.00005	8/12/19 14:39	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Boron (B)-Dissolved	mg/L	0.00005	10/8/19 17:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Boron (B)-Dissolved	mg/L	0.00005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0000061
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/12/19 14:39	EPA 3030B/6020A (mod)	mg/L	-0.0000106
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Cadmium (Cd)-Dissolved	mg/L	0.000005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.000005
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	L2173511-4	Cadmium (Cd)-Total	mg/L	0.000005	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	-0.0000124
GW-6-OB	L224116	3/9/19 8:50	3/7/19	11:45 AM	L224116-4	Cadmium (Cd)-Total	mg/L	0.000005				

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cation Sum	mg/L		3/16/20 13:59	APHA 3030B/6020A (mod)	mg/L	5.84
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Cesium (Cs)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000016
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Cesium (Cs)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cesium (Cs)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.000013
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Cesium (Cs)-Total	mg/L	0.00001	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	0.000057
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Cesium (Cs)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.000246
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.000209
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.000545
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Cesium (Cs)-Total	mg/L	0.00001	8/12/19 14:39	EPA 200.2/6020A (mod)	mg/L	0.000019
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Cesium (Cs)-Total	mg/L	0.00001	10/8/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.000137
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cesium (Cs)-Total	mg/L	0.00001	3/11/20 16:00	EPA 200.2/6020A (mod)	mg/L	0.000092
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Chemical Oxygen Demand	mg/L	10	3/12/19 00:00	APHA 5220 D Colorimetry	mg/L	22
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Chemical Oxygen Demand	mg/L	10	6/9/19 00:00	APHA 5220 D Colorimetry	mg/L	49
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Chemical Oxygen Demand	mg/L	10	6/9/19 00:00	APHA 5220 D Colorimetry	mg/L	22
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Chemical Oxygen Demand	mg/L	10	8/13/19 00:00	APHA 5220 D Colorimetry	mg/L	61
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Chemical Oxygen Demand	mg/L	10	10/8/19 12:00	APHA 5220 D Colorimetry	mg/L	15
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Chemical Oxygen Demand	mg/L	10	3/12/20 9:00	APHA 5220 D Colorimetry	mg/L	136
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Chloride (Cl)	mg/L	0.5	10/2/18 7:14	EPA 300.1 (mod)	mg/L	22.9
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Chloride (Cl)	mg/L	0.5	3/12/19 11:29	EPA 300.1 (mod)	mg/L	6.96
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Chloride (Cl)	mg/L	0.5	6/14/19 05:53	EPA 300.1 (mod)	mg/L	4.78
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Chloride (Cl)	mg/L	0.5	6/14/19 05:53	EPA 300.1 (mod)	mg/L	5.29
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Chloride (Cl)	mg/L	0.5	8/9/19 05:28	EPA 300.1 (mod)	mg/L	2.28
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Chloride (Cl)	mg/L	0.5	10/4/19 23:23	EPA 300.1 (mod)	mg/L	1.97
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Chloride (Cl)	mg/L	0.5	3/10/20 9:28	EPA 300.1 (mod)	mg/L	1.88
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Chromium (Cr)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Chromium (Cr)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Chromium (Cr)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Chromium (Cr)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00015
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Chromium (Cr)-Dissolved	mg/L	0.00001	8/9/19 06:14	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Chromium (Cr)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00016
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Chromium (Cr)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00101
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Chromium (Cr)-Total	mg/L	0.00001	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	0.0029
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Chromium (Cr)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.00138
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Chromium (Cr)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.00168
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Chromium (Cr)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.00314
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Chromium (Cr)-Total	mg/L	0.00001	8/12/19 14:39	EPA 200.2/6020A (mod)	mg/L	0.00115
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Chromium (Cr)-Total	mg/L	0.00001	10/8/19 17:00	EPA 200.2/6020A (mod)	mg/L	0.000096
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Chromium (Cr)-Total	mg/L	0.00001	3/11/20 16:00	EPA 200.2/6020A (mod)	mg/L	0.00561
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Chryseine	mg/L	0.00001	10/10/18 9:07	EPA 3511/8/270D (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Chryseine	ug/L	0.01	6/5/19 00:00	EPA 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Chryseine	ug/L	0.01	6/5/19 00:00	EPA 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Chryseine	ug/L	0.01	8/12/19 00:00	EPA 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Chryseine	ug/L	0.01	10/10/19 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Chryseine	ug/L	0.01	3/13/20 0:00	EPA 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Cobalt (Co)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00096
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Cobalt (Co)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0002
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Cobalt (Co)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00028
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Cobalt (Co)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00032
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Cobalt (Co)-Dissolved	mg/L	0.00001	8/17/19 0:04	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Cobalt (Co)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00018
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cobalt (Co)-Dissolved	mg/L	0.00001	3/12/20 16:00	EPA 200.2/6020A (mod)	mg/L	0.00025
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Cobalt (Co)-Total	mg/L	0.00001	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	0.00205
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Cobalt (Co)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.00086
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Cobalt (Co)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.00131
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Cobalt (Co)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.00012
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Cobalt (Co)-Total	mg/L	0.00001	8/12/19 0:04	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Cobalt (Co)-Total	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00007
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Cobalt (Co)-Total	mg/L	0.00001	3/12/20 12:00	EPA 3030B/6020A (mod)	mg/L	0.00005
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Dissolved Metals Filtration Location	mg/L	0.00001	10/1/18 21:10	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Dissolved Metals Filtration Location	mg/L	0.00001	6/6/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Dissolved Metals Filtration Location	mg/L	0.00001	6/6/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Dissolved Metals Filtration Location	mg/L	0.00001	8/16/19 0:04	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Dissolved Metals Filtration Location	mg/L	0.00001	10/5/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Dissolved Metals Filtration Location	mg/L	0.00001	3/13/20 0:00	APHA 3030B/6020A (mod)	mg/L	0 LAB
GW-6-OB	L2173511	10/1/18 8:50	9/27/18	1:00 PM	2173511-4	Dissolved Metals Filtration Location	mg/L	0.00001				

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Fluoride (F)	mg/L	0.02	3/10/20 9:26	EPA 300.1 (mod)	mg/L	0.089
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/18/18 15:10	APHA 2340B	mg/L	232
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/14/19 12:26	APHA 2340 B	mg/L	201
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	6/10/19 16:49	APHA 2340 B	mg/L	211
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	6/11/19 15:39	APHA 2340 B	mg/L	223
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	8/5/19 11:25	APHA 2340 B	mg/L	214
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	10/11/19 10:54	APHA 2340 B	mg/L	206
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Hardness (as CaCO <sub>3</sub> )	mg/L	0.5	3/16/20 8:35	APHA 2340 B	mg/L	250
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Equivalent Chromium	mg/L	0.0005	10/4/18 17:07	APHA 3500-Cr C (Ion Chromatography)	mg/L	-0.0005
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Indeno[1,2-c]pyrene	ug/L	0.0001	10/10/18 10:02	EPAs 3511/8/270D (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Indeno[1,2-c]pyrene	ug/L	0.01	6/5/19 00:00	EPAs 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Indeno[1,2-c]pyrene	ug/L	0.01	6/5/19 00:00	EPAs 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Indeno[1,2-c]pyrene	ug/L	0.01	8/12/19 00:00	EPAs 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Indeno[1,2-c]pyrene	ug/L	0.01	10/10/19 00:00	EPAs 3511/8/270D	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Ion Balance	%	-100	3/17/19 15:49	APHA 1030E	%	89.8
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Ion Balance	%	-100	6/11/19 15:44	APHA 1030E	%	103
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Ion Balance	%	-100	8/15/19 12:55	APHA 1030E	%	97.7
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Ion Balance	%	-100	10/11/19 10:54	APHA 1030E	%	94.6
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Ion Balance	%	-100	3/17/20 8:10	APHA 1030E	%	100
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Iron (Fe)-Dissolved	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.395
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Iron (Fe)-Dissolved	mg/L	0.01	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.246
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Iron (Fe)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.348
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Iron (Fe)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.356
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Iron (Fe)-Dissolved	mg/L	0.01	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.293
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Iron (Fe)-Dissolved	mg/L	0.01	10/10/19 16:30	APHA 3030B/6020A (mod)	mg/L	0.283
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.105
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Iron (Fe)-Total	mg/L	0.01	10/3/18 14:03	EPAs 200/2/6020A (mod)	mg/L	3.06
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:13	EPAs 200/2/6020A (mod)	mg/L	2
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	2.06
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	3.98
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Iron (Fe)-Total	mg/L	0.01	8/12/19 14:39	EPAs 200/2/6020A (mod)	mg/L	1.86
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Iron (Fe)-Total	mg/L	0.01	10/8/19 17:00	EPAs 200/2/6020A (mod)	mg/L	1.5
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Iron (Fe)-Total	mg/L	0.01	10/8/19 17:00	EPAs 200/2/6020A (mod)	mg/L	4.11
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Lead (Pb)-Dissolved	mg/L	0.0005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Lead (Pb)-Dissolved	mg/L	0.0005	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Lead (Pb)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Lead (Pb)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Lead (Pb)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Lead (Pb)-Dissolved	mg/L	0.0005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Lead (Pb)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Lead (Pb)-Total	mg/L	0.0005	10/3/18 14:03	EPAs 200/2/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Lead (Pb)-Total	mg/L	0.0005	3/13/19 16:15	EPAs 200/2/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Lead (Pb)-Total	mg/L	0.0005	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Lead (Pb)-Total	mg/L	0.0005	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Lead (Pb)-Total	mg/L	0.0005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Lead (Pb)-Total	mg/L	0.0005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Lead (Pb)-Total	mg/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Magnesium (Mg)-Dissolved	mg/L	0.005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	16.7
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Magnesium (Mg)-Dissolved	mg/L	0.005	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	12.6
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	12.7
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	13.3
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Magnesium (Mg)-Dissolved	mg/L	0.005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	12.2
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Magnesium (Mg)-Dissolved	mg/L	0.005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	12.1
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Magnesium (Mg)-Dissolved	mg/L	0.005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	15
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Magnesium (Mg)-Total	mg/L	0.005	10/3/18 14:03	EPAs 200/2/6020A (mod)	mg/L	13.8
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Manganese (Mn)-Dissolved	mg/L	0.0001	6/12/19 14:39	EPAs 200/2/6020A (mod)	mg/L	0.677
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Manganese (Mn)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	1.02
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Manganese (Mn)-Dissolved	mg/L	0.0001	6/10/19 16:29	EPAs 3030B/6020A (mod)	mg/L	0.964
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Manganese (Mn)-Dissolved	mg/L	0.0001	8/12/19 14:39	EPAs 200/2/6020A (mod)	mg/L	1.02
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Manganese (Mn)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.88
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Manganese (Mn)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	1.23
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	2173511-4	Manganese (Mn)-Total	mg/L	0.0001	10/3/18 14:03	EPAs 200/2/6020A (mod)	mg/L	0.501
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Manganese (Mn)-Total	mg/L	0.0001	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	0.688
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Manganese (Mn)-Total	mg/L	0.0001	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	1.22
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Manganese (Mn)-Total	mg/L	0.0001	6/10/19 16:29	EPAs 200/2/6020A (mod)	mg/L	1.03
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Manganese (Mn)-Total	mg/L	0.0001	8/12/19 14:39	EPAs 200/2/6020A (mod)	mg/L	12.5
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Manganese (Mn)-Total	mg/L	0.0001	10/8/19 17:00	EPAs 200/2/6020A (mod)	mg/L	12.6
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Manganese (Mn)-Total	mg/L	0.0001	3/11/20 16:00	EPAs 200/2/6020A (mod)	mg/L	1

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2284033	6/3/19 8:50	6/2/19	8:30 AM	L2284032-3	Nickel (Ni)-Total	mg/L	0.0005	6/10/19 12:49	EPA 200_2/6020A (mod)	mg/L	0.00463
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Nickel (Ni)-Total	mg/L	0.0005	8/12/19 14:39	EPA 200_2/6020A (mod)	mg/L	0.00237
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Nickel (Ni)-Total	mg/L	0.0005	10/8/19 17:00	EPA 200_2/6020A (mod)	mg/L	0.00164
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Nickel (Ni)-Total	mg/L	0.0005	3/11/20 16:00	EPA 200_2/6020A (mod)	mg/L	0.00204
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Nitrate (as N)	mg/L	0.0005	10/2/18 7:14	EPA 300_1 (mod)	mg/L	-0.005
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Nitrate (as N)	mg/L	0.0005	3/12/19 11:29	EPA 300_1 (mod)	mg/L	0.0057
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Nitrate (as N)	mg/L	0.0005	6/4/19 9:55	EPA 300_1 (mod)	mg/L	0.0152
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Nitrate (as N)	mg/L	0.0005	6/4/19 9:55	EPA 300_1 (mod)	mg/L	0.0141
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Nitrate (as N)	mg/L	0.0005	8/9/19 12:26	EPA 300_1 (mod)	mg/L	-0.005
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Nitrate (as N)	mg/L	0.0005	10/4/19 12:23	EPA 300_1 (mod)	mg/L	0.086
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Nitrate (as N)	mg/L	0.0005	3/10/20 9:26	EPA 300_1 (mod)	mg/L	0.029
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Nitrate and Nitrite (as N)	mg/L	0.0005	3/12/19 12:00	CALCULATION	mg/L	0.05
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Nitrate and Nitrite (as N)	mg/L	0.0005	6/5/19 10:59	CALCULATION	mg/L	0.018
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Nitrate and Nitrite (as N)	mg/L	0.0005	6/5/19 10:59	CALCULATION	mg/L	0.0185
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Nitrate and Nitrite (as N)	mg/L	0.0005	8/15/19 12:40	CALCULATION	mg/L	0.0344
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Nitrate and Nitrite (as N)	mg/L	0.0005	10/5/19 11:02	CALCULATION	mg/L	0.089
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Nitrate and Nitrite (as N)	mg/L	0.0005	3/11/20 10:20	CALCULATION	mg/L	0.0316
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Nitrite (as N)	mg/L	0.0001	10/2/18 7:14	EPA 300_1 (mod)	mg/L	-0.001
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Nitrite (as N)	mg/L	0.0001	3/12/19 11:29	EPA 300_1 (mod)	mg/L	0.0034
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Nitrite (as N)	mg/L	0.0001	6/4/19 9:55	EPA 300_1 (mod)	mg/L	0.0028
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Nitrite (as N)	mg/L	0.0001	6/4/19 9:55	EPA 300_1 (mod)	mg/L	0.0044
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Nitrite (as N)	mg/L	0.0001	8/9/19 12:26	EPA 300_1 (mod)	mg/L	0.0344
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Nitrite (as N)	mg/L	0.0001	10/4/19 12:23	EPA 300_1 (mod)	mg/L	0.003
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Nitrite (as N)	mg/L	0.0001	3/10/20 9:26	EPA 300_1 (mod)	mg/L	0.026
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Orthophosphate-Dissolved (as P)	mg/L	0.0001	10/2/18 4:29	APHA 4500-P Phosphorus	mg/L	0.0047
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Orthophosphate-Dissolved (as P)	mg/L	0.0001	3/10/19 19:40	APHA 4500-P PHOSPHORUS	mg/L	0.0017
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Orthophosphate-Dissolved (as P)	mg/L	0.0001	6/3/19 17:36	APHA 4500-P PHOSPHORUS	mg/L	0.0026
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	6/3/19 17:36	APHA 4500-P PHOSPHORUS	mg/L	0.0021
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	8/9/19 12:26	APHA 4500-P PHOSPHORUS	mg/L	0.043
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Orthophosphate-Dissolved (as P)	mg/L	0.0001	10/4/19 18:44	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Orthophosphate-Dissolved (as P)	mg/L	0.0001	3/10/20 15:59	APHA 4500-P PHOSPHORUS	mg/L	0.0209
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	pH	pH	0.1	10/2/18 9:25	APHA 4500-H pH Value	pH	8.13
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	pH	pH	0.1	3/16/19 9:00	APHA 4500-H Electrode	pH	7.92
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	pH	pH	0.1	6/8/19 15:00	APHA 4500-H Electrode	pH	8.56
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	pH	pH	0.1	6/8/19 15:00	APHA 4500-H Electrode	pH	8.56
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	pH	pH	0.1	6/8/19 15:00	APHA 4500-H Electrode	pH	8.56
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	pH	pH	0.1	10/8/19 10:00	APHA 4500-H Electrode	pH	8.19
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	pH	pH	0.1	3/10/20 14:40	APHA 4500-H Electrode	pH	8.05
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Phanthenone	mg/L	0.00002	10/10/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.0002
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Phanthenone	mg/L	0.00002	3/13/20 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Phanthenone	ug/L	0.02	6/5/19 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Phanthenone	ug/L	0.02	8/12/19 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Phanthenone	ug/L	0.02	8/12/19 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Phanthenone	ug/L	0.02	10/10/19 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Phanthenone	ug/L	0.02	3/13/20 00:00	EPA 3511/8/270D	mg/L	-0.0002
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Phosphorus (P)-Col-Total	mg/L	0.00002	10/7/19 12:54	APHA 4500-P Phosphorus	mg/L	0.138
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Phosphorus (P)-Col-Total	mg/L	0.00002	10/2/18 21:32	APHA 4500-P Phosphorus	mg/L	0.165
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Phosphorus (P)-Col-Total	mg/L	0.00002	3/12/19 12:00	APHA 4500-P Phosphorus	mg/L	0.165
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Phosphorus (P)-Col-Total	mg/L	0.00002	3/12/19 12:00	APHA 4500-P Phosphorus	mg/L	0.165
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Phosphorus (P)-Col-Total	mg/L	0.00002	8/15/19 11:16	APHA 4500-P PHOSPHORUS	mg/L	0.658
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Phosphorus (P)-Col-Total	mg/L	0.00002	10/7/19 12:54	APHA 4500-P PHOSPHORUS	mg/L	0.0387
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Phosphorus (P)-Col-Total	mg/L	0.00002	3/12/20 16:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0386
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Phosphorus (P)-Col-Total	mg/L	0.00001	10/7/19 20:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0036
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Phosphorus (P)-Col-Total	mg/L	0.00001	3/12/20 12:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0055
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Phosphorus (P)-Col-Total	mg/L	0.00001	10/2/18 21:32	APHA 4500-P Phosphorus	mg/L	0.138
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Phosphorus (P)-Col-Total	mg/L	0.00001	10/2/18 21:32	APHA 4500-P PHOSPHORUS	mg/L	0.165
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Phosphorus (P)-Col-Total	mg/L	0.00001	8/15/19 11:16	APHA 4500-P PHOSPHORUS	mg/L	0.658
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Phosphorus (P)-Col-Total	mg/L	0.00001	8/15/19 11:16	APHA 4500-P PHOSPHORUS	mg/L	0.0387
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Phosphorus (P)-Col-Total	mg/L	0.00001	3/12/20 16:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0386
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Phosphorus (P)-Dissolved	mg/L	0.00001	10/2/18 09:07	EPA 3511/8/270D (mod)	mg/L	-0.0001
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Phosphorus (P)-Dissolved	mg/L	0.00001	3/13/19 14:03	EPA 3511/8/270D	mg/L	0.0018
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Phosphorus (P)-Dissolved	mg/L	0.00001	3/13/19 14:03	APHA 3030B/6020A (mod)	mg/L	0.00061
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Phosphorus (P)-Dissolved	mg/L	0.00001	3/13/19 14:03	APHA 3030B/6020A (mod)	mg/L	0.00067
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	L2325364-2	Phosphorus (P)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00107
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Phosphorus (P)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00058
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Phosphorus (P)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00145
GW-6-OB	L2173511	10/18/18 8:50	9/27/18	1:00 PM	L2173511-4	Rubidium (Rb)-Dissolved	mg/L	0.00002	10/3/18 14:03	EPA 200_2/6020A (mod)	mg/L	0.00567
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Rubidium (Rb)-Dissolved	mg/L	0.00002	3/13/19 16:00	EPA 200_2/6020A (mod)	mg/L	0.00273
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Rubidium (Rb)-Dissolved	mg/L	0.00002	6/10			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Silicon (Si)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	5.83
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Silicon (Si)-Total	mg/L	0.1	10/18/14:03	EPAA 200/2/6020A (mod)	mg/L	6.96
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Silicon (Si)-Total	mg/L	0.1	3/13/19 16:19	EPAA 200/2/6020A (mod)	mg/L	6.93
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Silicon (Si)-Total	mg/L	0.05	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	5.94
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Silicon (Si)-Total	mg/L	0.05	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	7.52
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Silicon (Si)-Total	mg/L	0.05	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	6.03
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Silicon (Si)-Total	mg/L	0.05	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	6.05
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Silicon (Si)-Total	mg/L	0.05	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	6.66
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Silver (Ag)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Silver (Ag)-Dissolved	mg/L	0.00001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Silver (Ag)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:45 AM	2360195-3	Silver (Ag)-Total	mg/L	0.00001	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.00003
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Silver (Ag)-Total	mg/L	0.00001	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	0.000016
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Silver (Ag)-Total	mg/L	0.00001	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Silver (Ag)-Total	mg/L	0.00001	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	0.000019
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Sodium (Na)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	25.6
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Sodium (Na)-Dissolved	mg/L	0.05	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	9.61
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Sodium (Na)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	9.71
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Sodium (Na)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	10.4
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Sodium (Na)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	7.18
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Sodium (Na)-Dissolved	mg/L	0.05	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.59
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	8.76
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Sodium (Na)-Total	mg/L	0.05	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	23.4
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Sodium (Na)-Total	mg/L	0.05	3/3/19 16:15	EPAA 200/2/6020A (mod)	mg/L	10.2
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	10.9
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	9.93
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Sodium (Na)-Total	mg/L	0.05	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	7.32
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Sodium (Na)-Total	mg/L	0.05	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	6.45
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Sodium (Na)-Total	mg/L	0.05	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	8.6
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Strontron (Sr)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.484
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Strontron (Sr)-Dissolved	mg/L	0.0002	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.384
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Strontron (Sr)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.386
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Strontron (Sr)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.402
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Strontron (Sr)-Dissolved	mg/L	0.0002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.379
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Strontron (Sr)-Dissolved	mg/L	0.0002	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.384
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Strontron (Sr)-Dissolved	mg/L	0.0002	3/12/20 16:00	EPAA 200/2/6020A (mod)	mg/L	0.471
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Strontron (Sr)-Total	mg/L	0.0002	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	0.485
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Strontron (Sr)-Total	mg/L	0.0002	3/3/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.43
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Strontron (Sr)-Total	mg/L	0.0002	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.402
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Strontron (Sr)-Total	mg/L	0.0002	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.419
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Strontron (Sr)-Total	mg/L	0.0002	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	0.394
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Strontron (Sr)-Total	mg/L	0.0002	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	0.371
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Strontron (Sr)-Total	mg/L	0.0002	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	0.43
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Sulfur (S)-Dissolved	mg/L	0.3	10/2/18 11:29	APHA 3030B/6020A (mod)	mg/L	1.44
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Sulfur (S)-Dissolved	mg/L	0.3	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	2.11
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Sulfur (S)-Dissolved	mg/L	0.3	6/14/19 5:53	APHA 3030B/6020A (mod)	mg/L	4.42
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Sulfur (S)-Dissolved	mg/L	0.3	6/14/19 5:53	APHA 3030B/6020A (mod)	mg/L	3.69
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Sulfur (S)-Dissolved	mg/L	0.3	8/9/19 16:28	APHA 3030B/6020A (mod)	mg/L	3.55
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Sulfur (S)-Dissolved	mg/L	0.3	10/4/19 23:00	APHA 3030B/6020A (mod)	mg/L	3.78
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Sulfur (S)-Dissolved	mg/L	0.3	3/10/20 28:00	EPAA 300-1 (mod)	mg/L	8.24
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Sulfur (S)-Total	mg/L	0.3	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.81
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Sulfur (S)-Total	mg/L	0.3	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.485
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Sulfur (S)-Total	mg/L	0.3	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1.17
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Sulfur (S)-Total	mg/L	0.3	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	1.42
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Sulfur (S)-Total	mg/L	0.3	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	1.55
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Sulfur (S)-Total	mg/L	0.3	10/11/19 16:00	EPAA 200/2/6020A (mod)	mg/L	1.38
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Sulfur (S)-Total	mg/L	0.3	3/11/20 16:00	EPAA 200/2/6020A (mod)	mg/L	1.374
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Tellurium (Te)-Dissolved	mg/L	0.00002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	Tellurium (Te)-Dissolved	mg/L	0.00002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	2284033-1	Tellurium (Te)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	2284033-2	Tellurium (Te)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2325364	8/8/19 9:20	8/7/19	1:20 PM	2325364-2	Tellurium (Te)-Dissolved	mg/L	0.00002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	2360195-3	Tellurium (Te)-Dissolved	mg/L	0.00002	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	2426328-1	Tellurium (Te)-Dissolved	mg/L	0.00002	3/12/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2173511	10/18 8:50	9/27/18	1:00 PM	2173511-4	Tellurium (Te)-Total	mg/L	0.00001	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	-0.00001
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	2242116-4	T						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Titanium (Ti)-Total	mg/L	0.0003	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0134
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:19	EPA 200/2/6020A (mod)	mg/L	0.0123
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Titanium (Ti)-Total	mg/L	0.0003	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.00689
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Titanium (Ti)-Total	mg/L	0.0003	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.011
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	0.00503
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Titanium (Ti)-Total	mg/L	0.0003	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.0091
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Titanium (Ti)-Total	mg/L	0.0003	3/11/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.0091
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Total Dissolved Solids	mg/L	20	10/18/18 5:50	APHA 2540 C - GRAV/IMETRIC	mg/L	338
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540 C	mg/L	256
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Total Dissolved Solids	mg/L	20	6/6/19 12:00	APHA 2540 C	mg/L	256
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Total Dissolved Solids	mg/L	20	6/6/19 12:00	APHA 2540 C	mg/L	264
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Total Dissolved Solids	mg/L	20	8/13/19 16:30	APHA 2540 C	mg/L	284
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Total Dissolved Solids	mg/L	20	10/7/19 13:00	APHA 2540 C	mg/L	239
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Total Dissolved Solids	mg/L	20	3/14/20 13:00	APHA 2540 C	mg/L	338
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Total Kjeldahl Nitrogen	mg/L	0.05	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	0.831
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Total Kjeldahl Nitrogen	mg/L	0.05	6/7/19 10:00	APHA 4500-NORG (TKN)	mg/L	2.2
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Total Kjeldahl Nitrogen	mg/L	0.05	6/7/19 10:00	APHA 4500-NORG (TKN)	mg/L	1.1
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Total Kjeldahl Nitrogen	mg/L	0.05	8/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	3.96
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Total Kjeldahl Nitrogen	mg/L	0.05	10/8/19 12:00	APHA 4500-NORG (TKN)	mg/L	0.63
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Total Kjeldahl Nitrogen	mg/L	0.05	3/13/20 10:00	APHA 4500-NORG (TKN)	mg/L	8.41
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Total Nitrogen	mg/L	0.03	10/5/18 18:28	APHA 4500-PLVNEIMB17/USGS03-4174	mg/L	0.749
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Total Nitrogen	mg/L	0.05	3/18/19 12:23	APHA 4500 N-Calculated	mg/L	0.84
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Total Nitrogen	mg/L	0.05	6/10/19 7:34	APHA 4500 N-Calculated	mg/L	2.21
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Total Nitrogen	mg/L	0.05	6/10/19 7:34	APHA 4500 N-Calculated	mg/L	1.11
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Total Nitrogen	mg/L	0.05	8/16/19 15:40	APHA 4500 N-Calculated	mg/L	3.99
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Total Nitrogen	mg/L	0.05	10/9/19 12:19	APHA 4500 N-Calculated	mg/L	0.719
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Total Nitrogen	mg/L	0.05	3/13/20 12:00	APHA 4500 N-Calculated	mg/L	8.44
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Total Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	2.84
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Total Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.51
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Total Organic Carbon	mg/L	0.5	6/5/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.05
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Total Organic Carbon	mg/L	0.5	6/5/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.45
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Total Organic Carbon	mg/L	0.5	8/10/19 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	19.6
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Total Organic Carbon	mg/L	0.5	10/12/19 10:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.44
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Total Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	34
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Total Suspended Solids	mg/L	20	10/18/12:25	APHA 2540	mg/L	67.6
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:50	APHA 3038B (6020A)	mg/L	0.00011
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3038B (6020A)	mg/L	-0.0001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Tungsten (W)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3038B (6020A)	mg/L	-0.0001
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Tungsten (W)-Dissolved	mg/L	0.0001	8/12/19 14:39	APHA 3038B (6020A)	mg/L	-0.0001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Tungsten (W)-Dissolved	mg/L	0.0001	10/8/19 17:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Tungsten (W)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3038B (6020A)	mg/L	-0.0001
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Tungsten (W)-Total	mg/L	0.0001	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.0003
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Tungsten (W)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00017
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Tungsten (W)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Tungsten (W)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Tungsten (W)-Total	mg/L	0.0001	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Tungsten (W)-Total	mg/L	0.0001	10/8/19 17:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Tungsten (W)-Total	mg/L	0.0001	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Vanadium (V)-Dissolved	mg/L	0.0005	10/2/18 12:59	APHA 3038B (6020A)	mg/L	0.00054
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3038B (6020A)	mg/L	0.00052
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Vanadium (V)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 3038B (6020A)	mg/L	0.00045
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Vanadium (V)-Dissolved	mg/L	0.0005	6/10/19 16:29	APHA 3038B (6020A)	mg/L	0.00047
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Vanadium (V)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3038B (6020A)	mg/L	0.00073
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Vanadium (V)-Dissolved	mg/L	0.0005	10/10/19 15:30	APHA 3038B (6020A)	mg/L	0.00006
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Vanadium (V)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3038B (6020A)	mg/L	0.00003
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Vanadium (V)-Total	mg/L	0.0005	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.00043
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Vanadium (V)-Total	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00023
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Vanadium (V)-Total	mg/L	0.0005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00048
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Vanadium (V)-Total	mg/L	0.0005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.00017
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Vanadium (V)-Total	mg/L	0.0005	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	0.000108
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Vanadium (V)-Total	mg/L	0.0005	10/8/19 17:00	APHA 200/2/6020A (mod)	mg/L	0.00009
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Vanadium (V)-Total	mg/L	0.0005	3/11/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.00021
GW-6-OB	L2173511	10/18/8:50	9/27/18	1:00 PM	L2173511-4	Zirconium (Zr)-Dissolved	mg/L	0.00006	10/2/18 12:59	APHA 3038B (6020A)	mg/L	0.000076
GW-6-OB	L2242116	3/9/19 8:50	3/7/19	11:45 AM	L2242116-4	Zirconium (Zr)-Dissolved	mg/L	0.00006	3/13/19 16:15	APHA 3038B (6020A)	mg/L	0.000074
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:05 AM	L2284033-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/10/19 15:30	APHA 3038B (6020A)	mg/L	0.000078
GW-6-OB	L2284033	6/3/19 12:40	6/2/19	8:30 AM	L2284033-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/10/19 16:00	APHA 3038B (6020A)	mg/L	0.000076
GW-6-OB	L225364	8/8/19 9:20	8/7/19	1:20 PM	L225364-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	8/9/19 16:04	APHA 3038B (6020A)	mg/L	-0.00006
GW-6-OB	L2360195	10/4/19 9:40	10/3/19	11:25 AM	L2360195-3	Zirconium (Zr)-Dissolved	mg/L	0.00006	10/10/19 15:30	APHA 3038B (6020A)	mg/L	-0.00002
GW-6-OB	L2426328	3/10/20 8:50	3/9/20	9:45 AM	L2426328-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	3/12/20 16:00			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Aceanaphthylene	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Aceanaphthylene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Aceanaphthylene	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Acridine	ug/L	0.01	11/9/18 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Acridine	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Acridine	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Acridine	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Acridine	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	166
GW-7-A	L2422116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 0:00	APHA 2320 ALKALINITY	mg/L	157
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	138
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	149
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	146
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/12/20 14:00	APHA 2320 ALKALINITY	mg/L	153
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 0:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	2.6
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/12/20 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	166
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 0:00	APHA 2320 ALKALINITY	mg/L	157
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	141
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	149
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	146
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/12/20 14:00	APHA 2320 ALKALINITY	mg/L	153
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	11/1/18 10:00	APHA 2320 ALKALINITY	mg/L	166
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 0:00	APHA 2320 ALKALINITY	mg/L	157
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	141
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	149
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	146
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/12/20 14:00	APHA 2320 ALKALINITY	mg/L	153
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Aluminum (Al)-Dissolved	mg/L	0.001	11/1/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.0035
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0044
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Aluminum (Al)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0018
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Aluminum (Al)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0014
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.0016
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Ammonia as N	mg/L	0.005	11/1/18 16:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0166
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Ammonia as N	mg/L	0.005	3/18/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0192
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Ammonia as N	mg/L	0.005	6/5/19 17:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Ammonia as N	mg/L	0.005	8/16/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0222
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Ammonia as N	mg/L	0.005	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0676
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Ammonia as N	mg/L	0.005	3/13/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.015
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Antimony (Sb)-Dissolved	mg/L	0.0001	11/1/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0042
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Antimony (Sb)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0004
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Antimony (Sb)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Antimony (Sb)-Dissolved	mg/L	0.0001	11/1/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Antimony (Sb)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Antimony (Sb)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Antimony (Sb)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0021
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Antimony (Sb)-Dissolved	mg/L	0.0001	3/15/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.0004
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Barium (Ba)-Dissolved	mg/L	0.001	11/1/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.0016
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Barium (Ba)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0029
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Barium (Ba)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	Z235364-3	Barium (Ba)-Dissolved	mg/L	0.001	8/9/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0018
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	Z2358663-13	Barium (Ba)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0016
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Barium (Ba)-Dissolved	mg/L	0.001	3/15/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.0024
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Barium (Ba)-Dissolved	mg/L	0.001	11/1/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.082
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	Z2422116-5	Barium (Ba)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0856
GW-7-A	L2285218	5/30/19 9:15	5/27/19	3:40 PM	Z2285218-4	Barium (Ba)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0921
GW-7-A	L2325364	8/8/19 9										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/16/20 16:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Boron (B)-Total	mg/L	0.01	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.018
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Boron (B)-Total	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.013
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Boron (B)-Total	mg/L	0.01	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.012
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Boron (B)-Total	mg/L	0.01	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.013
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Boron (B)-Total	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.013
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Boron (B)-Total	mg/L	0.01	3/13/20 16:39	APHA 3030B/6020A (mod)	mg/L	0.013
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Boron (B)-Total	mg/L	0.01	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.015
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Boron (B)-Total	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.015
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Boron (B)-Total	mg/L	0.05	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Boron (B)-Total	mg/L	0.01	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.01
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Boron (B)-Total	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.012
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Boron (B)-Total	mg/L	0.01	3/15/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.013
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Bromide (Br)	mg/L	0.05	11/18/19 0:09	APHA 300 1 (mod)	mg/L	-0.05
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Bromide (Br)	mg/L	0.05	3/19/19 20:08	APHA 300 1 (mod)	mg/L	-0.05
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Bromide (Br)	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Bromide (Br)	mg/L	0.05	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Bromide (Br)	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Bromide (Br)	mg/L	0.05	3/12/20 10:36	APHA 300 1 (mod)	mg/L	-0.05
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.000093
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.00005
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0000189
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/16/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0000251
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/10/20 16:39	APHA 3030B/6020A (mod)	mg/L	0.000135
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Cadmium (Cd)-Total	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000105
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Cadmium (Cd)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000007
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Cadmium (Cd)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.000025
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Cadmium (Cd)-Total	mg/L	0.00005	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000079
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Cadmium (Cd)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.0000189
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Cadmium (Cd)-Total	mg/L	0.00005	3/16/20 16:00	APHA 200/2/6020A (mod)	mg/L	0.0000251
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Calcium (Ca)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	40.3
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	39.7
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Calcium (Ca)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	39.9
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Calcium (Ca)-Dissolved	mg/L	0.05	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	41.9
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	39.1
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/20 12:30	APHA 3030B/6020A (mod)	mg/L	44.2
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Calcium (Ca)-Total	mg/L	0.05	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	38.4
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	42.6
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Calcium (Ca)-Total	mg/L	0.25	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	42.1
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Calcium (Ca)-Total	mg/L	0.05	8/9/19 15:30	APHA 200/2/6020A (mod)	mg/L	48
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Calcium (Ca)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	38.8
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Calcium (Ca)-Total	mg/L	0.05	3/15/20 16:00	APHA 200/2/6020A (mod)	mg/L	43.9
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Calcium (Ca)-Total	mg/L	0.05	11/14/18 16:35	APHA 1030E	%	-8
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Calcium (Ca)-Total	mg/L	0.05	3/20/19 12:13	APHA 1030E	%	-8
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Calcium (Ca)-Total	mg/L	0.05	6/7/19 16:49	APHA 1030E	%	-3.4
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Calcium (Ca)-Total	mg/L	0.05	8/19/19 10:50	APHA 1030E	%	-3.3
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Calcium (Ca)-Total	mg/L	0.05	10/7/19 12:24	APHA 1030E	%	-5.5
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Calcium (Ca)-Total	mg/L	0.05	3/18/20 13:20	APHA 1030E	%	-9.5
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Calcium Sum	meq/L	0.05	11/14/18 16:35	APHA 1030E	meq/L	3.11
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Calcium Sum	meq/L	0.05	3/20/19 12:13	APHA 1030E	meq/L	2.97
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Calcium Sum	meq/L	0.05	6/7/19 15:49	APHA 1030E	meq/L	3.01
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Calcium Sum	meq/L	0.05	8/19/19 10:50	APHA 1030E	meq/L	3.1
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Calcium Sum	meq/L	0.05	10/7/19 12:24	APHA 1030E	meq/L	2.92
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Calcium Sum	meq/L	0.05	3/18/20 13:20	APHA 1030E	meq/L	3.21
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Cesium (Cs)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Cesium (Cs)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.000069
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Cesium (Cs)-Dissolved	mg/L	0.00001	8/19/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000012
GW-7-A	L2358663	10/21/19 9:50	10/1/19	1:46 PM	L2358663-13	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000013
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/20 16:39	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Cesium (Cs)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000017
GW-7-A	L2242116	3/9/19 8:										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Copper (Cu)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0002	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Copper (Cu)-Dissolved	mg/L	0.0002	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0002	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Copper (Cu)-Total	mg/L	0.0005	11/13/18 15:59	EPA 200/2/6020A (mod)	mg/L	-0.0005	
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Copper (Cu)-Total	mg/L	0.0005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0005	
GW-7-A	L2282510	5/30/19 9:15	5/27/19	3:40 PM	L2282510-4	Copper (Cu)-Total	mg/L	0.0025	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.0025	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Copper (Cu)-Total	mg/L	0.0005	8/18/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0005	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Copper (Cu)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.0005	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Copper (Cu)-Total	mg/L	0.0005	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.00062	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Dibenz(a,h)anthracene	ug/L	0.005	11/9/18 00:00	EPAA 3511/8/270D	mg/L	-0.00005	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Dibenz(a,h)anthracene	ug/L	0.005	6/4/19 00:00	EPAA 3511/8/270D	mg/L	-0.00005	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Dibenz(a,h)anthracene	ug/L	0.005	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00005	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Dibenz(a,h)anthracene	ug/L	0.008	10/10/19 00:00	EPAA 3611/8/270D	mg/L	-0.00006	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Dibenz(a,h)anthracene	ug/L	0.005	3/19/20 00:00	EPAA 3511/8/270D	mg/L	-0.00005	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Dissolved Mercury Filtration Location	mg/L	0.005	6/5/19 11:00	APHA 3030B/EPA 1631E (mod)	o FIELD		
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Dissolved Mercury Filtration Location	mg/L	0.005	8/16/19 10:00	APHA 3030B/EPA 1631E (mod)	o FIELD		
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Dissolved Mercury Filtration Location	mg/L	0.005	10/5/19 11:00	APHA 3030B/EPA 1631E (mod)	o FIELD		
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Dissolved Mercury Filtration Location	mg/L	0.005	3/17/20 11:00	APHA 3030B/EPA 1631E (mod)	o FIELD		
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Dissolved Metals Filtration Location	mg/L	0.005	11/13/18 00:00	APHA 3030B/6020A (mod)	o FIELD		
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Dissolved Metals Filtration Location	mg/L	0.005	3/13/19 00:00	APHA 3030B/6020A (mod)	o LAB		
GW-7-A	L2282510	5/30/19 9:15	5/27/19	3:40 PM	L2282510-4	Dissolved Metals Filtration Location	mg/L	0.005	6/5/19 00:00	APHA 3030B/6020A (mod)	o FIELD		
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Dissolved Metals Filtration Location	mg/L	0.005	8/9/19 00:00	APHA 3030B/6020A (mod)	o FIELD		
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Dissolved Metals Filtration Location	mg/L	0.005	10/3/19 00:00	APHA 3030B/6020A (mod)	o FIELD		
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Dissolved Metals Filtration Location	mg/L	0.005	3/13/20 12:00	APHA 3030B/6020A (mod)	o FIELD		
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Dissolved Organic Carbon	mg/L	0.5	11/15/18 00:00	APHA 5310 B-Instrumental	mg/L	-0.5	
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Dissolved Organic Carbon	mg/L	0.5	3/19/19 00:00	APHA 5310 B-Instrumental	mg/L	4.65	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Dissolved Organic Carbon	mg/L	0.5	6/4/19 00:00	APHA 5310 B-Instrumental	mg/L	0.61	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Dissolved Organic Carbon	mg/L	0.5	8/10/19 00:00	APHA 5310 B-Instrumental	mg/L	0.79	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Dissolved Organic Carbon	mg/L	0.5	10/11/19 00:00	APHA 5310 B-Instrumental	mg/L	1.06	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Dissolved Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 B-Instrumental	mg/L	1.03	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Fluoranthene	ug/L	0.01	6/4/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Fluoranthene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Fluoranthene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Fluoranthene	ug/L	0.01	3/19/20 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Fluoranthene	ug/L	0.01	6/4/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Fluoranthene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Fluoranthene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Fluoranthene	ug/L	0.01	3/19/20 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Fluoranthene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Hardness (as CaCO3)	mg/L	0.5	3/16/19 00:23	APHA 2340 B	mg/L	147	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Hardness (as CaCO3)	mg/L	0.5	6/6/19 00:19	APHA 2340 B	mg/L	143	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Hardness (as CaCO3)	mg/L	0.5	8/19/19 00:10	APHA 2340 B	mg/L	148	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Hardness (as CaCO3)	mg/L	0.5	10/14/19 16:35	APHA 2340 B	mg/L	139	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Hardness (as CaCO3)	mg/L	0.5	3/18/20 13:20	APHA 2340 B	mg/L	153	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Indeno[1,2,3]diplyrene	ug/L	0.01	11/18/18 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Indeno[1,2,3]diplyrene	ug/L	0.01	6/4/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Indeno[1,2,3]diplyrene	ug/L	0.01	8/12/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Indeno[1,2,3]diplyrene	ug/L	0.01	10/10/19 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Indeno[1,2,3]diplyrene	ug/L	0.01	3/19/20 00:00	EPAA 3511/8/270D	mg/L	-0.00001	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Iron Balance	ug/L	-100	11/16/18 16:50	APHA 1030E	%	85.1	
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Iron Balance	ug/L	-100	3/20/19 12:33	APHA 1030E	%	85.2	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Iron Balance	ug/L	%	-100	6/7/19 16:04	APHA 1030E	%	93.4
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Iron Balance	ug/L	%	-100	8/19/19 10:55	APHA 1030E	%	93.6
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Iron Balance	ug/L	%	-100	10/7/19 12:34	APHA 1030E	%	89.5
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Iron Balance	ug/L	%	-100	3/18/20 14:45	APHA 1030E	%	82.6
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Iron (Fe)-Dissolved	mg/L	0.01	0.01	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Iron (Fe)-Dissolved	mg/L	0.01	0.01	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Iron (Fe)-Dissolved	mg/L	0.01	0.01	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Iron (Fe)-Dissolved	mg/L	0.01	0.0005	10/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Iron (Fe)-Dissolved	mg/L	0.00005	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Lead (Pb)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Lead (Pb)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L2325364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Lead (Pb)-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Lead (Pb)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L24257323	3/12/20 8:50	3/11/20	10:00 AM	L24257323-1	Lead (Pb)-Dissolved	mg/L	0.00005	3/15/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.00005	
GW-7-A	L194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Magnesium (Mg)-Dissolved	mg/L	0.005	0.005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-11.3
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Magnesium (Mg)-Diss							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000512
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.000617
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Molybdenum (Mo)-Total	mg/L	0.00005	11/13/18 15:59	EPHA 200/2/6020A (mod)	mg/L	0.00085
GW-7-A	L224116	3/9/19:50	3/7/19	12:43 PM	L224116-5	Molybdenum (Mo)-Total	mg/L	0.00005	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	0.000775
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Molybdenum (Mo)-Total	mg/L	0.00025	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	0.00056
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Molybdenum (Mo)-Total	mg/L	0.00005	8/18/19 15:30	EPHA 200/2/6020A (mod)	mg/L	0.000694
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Molybdenum (Mo)-Total	mg/L	0.00005	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	0.000503
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Molybdenum (Mo)-Total	mg/L	0.00005	3/15/20 16:00	EPHA 200/2/6020A (mod)	mg/L	0.000566
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Naphthalene	ug/L	0.05	11/18/19 00:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Naphthalene	ug/L	0.02	6/4/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Naphthalene	ug/L	0.02	8/12/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Naphthalene	ug/L	0.02	10/10/19 00:00	EPHA 3611/8/270D	mg/L	-0.00002
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Naphthalene	ug/L	0.02	3/19/20 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nickel (Ni)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L224116	3/9/19:50	3/7/19	12:43 PM	L224116-5	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nickel (Ni)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nickel (Ni)-Dissolved	mg/L	0.00005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nickel (Ni)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nickel (Ni)-Total	mg/L	0.00005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Nickel (Ni)-Total	mg/L	0.00005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nickel (Ni)-Total	mg/L	0.0025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nickel (Ni)-Total	mg/L	0.00005	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nickel (Ni)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nickel (Ni)-Total	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nitrate (as N)	mg/L	0.00005	11/18/19 00:00	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Nitrate (as N)	mg/L	0.00005	3/13/19 16:15	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nitrate (as N)	mg/L	0.00005	6/5/19 16:47	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nitrate (as N)	mg/L	0.00005	8/18/19 15:30	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nitrate (as N)	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nitrate (as N)	mg/L	0.00005	3/12/20 10:36	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nitrate and Nitrite (as N)	mg/L	0.00005	11/18/19 00:00	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Nitrate and Nitrite (as N)	mg/L	0.00005	3/13/19 16:15	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nitrate and Nitrite (as N)	mg/L	0.00005	6/5/19 16:47	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nitrate and Nitrite (as N)	mg/L	0.00005	8/18/19 15:30	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nitrate and Nitrite (as N)	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nitrate and Nitrite (as N)	mg/L	0.00005	3/12/20 10:36	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nitrate and Nitrite (as N)	mg/L	0.00005	11/18/19 00:00	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Nitrate and Nitrite (as N)	mg/L	0.00005	3/13/19 16:15	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nitrate and Nitrite (as N)	mg/L	0.00005	6/5/19 16:47	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nitrate and Nitrite (as N)	mg/L	0.00005	8/18/19 15:30	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nitrate and Nitrite (as N)	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nitrate and Nitrite (as N)	mg/L	0.00005	3/12/20 10:36	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Nitrate and Nitrite (as N)	mg/L	0.00005	11/18/19 00:00	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Nitrate and Nitrite (as N)	mg/L	0.00005	3/13/19 16:15	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Nitrate and Nitrite (as N)	mg/L	0.00005	6/5/19 16:47	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Nitrate and Nitrite (as N)	mg/L	0.00005	8/18/19 15:30	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Nitrate and Nitrite (as N)	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Nitrate and Nitrite (as N)	mg/L	0.00005	3/12/20 10:36	EPHA 300-1 (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Phenanthrene	ug/L	0.02	11/18/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Phenanthrene	ug/L	0.02	6/4/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Phenanthrene	ug/L	0.02	8/12/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Phenanthrene	ug/L	0.02	10/10/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Phenanthrene	ug/L	0.02	11/18/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Phenanthrene	ug/L	0.02	11/18/19 00:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Phosphorus (P)-Dissolved	mg/L	0.00005	11/13/18 15:59	APHA 4500-P PHOSPHORUS	mg/L	-0.00038
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Phosphorus (P)-Dissolved	mg/L	0.00005	3/13/19 16:15	APHA 4500-P PHOSPHORUS	mg/L	-0.00038
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Phosphorus (P)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 4500-P PHOSPHORUS	mg/L	-0.00038
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Phosphorus (P)-Dissolved	mg/L	0.00005	8/18/19 15:30	APHA 4500-P PHOSPHORUS	mg/L	-0.00038
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Phosphorus (P)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00038
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Phosphorus (P)-Dissolved	mg/L	0.00005	3/12/20 10:36	APHA 3030B/6020A (mod)	mg/L	-0.00038
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Phosphorus (P)-Total	mg/L	0.025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.583
GW-7-A	L2242116	3/9/19:50	3/7/19	12:43 PM	L2242116-5	Phosphorus (P)-Total	mg/L	0.025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.503
GW-7-A	L228518	5/30/19:9:15	5/27/19	3:40 PM	L228518-4	Phosphorus (P)-Total	mg/L	0.025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.477
GW-7-A	L235364	8/8/19:9:20	8/7/19	2:20 PM	L235364-3	Phosphorus (P)-Total	mg/L	0.025	8/18/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.449
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	L2358663-13	Phosphorus (P)-Total	mg/L	0.025	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.446
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Phosphorus (P)-Total	mg/L	0.025	3/12/20 10:36	APHA 200/2/6020A (mod)	mg/L	-0.446
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Pyrene	ug/L	0.01	11/18/19 00:00	EPHA 3		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Silicon (Si)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	2.09
GW-7-A	L2242116	3/9/19 8:50	8/7/19	2:20 PM	L2325364-3	Silicon (Si)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	2.08
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	2.14
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Silicon (Si)-Dissolved	mg/L	0.05	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	2.15
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Silicon (Si)-Total	mg/L	0.1	11/13/18 15:59	EPHA 200/2/6020A (mod)	mg/L	2.28
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Silicon (Si)-Total	mg/L	0.1	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	2.66
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Silicon (Si)-Total	mg/L	0.25	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	2.61
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Silicon (Si)-Total	mg/L	0.05	8/8/19 15:30	EPHA 200/2/6020A (mod)	mg/L	2.4
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Silicon (Si)-Total	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	2.14
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Silicon (Si)-Total	mg/L	0.05	3/15/20 16:00	EPHA 200/2/6020A (mod)	mg/L	2.33
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Silver (Ag)-Dissolved	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Silver (Ag)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Silver (Ag)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Silver (Ag)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Silver (Ag)-Total	mg/L	0.00001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Silver (Ag)-Total	mg/L	0.00005	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	-0.00005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Silver (Ag)-Total	mg/L	0.00005	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	-0.00005
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Silver (Ag)-Total	mg/L	0.00001	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	0.000024
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Silver (Ag)-Total	mg/L	0.00001	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sodium (Na)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	3.59
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sodium (Na)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	3.05
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sodium (Na)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	3.31
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sodium (Na)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	3.02
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	3.14
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sodium (Na)-Dissolved	mg/L	0.05	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	3.3
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sodium (Na)-Total	mg/L	0.05	11/13/18 15:59	EPHA 200/2/6020A (mod)	mg/L	3.44
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	3.4
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sodium (Na)-Total	mg/L	0.05	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	3.11
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sodium (Na)-Total	mg/L	0.05	8/9/19 15:30	EPHA 200/2/6020A (mod)	mg/L	3.12
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sodium (Na)-Total	mg/L	0.05	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	3.04
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sodium (Na)-Total	mg/L	0.05	3/15/20 16:00	EPHA 200/2/6020A (mod)	mg/L	3.49
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sodium (Sr)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.167
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sodium (Sr)-Dissolved	mg/L	0.00002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.143
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sodium (Sr)-Dissolved	mg/L	0.00002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.157
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sodium (Sr)-Dissolved	mg/L	0.00002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.157
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sodium (Sr)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.149
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sodium (Sr)-Dissolved	mg/L	0.00002	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.166
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sodium (Sr)-Total	mg/L	0.00002	11/13/18 15:59	EPHA 200/2/6020A (mod)	mg/L	0.165
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sodium (Sr)-Total	mg/L	0.00002	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	0.163
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sodium (Sr)-Total	mg/L	0.00002	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	0.166
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sodium (Sr)-Total	mg/L	0.00002	8/9/19 15:30	EPHA 200/2/6020A (mod)	mg/L	0.178
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sodium (Sr)-Total	mg/L	0.00002	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	0.15
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sodium (Sr)-Total	mg/L	0.00002	3/15/20 16:00	EPHA 200/2/6020A (mod)	mg/L	0.157
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sulfur (SO4)-Dissolved	mg/L	0.3	11/8/18 09:59	EPHA 300 (mod)	mg/L	16
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sulfur (SO4)-Dissolved	mg/L	0.3	3/19/19 20:06	EPHA 300 (mod)	mg/L	16.5
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sulfate (SO4)	mg/L	0.3	8/9/19 19:28	EPHA 300 (mod)	mg/L	14.9
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sulfate (SO4)	mg/L	0.3	10/2/19 9:48	EPHA 300 (mod)	mg/L	16
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sulfate (SO4)	mg/L	0.3	10/2/19 10:36	EPHA 300 (mod)	mg/L	15.5
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sulfate (SO4)	mg/L	0.3	3/12/20 10:36	EPHA 300 (mod)	mg/L	15.5
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sulfur (S)-Dissolved	mg/L	0.05	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	6.78
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sulfur (S)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	6.37
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sulfur (S)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	6.06
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sulfur (S)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	5.81
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sulfur (S)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	5.58
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sulfur (S)-Dissolved	mg/L	0.05	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	5.41
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Sulfur (S)-Total	mg/L	0.05	11/13/18 15:59	EPHA 200/2/6020A (mod)	mg/L	5.6
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Sulfur (S)-Total	mg/L	0.05	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	6.22
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Sulfur (S)-Total	mg/L	0.05	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	4.9
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Sulfur (S)-Total	mg/L	0.05	8/9/19 15:30	EPHA 200/2/6020A (mod)	mg/L	5.82
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Sulfur (S)-Total	mg/L	0.05	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	5.31
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Sulfur (S)-Total	mg/L	0.05	3/15/20 16:00	EPHA 200/2/6020A (mod)	mg/L	5.61
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	L2194370-2	Tellurium (Te)-Dissolved	mg/L	0.00002	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	L2242116-5	Tellurium (Te)-Dissolved	mg/L	0.00002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	L2282518-4	Tellurium (Te)-Dissolved	mg/L	0.00002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-7-A	L225364	8/8/19 9:20	8/7/19	2:20 PM	L2325364-3	Tellurium (Te)-Dissolved	mg/L	0.00002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-7-A	L2358663	10/2/19 9:50	10/1/19	1:46 PM	L2358663-13	Tellurium (Te)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	L2427323-1	Tellurium (Te)-Dissolved	mg/L	0.00002	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00002

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Total Inorganic Carbon	mg/L	1.5	10/8/19 0:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	35.9
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Total Inorganic Carbon	mg/L	5	3/15/20 7:00	APHA 5310 B-Instrumental	mg/L	27.5
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Total Kjeldahl Nitrogen	mg/L	0.05	11/14/18 10:00	APHA 4500-NORG (TKN)	mg/L	-0.05
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Total Kjeldahl Nitrogen	mg/L	0.05	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	0.094
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Total Kjeldahl Nitrogen	mg/L	0.05	6/5/19 9:00	APHA 4500-NORG (TKN)	mg/L	0.065
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Total Kjeldahl Nitrogen	mg/L	0.05	10/4/19 10:00	APHA 4500-NORG (TKN)	mg/L	0.168
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Total Kjeldahl Nitrogen	mg/L	0.05	3/17/20 11:00	APHA 4500-NORG (TKN)	mg/L	0.137
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Total Nitrogen	mg/L	0.05	11/14/18 13:41	APHA 4500 N-Calculated	mg/L	0.095
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Total Nitrogen	mg/L	0.05	3/20/19 12:30	APHA 4500 N-Calculated	mg/L	0.094
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Total Nitrogen	mg/L	0.05	6/6/19 7:24	APHA 4500 N-Calculated	mg/L	0.135
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Total Nitrogen	mg/L	0.05	8/16/19 16:20	APHA 4500 N-Calculated	mg/L	0.206
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Total Nitrogen	mg/L	0.05	10/4/19 15:32	APHA 4500 N-Calculated	mg/L	0.284
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Total Nitrogen	mg/L	0.05	3/17/20 14:30	APHA 4500 N-Calculated	mg/L	0.314
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Total Organic Carbon	mg/L	0.5	11/18/18 9:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Total Organic Carbon	mg/L	0.5	3/19/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	4.67
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Total Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	2.55
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Total Organic Carbon	mg/L	0.5	8/10/19 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.8
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Total Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.25
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Total Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.19
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Tungsten (W)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Tungsten (W)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Tungsten (W)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Tungsten (W)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Tungsten (W)-Total	mg/L	0.0001	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	0.00039
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Tungsten (U)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.000321
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Tungsten (U)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000248
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Tungsten (U)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.000258
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Tungsten (U)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000249
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Tungsten (U)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.000277
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Tungsten (U)-Total	mg/L	0.0001	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	0.000336
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Tungsten (U)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000344
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Tungsten (U)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.000267
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Tungsten (U)-Total	mg/L	0.0005	8/18/19 16:30	APHA 200/2/6020A (mod)	mg/L	0.000278
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Tungsten (U)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.000239
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Tungsten (U)-Total	mg/L	0.0005	3/15/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000278
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Vanadium (V)-Dissolved	mg/L	0.0005	11/13/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Vanadium (V)-Dissolved	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Vanadium (V)-Dissolved	mg/L	0.0005	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Vanadium (V)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Vanadium (V)-Dissolved	mg/L	0.0005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Vanadium (V)-Total	mg/L	0.0005	11/13/18 15:59	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Vanadium (V)-Total	mg/L	0.0005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Vanadium (V)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Vanadium (V)-Total	mg/L	0.0005	8/19/19 16:04	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Vanadium (V)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Vanadium (V)-Total	mg/L	0.0005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Zinc (Zn)-Dissolved	mg/L	0.0001	11/13/18 15:59	APHA 3020B/6020A (mod)	mg/L	0.00088
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Zinc (Zn)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3020B/6020A (mod)	mg/L	-0.001
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Zinc (Zn)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3020B/6020A (mod)	mg/L	0.0022
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Zinc (Zn)-Dissolved	mg/L	0.0001	8/19/19 16:04	APHA 3020B/6020A (mod)	mg/L	-0.001
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Zinc (Zn)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3020B/6020A (mod)	mg/L	0.0013
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Zinc (Zn)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3020B/6020A (mod)	mg/L	0.0027
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Zinc (Zn)-Total	mg/L	0.0001	11/13/18 15:59	APHA 3020B/6020A (mod)	mg/L	0.00088
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Zinc (Zn)-Total	mg/L	0.0001	3/13/19 16:15	APHA 3020B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Zinc (Zn)-Total	mg/L	0.0001	6/5/19 16:47	APHA 3020B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Zinc (Zn)-Total	mg/L	0.0001	8/19/19 16:04	APHA 3020B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Zinc (Zn)-Total	mg/L	0.0001	10/3/19 16:20	APHA 3020B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Zinc (Zn)-Total	mg/L	0.0001	3/13/20 16:35	APHA 3020B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Zirconium (Zr)-Dissolved	mg/L	0.000006	11/13/18 15:59	APHA 3020B/6020A (mod)	mg/L	-0.000007
GW-7-A	L2242116	3/9/19 8:50	3/7/19	12:43 PM	2242116-5	Zirconium (Zr)-Dissolved	mg/L	0.000006	3/13/19 16:15	APHA 3020B/6020A (mod)	mg/L	-0.000006
GW-7-A	L2282518	5/30/19 9:15	5/27/19	3:40 PM	2282518-4	Zirconium (Zr)-Dissolved	mg/L	0.000006	6/5/19 16:47	APHA 3020B/6020A (mod)	mg/L	-0.000006
GW-7-A	L2358663	8/8/19 9:20	8/7/19	2:20 PM	2358663-3	Zirconium (Zr)-Dissolved	mg/L	0.000006	8/19/19 16:04	APHA 3020B/6020A (mod)	mg/L	-0.000006
GW-7-A	L2358663	10/21/9:50	10/1/19	1:46 PM	2358663-13	Zirconium (Zr)-Dissolved	mg/L	0.000006	10/3/19 16:20	APHA 3020B/6020A (mod)	mg/L	-0.000006
GW-7-A	L2427323	3/12/20 8:50	3/11/20	10:00 AM	2427323-1	Zirconium (Zr)-Dissolved	mg/L	0.000006	3/13/20 16:35	APHA 3020B/6020A (mod)	mg/L	-0.000006
GW-7-A	L2194370	11/8/18 9:30	11/5/18	2:00 PM	2194370-2	Zirconium (Zr)-Total						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2325443	8/19/19 9:20	8/17/19	8:50 AM	L2325443-1	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	8/10/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/8/18 11:27	APHA 2320 Alkalinity	mg/L	330
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	301
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/10/19 10:00	APHA 2320 ALKALINITY	mg/L	337
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	345
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Aluminum (Al)-Dissolved	mg/L	0.0001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.0036
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Aluminum (Al)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0027
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Aluminum (Al)-Dissolved	mg/L	0.0001	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.0012
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:30 PM	L2358663-10	Aluminum (Al)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0028
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Aluminum (Al)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Aluminum (Al)-Total	mg/L	0.0003	10/9/18 12:47	APHA 200/2/6020A (mod)	mg/L	0.429
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Aluminum (Al)-Total	mg/L	0.0003	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.041
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Aluminum (Al)-Total	mg/L	0.0003	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	0.108
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Aluminum (Al)-Total	mg/L	0.001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.142
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Aluminum (Al)-Total	mg/L	0.001	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.217
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Ammonia as N	mg/L	0.005	6/5/19 17:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.171
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Ammonia as N	mg/L	0.005	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.245
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Ammonia as N	mg/L	0.005	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.199
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Ammonia as N	mg/L	0.005	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.203
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Ammonia, Total (as N)	mg/L	0.005	10/14/18 14:58	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.261
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Ammonium Sum	meg/L	6/7/19 15:49	APHA 1030E	meg/L	6.81	
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Ammonium Sum	meg/L	8/15/19 17:50	APHA 1030E	meg/L	7.57	
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Ammonium Sum	meg/L	10/7/19 12:24	APHA 1030E	meg/L	7.49	
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Ammonium Sum	meg/L	10/7/19 12:24	APHA 1030E	meg/L	7.75	
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Anthracene	mg/L	0.00001	10/15/18 11:18	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Anthracene	ug/L	0.01	6/4/19 00:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Anthracene	ug/L	0.01	8/12/19 00:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Anthracene	ug/L	0.01	10/10/19 00:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Antimony (Sb)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Antimony (Sb)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0026
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Antimony (Sb)-Dissolved	mg/L	0.00001	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	0.00022
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Antimony (Sb)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00003
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Antimony (Sb)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Antimony (Sb)-Total	mg/L	0.00001	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Antimony (Sb)-Total	mg/L	0.00001	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	0.00014
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Antimony (Sb)-Total	mg/L	0.00001	8/12/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.00027
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Antimony (Sb)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Antimony (Sb)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Barium (Ba)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00013
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Barium (Ba)-Dissolved	mg/L	0.00001	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Barium (Ba)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	0.00026
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Barium (Ba)-Total	mg/L	0.00001	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Total	mg/L	0.00001	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	0.00046
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Barium (Ba)-Total	mg/L	0.00001	8/12/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.00048
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Barium (Ba)-Total	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00043
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Total	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00056
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Barium (Ba)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPHA 3511/8270D (mod)	mg/L	0.00005
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Dissolved	mg/L	0.00001	6/5/19 16:47	EPHA 3511/8270D (mod)	mg/L	0.00005
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Barium (Ba)-Dissolved	mg/L	0.00001	8/12/19 14:39	EPHA 3511/8270D (mod)	mg/L	0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Barium (Ba)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3511/8270D (mod)	mg/L	0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Barium (Ba)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPHA 3511/8270D (mod)	mg/L	0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Barium (Ba)-Total	mg/L	0.00001	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	0.153
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Beryllium (Be)-Total	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Beryllium (Be)-Total	mg/L	0.00001	8/12/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Beryllium (Be)-Total	mg/L	0.00001	10/10/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Beryllium (Be)-Total	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Beryllium (Be)-Dissolved	mg/L	0.000005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Beryllium (Be)-Dissolved	mg/L	0.000005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2325443	8/19/19 9:20	8/7/19	8:50 AM	L2325443-1	Beryllium (Be)-Dissolved	mg/L	0.000005	8/12/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Beryllium (Be)-Dissolved	mg/L	0.000005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Beryllium (Be)-Dissolved	mg/L	0.000005	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Beryllium (Be)-Total	mg/L	0.000005	10/9/18 12:41	EPHA 200/2/6020A (mod)	mg/L	-0.00005
GW-9												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Calcium (Ca)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	73.7
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	83.2
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	70.1
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	72.7
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Calcium (Ca)-Total	mg/L	0.05	10/9/18 16:47	APHA 200_2/6020A (mod)	mg/L	74.6
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Calcium (Ca)-Total	mg/L	0.05	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	80.5
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Calcium (Ca)-Total	mg/L	0.05	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	79.7
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Calcium (Ca)-Total	mg/L	0.25	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	71.3
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Calcium (Ca)-Total	mg/L	0.25	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	72.7
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cation - Anion Balance	%	6/7/19 15:49	APHA 1030E	%	0.2	
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Cation - Anion Balance	%	8/15/19 17:50	APHA 1030E	%	0.5	
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Cation - Anion Balance	%	10/7/19 12:24	APHA 1030E	%	4.9	
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Cation - Anion Balance	%	10/7/19 12:24	APHA 1030E	%	4.5	
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cesium (Cs)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000027
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cesium (Cs)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000013
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Cesium (Cs)-Dissolved	mg/L	0.00001	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.000028
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00003
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Cesium (Cs)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000145
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cesium (Cs)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Cesium (Cs)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	0.000089
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Cesium (Cs)-Total	mg/L	0.00005	10/7/19 12:24	APHA 1030E	mg/L	6.8
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Cesium (Cs)-Total	mg/L	0.00005	10/7/19 12:24	APHA 1030E	mg/L	7.09
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Cesium (Cs)-Total	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000027
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Chloride (Cl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000013
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Chloride (Cl)-Dissolved	mg/L	0.00001	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.000028
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Chloride (Cl)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00002
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Chloride (Cl)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00003
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Chloride (Cl)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000145
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Chloride (Cl)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Chloride (Cl)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	0.000089
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Chloride (Cl)-Total	mg/L	0.00005	10/7/19 12:24	APHA 1030E	mg/L	6.8
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Chloride (Cl)-Total	mg/L	0.00005	10/7/19 12:24	APHA 1030E	mg/L	7.09
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Chloride (Cl)-Total	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000027
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Chloride (Cl)-Total	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000013
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Chloride (Cl)-Total	mg/L	0.00001	8/12/19 14:39	APHA 3030B/6020A (mod)	mg/L	0.000024
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Chloride (Cl)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Chloride (Cl)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Chloride (Cl)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Chloride (Cl)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	0.000015
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Chloride (Cl)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	0.000024
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Chloride (Cl)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Chloride (Cl)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Chloride (Cl)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cobalt (Co)-Dissolved	mg/L	0.00001	6/5/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Cobalt (Co)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Cobalt (Co)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Cobalt (Co)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Cobalt (Co)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Cobalt (Co)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	0.000015
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Cobalt (Co)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	0.000024
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Cobalt (Co)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Cobalt (Co)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Cobalt (Co)-Total	mg/L	0.00001	10/9/18 12:41	APHA 200_2/6020A (mod)	mg/L	0.000035
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Colour, True	CU	5	10/5/18 13:32	BCMOG Colour Single Wavelength	CU	-5
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Conductivity (@ 25°C)	uS/cm	2	10/7/18 9:32	APHA 2510 Auto. Conduc.	uS/cm	621
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Conductivity (@ 25°C)	uS/cm	2	6/6/19 15:00	APHA 2510 B	uS/cm	626
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Conductivity (@ 25°C)	uS/cm	2	8/10/19 10:00	APHA 2510 B	uS/cm	652
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Conductivity (@ 25°C)	uS/cm	2	10/4/19 14:00	APHA 2510 B	uS/cm	629
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Copper (Cu)-Dissolved	mg/L	0.00001	6/6/18 13:05	APHA 200_2/6020A (mod)	mg/L	0.00002
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Copper (Cu)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.0002
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Copper (Cu)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.0002
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-11	Copper (Cu)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.0002
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Copper (Cu)-Dissolved	mg/L	0.00005	10/5/18 13:38	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Dissolved Mercury Filtration Location			6/5/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Dissolved Mercury Filtration Location			8/15/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Dissolved Mercury Filtration Location			10/5/19 11:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-9-BR	L2358663											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Iron (Fe)-Dissolved	mg/L	0.01	8/15/19 13:35	APHA 3030B/6020A (mod)	mg/L	0.337
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.31
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.288
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Iron (Fe)-Total	mg/L	0.01	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	1.14
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Iron (Fe)-Total	mg/L	0.01	6/5/19 16:47	EPAs 200.2/6020A (mod)	mg/L	0.476
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Iron (Fe)-Total	mg/L	0.01	8/12/19 14:39	EPAs 200.2/6020A (mod)	mg/L	0.946
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Iron (Fe)-Total	mg/L	0.05	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	0.806
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Iron (Fe)-Total	mg/L	0.05	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	0.991
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Lead (Pb)-Dissolved	mg/L	0.00005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Lead (Pb)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Lead (Pb)-Dissolved	mg/L	0.00005	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	-0.00024
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Lead (Pb)-Dissolved	mg/L	0.0025	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	-0.0025
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Lead (Pb)-Dissolved	mg/L	0.0025	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	0.0029
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Lithium (Li)-Dissolved	mg/L	0.001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.0446
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Lithium (Li)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0372
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Lithium (Li)-Dissolved	mg/L	0.001	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	0.0478
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Lithium (Li)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0437
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Lithium (Li)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0466
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Lithium (Li)-Total	mg/L	0.001	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	0.0407
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Lithium (Li)-Total	mg/L	0.001	6/5/19 16:47	EPAs 200.2/6020A (mod)	mg/L	0.0453
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Lithium (Li)-Total	mg/L	0.001	8/12/19 14:39	EPAs 200.2/6020A (mod)	mg/L	0.0488
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Lithium (Li)-Total	mg/L	0.005	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	0.0415
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Lithium (Li)-Total	mg/L	0.005	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	0.0418
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Magnesium (Mg)-Dissolved	mg/L	0.005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	32.9
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Magnesium (Mg)-Dissolved	mg/L	0.005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	28.4
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	31.4
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	29.9
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	31.5
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Magnesium (Mg)-Total	mg/L	0.005	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	30.8
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Magnesium (Mg)-Total	mg/L	0.005	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	32.6
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Magnesium (Mg)-Total	mg/L	0.005	8/12/19 14:39	EPAs 200.2/6020A (mod)	mg/L	29.8
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Magnesium (Mg)-Total	mg/L	0.02	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	28.7
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Magnesium (Mg)-Total	mg/L	0.02	10/3/19 16:20	EPAs 200.2/6020A (mod)	mg/L	31.1
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Manganese (Mn)-Dissolved	mg/L	0.0001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.0472
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Manganese (Mn)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0543
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Manganese (Mn)-Dissolved	mg/L	0.0001	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	0.0475
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Manganese (Mn)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0467
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Manganese (Mn)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.044
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Manganese (Mn)-Total	mg/L	0.001	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	0.0615
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Manganese (Mn)-Total	mg/L	0.001	6/5/19 16:47	EPAs 200.2/6020A (mod)	mg/L	0.0497
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Manganese (Mn)-Total	mg/L	0.001	8/12/19 14:39	EPAs 200.2/6020A (mod)	mg/L	0.0587
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Manganese (Mn)-Total	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0537
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Manganese (Mn)-Total	mg/L	0.00005	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	0.000187
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Manganese (Mn)-Total	mg/L	0.00005	6/5/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Manganese (Mn)-Total	mg/L	0.00005	8/12/19 14:39	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Manganese (Mn)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Manganese (Mn)-Total	mg/L	0.00005	10/3/19 16:20	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.0001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00117
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/15/19 17:39	APHA 3030B/6020A (mod)	mg/L	0.000636
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000533
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00295
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Molybdenum (Mo)-Total	mg/L	0.00005	10/9/18 12:41	EPAs 200.2/6020A (mod)	mg/L	0.000187
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Naphthalene d1	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Naphthalene d1	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	73
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Naphthalene d1	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	-0.005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Naphthalene d1	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	-0.002
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Naphthalene d10	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Naphthalene d10	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Naphthalene d10	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Naphthalene d10	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Naphthalene d10	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Naphthalene d100	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Naphthalene d100	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Naphthalene d100	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Naphthalene d100	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)	mg/L	%
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Naphthalene d100	mg/L	%	10/15/18 11:18	EPAs 3511/8270D (mod)</		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Phosphorus (P)-Total	mg/L	0.25	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.25
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Phosphorus (P)-Total	mg/L	0.25	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	-0.25
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Potassium (K)-Dissolved	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	1.32
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Potassium (K)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	1.68
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Potassium (K)-Dissolved	mg/L	0.05	8/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	1.52
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Potassium (K)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	1.38
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Potassium (K)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	1.7
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Potassium (K)-Total	mg/L	0.05	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	1.53
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Potassium (K)-Total	mg/L	0.05	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	1.47
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Potassium (K)-Total	mg/L	0.05	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	1.47
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Potassium (K)-Total	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	1.3
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Potassium (K)-Total	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	1.74
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Pyrene	ug/L	0.00001	10/15/18 11:18	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Pyrene	ug/L	0.01	6/4/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Pyrene	ug/L	0.01	8/12/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Pyrene	ug/L	0.01	10/10/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Quinoline	ug/L	0.00005	10/15/18 11:18	EPHA 3511/8270D (mod)	mg/L	-0.00005
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Quinoline	ug/L	0.05	6/4/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00005
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Quinoline	ug/L	0.05	8/12/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-11	Quinoline	ug/L	0.05	10/10/19 00:00	EPHA 3511/8270D (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Rubidium (Rb)-Dissolved	mg/L	0.00002	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.00122
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00126
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.00124
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00111
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00113
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Rubidium (Rb)-Total	mg/L	0.0002	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	0.00227
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Rubidium (Rb)-Total	mg/L	0.002	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	0.00128
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Rubidium (Rb)-Total	mg/L	0.002	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	0.00153
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Rubidium (Rb)-Total	mg/L	0.001	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.00175
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Rubidium (Rb)-Total	mg/L	0.001	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0017
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Selenium (Se)-Dissolved	mg/L	0.00005	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Selenium (Se)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.000673
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Selenium (Se)-Dissolved	mg/L	0.05	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.000125
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Selenium (Se)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00135
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Selenium (Se)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.00054
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Selenium (Se)-Total	mg/L	0.00005	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Selenium (Se)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Selenium (Se)-Total	mg/L	0.00005	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Selenium (Se)-Total	mg/L	0.00025	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	-0.00025
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Selenium (Se)-Total	mg/L	0.00025	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	-0.00025
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Silicon (Si)-Dissolved	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	5.59
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Silicon (Si)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	5.23
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Silicon (Si)-Dissolved	mg/L	0.05	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	5.33
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.00175
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0017
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Silicon (Si)-Total	mg/L	0.05	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.00122
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Silicon (Si)-Total	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00128
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Silicon (Si)-Total	mg/L	0.05	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.00153
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Silicon (Si)-Total	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.00175
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Silicon (Si)-Total	mg/L	0.05	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0017
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Silicon (Si)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Silicon (Si)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Silicon (Si)-Dissolved	mg/L	0.00001	8/12/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Silicon (Si)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Silicon (Si)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Silicon (Si)-Total	mg/L	0.3	10/5/18 6:32	SDA 300.1 (mod)	mg/L	38.4
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Silicon (Si)-Total	mg/L	0.3	5/30/19 14:45	SDA 300.1 (mod)	mg/L	37.2
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Silicon (Si)-Total	mg/L	0.3	8/19/19 13:33	SDA 300.1 (mod)	mg/L	39.6
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Silicon (Si)-Total	mg/L	0.3	10/19/19 14:48	SDA 300.1 (mod)	mg/L	36.6
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Silicon (Si)-Total	mg/L	0.3	10/19/19 14:48	SDA 300.1 (mod)	mg/L	40
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Sulfur (S)-Dissolved	mg/L	0.5	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	13.5
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Sulfur (S)-Dissolved	mg/L	0.5	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	12.7
GW-9-BR	L235443	8/8/19 9:20	8/7/19	8:50 AM	L235443-1	Sulfur (S)-Dissolved	mg/L	0.5	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	14.4
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	C2358663-10	Sulfur (S)-Dissolved	mg/L	0.5	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	16.5
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	C2358663-11	Sulfur (S)-Dissolved	mg/L	0.5	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	14.4
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Sulfur (S)-Total	mg/L	0.5	10/9/18 12:41	EPA 200.2/6020A (mod)	mg/L	13.9
GW-9-BR	L228518	5/30/19 9:15	5/28/19	9:30 AM	L228518-6	Sulfur (S)-Total	mg/L	0.5	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	12.4
GW-9-BR	L235443</											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Tin (Sn)-Total	mg/L	0.0001	8/12/19 13:49	EPA 200_2/6020A (mod)	mg/L	0.00102
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Tin (Sn)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	0.00178
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Tin (Sn)-Total	mg/L	0.0005	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	0.00057
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Titanium (Ti)-Dissolved	mg/L	0.0003	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Titanium (Ti)-Dissolved	mg/L	0.0003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Titanium (Ti)-Dissolved	mg/L	0.0003	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Titanium (Ti)-Dissolved	mg/L	0.0003	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Titanium (Ti)-Total	mg/L	0.0003	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.00437
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 13:49	EPA 200_2/6020A (mod)	mg/L	0.00045
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 13:49	EPA 200_2/6020A (mod)	mg/L	0.00112
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:30 PM	L2358663-10	Titanium (Ti)-Total	mg/L	0.0016	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	-0.0016
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Titanium (Ti)-Total	mg/L	0.0015	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	0.0026
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Total Dissolved Solids	mg/L	20	10/9/18 19:30	APHA 250 C & GRAVIMETRIC	mg/L	384
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Total Dissolved Solids	mg/L	20	6/17/19 15:30	APHA 250 C	mg/L	349
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Total Dissolved Solids	mg/L	20	8/12/19 13:49	APHA 250 C	mg/L	382
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Total Dissolved Solids	mg/L	20	10/3/19 14:19	APHA 250 C	mg/L	371
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Total Dissolved Solids	mg/L	20	10/3/19 14:19	APHA 250 C	mg/L	371
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Total Inorganic Carbon	mg/L	1.5	6/8/19 6:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	83
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Total Inorganic Carbon	mg/L	1.5	8/15/19 12:28	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	80.6
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Total Inorganic Carbon	mg/L	1.5	10/8/19 9:11	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	81.4
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Total Inorganic Carbon	mg/L	1.5	10/8/19 9:11	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	80.5
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Total Kjeldahl Nitrogen	mg/L	0.05	6/5/19 9:00	APHA 4500-NORG (TKN)	mg/L	0.27
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Total Kjeldahl Nitrogen	mg/L	0.05	8/15/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.382
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Total Kjeldahl Nitrogen	mg/L	0.05	10/4/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.34
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Total Kjeldahl Nitrogen	mg/L	0.05	10/4/19 14:00	APHA 4500-NORG (TKN)	mg/L	0.258
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Total Nitrogen	mg/L	0.03	10/10/18 7:32	APHA4500-NPLVNM817/USGS03-4174	mg/L	0.262
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Total Nitrogen	mg/L	0.05	6/6/19 7:24	APHA 4500-N-Calculated	mg/L	0.279
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Total Nitrogen	mg/L	0.05	8/15/19 15:15	APHA 4500-N-Calculated	mg/L	0.446
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Total Nitrogen	mg/L	0.05	10/4/19 15:32	APHA 4500-N-Calculated	mg/L	0.348
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Total Nitrogen	mg/L	0.05	10/4/19 15:32	APHA 4500-N-Calculated	mg/L	0.276
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Total Organic Carbon	mg/L	0.5	10/10/18 10:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.45
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Total Organic Carbon	mg/L	0.5	6/6/19 6:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.49
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Total Organic Carbon	mg/L	0.5	8/19/19 0:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.6
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Total Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	2.1
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Total Organic Carbon	mg/L	0.5	10/11/19 0:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Total Suspended Solids	mg/L	2	10/9/18 13:30	APHA 2540d	mg/L	35.6
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Tungsten (W)-Dissolved	mg/L	0.0001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Tungsten (W)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00019
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Tungsten (W)-Dissolved	mg/L	0.0001	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Tungsten (W)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Tungsten (W)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Tungsten (W)-Total	mg/L	0.0001	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Tungsten (W)-Total	mg/L	0.0001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Tungsten (W)-Total	mg/L	0.0001	8/12/19 14:39	EPA 200_2/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Tungsten (W)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Tungsten (W)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.0005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Uranium (U)-Dissolved	mg/L	0.00001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	0.000014
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Uranium (U)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00008
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Uranium (U)-Dissolved	mg/L	0.00001	8/15/19 17:35	APHA 3030B/6020A (mod)	mg/L	0.000039
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Uranium (U)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000042
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Uranium (U)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.000021
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Uranium (U)-Total	mg/L	0.00001	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.000037
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Uranium (U)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	0.000019
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Uranium (U)-Total	mg/L	0.00001	8/12/19 14:39	EPA 200_2/6020A (mod)	mg/L	0.000051
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Uranium (U)-Total	mg/L	0.00008	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Uranium (U)-Total	mg/L	0.00008	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2176012	10/4/18 10:25	10/2/18	12:00 PM	L2176012-3	Uranium (U)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.000026
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Uranium (U)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 200_2/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:50 AM	L2325443-1	Uranium (U)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 200_2/6020A (mod)	mg/L	-0.000025
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:20 PM	L2358663-10	Uranium (U)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.00002
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	12:50 PM	L2358663-11	Uranium (U)-Dissolved	mg/L	0.00001	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.0000165
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	9:30 AM	L2282518-6	Zinc (Zn)-Dissolved	mg/L	0.00006	10/9/18 12:41	EPA 200_2/6020A (mod)	mg/L	0.000059
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Zinc (Zn)-Dissolved	mg/L	0.0003	8/12/19 14:39	EPA 200_2/6020A (mod)	mg/L	0.000059
GW-9-BR	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Zinc (Zn)-Dissolved	mg/L	0.0003	8/12/19 14:39	EPA 200_2/6020A (mod)	mg/L	0.000051
GW-9-BR	L2426723	3/11/20 8:50	3/10/20	1:10:35 AM	L2426723-4	Zinc (Zn)-Dissolved	mg/L	0.0002	10/10/19 0:07	EPA 3511/8270D (mod)	mg/L	0.000002
GW-9-BR	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Zinc (Zn)-Dissolved	mg/L	0.02	6/4/19/00	EPA 3511/8270D	mg/L	0.000028
GW-9-BR	L2325443	8/8/19 9:20	8/7/19	8:30 AM	L2325443-2	Zinc (Zn)-Dissolved	mg/L	0.02	8/12/19/00	EPA 3511/8270D	mg/L	-0.000022
GW-9-BR	L2358663	10/2/19 9:50</										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-OB	L2282153	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	4.2
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/10/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/10/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	3/1/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	6/6/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	8/10/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	10/4/19 14:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/1/20 13:00	APHA 2320 ALKALINITY	mg/L	201
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Aluminum (Al)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3038/6020A (mod)	mg/L	0.0018
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Aluminum (Al)-Dissolved	mg/L	0.001	3/16/19 9:42	APHA 3038/6020A (mod)	mg/L	0.0017
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3038/6020A (mod)	mg/L	0.001
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Aluminum (Al)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3038/6020A (mod)	mg/L	0.022
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Aluminum (Al)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	-0.001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Aluminum (Al)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3038/6020A (mod)	mg/L	0.022
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3038/6020A (mod)	mg/L	0.001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Aluminum (Al)-Total	mg/L	0.001	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	-0.001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Aluminum (Al)-Total	mg/L	0.003	10/3/18 14:03	EPAA 2/6020A (mod)	mg/L	1.17
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Aluminum (Al)-Total	mg/L	0.003	3/13/19 16:15	EPAA 2/6020A (mod)	mg/L	-0.003
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Aluminum (Al)-Total	mg/L	0.003	3/13/19 16:15	EPAA 2/6020A (mod)	mg/L	0.039
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Aluminum (Al)-Total	mg/L	0.001	6/5/19 16:47	EPAA 2/6020A (mod)	mg/L	0.188
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Aluminum (Al)-Total	mg/L	0.003	8/12/19 14:39	EPAA 2/6020A (mod)	mg/L	0.0411
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Aluminum (Al)-Total	mg/L	0.003	8/12/19 14:39	EPAA 2/6020A (mod)	mg/L	0.0466
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Aluminum (Al)-Total	mg/L	0.001	10/3/19 16:20	EPAA 2/6020A (mod)	mg/L	0.183
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antimony (As)-Dissolved	mg/L	0.003	3/13/20 16:35	EPAA 2/6020A (mod)	mg/L	0.0356
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Antimony (As)-Dissolved	mg/L	0.005	3/8/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.305
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Antimony (As)-Dissolved	mg/L	0.005	3/8/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0181
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antimony (As)-Dissolved	mg/L	0.005	6/5/19 17:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antimony (As)-Dissolved	mg/L	0.005	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0281
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antimony (As)-Dissolved	mg/L	0.005	8/15/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0406
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Antimony (As)-Dissolved	mg/L	0.008	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0191
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antimony (As)-Dissolved	mg/L	0.005	3/12/20 16:00	EPAA 1030E	mg/L	0.0201
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Antimony (As)-Total	mg/L	0.005	10/7/18 15:30	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Antimony (As)-Total	mg/L	0.005	3/17/19 15:03	APHA 1030E	meq/L	7.57
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Antimony (As)-Total	mg/L	0.005	3/17/19 15:03	APHA 1030E	meq/L	4.55
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antimony (As)-Total	mg/L	0.001	6/7/19 15:49	APHA 1030E	meq/L	4.23
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antimony (As)-Total	mg/L	0.001	8/15/19 17:50	APHA 1030E	meq/L	4.41
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antimony (As)-Total	mg/L	0.001	8/14/19 15:55	APHA 1030E	meq/L	4.33
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Antimony (As)-Total	mg/L	0.008	10/8/19 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	-0.0001
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antimony (As)-Total	mg/L	0.001	3/12/20 16:00	APHA 1030E	meq/L	4.59
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Antracene	mg/L	0.00001	10/10/18 09:07	EPAA 3511/8270D (mod)	mg/L	-0.00001
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antracene	ug/L	0.001	6/4/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antracene	ug/L	0.001	8/12/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antracene	ug/L	0.001	8/12/19 00:00	EPAA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Antracene	ug/L	0.00008	10/3/19 16:35	EPAA 2/6020A (mod)	mg/L	-0.00006
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antromine (Sb)-Dissolved	mg/L	0.00001	3/13/20 16:35	EPAA 2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Antromine (Sb)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3038/6020A (mod)	mg/L	-0.001
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Antromine (Sb)-Dissolved	mg/L	0.001	3/16/19 9:42	APHA 3038/6020A (mod)	mg/L	0.0016
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Antromine (Sb)-Dissolved	mg/L	0.001	3/17/19 15:47	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antromine (Sb)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antromine (Sb)-Dissolved	mg/L	0.001	8/12/19 14:39	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antromine (Sb)-Dissolved	mg/L	0.001	8/12/19 14:39	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Antromine (Sb)-Dissolved	mg/L	0.00001	10/3/19 16:20	EPAA 2/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antromine (Sb)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Antromine (Sb)-Total	mg/L	0.00005	10/3/19 16:20	EPAA 2/6020A (mod)	mg/L	-0.287
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Antromine (Sb)-Total	mg/L	0.00005	3/13/19 16:15	EPAA 2/6020A (mod)	mg/L	0.0623
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antromine (Sb)-Total	mg/L	0.001	6/5/19 16:47	APHA 3038/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antromine (Sb)-Total	mg/L	0.001	8/12/19 14:39	APHA 3038/6020A (mod)	mg/L	0.0649
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antromine (Sb)-Total	mg/L	0.001	8/12/19 14:39	APHA 3038/6020A (mod)	mg/L	0.0577
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Antromine (Sb)-Total	mg/L	0.00001	10/3/19 16:20	EPAA 2/6020A (mod)	mg/L	0.0566
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Antromine (Sb)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3038/6020A (mod)	mg/L	0.0651
GW-9-OB	L2282158	5/30/19 9:15	5/28/19	8:30 AM	L2282158-1	Antromine (Sb)-Total	mg/L	0.00001	10/3/19 16:20	EPAA 3038/6020A (mod)	mg/L	0.0593
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Antromine (Sb)-Total	mg/L	0.00001	10/2/18 12:59	EPAA 3511/8270D (mod)	mg/L	0.0469
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Antromine (Sb)-Total	mg/L	0.00001	3/13/19 16:15	EPAA 3038/6020A (mod)	mg/L	0.0606
GW-9-OB	L2358663	10/2/19										



STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Chloride (Cl)	mg/L	0.5	3/11/19 20:24	EPA 300.1 (mod)	mg/L	-0.5
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Chromium (Cr)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Chromium (Cr)-Dissolved	mg/L	0.0001	3/16/19 9:42	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Chromium (Cr)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Chromium (Cr)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-2	Chromium (Cr)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00026
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Chromium (Cr)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Chromium (Cr)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Chromium (Cr)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Chromium (Cr)-Total	mg/L	0.0001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.00197
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Chromium (Cr)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Chromium (Cr)-Total	mg/L	0.0001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.00031
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Chromium (Cr)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Chromium (Cr)-Total	mg/L	0.0001	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	0.00022
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Chromium (Cr)-Total	mg/L	0.0001	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	0.00085
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-11	Chromium (Cr)-Total	mg/L	0.0005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00054
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Chromium (Cr)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.00011
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Chrysene	ug/L	0.0002	10/10/19 09:07	EPHA 3511/8270D (mod)	mg/L	-0.00002
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Chrysene	ug/L	0.01	6/4/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Chrysene	ug/L	0.01	8/12/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Chrysene	ug/L	0.01	8/12/19 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Chrysene	ug/L	0.01	10/10/19 09:07	EPHA 3511/8270D (mod)	mg/L	-0.00001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Chrysene	ug/L	0.01	3/13/20 0:00	EPHA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Chrysene d12	%	1	10/10/18 07:07	EPHA 3511/8270D (mod)	%	78.9
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Chrysene d12	%	1	6/4/19 0:00	EPHA 3511/8270D	%	12.4
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Chrysene d12	%	1	8/12/19 0:00	EPHA 3511/8270D	%	91.3
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Chrysene d12	%	1	8/12/19 0:00	EPHA 3511/8270D	%	95.7
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Chrysene d12	%	1	10/10/19 0:00	EPHA 3511/8270D	%	106.2
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Chrysene d12	%	1	3/13/20 0:00	EPHA 3511/8270D	%	90.5
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00015
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Cobalt (Co)-Dissolved	mg/L	0.0001	3/16/19 9:42	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Cobalt (Co)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Cobalt (Co)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Cobalt (Co)-Dissolved	mg/L	0.0001	8/12/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Cobalt (Co)-Dissolved	mg/L	0.0001	8/12/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Cobalt (Co)-Dissolved	mg/L	0.0001	10/10/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Cobalt (Co)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Cobalt (Co)-Total	mg/L	0.0001	10/18/12 21:00	APHA 3030B/6020A (mod)	mg/L	0.00046
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Cobalt (Co)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00013
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Cobalt (Co)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.00027
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Cobalt (Co)-Total	mg/L	0.0005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Cobalt (Co)-Total	mg/L	0.0001	8/12/19 0:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Cobalt (Co)-Total	mg/L	0.0001	8/12/19 0:00	APHA 200/2/6020A (mod)	mg/L	0.0001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Cobalt (Co)-Total	mg/L	0.0005	10/19/19 0:00	APHA 200/2/6020A (mod)	mg/L	0.0005
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Cobalt (Co)-Total	mg/L	0.0001	3/11/20 13:00	APHA 200/2/6020A (mod)	mg/L	0.0003
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Copper, True	CU	5	10/2/18 12:36	BCMOB Colour Single Wavelength	CU	-5
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Conductivity (@ 25C)	uS/cm	2	10/2/18 0:25	APHA 2510 Auto. Conduc.	uS/cm	380
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Conductivity (@ 25C)	uS/cm	2	3/16/19 0:00	APHA 2510 B	uS/cm	613
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Conductivity (@ 25C)	uS/cm	2	6/6/19 15:00	APHA 2510 B	uS/cm	395
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Conductivity (@ 25C)	uS/cm	2	8/10/19 10:00	APHA 2510 B	uS/cm	393
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Conductivity (@ 25C)	uS/cm	2	8/10/19 14:00	APHA 2510 B	uS/cm	401
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Conductivity (@ 25C)	uS/cm	2	10/4/19 12:00	APHA 2510 B	uS/cm	376
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Conductivity (@ 25C)	uS/cm	2	3/11/20 13:00	APHA 2510 B	uS/cm	393
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Copper, Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00027
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Copper, Dissolved	mg/L	0.0002	3/16/19 0:42	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Copper, Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00023
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Copper, Dissolved	mg/L	0.0002	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Copper, Dissolved	mg/L	0.0002	8/12/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Copper, Dissolved	mg/L	0.0002	8/12/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Copper, Dissolved	mg/L	0.0005	10/10/19 0:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Copper, Dissolved	mg/L	0.0001	3/13/20 0:00	EPHA 3511/8270D	mg/L	-0.00005
GW-9-OB	L2173511	10/18 8:50	9/27/18	11:00 AM	2173511-5	Dissolved Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B	mg/L	1.62
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	2241911-3	Dissolved Organic Carbon	mg/L	0.5	3/18/19 11:00	APHA 3030B/EPA 1631E (mod)	mg/L	0.96
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	2242116-3	Dissolved Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 B-Instrumental	mg/L	0.97
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	2282518-5	Dissolved Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 B-Instrumental	mg/L	0.76
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	2325443-2	Dissolved Organic Carbon	mg/L	0.5	8/9/19 0:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	2325443-3	Dissolved Organic Carbon	mg/L	0.5	8/9/19 0:00	APHA 5310 B-Instrumental	mg/L	0.56
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	2358663-12	Dissolved Metal Filtration Location	mg/L	0.5	10/11/19 0:00	APHA 5310 B-Instrumental	mg/L	0.7
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	2426723-4	Dissolved Metal Filtration Location	mg/L	0.5</td				

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Ion Balance	%	-100	3/17/19 10:45	APHA 1030E	%	91.6
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Ion Balance	%	-100	6/7/19 16:40	APHA 1030E	%	94.1
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Ion Balance	%	-100	8/15/19 17:55	APHA 1030E	%	97.6
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Ion Balance	%	-100	8/14/19 16:00	APHA 1030E	%	101
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Ion Balance	%	-100	10/7/19 12:34	APHA 1030E	%	87.6
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Ion Balance	%	-100	3/15/20 9:55	APHA 1030E	%	98.4
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Iron (Fe)-Dissolved	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Iron (Fe)-Dissolved	mg/L	0.01	3/16/19 14:22	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Iron (Fe)-Dissolved	mg/L	0.01	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Iron (Fe)-Dissolved	mg/L	0.01	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Iron (Fe)-Dissolved	mg/L	0.01	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.01
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.826
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.185
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.092
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Iron (Fe)-Total	mg/L	0.05	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.391
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Iron (Fe)-Total	mg/L	0.01	8/12/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.064
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Iron (Fe)-Total	mg/L	0.01	8/12/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.105
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Iron (Fe)-Total	mg/L	0.01	3/13/20 16:35	EPHA 200/2/6020A (mod)	mg/L	0.066
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Lead (Pb)-Dissolved	mg/L	0.0005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Lead (Pb)-Dissolved	mg/L	0.0005	3/16/19 9:42	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Lead (Pb)-Dissolved	mg/L	0.0005	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Lead (Pb)-Dissolved	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Lead (Pb)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Lead (Pb)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Lead (Pb)-Dissolved	mg/L	0.0005	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	0.000414
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Lead (Pb)-Dissolved	mg/L	0.0005	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Lead (Pb)-Dissolved	mg/L	0.0005	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Lead (Pb)-Dissolved	mg/L	0.0005	6/5/19 16:47	EPHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Lead (Pb)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Lead (Pb)-Dissolved	mg/L	0.0005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Lead (Pb)-Dissolved	mg/L	0.0005	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	0.000414
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Lead (Pb)-Total	mg/L	0.001	10/3/19 16:15	EPHA 200/2/6020A (mod)	mg/L	0.00068
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Lead (Pb)-Total	mg/L	0.001	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	0.0467
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Lead (Pb)-Total	mg/L	0.001	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	0.0118
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Lead (Pb)-Total	mg/L	0.001	6/5/19 16:47	EPHA 3030B/6020A (mod)	mg/L	0.0089
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Lead (Pb)-Total	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0108
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Lead (Pb)-Total	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0112
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Lead (Pb)-Total	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Lithium (Li)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0102
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Lithium (Li)-Dissolved	mg/L	0.001	3/16/19 9:42	APHA 3030B/6020A (mod)	mg/L	0.0446
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Lithium (Li)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0096
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Lithium (Li)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.0089
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Lithium (Li)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0108
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Lithium (Li)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0112
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Lithium (Li)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Lithium (Li)-Total	mg/L	0.001	10/3/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0114
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Lithium (Li)-Total	mg/L	0.001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0467
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Lithium (Li)-Total	mg/L	0.001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0118
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Lithium (Li)-Total	mg/L	0.001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.0095
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Lithium (Li)-Total	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0105
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Lithium (Li)-Total	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0112
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Lithium (Li)-Total	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0146
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Manganese (Mn)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00484
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Manganese (Mn)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00882
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Manganese (Mn)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	0.00593
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Manganese (Mn)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00593
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Manganese (Mn)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00596
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Manganese (Mn)-Dissolved	mg/L	0.001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2737511	10/18/18 8:50	9/27/18	11:00 AM	L2737511-5	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00215
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Manganese (Mn)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00408
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Manganese (Mn)-Dissolved	mg/L	0.001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00339
GW-9-OB	L2285218	5/30/19 9:15	5/28/19	8:30 AM	L2285218-5	Manganese (Mn)-Dissolved	mg/L	0.001	6/5/19 15:39	APHA 3030B/EPA 1631E (mod)	mg/L	-0.0005
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Manganese (Mn)-Dissolved	mg/L	0.001	8/15/19 14:58	APHA 3030B/EPA 1631E (mod)	mg/L	-0.0005
GW-9-OB	L2358663	10/21/19 9:50	10/1/19	1:10 PM	L2358663-12	Manganese (Mn)-Dissolved	mg/L	0.001	8/15/19 14:58	APHA 3030B/EPA 1631E (mod)	mg/L	-0.0005
GW-9-OB	L2426723	3/1/20 8:50	3/10/20	11:35 AM	L2426723-4	Manganese						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Nickel (Ni)-Total	mg/L	0.0005	8/12/19 19:43	EPHA 200_2/6020A (mod)	mg/L	0.00063
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Nickel (Ni)-Total	mg/L	0.0025	10/3/19 16:20	EPHA 200_2/6020A (mod)	mg/L	-0.0025
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Nickel (Ni)-Total	mg/L	0.0005	3/13/20 16:35	EPHA 200_2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Nitrate (as N)	mg/L	0.005	10/2/18 7:14	EPHA 300_1 (mod)	mg/L	0.0605
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Nitrate (as N)	mg/L	0.005	3/15/19 8:00	EPHA 300_1 (mod)	mg/L	-0.005
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Nitrate (as N)	mg/L	0.005	3/12/19 11:29	EPHA 300_1 (mod)	mg/L	0.142
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Nitrate (as N)	mg/L	0.005	5/30/19 9:45	EPHA 300_1 (mod)	mg/L	0.0982
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Nitrate (as N)	mg/L	0.005	8/9/19 9:33	EPHA 300_1 (mod)	mg/L	0.111
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Nitrate (as N)	mg/L	0.005	10/2/19 9:48	EPHA 300_1 (mod)	mg/L	0.0996
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Nitrate (as N)	mg/L	0.005	3/11/20 9:24	EPHA 300_1 (mod)	mg/L	0.0849
GW-9-OB	L2241911	3/8/19 9:00	3/6/19	12:30 PM	L2241911-3	Nitrate and Nitrite (as N)	mg/L	0.005	3/17/19 12:02	CALCULATION	mg/L	-0.05
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Nitrate and Nitrite (as N)	mg/L	0.005	3/12/19 12:00	CALCULATION	mg/L	0.145
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Nitrate and Nitrite (as N)	mg/L	0.0051	6/5/19 10:54	CALCULATION	mg/L	0.0982
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Nitrate and Nitrite (as N)	mg/L	0.0051	8/10/19 10:50	CALCULATION	mg/L	0.111
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Nitrate and Nitrite (as N)	mg/L	0.0051	8/10/19 10:50	CALCULATION	mg/L	0.104
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Nitrate and Nitrite (as N)	mg/L	0.0051	3/12/20 14:00	CALCULATION	mg/L	0.0849
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Nitrite (as N)	mg/L	0.001	10/2/18 7:14	EPHA 300_1 (mod)	mg/L	0.0017
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Nitrite (as N)	mg/L	0.001	3/15/19 8:00	EPHA 300_1 (mod)	mg/L	-0.001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Nitrite (as N)	mg/L	0.001	3/12/19 11:29	EPHA 300_1 (mod)	mg/L	0.024
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Nitrite (as N)	mg/L	0.001	5/30/19 9:45	EPHA 300_1 (mod)	mg/L	-0.001
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Nitrite (as N)	mg/L	0.001	8/9/19 9:33	EPHA 300_1 (mod)	mg/L	-0.001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Nitrite (as N)	mg/L	0.001	10/2/19 9:48	EPHA 300_1 (mod)	mg/L	-0.001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Nitrite (as N)	mg/L	0.001	3/11/20 12:30	APHA 4500-P Phosphorus	mg/L	0.0034
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/18 7:29	APHA 4500-P Phosphorus	mg/L	-0.0015
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/8/19 17:59	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/19 9:40	APHA 4500-P PHOSPHORUS	mg/L	0.0019
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/30/19 18:00	APHA 4500-P PHOSPHORUS	mg/L	0.0021
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:48	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:50	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/19 18:09	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/18 7:29	APHA 4500-P PHOSPHORUS	mg/L	0.0034
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/18/19 0:00	APHA 4500-H Electrode	pH	8.24
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/16/19 9:00	APHA 4500-H Electrode	pH	7.8
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/6/19 15:00	APHA 4500-H Electrode	pH	8.38
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/10/19 10:00	APHA 4500-H Electrode	pH	8.18
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/18/19 0:00	APHA 4500-H Electrode	pH	8.23
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/4/19 14:00	APHA 4500-H Electrode	pH	8.19
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Phanthrene	mg/L	0.0002	10/10/18 9:07	EPHA 3511/270D (mod)	mg/L	0.0004
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Phanthrene	ug/L	0.02	6/4/19 0:00	EPHA 3511/270D	mg/L	0.00027
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Phanthrene	ug/L	0.02	8/12/19 0:00	EPHA 3511/270D	mg/L	-0.0002
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Phanthrene	ug/L	0.02	10/10/19 0:00	EPHA 3511/270D	mg/L	-0.0002
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Phanthrene	ug/L	0.02	3/13/20 0:00	EPHA 3511/270D	mg/L	-0.0002
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Phenanthrene d10	%	1	10/10/18 9:07	EPHA 3511/270D (mod)	%	96.9
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Phenanthrene d10	%	1	6/4/19 0:00	EPHA 3511/270D	%	111
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Phenanthrene d10	%	1	8/12/19 0:00	EPHA 3511/270D	%	114.7
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Phenanthrene d10	%	1	8/12/19 0:00	EPHA 3511/270D	%	120.9
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Phenanthrene d10	%	1	3/13/20 0:00	EPHA 3511/270D	%	107.7
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Phenols (4AAP)	mg/L	0.001	8/14/19 15:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0035
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Phenols (4AAP)	mg/L	0.001	8/14/19 15:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Phenols (4AAP)	mg/L	0.001	6/5/19 10:01	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0036
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:40 AM	L2325443-3	Phenols (4AAP)	mg/L	0.001	8/10/19 20:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Phenols (4AAP)	mg/L	0.001	3/12/20 12:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Phosphorus (P)-Dissolved	mg/L	0.002	10/2/18 21:09	APHA 4500-P Phosphorus	mg/L	0.043
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Phosphorus (P)-Dissolved	mg/L	0.001	3/12/19 11:47	APHA 4500-P PHOSPHORUS	mg/L	0.186
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Phosphorus (P)-Dissolved	mg/L	0.002	3/12/19 12:41	APHA 4500-P PHOSPHORUS	mg/L	0.0064
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Phosphorus (P)-Dissolved	mg/L	0.002	6/5/19 10:01	APHA 4500-P PHOSPHORUS	mg/L	0.0354
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Phosphorus (P)-Dissolved	mg/L	0.002	8/14/19 14:25	APHA 4500-P PHOSPHORUS	mg/L	0.0025
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Phosphorus (P)-Dissolved	mg/L	0.002	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	-0.005
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Phosphorus (P)-Dissolved	mg/L	0.002	10/2/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.005
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Phosphorus (Rb)-Dissolved	mg/L	0.025	10/3/18 16:35	APHA 200/2/6020A (mod)	mg/L	-0.25
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Phosphorus (Rb)-Dissolved	mg/L	0.025	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Phosphorus (Rb)-Dissolved	mg/L	0.025	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Phosphorus (Rb)-Dissolved	mg/L	0.025	6/5/19 16:47	APHA 3038/6/6020A (mod)	mg/L	0.772
GW-9-OB	L2325443	8/8/19 9:20	8/7/19	9:20 AM	L2325443-2	Phosphorus (Rb)-Dissolved	mg/L	0.025	8/13/19 14:03	EPHA 200/2/6020A (mod)	mg/L	1.26
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Phosphorus (Rb)-Dissolved	mg/L	0.025	8/13/19 16:19	EPHA 200/2/6020A (mod)	mg/L	1.52
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Phosphorus (Rb)-Dissolved	mg/L	0.025	8/13/19 16:19	EPHA 200/2/6020A (mod)	mg/L	0.881
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Quinoline	mg/L	0.25	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.84
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Quinoline	mg/L	0.25	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	0.549
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Quinoline	mg/L	0.25	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.716</td

STATION ID	LOGNUMIN	RECEIVEDATE	SPMDEPTH	SPMTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unfilled units	Final Results
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Selenium (Se)-Total	mg/L	0.00005	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	0.00077
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Selenium (Se)-Total	mg/L	0.00005	3/16/19 16:15	APHA 30308/6/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Selenium (Se)-Total	mg/L	0.00005	3/16/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000003
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Selenium (Se)-Total	mg/L	0.00025	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	0.00088
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Selenium (Se)-Total	mg/L	0.00005	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.00092
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Selenium (Se)-Total	mg/L	0.00005	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	0.00086
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Selenium (Se)-Total	mg/L	0.00025	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	0.00405
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Selenium (Se)-Total	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.000664
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Silicon (Si)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 30308/6/6020A (mod)	mg/L	3.25
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Silicon (Si)-Dissolved	mg/L	0.05	3/16/19 16:15	APHA 30308/6/6020A (mod)	mg/L	6.12
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Silicon (Si)-Dissolved	mg/L	0.05	3/16/19 16:15	APHA 30308/6/6020A (mod)	mg/L	3.87
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Silicon (Si)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 30308/6/6020A (mod)	mg/L	3.41
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Silicon (Si)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	3.41
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Silicon (Si)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	3.33
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Silicon (Si)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 30308/6/6020A (mod)	mg/L	3.35
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Silicon (Si)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 30308/6/6020A (mod)	mg/L	3.68
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Silicon (Si)-Total	mg/L	0.1	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	5.42
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Silicon (Si)-Total	mg/L	0.1	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	6.71
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Silicon (Si)-Total	mg/L	0.1	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	4.13
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Silicon (Si)-Total	mg/L	0.25	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	3.87
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Silicon (Si)-Total	mg/L	0.05	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	3.52
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Silicon (Si)-Total	mg/L	0.05	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	3.43
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Silicon (Si)-Total	mg/L	0.25	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	16.7
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Silicon (Si)-Total	mg/L	0.05	3/13/20 16:35	EPHA 200/2/6020A (mod)	mg/L	3.6
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Silver (Ag)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Silver (Ag)-Dissolved	mg/L	0.00001	3/16/19 9:42	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Silver (Ag)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Silver (Ag)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Silver (Ag)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Silver (Ag)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Silver (Ag)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Silver (Ag)-Total	mg/L	0.00001	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Silver (Ag)-Total	mg/L	0.00001	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Silver (Ag)-Total	mg/L	0.00001	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Silver (Ag)-Total	mg/L	0.00001	6/5/19 16:47	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Silver (Ag)-Total	mg/L	0.00001	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Silver (Ag)-Total	mg/L	0.00001	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Silver (Ag)-Total	mg/L	0.00005	10/3/19 16:47	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Silver (Ag)-Total	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Sodium (Na)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 30308/6/6020A (mod)	mg/L	3.89
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Sodium (Na)-Dissolved	mg/L	0.05	3/16/19 9:42	APHA 30308/6/6020A (mod)	mg/L	19.5
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Sodium (Na)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 30308/6/6020A (mod)	mg/L	3.96
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Sodium (Na)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 30308/6/6020A (mod)	mg/L	3.42
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Sodium (Na)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	3.63
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Sodium (Na)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	3.7
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 30308/6/6020A (mod)	mg/L	3.73
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 30308/6/6020A (mod)	mg/L	4.18
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Sodium (Na)-Total	mg/L	0.05	10/3/18 14:03	EPHA 200/2/6020A (mod)	mg/L	3.69
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	19.8
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	EPHA 200/2/6020A (mod)	mg/L	4.11
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Sodium (Na)-Total	mg/L	0.25	6/5/19 16:47	EPHA 200/2/6020A (mod)	mg/L	3.38
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Sodium (Na)-Total	mg/L	0.05	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	3.85
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Sodium (Na)-Total	mg/L	0.05	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	3.66
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Sodium (Na)-Total	mg/L	0.05	10/3/19 16:20	EPHA 200/2/6020A (mod)	mg/L	4.05
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	4.05
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Sulfur (S)-Dissolved	mg/L	0.00002	10/2/18 12:59	APHA 30308/6/6020A (mod)	mg/L	1.88
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Sulfur (S)-Dissolved	mg/L	0.00002	3/16/19 9:42	APHA 30308/6/6020A (mod)	mg/L	0.327
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Sulfur (S)-Dissolved	mg/L	0.00002	3/16/19 9:42	APHA 30308/6/6020A (mod)	mg/L	0.311
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Sulfur (S)-Dissolved	mg/L	0.00002	6/5/19 16:47	APHA 30308/6/6020A (mod)	mg/L	0.288
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Sulfur (S)-Dissolved	mg/L	0.00002	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	0.295
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Sulfur (S)-Dissolved	mg/L	0.00002	8/9/19 16:04	APHA 30308/6/6020A (mod)	mg/L	0.296
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Sulfur (S)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 30308/6/6020A (mod)	mg/L	0.329
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Sulfur (S)-Dissolved	mg/L	0.00002	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.304
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Sulfur (S)-Total	mg/L	0.3	12/19/11 2:48	EPHA 300_1 (mod)	mg/L	24.8
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Sulfur (S)-Total	mg/L	0.3	3/12/19 11:29	EPHA 300_1 (mod)	mg/L	26.7
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Sulfur (S)-Total	mg/L	0.3	5/30/19 9:45	EPHA 300_1 (mod)	mg/L	24.1
GW-9-OB	L2282516	5/30/19 9:15	5/28/19	8:30 AM	L2282516-5	Sulfur (S)-Total	mg/L	0.3	6/5/19 16:47	EPHA 300_1 (mod)	mg/L	25
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:20 AM	L235443-2	Sulfur (S)-Total	mg/L	0.3	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	27.7
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-3	Sulfur (S)-Total	mg/L	0.3	8/7/19 14:39	EPHA 200/2/6020A (mod)	mg/L	27
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Sulfur (S)-Total	mg/L	0.3	10/19/19 2:40	EPHA 300_1 (mod)	mg/L	44.5
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Sulfur (S)-Total	mg/L	0.3	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	9.17
GW-9-OB	L2173511	10/1/18 8:50	9/27/18	11:00 AM	L2173511-5	Sulfur (S)-Dissolved	mg/L	0.00002	10/2/18 12:59	APHA 30308/6/6020A (mod)	mg/L	-0.00002
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	1								

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Thorium (Th)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Thorium (Th)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Thorium (Th)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200.2/6020A (mod)	mg/L	0.0019
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Thorium (Th)-Total	mg/L	0.0001	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L224116	3/9/19 8:50	3/7/19	11:00 AM	L224116-3	Thorium (Th)-Total	mg/L	0.0001	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Thorium (Th)-Total	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Thorium (Th)-Total	mg/L	0.0001	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Thorium (Th)-Total	mg/L	0.0001	10/3/19 16:20	EPHA 200.2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Tin (Sn)-Dissolved	mg/L	0.0001	10/2/18 15:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Tin (Sn)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Tin (Sn)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200.2/6020A (mod)	mg/L	0.0019
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Tin (Sn)-Total	mg/L	0.0001	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Tin (Sn)-Total	mg/L	0.0001	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	0.00101
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Tin (Sn)-Total	mg/L	0.0005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Tin (Sn)-Total	mg/L	0.0001	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.00056
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Tin (Sn)-Total	mg/L	0.0001	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.00049
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Tin (Sn)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Tin (Sn)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Tin (Sn)-Total	mg/L	0.0001	10/3/18 14:03	EPHA 200.2/6020A (mod)	mg/L	0.0019
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Titanium (Ti)-Dissolved	mg/L	0.0003	3/16/19 14:42	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Titanium (Ti)-Dissolved	mg/L	0.0003	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Titanium (Ti)-Dissolved	mg/L	0.0003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Titanium (Ti)-Dissolved	mg/L	0.0003	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Titanium (Ti)-Dissolved	mg/L	0.0003	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Titanium (Ti)-Total	mg/L	0.0015	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0053
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Titanium (Ti)-Total	mg/L	0.0003	3/12/20 16:35	APHA 200.2/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Titanium (Ti)-Total	mg/L	0.0003	10/3/18 14:03	EPHA 200.2/6020A (mod)	mg/L	0.0019
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	0.0013
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Titanium (Ti)-Total	mg/L	0.0015	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	0.0016
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.0008
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.00103
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Titanium (Ti)-Total	mg/L	0.0015	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0037
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Titanium (Ti)-Total	mg/L	0.0003	3/12/20 16:35	APHA 200.2/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Titanium (Ti)-Total	mg/L	0.0003	10/3/18 14:03	EPHA 200.2/6020A (mod)	mg/L	0.0019
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Titanium (Ti)-Total	mg/L	0.0003	3/13/19 16:15	EPHA 200.2/6020A (mod)	mg/L	0.0013
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Titanium (Ti)-Total	mg/L	0.0015	6/5/19 16:47	APHA 200.2/6020A (mod)	mg/L	0.0016
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.0008
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Titanium (Ti)-Total	mg/L	0.0003	8/12/19 14:39	EPHA 200.2/6020A (mod)	mg/L	0.00103
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Titanium (Ti)-Total	mg/L	0.0015	10/3/19 16:20	APHA 200.2/6020A (mod)	mg/L	0.0037
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Titanium (Ti)-Total	mg/L	0.0003	3/12/20 16:35	APHA 200.2/6020A (mod)	mg/L	-0.0003
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Total Dissolved Solids	mg/L	20	10/4/18 8:50	APHA 2540 C - GRAVIMETRIC	mg/L	250
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Total Dissolved Solids	mg/L	20	3/12/19 15:00	APHA 2540 C	mg/L	364
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540 C	mg/L	231
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Total Dissolved Solids	mg/L	20	6/1/19 15:30	APHA 2540 C	mg/L	223
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Total Dissolved Solids	mg/L	20	8/12/19 13:45	APHA 2540 C	mg/L	240
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Total Dissolved Solids	mg/L	20	8/12/19 13:45	APHA 2540 C	mg/L	249
GW-9-OB	L2358663	10/2/19 9:50	10/1/19	1:10 PM	L2358663-12	Total Dissolved Solids	mg/L	20	10/3/19 14:15	APHA 2540 C	mg/L	220
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Total Dissolved Solids	mg/L	20	3/15/20 14:00	APHA 2540 C	mg/L	188
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Total Nitrogen	mg/L	1	10/4/18 13:25	APHA 5310 B-Instrumental	mg/L	37.8
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Total Inorganic Carbon	mg/L	1.5	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	79.9
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Total Inorganic Carbon	mg/L	1.5	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	47.6
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Total Inorganic Carbon	mg/L	1.5	6/6/19 6:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	46.8
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Total Inorganic Carbon	mg/L	1.5	8/1/19 12:28	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	46.4
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Total Inorganic Carbon	mg/L	1.5	8/1/19 12:28	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	46
GW-9-OB	L2358663	10/19/8:50	10/1/19	1:10 PM	L2358663-12	Total Inorganic Carbon	mg/L	1.5	10/8/19 11:11	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	48
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Total Inorganic Carbon	mg/L	1.5	3/15/20 7:00	APHA 5310 B-Instrumental	mg/L	37.8
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Total Nitrogen	mg/L	0.05	10/5/18 18:25	APHA 4500-NORG (TKN)	mg/L	0.128
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Total Organic Carbon	mg/L	0.05	3/18/19 11:00	APHA 4500-NORG (TKN)	mg/L	3.16
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Total Organic Carbon	mg/L	0.05	3/18/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	2.59
GW-9-OB	L2282518	5/30/19 9:15	5/28/19	8:30 AM	L2282518-5	Total Organic Carbon	mg/L	0.05	6/6/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.3
GW-9-OB	L235443	8/8/19 9:20	8/7/19	9:40 AM	L235443-2	Total Organic Carbon	mg/L	0.05	8/9/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.93
GW-9-OB	L2242116	3/8/19 9:20	8/7/19	9:40 AM	L2242116-3	Total Organic Carbon	mg/L	0.05	8/10/19 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.01
GW-9-OB	L2358663	10/2/19 8:50	10/1/19	1:10 PM	L2358663-12	Total Organic Carbon	mg/L	0.05	1/3/20/13:25	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.53
GW-9-OB	L2426723	3/11/20 8:50	3/10/20	11:35 AM	L2426723-4	Total Organic Carbon	mg/L	0.05	1/3/20/13:25	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	13.8
GW-9-OB	L2173511	10/18/8:50	9/27/18	11:00 AM	L2173511-5	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2241911	3/8/19 9:00	3/5/19	12:30 PM	L2241911-3	Tungsten (W)-Dissolved	mg/L	0.0001	3/16/19 14:42	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2242116	3/9/19 8:50	3/7/19	11:00 AM	L2242116-3	Tungsten (						



STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Thallium (Tl)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Thallium (Tl)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.00023
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Thorium (Th)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Thorium (Th)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Tin (Sn)-Dissolved	mg/L	0.00001	10/17/18 13:02	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Tin (Sn)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Titanium (Ti)-Dissolved	mg/L	0.00003	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Total Dissolved Solids	mg/L	20	10/17/18 4:00	APHA 2540-C, GRAVIMETRIC	mg/L	179
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Total Nitrogen	mg/L	0.03	10/16/18 18:02	APHA 4500-P(J/N/EMI917/USGS5-4174	mg/L	0.087
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Total Organic Carbon	mg/L	0.8	10/16/18 16:02	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.22
GW-HP1-PW 10H	L2180900	10/16/18 12:16	10/11/18	6:30 PM	L2180900-2	Total Suspended Solids	mg/L	3	10/17/18 15:48	APHA 2640D	mg/L	18
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Tungsten (W)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Tungsten (W)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Turbidity	NTU	0.1	10/16/18 7:13	APHA 2130 Turbidity	NTU	28.7
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Uranium (U)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.0028
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Uranium (U)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.000302
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Vanadium (V)-Dissolved	mg/L	0.00005	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Vanadium (V)-Total	mg/L	0.00005	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.00192
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Zinc (Zn)-Dissolved	mg/L	0.001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Zinc (Zn)-Total	mg/L	0.003	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.0043
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-HP1-PW 10H	L2180900	10/15/18 12:15	10/11/18	6:30 PM	L2180900-2	Zirconium (Zr)-Total	mg/L	0.00006	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.0019
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	1-Methylphenylbenzene	mg/L	0.00005	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.0005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	2-Methylphenylbenzene	mg/L	0.00005	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.0005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Aceanaphthalene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Aceanaphthalene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Acidity (as CaCO3)	mg/L	1	10/16/18 22:17	APHA 2310 Acidity	mg/L	1.1
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Acidine	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Acidine d9	%	1	10/20/18 10:55	APHA 3511/8270D (mod)	%	91.4
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Alkalinity, Total (as CaCO3)	mg/L	1	10/16/18 23:10	APHA 2320 Alkalinity	mg/L	148
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Aluminum (Al)-Dissolved	mg/L	0.001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.003
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Aluminum (Al)-Total	mg/L	0.003	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	2.12
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Ammonia, Total (as N)	mg/L	0.005	10/20/18 4:11	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Anthracene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Antimony (Sb)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Antimony (Sb)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.00015
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Arsenic (As)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.00014
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Arsenic (As)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.00104
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Boron (Ba)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.0971
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Boron (Ba)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.124
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(a)anthracene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(a)pyrene	mg/L	0.00005	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(b)fluoranthene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(g,h)fluoranthene	mg/L	0.000019	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.000015
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(h,i)perylene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Benz(k)fluoranthene	mg/L	0.00001	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Beryllium (Be)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Beryllium (Be)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.00013
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Bismuth (Bi)-Total	mg/L	0.00005	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Boron (Br)-Dissolved	mg/L	0.01	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.014
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Boron (Br)-Total	mg/L	0.05	10/15/18 16:53	APHA 300.1 (mod)	mg/L	-0.05
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Chrysene d12	%	1	10/16/18 10:37	APHA 3511/8270D (mod)	%	99.2
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Cobalt (Co)-Dissolved	mg/L	0.00001	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Cobalt (Co)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.000088
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Colour, True	CU	5	10/17/18 11:53	BCMR Colour Single Wavelength	CU	-5
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Conductivity	uS/cm	2	10/16/18 23:10	APHA 2510 Auto. Conduct.	uS/cm	297
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Copper (Cu)-Dissolved	mg/L	0.0002	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	0.00071
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Copper (Cu)-Total	mg/L	0.00005	10/17/18 13:02	EPA 200/2/6020A (mod)	mg/L	0.0028
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Dibenz(a)anthracene	mg/L	0.000095	10/20/18 10:55	APHA 3511/8270D (mod)	mg/L	-0.00005
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Dissolved Mercury Filtration Location			10/16/18 8:30	APHA 3500-Cr (Ion Chromatography)		0 FIELD
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Dissolved Metals Filtration Location			10/16/18 14:00	APHA 3030B/6020A (mod)		0 FIELD
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Dissolved Organic Carbon	mg/L	0.9	10/18/18 16:00	APHA 5310B	mg/L	1.05
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Fluoranthene	mg/L	0.000001	10/20/18 10:55</td			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Tin (Sn)-Total	mg/L	0.0001	10/17/18 13:02	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Titanium (Ti)-Dissolved	mg/L	0.0003	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Titanium (Ti)-Total	mg/L	0.0003	10/17/18 13:02	EPA 200.2/6020A (mod)	mg/L	0.00887
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Total Dissolved Solids	mg/L	20	10/17/18 4:00	APHA 2540 C - GRAVIMETRIC	mg/L	199
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Total Nitrogen	mg/L	0.03	10/16/18 18:02	APHA 4500-P(J/NEMI917/USGS03-4174	mg/L	0.114
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Total Organic Carbon	mg/L	0.5	10/18/18 16:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	1.68
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Tungsten (W)-Dissolved	mg/L	1	10/16/18 10:37	APHA 3030B/6020A (mod)	mg/L	51.6
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Tungsten (W)-Total	mg/L	1	10/17/18 13:02	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Turbidity	NTU	0.1	10/16/18 10:37	APHA 2130 Turbidity	NTU	88.7
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Uranium (U)-Dissolved	mg/L	0.00001	10/17/18 13:02	APHA 3030B/6020A (mod)	mg/L	0.000264
GW-HP1-PW 5H	L2180900	10/15/18 12:15	10/11/18	12:30 PM	L2180900-1	Uranium (U)-Total	mg/L	0.00001	10/17/18 13:02	EPA 200.2/6020A (mod)	mg/L	-0.00006
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	1-Methylnaphthalene	ug/L	0.05	6/10/19 0:00	APHA 3511/8270D	mg/L	0.000068
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	2-Methylnaphthalene	ug/L	0.02	6/10/19 0:00	EPA 3511/8270D	mg/L	0.000015
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Acenaphthene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Acenaphthylene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Acridine	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	122
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	6/11/19 15:00	APHA 2320 ALKALINITY	mg/L	122
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Aluminum (Al)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0068
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Aluminum (Al)-Total	mg/L	0.003	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	2.58
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Ammonia N	mg/L	0.005	6/11/19 9:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0095
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Anion Sum	meq/L	6/13/19 18:34	APHA 1030E	meq/L	2.62	
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Anthracene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Antimony (Sb)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00043
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Antimony (Sb)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00055
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Arsenic (As)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00022
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Arsenic (As)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00245
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Barium (Ba)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.073
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Barium (Ba)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.229
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Benz(a)anthracene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Benz(a)pyrene	ug/L	0.005	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Benz(b)fluoranthene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Benzofluoranthene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Beryllium (Be)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Beryllium (Be)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.0024
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Bismuth (Bi)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Boron (B)-Dissolved	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Boron (B)-Total	mg/L	0.01	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	-0.01
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Bromide (Br)	mg/L	0.05	6/3/19 18:06	APHA 300 1 (mod)	mg/L	-0.05
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cadmium (Cd)-Dissolved	mg/L	0.000005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0000113
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cadmium (Cd)-Total	mg/L	0.000005	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.000217
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Calcium (Ca)-Dissolved	mg/L	10	6/10/19 0:00	APHA 5220 D Colorimetry	mg/L	-10
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chloride (Cl)	mg/L	0.5	6/3/19 18:06	EPA 300 1 (mod)	mg/L	-0.5
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chromium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chromium (Cr)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00388
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chrysene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chrysene d12	%	1	6/10/19 0:00	EPA 3511/8270D	%	109.2
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cobalt (Co)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cobalt (Co)-Total	mg/L	0.0001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00152
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Conductivity (@ 25C)	uS/cm	2	6/11/19 15:00	APHA 2510 B	uS/cm	242
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Copper (Cu)-Dissolved	mg/L	0.0002	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	34.9
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Copper (Cu)-Total	mg/L	0.0005	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	44.5
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cation - Anion Balance	%	1	6/13/19 18:34	APHA 1030E	%	-1.5
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cation Sum	meq/L	6/13/19 18:34	APHA 1030E	meq/L	2.54	
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cesium (Cs)-Dissolved	mg/L	0.00001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Cesium (Cs)-Total	mg/L	0.00001	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00107
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chemical Oxygen Demand	mg/L	10	6/10/19 0:00	APHA 5220 D Colorimetry	mg/L	-10
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chloride (Cl)	mg/L	0.5	6/3/19 18:06	EPA 300 1 (mod)	mg/L	-0.5
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Chromium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 2340 B	mg/L	123
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Indeno[1,2,3- <i>c,d</i> ]perylene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Mercury Filtration Location		6/11/19 11:00	APHA 3030B/6A 1631E (mod)		0 FIELD	
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Organic Carbon	mg/L	0.5	6/7/19/00	APHA 5310 B-Instrumental	mg/L	1.87
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Pyrene	ug/L	0.01	6/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Selenite (Se-Dissolved)	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Selenium (Se-Total)	mg/L	0.00005	6/12/19 17:23	EPA 200.2/6020A (mod)	mg/L	0.00371
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Dissolved Silicate (Si						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Titanium (Ti)-Dissolved	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Titanium (Ti)-Total	mg/L	0.0003	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.018
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Total Dissolved Solids	mg/L	20	6/6/19 12:00	APHA 2540 C	mg/L	151
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Total Inorganic Carbon	mg/L	1	6/8/19 3:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	30.3
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Total Kjeldahl Nitrogen	mg/L	0.05	6/10/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.166
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Total Nitrogen	mg/L	0.05	6/11/19 0:44	APHA 4500 N-Calculated	mg/L	0.243
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Total Organic Carbon	mg/L	0.5	6/7/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.88
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Tungsten (W)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00021
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Tungsten (W)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0002
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Uranium (U)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000747
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Uranium (U)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.00105
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Vanadium (V)-Dissolved	mg/L	0.0006	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0006
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Vanadium (V)-Total	mg/L	0.0005	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.00842
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Zinc (Zn)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0013
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Zinc (Zn)-Total	mg/L	0.003	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0372
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00006
GW-MD1	L2284090	6/3/19 12:40	6/1/19	9:35 AM	L2284090-2	Zirconium (Zr)-Total	mg/L	0.00006	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.000359
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	1-Methylnaphthalene	ug/L	0.05	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	1-Methylnaphthalene	ug/L	0.05	6/9/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	1-Methylnaphthalene	ug/L	0.05	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	1-Methylnaphthalene	ug/L	0.05	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	2-Methylnaphthalene	ug/L	0.02	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	2-Methylnaphthalene	ug/L	0.02	6/5/19 0:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	2-Methylnaphthalene	ug/L	0.02	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	2-Methylnaphthalene	ug/L	0.02	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00002
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Aacenaphthene	ug/L	0.01	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Aacenaphthene	ug/L	0.01	6/5/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Aacenaphthene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Aacenaphthene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Aacenaphthylene	ug/L	0.01	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Aacenaphthylene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Aacenaphthylene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Aacenaphthylene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Acreidrene	ug/L	0.01	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Acreidrene	ug/L	0.01	6/5/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Acreidrene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Acreidrene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Acreidylene	ug/L	0.01	11/7/18 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Acreidylene	ug/L	0.01	6/5/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Acreidylene	ug/L	0.01	8/15/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Acreidylene	ug/L	0.01	10/10/19 0:00	EPHA 3511/8/270D	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3320 ALKALINITY	mg/L	-126
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	6/8/19 11:00	APHA 3320 ALKALINITY	mg/L	119
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/10/19 10:00	APHA 3320 ALKALINITY	mg/L	127
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3320 ALKALINITY	mg/L	131
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Alkalinity, Carbonate (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3320 ALKALINITY	mg/L	4.6
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Alkalinity, Carbonate (as CaCO3)	mg/L	1	6/8/19 11:00	APHA 3320 ALKALINITY	mg/L	5.4
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/10/19 10:00	APHA 3320 ALKALINITY	mg/L	2.8
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Alkalinity, Carbonate (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	6/8/19 11:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/10/19 10:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Alkalinity, Total (as CaCO3)	mg/L	1	11/8/18 12:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Alkalinity, Total (as CaCO3)	mg/L	1	6/8/19 11:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Alkalinity, Total (as CaCO3)	mg/L	1	8/10/19 10:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Alkalinity, Total (as CaCO3)	mg/L	1	10/4/19 14:00	APHA 3320 ALKALINITY	mg/L	-1
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Antimony (Sb)-Dissolved	mg/L	0.0001	11/7/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Antimony (Sb)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Antimony (Sb)-Dissolved	mg/L	0.0001	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Antimony (Sb)-Dissolved	mg/L	0.0001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Antimony (Sb)-Total	mg/L	0.0001	11/7/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Antimony (Sb)-Total	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Antimony (Sb)-Total	mg/L	0.0001	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.205
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	Antimony (Sb)-Total	mg/L	0.0005	8/17/19 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.119
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Anion Sum	meq/L	1	11/14/18 15:30	APHA 1030E	meq/L	3.18
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Anion Sum	meq/L	1	10/7/19 12:24	APHA 1030E	meq/L	3.19
GW-MD2	L2263998	8/10/19 8:00	8/8/19	11:15 AM	L2362399-1	Anion Sum	meq/L	1	10/7/19 14:39	APHA 1030E	meq/L	3.06
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:05 AM	L2358663-9	An						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Bismuth (Bi)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Bismuth (Bi)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/1/19 2:50	10/1/19	10:56 AM	L2358663-9	Bismuth (Bi)-Total	mg/L	0.00025	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Boron (B)-Dissolved	mg/L	0.01	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.06
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Boron (B)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.072
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Boron (B)-Dissolved	mg/L	0.01	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	0.07
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Boron (B)-Total	mg/L	0.01	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	0.061
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.065
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Boron (B)-Total	mg/L	0.01	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.061
GW-MD2	L2358663	10/1/19 2:50	10/1/19	10:56 AM	L2358663-9	Boron (B)-Total	mg/L	0.05	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.058
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Bromide (Br)-Dissolved	mg/L	0.08	11/17/18 16:29	APHA 300-1 (mod)	mg/L	-0.06
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Bromide (Br)-Dissolved	mg/L	0.05	6/14/19 9:55	EPA 300-1 (mod)	mg/L	-0.05
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Bromide (Br)-Dissolved	mg/L	0.05	8/10/19 14:27	EPA 300-1 (mod)	mg/L	-0.05
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Bromide (Br)-Dissolved	mg/L	0.05	10/12/19 9:48	APHA 300-1 (mod)	mg/L	-0.05
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Cadmium (Cd)-Dissolved	mg/L	0.00005	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Cadmium (Cd)-Total	mg/L	0.00005	11/11/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Cadmium (Cd)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Cadmium (Cd)-Total	mg/L	0.00005	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Cadmium (Cd)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Calcium (Ca)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	33
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Calcium (Ca)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	35.2
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/16/19 16:49	APHA 3030B/6020A (mod)	mg/L	39.3
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Calcium (Ca)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	36.9
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Calcium - Anion Balance	%		11/14/18 18:30	APHA 1030E	%	-4.3
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Calcium - Anion Balance	%		6/10/19 16:49	APHA 1030E	%	1
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Calcium - Anion Balance	%		8/19/19 14:45	APHA 1030E	%	1.7
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Calcium - Anion Balance	%		10/7/19 12:24	APHA 1030E	%	-6.4
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Cation Sum	meg/L		11/14/18 18:30	APHA 1030E	meg/L	2.92
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Cation Sum	meg/L		6/10/19 16:49	APHA 1030E	meg/L	3.12
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Cation Sum	meg/L		8/19/19 14:45	APHA 1030E	meg/L	3.3
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Cation Sum	meg/L		10/7/19 12:24	APHA 1030E	meg/L	2.81
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Cesium (Cs)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Cesium (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Cesium (Cs)-Dissolved	mg/L	0.00001	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Cesium (Cs)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Cesium (Cs)-Total	mg/L	0.00001	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00003
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Cesium (Cs)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.00003
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Cesium (Cs)-Total	mg/L	0.00001	8/16/19 16:49	APHA 200/2/6020A (mod)	mg/L	-0.000018
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Cesium (Cs)-Total	mg/L	0.00005	10/3/19 16:20	APHA 200/2/6020A (mod)	mg/L	0.00102
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Chemical Oxygen Demand	mg/L	10	11/18/18 0:00	APHA 5220 D Colorimetry	mg/L	-10
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Chemical Oxygen Demand	mg/L	10	6/19/19 0:00	APHA 5220 D Colorimetry	mg/L	-10
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Chemical Oxygen Demand	mg/L	10	8/13/19 0:00	APHA 5220 D Colorimetry	mg/L	-10
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Chemical Oxygen Demand	mg/L	10	10/3/19 0:00	APHA 5220 D Colorimetry	mg/L	-54
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Chloride (Cl)-Dissolved	mg/L	0.5	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.5
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Chloride (Cl)-Dissolved	mg/L	0.5	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Chloride (Cl)-Dissolved	mg/L	0.5	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Chloride (Cl)-Dissolved	mg/L	0.5	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Chromium (Cr)-Dissolved	mg/L	0.00001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Chromium (Cr)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Chromium (Cr)-Dissolved	mg/L	0.00001	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Chromium (Cr)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Chrysene	ug/L	0.01	11/7/18 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Chrysene	ug/L	0.01	6/5/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Chrysene	ug/L	0.01	8/15/19 0:00	APHA 3511/8270D	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Chrysene	ug/L	0.00001	10/10/19 0:00	APHA 3511/8270D	mg/L	-0.00007
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Conductivity (@ 25C)	uS/cm	2	11/8/18 12:00	APHA 2510 B	uS/cm	292
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Conductivity (@ 25C)	uS/cm	2	6/8/19 11:00	APHA 2510 B	uS/cm	291
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Conductivity (@ 25C)	uS/cm	2	8/10/19 11:00	APHA 2510 B	uS/cm	295
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Conductivity (@ 25C)	uS/cm	2	10/4/19 14:00	APHA 2510 B	uS/cm	284
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Copper (Cu)-Dissolved	mg/L	0.00002	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00045
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Copper (Cu)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Copper (Cu)-Dissolved	mg/L	0.00002	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Copper (Cu)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Copper (Cu)-Total	mg/L	0.00005	11/1/18 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Copper (Cu)-Total	mg/L	0.00005	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Iron (Fe)-Total	mg/L	0.01	11/11/18 15:30	EPA 200.2/6020A (mod)	mg/L	0.243
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Iron (Fe)-Total	mg/L	0.01	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.448
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Iron (Fe)-Total	mg/L	0.01	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	0.248
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Iron (Fe)-Total	mg/L	0.05	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	2.16
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Lead (Pb)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Lead (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Lead (Pb)-Dissolved	mg/L	0.00005	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Lead (Pb)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	0.000087
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Lead (Pb)-Total	mg/L	0.00005	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.000181
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Lead (Pb)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	0.000053
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Lead (Pb)-Total	mg/L	0.00028	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	0.00124
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Lithium (Li)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0139
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Lithium (Li)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0155
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Lithium (Li)-Dissolved	mg/L	0.001	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	0.016
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Lithium (Li)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.014
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Lithium (Li)-Total	mg/L	0.001	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	0.0128
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Lithium (Li)-Total	mg/L	0.001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.0144
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Lithium (Li)-Total	mg/L	0.001	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	0.0152
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Lithium (Li)-Total	mg/L	0.005	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	0.013
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Magnesium (Mg)-Dissolved	mg/L	0.005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	12.6
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Magnesium (Mg)-Dissolved	mg/L	0.005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	13.3
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	12.5
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Magnesium (Mg)-Dissolved	mg/L	0.005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	12.5
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Magnesium (Mg)-Total	mg/L	0.001	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	12.6
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Magnesium (Mg)-Total	mg/L	0.005	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	12.8
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Magnesium (Mg)-Total	mg/L	0.005	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	12.1
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Magnesium (Mg)-Total	mg/L	0.02	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	13.2
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Manganese (Mn)-Dissolved	mg/L	0.001	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.0638
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Manganese (Mn)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0778
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Manganese (Mn)-Dissolved	mg/L	0.001	8/17/19 15:00	APHA 3030B/6020A (mod)	mg/L	0.0786
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.0788
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Manganese (Mn)-Total	mg/L	0.001	11/1/18 15:30	APHA 200.2/6020A (mod)	mg/L	0.0691
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Manganese (Mn)-Total	mg/L	0.001	6/10/19 16:29	EPA 200.2/6020A (mod)	mg/L	0.0798
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Manganese (Mn)-Total	mg/L	0.001	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	0.0803
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Manganese (Mn)-Total	mg/L	0.005	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	0.147
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Manganese (Mn)-Dissolved	mg/L	0.00005	6/6/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Manganese (Mn)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Manganese (Mn)-Dissolved	mg/L	0.00005	8/17/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Manganese (Mn)-Dissolved	mg/L	0.00005	10/7/19 10:07	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Manganese (Mn)-Total	mg/L	0.00005	6/6/19 15:30	APHA 1631E (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Manganese (Mn)-Total	mg/L	0.00005	8/17/19 15:00	APHA 1631E (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Manganese (Mn)-Total	mg/L	0.00005	10/6/19 15:45	APHA 1631E (mod)	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.00129
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.00121
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	0.00133
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/7/19 10:07	APHA 3030B/6020A (mod)	mg/L	0.00121
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Molybdenum (Mo)-Total	mg/L	0.00005	6/6/19 15:30	APHA 200.2/6020A (mod)	mg/L	0.00135
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/16/19 16:49	EPA 200.2/6020A (mod)	mg/L	0.00128
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Molybdenum (Mo)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200.2/6020A (mod)	mg/L	0.00122
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Naphthalene	ug/L	0.05	11/7/18 00:00	EPHA 3511/8/27/20	ug/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Naphthalene	ug/L	0.02	6/5/19 00:00	EPHA 3511/8/27/20	ug/L	-0.00002
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Naphthalene	ug/L	0.02	8/15/19 00:00	EPHA 3511/8/27/20	ug/L	-0.00002
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Naphthalene	ug/L	0.02	10/7/19 00:00	EPHA 3511/8/27/20	ug/L	-0.00002
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Nickel (Ni)-Dissolved	mg/L	0.00005	11/1/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Nickel (Ni)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Nickel (Ni)-Dissolved	mg/L	0.00005	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Nickel (Ni)-Dissolved	mg/L	0.00005	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Nickel (Ni)-Total	mg/L	0.001	11/7/18 00:00	EPHA 300.1 (mod)	mg/L	0.0058
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Nickel (Ni)-Total	mg/L	0.005	8/10/19 00:00	EPHA 300.1 (mod)	mg/L	0.0058
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Nickel (Ni)-Total	mg/L	0.005	8/10/19 00:00	EPHA 300.1 (mod)	mg/L	0.005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Nickel (Ni)-Total	mg/L	0.005	8/15/19 00:00	EPHA 300.1 (mod)	mg/L	0.005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	11/7/18 00:00	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/3/19 17:43	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/10/19 15:11	APHA 4500-P PHOSPHORUS	mg/L	0.0011
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/19 18:04	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Orthophosphate-Dissolved (as P)	mg/L	0.002	6/7/19 13:53	APHA 4500-P PHOSPHORUS	mg/L	0.0118
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Orthophosphate-Dissolved (as P)	mg/L	0.002	8/15/19 14:07</td			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Selenium (Se)-Total	mg/L	0.00005	8/16/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Selenium (Se)-Total	mg/L	0.00025	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Silicon (Si)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	5.01
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Silicon (Si)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	5.16
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Silicon (Si)-Dissolved	mg/L	0.05	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	5.05
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Silicon (Si)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	5.03
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Silicon (Si)-Total	mg/L	0.05	11/11/18 15:30	EPA 200/2/6020A (mod)	mg/L	5.04
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Silicon (Si)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	5.52
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Silicon (Si)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	5.21
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Silicon (Si)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	5.92
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Silver (Ag)-Dissolved	mg/L	0.00001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Silver (Ag)-Dissolved	mg/L	0.00001	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Silver (Ag)-Dissolved	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Silver (Ag)-Total	mg/L	0.05	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	4.56
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Silver (Ag)-Total	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	4.6
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Dissolved	mg/L	0.05	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	4.29
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	4.11
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sodium (Na)-Total	mg/L	0.05	11/11/18 15:30	EPA 200/2/6020A (mod)	mg/L	3.74
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	4.26
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	3.73
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	3.98
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sodium (Na)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	4.56
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sodium (Na)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	4.6
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Dissolved	mg/L	0.05	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	4.29
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	4.11
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sodium (Na)-Total	mg/L	0.05	11/11/18 15:30	EPA 200/2/6020A (mod)	mg/L	3.74
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	4.26
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	3.73
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	3.98
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sodium (Na)-Dissolved	mg/L	0.00002	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	0.823
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sodium (Na)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.902
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Dissolved	mg/L	0.00002	8/19/19 14:39	APHA 3030B/6020A (mod)	mg/L	1.09
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Dissolved	mg/L	0.00002	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	0.851
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sodium (Na)-Total	mg/L	0.00002	11/11/18 15:30	EPA 200/2/6020A (mod)	mg/L	0.891
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sodium (Na)-Total	mg/L	0.00002	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.908
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sodium (Na)-Total	mg/L	0.00002	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	0.956
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sodium (Na)-Total	mg/L	0.00001	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	0.813
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sulfur (S04)	mg/L	0.3	11/11/18 15:30	APHA 300/300 (mod)	mg/L	28.5
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sulfate (SO4)	mg/L	0.3	6/10/19 16:29	APHA 300/300 (mod)	mg/L	27.6
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sulfate (SO4)	mg/L	0.3	8/10/19 14:39	APHA 300/300 (mod)	mg/L	26.2
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sulfate (SO4)	mg/L	0.3	10/2/19 16:49	APHA 300/300 (mod)	mg/L	27.4
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sulfur (S)-Dissolved	mg/L	0.05	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	9.74
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sulfur (S)-Dissolved	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	9.21
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sulfur (S)-Dissolved	mg/L	0.05	8/19/19 16:49	APHA 3030B/6020A (mod)	mg/L	9.66
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sulfur (S)-Dissolved	mg/L	0.05	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	9.63
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Sulfur (S)-Total	mg/L	0.05	11/11/18 15:30	EPA 200/2/6020A (mod)	mg/L	5.98
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Sulfur (S)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	9.41
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Sulfur (S)-Total	mg/L	0.05	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	9.98
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Sulfur (S)-Total	mg/L	0.25	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	9.2
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Tellurium (Te)-Dissolved	mg/L	0.00002	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Tellurium (Te)-Dissolved	mg/L	0.00002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Tellurium (Te)-Dissolved	mg/L	0.00002	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00002
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Tellurium (Te)-Dissolved	mg/L	0.00001	10/3/19 16:20	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Tellurium (Te)-Total	mg/L	0.00001	11/11/18 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Tellurium (Te)-Total	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Tellurium (Te)-Total	mg/L	0.00001	8/16/19 16:49	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Tellurium (Te)-Total	mg/L	0.00005	10/3/19 16:20	EPA 200/2/6020A (mod)	mg/L	-0.00008
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Total Dissolved Solids	mg/L	20	6/6/19 12:00	APHA 2540 C	mg/L	213
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Total Dissolved Solids	mg/L	13	8/14/19 15:20	APHA 2540 C	mg/L	167
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Total Dissolved Solids	mg/L	20	10/3/19 14:13	APHA 2540 C	mg/L	161
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Total Dissolved Solids	mg/L	0.00003	11/11/18 15:30	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	32.2
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Total Inorganic Carbon	mg/L	1	11/11/18 9:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	32.4
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Total Inorganic Carbon	mg/L	1.5	8/13/19 12:20	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	31.6
GW-MD2	L2326399	8/10/19 8:00	8/8/19	11:15 AM	L2326399-1	Total Inorganic Carbon	mg/L	1.5	10/8/19 9:11	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	32.7
GW-MD2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Total Inorganic Carbon	mg/L	0.05	11/11/18 10:00	APHA 5400-NORG (TKN)	mg/L	0.246
GW-MD2	L2192945	11/6/18 12:20	11/2/18	12:50 PM	L2192945-5	Total Organic Carbon	mg/L	0.5	6/7/19 10:00	APHA 5400-NORG (TKN)	mg/L	0.159
GW-MD2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Total Organic Carbon	mg/L	0.5	8/20/19 11:00	APHA 5400-NORG (TKN)	mg/L	0.31

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results	
GW-MP2	L2192945	11/6/18 12:20	11/1/18	12:50 PM	L2192945-5	Zinc (Zn)-Total	mg/L	0.003	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	0.0032	
GW-MP2	L2284033	6/3/19 12:40	6/2/19	12:50 PM	L2284033-6	Zinc (Zn)-Total	mg/L	0.003	6/10/19 16:29	EPA 200_2/6020A (mod)	mg/L	-0.003	
GW-MP2	L236399	8/10/19 8:00	8/8/19	11:15 AM	L236399-1	Zinc (Zn)-Total	mg/L	0.003	8/16/19 16:49	EPA 200_2/6020A (mod)	mg/L	0.0046	
GW-MP2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Zinc (Zn)-Total	mg/L	0.01	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	-0.015	
GW-MP2	L2192945	11/6/18 12:20	11/1/18	12:50 PM	L2192945-5	Zirconium (Zr)-Dissolved	mg/L	0.00006	11/1/18 15:30	AOPA 3030B/6020A (mod)	mg/L	-0.00006	
GW-MP2	L2284033	6/3/19 12:40	6/2/19	12:40 PM	L2284033-6	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/10/19 16:29	AOPA 3030B/6020A (mod)	mg/L	-0.00006	
GW-MP2	L236399	8/10/19 8:00	8/8/19	11:15 AM	L236399-1	Zirconium (Zr)-Dissolved	mg/L	0.00006	8/19/19 14:39	AOPA 3030B/6020A (mod)	mg/L	-0.00006	
GW-MP2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Zirconium (Zr)-Dissolved	mg/L	0.00002	10/3/19 16:20	AOPA 3030B/6020A (mod)	mg/L	-0.00002	
GW-MP2	L2192945	11/6/18 12:20	11/1/18	12:50 PM	L2192945-5	Zirconium (Zr)-Total	mg/L	0.00006	11/1/18 15:30	EPA 200_2/6020A (mod)	mg/L	-0.00006	
GW-MP2	L2284033	6/3/19 12:40	6/2/19	12:40 PM	L2284033-6	Zirconium (Zr)-Total	mg/L	0.00006	6/10/19 16:29	EPA 200_2/6020A (mod)	mg/L	-0.00006	
GW-MP2	L236399	8/10/19 8:00	8/8/19	11:15 AM	L236399-1	Zirconium (Zr)-Total	mg/L	0.00006	8/16/19 16:49	EPA 200_2/6020A (mod)	mg/L	-0.00006	
GW-MP2	L2358663	10/2/19 9:50	10/1/19	10:56 AM	L2358663-9	Zirconium (Zr)-Total	mg/L	0.001	10/3/19 16:20	EPA 200_2/6020A (mod)	mg/L	-0.001	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	1-Methylnaphthalene	ug/L	0.00005	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	0.000213	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	1-Methylnaphthalene	ug/L	0.05	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00005	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	1-Methylnaphthalene	ug/L	0.05	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00005	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	1-Methylnaphthalene	ug/L	0.05	10/17/19 09:00	EPA 3511/8270D	mg/L	-0.00005	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	1-Methylnaphthalene	ug/L	0.05	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00005	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	2-Methylnaphthalene	ug/L	0.00005	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	0.000666	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	2-Methylnaphthalene	ug/L	0.02	6/5/19 09:00	EPA 3511/8270D	mg/L	0.000128	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	2-Methylnaphthalene	ug/L	0.02	8/12/19 09:00	EPA 3511/8270D	mg/L	0.000038	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	2-Methylnaphthalene	ug/L	0.02	10/17/19 09:00	EPA 3511/8270D	mg/L	0.000028	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	2-Methylnaphthalene	ug/L	0.02	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00002	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Acenaphthene	ug/L	0.00003	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.00003	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Acenaphthene	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Acenaphthene	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Acenaphthene	ug/L	0.01	10/17/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Acenaphthene	ug/L	0.01	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Acenaphthylene	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Acenaphthylene	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Acenaphthylene	ug/L	0.01	10/17/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Acenaphthylene	ug/L	0.01	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Acidity (as CaCO3)	mg/L	0.001	10/17/19 09:32	EPA 2310 Acidity	mg/L	-1	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Acridine	ug/L	0.0002	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.0002	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Acridine	ug/L	0.01	6/5/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Acridine	ug/L	0.01	8/12/19 09:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Acridine	ug/L	0.01	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00001	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Alcridine d9	%	1	6/5/19 09:00	EPA 3511/8270D	%	111.6	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Alkalinity	Bicarbonate (as CaCO3)	mg/L	1	8/12/19 09:00	EPA 3511/8270D	%	107.9
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Alkalinity	Bicarbonate (as CaCO3)	mg/L	1	10/17/19 09:00	EPA 3511/8270D	%	108.8
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Alkalinity	Bicarbonate (as CaCO3)	mg/L	1	10/17/19 09:00	EPA 3511/8270D	%	77.8
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Alkalinity	Bicarbonate (as CaCO3)	mg/L	1	3/13/20 00:00	EPA 3511/8270D	%	315
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Alkalinity	Carbonate (as CaCO3)	mg/L	1	6/8/19 13:00	EPA 3511/8270D	mg/L	38.4
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Alkalinity	Carbonate (as CaCO3)	mg/L	1	8/12/19 13:00	EPA 3511/8270D	mg/L	13.4
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Alkalinity	Carbonate (as CaCO3)	mg/L	1	10/15/19 11:00	EPA 3511/8270D	mg/L	10.4
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Alkalinity	Carbonate (as CaCO3)	mg/L	1	11/1/19 13:00	EPA 3511/8270D	mg/L	15.2
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Alkalinity	Carbonate (as CaCO3)	mg/L	1	3/1/20 13:00	EPA 3511/8270D	mg/L	-1
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Alkalinity	Hydroxide (as CaCO3)	mg/L	1	6/8/19 15:00	EPA 3511/8270D	mg/L	-1
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Alkalinity	Hydroxide (as CaCO3)	mg/L	1	8/12/19 13:00	EPA 3511/8270D	mg/L	-1
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Alkalinity	Hydroxide (as CaCO3)	mg/L	1	10/15/19 11:00	EPA 3511/8270D	mg/L	-1
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Alkalinity	Hydroxide (as CaCO3)	mg/L	1	3/1/20 13:00	EPA 3511/8270D	mg/L	-1
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Alkalinity, Total (as CaCO3)	mg/L	1	6/8/19 15:00	EPA 2320 ALKALINITY	mg/L	404	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Alkalinity, Total (as CaCO3)	mg/L	1	8/12/19 13:00	EPA 2320 ALKALINITY	mg/L	409	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Alkalinity, Total (as CaCO3)	mg/L	1	10/15/19 11:00	EPA 2320 ALKALINITY	mg/L	376	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Alkalinity, Total (as CaCO3)	mg/L	1	3/1/20 13:00	EPA 2320 ALKALINITY	mg/L	330	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Aluminum (Al)-Dissolved	mg/L	0.001	10/6/18 13:05	AOPA 3030B/6020A (mod)	mg/L	0.0114	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:49	AOPA 3030B/6020A (mod)	mg/L	0.0114	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Aluminum (Al)-Dissolved	mg/L	0.001	8/16/19 14:08	AOPA 3030B/6020A (mod)	mg/L	0.0305	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Aluminum (Al)-Dissolved	mg/L	0.001	10/17/19 15:30	EPA 200_2/6020A (mod)	mg/L	0.0344	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/20 00:00	EPA 200_2/6020A (mod)	mg/L	0.00046	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Antimony (Sb)-Dissolved	mg/L	0.00001	10/17/19 15:45	AOPA 3030B/6020A (mod)	mg/L	-0.00001	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Antimony (Sb)-Dissolved	mg/L	0.00001	11/1/19 16:00	AOPA 3030B/6020A (mod)	mg/L	-0.000013	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Antimony (Sb)-Dissolved	mg/L	0.00001	10/17/19 15:45	AOPA 3030B/6020A (mod)	mg/L	-0.000013	
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Antimony (Sb)-Dissolved	mg/L	0.00001	3/13/20 00:00	EPA 3511/8270D (mod)	mg/L	-0.00001	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Antimony (Sb)-Total	mg/L	0.00001	10/17/19 15:30	EPA 200_2/6020A (mod)	mg/L	0.000053	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Antimony (Sb)-Total	mg/L	0.00001	6/10/19 16:35	AOPA 3030B/6020A (mod)	mg/L	0.000053	
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Antimony (Sb)-Total	mg/L	0.00001	8/16/19 13:35	AOPA 3030B/6020A (mod)	mg/L	0.000053	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Antimony (Sb)-Total	mg/L	0.00001	10/17/19 15:45	AOPA 3030B/6020A (mod)	mg/L	0.000053	

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Benzo(g,h,i)perylene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Benzo(k)fluoranthene	ug/L	0.00001	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Benzo(k)fluoranthene	ug/L	0.01	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Benzo(k)fluoranthene	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Benzo(k)fluoranthene	ug/L	0.01	10/17/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Benzo(k)fluoranthene	ug/L	0.01	10/17/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Benzo(k)fluoranthene	ug/L	0.01	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Benzo(k)fluoranthene	ug/L	0.00001	10/6/18 16:45	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Benzyl (Be)-Dissolved	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Benzyl (Be)-Dissolved	mg/L	0.00001	8/9/19 16:04	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Benzyl (Be)-Dissolved	mg/L	0.00001	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Benzyl (Be)-Dissolved	mg/L	0.00001	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Benzyl (Be)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Bismuth (Bi)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Boron (B)-Dissolved	mg/L	0.00001	10/6/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.00048
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Boron (B)-Dissolved	mg/L	0.00001	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Boron (B)-Dissolved	mg/L	0.00005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Boron (B)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Boron (B)-Dissolved	mg/L	0.00005	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Boron (B)-Dissolved	mg/L	0.00005	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Boron (B)-Dissolved	mg/L	0.00005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Boron (B)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Boron (B)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Boron (B)-Dissolved	mg/L	0.00005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Boron (B)-Total	mg/L	0.01	10/6/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.341
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	0.283
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Boron (B)-Total	mg/L	0.01	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	0.285
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Boron (B)-Total	mg/L	0.01	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	0.278
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Boron (B)-Total	mg/L	0.01	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	0.223
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Boron (B)-Total	mg/L	0.01	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.329
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.263
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Boron (B)-Total	mg/L	0.01	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.262
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Boron (B)-Total	mg/L	0.01	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.265
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	2426723-3	Boron (B)-Total	mg/L	0.01	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.236
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Bromide (Br)	mg/L	0.25	10/5/18 6:32	EPA 300 1 (mod)	mg/L	0.27
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Bromide (Br)	mg/L	0.25	6/4/19 9:55	EPA 300 1 (mod)	mg/L	-0.25
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Bromide (Br)	mg/L	0.05	8/9/19 9:26	EPA 300 1 (mod)	mg/L	0.1
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Bromide (Br)	mg/L	0.05	10/11/19 8:43	EPA 300 1 (mod)	mg/L	0.053
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Bromide (Br)	mg/L	0.05	3/11/20 9:24	EPA 300 1 (mod)	mg/L	-0.05
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Cadmium (Cd)-Dissolved	mg/L	0.000085	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	0.000052
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Cadmium (Cd)-Dissolved	mg/L	0.000085	8/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Cadmium (Cd)-Dissolved	mg/L	0.000085	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Cadmium (Cd)-Dissolved	mg/L	0.000085	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Cadmium (Cd)-Dissolved	mg/L	0.000085	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Cadmium (Cd)-Total	mg/L	0.00005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.000516
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Cadmium (Cd)-Total	mg/L	0.00005	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	5.48
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Cadmium (Cd)-Total	mg/L	0.00005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	3.32
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Cadmium (Cd)-Total	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	4.07
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Cadmium (Cd)-Total	mg/L	0.00005	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	3.32
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Cadmium (Cd)-Total	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	10.6
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Cadmium (Cd)-Total	mg/L	0.00005	3/15/20 9:50	EPA 1030E	mg/L	4.08
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Cadmium (Cd)-Total	mg/L	0.00005	8/16/19 14:08	EPA 1030E	mg/L	4.35
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Cadmium (Cd)-Total	mg/L	0.00005	10/17/19 15:45	EPA 1030E	mg/L	3.55
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Cadmium (Cd)-Total	mg/L	0.00005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	4.81
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Cadmium (Cr)-Dissolved	mg/L	0.00001	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	0.000075
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Cadmium (Cr)-Dissolved	mg/L	0.00001	8/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Cadmium (Cr)-Dissolved	mg/L	0.00001	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Cadmium (Cr)-Dissolved	mg/L	0.00001	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Cadmium (Cr)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Cadmium (Cr)-Total	mg/L	0.00001	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	% -0.7
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Cadmium (Cr)-Total	mg/L	0.00001	6/5/19 0:00	EPA 3511/8270D	mg/L	% 113.8
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Cadmium (Cr)-Total	mg/L	0.00001	8/12/19 0:00	EPA 3511/8270D	mg/L	% 93.1
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM								

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dibenz(a,h)anthracene	mg/L	0.000005	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.000005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dibenz(a,h)anthracene	ug/L	0.005	6/5/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dibenz(a,h)anthracene	ug/L	0.005	8/12/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dibenz(a,h)anthracene	ug/L	0.005	10/17/19 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dibenz(a,h)anthracene	ug/L	0.005	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2176012	10/4/18 10:25	3/10/20	10:50 AM	L2176012-1	Dissolved Mercury Filtration Location	mg/L	0.000005	10/5/18 11:36	EPA 3030B/EPA 1631E (mod)	0 FIELD	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Mercury Filtration Location	mg/L	0.000005	6/6/19 11:00	EPA 3030B/EPA 1631E (mod)	0 FIELD	
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Mercury Filtration Location	mg/L	0.000005	8/16/19 11:00	EPA 3030B/EPA 1631E (mod)	0 FIELD	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Mercury Filtration Location	mg/L	0.000005	10/17/19 11:00	EPA 3030B/EPA 1631E (mod)	0 FIELD	
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Mercury Filtration Location	mg/L	0.000005	10/5/18 11:40	EPA 3030B/6020A (mod)	0 FIELD	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Metals Filtration Location	mg/L	0.000005	8/9/18 00:00	EPA 3030B/6020A (mod)	0 FIELD	
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Metals Filtration Location	mg/L	0.000005	10/17/19 11:00	EPA 3030B/6020A (mod)	0 FIELD	
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Metals Filtration Location	mg/L	0.000005	10/17/19 11:00	EPA 3030B/6020A (mod)	0 FIELD	
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Metals Filtration Location	mg/L	0.000005	10/17/19 11:00	EPA 3030B/6020A (mod)	0 FIELD	
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Metals Filtration Location	mg/L	0.000005	3/12/20 12:00	EPA 3030B/6020A (mod)	0 LAB	
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Organic Carbon	mg/L	0.5	10/13/18 11:30	EPA 5310B	mg/L	1.55
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Organic Carbon	mg/L	0.5	6/5/19 00:00	EPA 5310B-B-Instrumental	mg/L	1.34
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Organic Carbon	mg/L	0.5	8/10/19 13:00	EPA 5310B-B-Instrumental	mg/L	0.51
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Organic Carbon	mg/L	0.5	10/19/19 14:00	EPA 5310B-B-Instrumental	mg/L	0.55
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Organic Carbon	mg/L	0.5	3/14/20 14:00	EPA 5310B-B-Instrumental	mg/L	-0.5
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Fluoranthene	mg/L	0.000001	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Fluoranthene	mg/L	0.000001	6/5/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Fluoranthene	mg/L	0.000001	8/12/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Fluoranthene	mg/L	0.000001	10/17/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Fluoranthene	mg/L	0.000001	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Fluorene	ug/L	0.000001	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	0.0000167
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Fluorene	ug/L	0.000001	6/5/19 00:00	EPA 3511/8270D	mg/L	0.000022
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Fluorene	ug/L	0.000001	8/12/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Fluorene	ug/L	0.000001	10/17/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Fluorene	ug/L	0.000001	3/13/20 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Fluorite (F)	mg/L	0.1	10/5/18 16:32	EPA 300.1 (mod)	mg/L	2.17
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Fluorite (F)	mg/L	0.1	6/4/19 00:55	EPA 300.1 (mod)	mg/L	2.33
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Fluorite (F)	mg/L	0.02	8/9/19 00:26	EPA 300.1 (mod)	mg/L	2.1
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Fluorite (F)	mg/L	0.02	10/11/19 00:43	EPA 300.1 (mod)	mg/L	2.21
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Fluorite (F)	mg/L	0.02	3/11/20 00:24	EPA 300.1 (mod)	mg/L	1.82
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Hardness (as CaCO3)	mg/L	0.5	10/10/18 14:05	EPA 2304	mg/L	23.7
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Hardness (as CaCO3)	mg/L	0.5	6/10/19 16:49	EPA 2304 B	mg/L	16
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Hardness (as CaCO3)	mg/L	0.5	8/18/19 10:20	EPA 2304 B	mg/L	18.5
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Hardness (as CaCO3)	mg/L	0.5	10/18/19 17:09	EPA 2304 B	mg/L	15.2
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Hardness (as CaCO3)	mg/L	0.5	3/15/20 00:50	EPA 2304 B	mg/L	16.1
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Hexavalent Chromium	mg/L	0.00005	10/9/18 21:00	EPA 3500-Cr (Ion Chromatography)	mg/L	-0.00005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Hexavalent Chromium	mg/L	0.00005	10/15/18 11:18	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Hexavalent Chromium	mg/L	0.00005	8/15/19 00:01	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Hexavalent Chromium	mg/L	0.00005	10/17/19 00:01	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Hexavalent Chromium	mg/L	0.00005	3/12/20 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Iron (Fe)-Dissolved	mg/L	0.00005	10/16/18 13:05	EPA 3030B/6020A (mod)	mg/L	-0.00002
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Iron (Fe)-Dissolved	mg/L	0.00005	6/5/19 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Iron (Fe)-Dissolved	mg/L	0.00005	8/16/19 00:01	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Iron (Fe)-Dissolved	mg/L	0.00005	10/17/19 00:01	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Iron (Fe)-Dissolved	mg/L	0.00005	3/12/20 00:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Iron (Fe)-Total	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	14.9
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Iron (Fe)-Total	mg/L	0.00005	6/10/19 16:20	EPA 200/2/6020A (mod)	mg/L	1.22
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Iron (Fe)-Total	mg/L	0.00005	8/16/19 14:08	EPA 200/2/6020A (mod)	mg/L	0.673
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Iron (Fe)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.542
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Iron (Fe)-Total	mg/L	0.00005	3/13/20 00:35	EPA 200/2/6020A (mod)	mg/L	1.39
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Lead (Pb)-Dissolved	mg/L	0.00005	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Lead (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Lead (Pb)-Dissolved	mg/L	0.00005	8/16/19 14:08	EPA 3030B/6020A (mod)	mg/L	0.619
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Lead (Pb)-Dissolved	mg/L	0.00005	10/17/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.467
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Lead (Pb)-Dissolved	mg/L	0.00005	3/12/20 00:35	EPA 3030B/6020A (mod)	mg/L	0.547
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Lithium (Li)-Dissolved	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.78
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Lithium (Li)-Dissolved	mg/L	0.00005	6/10/19 16:39	EPA 3030B/6020A (mod)	mg/L	0.545
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	L2325346-1	Dissolved Lithium (Li)-Dissolved	mg/L	0.00005	8/16/19 14:08	EPA 3030B/6020A (mod)	mg/L	0.559
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Dissolved Lithium (Li)-Dissolved	mg/L	0.00005	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	0.619
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Dissolved Lithium (Li)-Dissolved	mg/L	0.00005	3/12/20 00:35	EPA 3030B/6020A (mod)	mg/L	0.467
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Dissolved Manganese (Mn)-Dissolved	mg/L	0.00005	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.78
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Dissolved Manganese (Mn)-Dissolved	mg/L	0.00005	6/10/19 16:39	EPA 3030B/6020A (mod)</		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Nickel (Ni)-Total	mg/L	0.0025	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0025
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Nickel (Ni)-Total	mg/L	0.0005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00159
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Nitrate (as N)	mg/L	0.02	10/5/18 6:32	EPA 300.1 (mod)	mg/L	-0.025
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Nitrate (as N)	mg/L	0.02	6/4/19 19:55	EPA 300.1 (mod)	mg/L	-0.025
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Nitrate (as N)	mg/L	0.005	8/9/19 19:29	EPA 300.1 (mod)	mg/L	0.0067
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Nitrate (as N)	mg/L	0.005	3/11/20 9:24	EPA 300.1 (mod)	mg/L	-0.005
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Nitrate (as N)	mg/L	0.02	6/5/19 10:59	CALCULATION	mg/L	-0.025
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Nitrate (as N)	mg/L	0.005	8/5/19 12:40	CALCULATION	mg/L	0.0067
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Nitrate (as N)	mg/L	0.0051	10/16/19 15:59	CALCULATION	mg/L	0.0701
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Nitrate (as N)	mg/L	0.0051	3/12/20 10:00	CALCULATION	mg/L	-0.0051
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Nitrate (as N)	mg/L	0.008	10/10/18 6:34	EPA 300.1 (mod)	mg/L	-0.005
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Nitrite (as N)	mg/L	0.005	6/4/19 9:55	EPA 300.1 (mod)	mg/L	-0.005
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Nitrite (as N)	mg/L	0.001	8/9/19 2:26	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Nitrite (as N)	mg/L	0.001	10/11/19 8:43	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Nitrite (as N)	mg/L	0.001	3/11/20 9:24	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/5/18 3:42	EPA 4500-P Phosphorus	mg/L	0.0492
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/3/19 17:40	EPA 4500-P PHOSPHORUS	mg/L	0.0415
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:57	EPA 4500-P PHOSPHORUS	mg/L	0.0067
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/11/19 14:14	EPA 4500-P PHOSPHORUS	mg/L	0.0158
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:40 AM	L2426723-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/1/20 12:30	EPA 4500-P PHOSPHORUS	mg/L	0.0139
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	pH	pH	0.1	10/7/19 9:32	EPA 4500-H pH Value	pH	8.71
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	pH	pH	0.1	6/8/19 15:00	EPA 4500-H Electrode	pH	8.89
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	pH	pH	0.1	8/12/19 13:00	EPA 4500-H Electrode	pH	8.5
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	pH	pH	0.1	10/15/19 11:00	EPA 4500-H Electrode	pH	8.46
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	pH	pH	0.1	3/11/20 13:00	EPA 4500-H Electrode	pH	8.55
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Pheanthrene d10	%	1	10/15/18 11:18	EPA 3511/8/27D (mod)	%	95.4
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Pheanthrene d10	%	1	6/5/19 0:00	EPA 3511/8/27D	%	107.2
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Pheanthrene d10	%	1	8/12/19 0:00	EPA 3511/8/27D	%	111.9
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Pheanthrene d10	%	1	10/17/19 0:00	EPA 3511/8/27D	%	109.6
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Pheanthrene d10	%	1	3/12/20 0:00	EPA 3511/8/27D	%	116.8
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Phenols (AAAP)	mg/L	0.001	8/12/19 16:00	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	0.0057
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Phenols (AAAP)	mg/L	0.001	10/16/19 14:00	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	L2426723-3	Phenols (AAAP)	mg/L	0.001	3/12/20 12:00	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Phosphorus (P)-Col-Total	mg/L	0.01	10/5/18 20:25	EPA 4500-P Phosphorus	mg/L	0.42
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Phosphorus (P)-Col-Total	mg/L	0.002	6/7/19 13:50	EPA 4500-P PHOSPHORUS	mg/L	0.089
GW-MP1-BR	L235346	8/8/19 9:26	8/7/19	10:15 AM	L235346-1	Phosphorus (P)-Col-Total	mg/L	0.002	8/15/19 11:44	EPA 4500-P PHOSPHORUS	mg/L	0.0111
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Phosphorus (P)-Col-Total	mg/L	0.002	10/13/19 9:55	EPA 4500-P PHOSPHORUS	mg/L	0.0228
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Phosphorus (P)-Col-Total	mg/L	0.002	3/12/20 9:50	EPA 4500-P PHOSPHORUS	mg/L	0.0803
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Phosphorus (P)-Dissolved	mg/L	0.05	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	0.066
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Phosphorus (P)-Dissolved	mg/L	0.05	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	0.059
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Phosphorus (P)-Dissolved	mg/L	0.05	8/16/19 14:04	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Phosphorus (P)-Dissolved	mg/L	0.05	10/17/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Phosphorus (P)-Dissolved	mg/L	0.05	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Phosphorus (P)-Total	mg/L	0.05	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	0.573
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Phosphorus (P)-Total	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.116
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Phosphorus (P)-Total	mg/L	0.05	8/12/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Phosphorus (P)-Total	mg/L	0.05	10/16/19 14:00	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	0.0001
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Phosphorus (P)-Total	mg/L	0.05	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.25
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Potassium (K)-Dissolved	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.128
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Potassium (K)-Dissolved	mg/L	0.05	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	0.956
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Potassium (K)-Dissolved	mg/L	0.05	8/16/19 14:04	EPA 3030B/6020A (mod)	mg/L	0.76
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Potassium (K)-Dissolved	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.75
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Potassium (K)-Dissolved	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.786
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Pyrene	mg/L	0.00001	10/15/18 11:18	EPA 3511/8/27D (mod)	mg/L	0.00002
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Pyrene	mg/L	0.01	6/5/19 0:00	EPA 3511/8/27D	mg/L	-0.00001
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Pyrene	mg/L	0.01	8/12/19 0:00	EPA 3511/8/27D	mg/L	-0.00001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Pyrene	mg/L	0.01	10/17/19 0:00	EPA 3511/8/27D	mg/L	-0.00001
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Quinoline	mg/L	0.05	3/12/20 16:00	EPA 200/2/6020A (mod)	mg/L	0.531
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Quinoline	mg/L	0.05	10/9/18 12:41	EPA 200/2/6020A (mod)	mg/L	4.67
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Quinoline	mg/L	0.05	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	0.956
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Quinoline	mg/L	0.05	8/16/19 14:04	EPA 200/2/6020A (mod)	mg/L	0.76
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Quinoline	mg/L	0.05	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.75
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Quinoline	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00054
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Silicon (Si)-Dissolved	mg/L	0.0002	10/6/18 13:05	EPA 3030B/6020A (mod)	mg/L	0.0177
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Silicon (Si)-Dissolved	mg/L	0.05	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	0.00191
GW-MP1-BR	L235346	8/8/19 9:25	8/7/19	10:15 AM	L235346-1	Silicon (Si)-Dissolved	mg/L	0.001	8/16/19 14:08	EPA 3030B/6020A (mod)	mg/L	0.001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Silicon (Si)-Dissolved	mg/L	0.001	10/17/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.0012
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	L2426723-3	Silicon (Si)-Dissolved	mg/L	0.002	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	0.0205
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Selenium (Se)-Dissolved	mg/L	0.00005	10/6/18 13:05	EPA 200/2/6020A (		

STATION ID	LOGINNUM	RECEIVEDATE	SMPPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Sulfate (SO4)	mg/L	1.5	10/6/18 6:32	APHA 3030B/6020A (mod)	mg/L	6.9
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Sulfate (SO4)	mg/L	1.5	6/4/19 15:55	APHA 3030B/6020A (mod)	mg/L	9
GW-MP1-BR	L2253434	8/8/19 9:25	8/7/19	10:15 AM	L2253434-1	Sulfate (SO4)	mg/L	0.3	8/9/19 16:26	APHA 3030B/6020A (mod)	mg/L	8.9
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Sulfate (SO4)	mg/L	0.3	10/1/19 8:43	APHA 3030B/6020A (mod)	mg/L	11.5
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Sulfate (SO4)	mg/L	0.3	3/1/20 12:24	APHA 3030B/6020A (mod)	mg/L	15.5
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Sulfur (S)-Dissolved	mg/L	0.5	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	2.7
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Sulfur (S)-Dissolved	mg/L	0.5	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	3.38
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Sulfur (S)-Dissolved	mg/L	0.5	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	4.45
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Sulfur (S)-Dissolved	mg/L	0.5	10/1/19 15:45	APHA 3030B/6020A (mod)	mg/L	4.37
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Sulfur (S)-Dissolved	mg/L	0.5	3/12/20 16:20	APHA 3030B/6020A (mod)	mg/L	5.8
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Sulfur (S)-Total	mg/L	0.5	10/9/18 12:41	APHA 200/2/6020A (mod)	mg/L	4.99
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Sulfur (S)-Total	mg/L	0.5	6/10/19 16:28	APHA 200/2/6020A (mod)	mg/L	3.2
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Sulfur (S)-Total	mg/L	0.5	8/16/19 14:08	APHA 200/2/6020A (mod)	mg/L	2.9
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Sulfur (S)-Total	mg/L	0.5	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	3.41
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Sulfur (S)-Total	mg/L	0.5	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	4.02
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Sulfur (Te)-Dissolved	mg/L	0.0002	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Sulfur (Te)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Sulfur (Te)-Dissolved	mg/L	0.0002	8/16/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Sulfur (Te)-Dissolved	mg/L	0.0002	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Sulfur (Te)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Sulfur (Te)-Total	mg/L	0.0002	10/9/18 12:41	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Sulfur (Te)-Total	mg/L	0.0002	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Sulfur (Te)-Total	mg/L	0.0002	8/16/19 14:08	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Sulfur (Te)-Total	mg/L	0.0002	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Sulfur (Te)-Total	mg/L	0.0002	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Thallium (Tl)-Dissolved	mg/L	0.0001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	5.35
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Thallium (Tl)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	4.45
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Thallium (Tl)-Dissolved	mg/L	0.0001	8/16/19 16:04	APHA 3030B/6020A (mod)	mg/L	4.37
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	4.00
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Thallium (Tl)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	4.00
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Thallium (Tl)-Total	mg/L	0.0001	10/9/18 12:41	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Thallium (Tl)-Total	mg/L	0.0001	8/16/19 14:08	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Thallium (Tl)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Thallium (Tl)-Dissolved	mg/L	0.0001	10/6/18 13:05	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Thallium (Tl)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Thallium (Tl)-Dissolved	mg/L	0.0001	8/16/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Thallium (Tl)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Thallium (Tl)-Total	mg/L	0.0001	10/9/18 12:41	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Thallium (Tl)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Thallium (Tl)-Total	mg/L	0.0001	8/16/19 14:08	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2462733	3/11/20 8:50	3/10/20	10:50 AM	L2462733-3	Thallium (Tl)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Total Dissolved Solids	mg/L	20	10/9/18 19:30	APHA 2540 C - GRAVIMETRIC	mg/L	789
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total Dissolved Solids	mg/L	20	6/19/12 10:00	APHA 2540 C	mg/L	475
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total Dissolved Solids	mg/L	20	8/13/19 15:30	APHA 2540 C	mg/L	503
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total Dissolved Solids	mg/L	20	10/11/19 15:30	APHA 2540 C	mg/L	432
GW-MP1-BR	L2462733	3/1/20 8:50	3/10/20	10:50 AM	L2462733-3	Total Dissolved Solids	mg/L	20	3/15/20 14:00	APHA 2540 C	mg/L	354
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Total inorganic Carbon	mg/L	2.5	6/11/19 9:37	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	87.4
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total inorganic Carbon	mg/L	2.5	10/17/19 7:10	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	87.2
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total inorganic Carbon	mg/L	2.5	10/17/19 7:10	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	87.0
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total inorganic Carbon	mg/L	2.5	10/17/19 7:10	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	86.8
GW-MP1-BR	L2462733	3/1/20 8:50	3/10/20	10:50 AM	L2462733-3	Total inorganic Carbon	mg/L	2.5	1/3/20 7:00	APHA 5310 B-Instrumental	mg/L	59
GW-MP1-BR	L2176012	10/10/19 9:10	10/7/19	10:40 AM	L2176012-1	Total Nitrogen	mg/L	0.0003	6/7/19 10:00	APHA 4500-NORG (TKN)	mg/L	0.251
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total Nitrogen	mg/L	0.0003	8/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.224
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total Nitrogen	mg/L	0.0003	10/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.203
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total Nitrogen	mg/L	0.0003	10/17/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.161
GW-MP1-BR	L2462733	3/1/20 8:50	3/10/20	10:50 AM	L2462733-3	Total Nitrogen	mg/L	0.0003	1/3/20 11:00	APHA 4500-P(N)NORM (TKN)	mg/L	0.357
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Total Nitrogen	mg/L	0.0003	10/10/18 7:32	APHA 4500-P(J)NEMB19171-USGS03-4174	mg/L	0.459
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total Nitrogen	mg/L	0.0003	6/10/19 7:34	APHA 4500 N-Calculated	mg/L	0.251
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total Nitrogen	mg/L	0.0003	6/10/19 16:04	APHA 4500 N-Calculated	mg/L	0.231
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total Nitrogen	mg/L	0.0003	10/17/19 16:04	APHA 4500 N-Calculated	mg/L	0.237
GW-MP1-BR	L2462733	3/1/20 8:50	3/10/20	10:50 AM	L2462733-3	Total Nitrogen	mg/L	0.0003	1/3/20 11:45	APHA 4500 N-Calculated	mg/L	0.357
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Total Organic Carbon	mg/L	0.5	10/13/18 1:30	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	9.81
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total Organic Carbon	mg/L	0.5	6/5/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	5.58
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total Organic Carbon	mg/L	0.5	8/5/19 12:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	3.81
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total Organic Carbon	mg/L	0.5	10/19/19 14:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.65
GW-MP1-BR	L2462733	3/1/20 8:50	3/10/20	10:50 AM	L2462733-3	Total Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	5.31
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	L2176012-1	Total Suspended Solids	mg/L	1	10/18/13:30	APHA 2540 C	mg/L	230
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	L2284033-5	Total Suspended Solids	mg/L	1	10/18/13:30	APHA 2540 C	mg/L	200
GW-MP1-BR	L2253436	8/8/19 9:25	8/7/19	10:15 AM	L2253436-1	Total Suspended Solids	mg/L	1	10/18/13:30	APHA 2540 C	mg/L	180
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	L2364371-8	Total Suspended Solids	mg/L	1	10/18/13:30</td			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2426723	3/11/20 8:50	3/10/20	10:50 AM	2426723-3	Zirconium (Zr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2176012	10/4/18 10:25	10/2/18	9:00 AM	2176012-1	Zirconium (Zr)-Total	mg/L	0.0006	10/9/18 12:41	EPAA 200/2/6020A (mod)	mg/L	0.00139
GW-MP1-BR	L2284033	6/3/19 12:40	6/2/19	10:40 AM	2284033-5	Zirconium (Zr)-Total	mg/L	0.0006	6/10/19 16:29	EPAA 200/2/6020A (mod)	mg/L	0.000238
GW-MP1-BR	L2325346	8/8/19 9:25	8/7/19	10:15 AM	2325346-1	Zirconium (Zr)-Total	mg/L	0.0003	8/16/19 14:08	EPAA 200/2/6020A (mod)	mg/L	-0.0003
GW-MP1-BR	L2364371	10/10/19 9:10	10/7/19	10:40 AM	2364371-8	Zirconium (Zr)-Total	mg/L	0.001	10/17/19 15:30	EPAA 200/2/6020A (mod)	mg/L	-0.001
GW-MP1-BR	L2426723	3/1/20 8:50	3/10/20	10:50 AM	2426723-3	Zirconium (Zr)-Total	mg/L	0.0002	3/13/20 16:35	EPAA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	1-Methylnaphthalene	ug/L	0.0005	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.0005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	1-Methylnaphthalene	ug/L	0.05	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	2-Methylnaphthalene	ug/L	0.02	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	0.00104
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	2-Methylnaphthalene	ug/L	0.05	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0002
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	2-Methylnaphthalene	ug/L	0.05	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0002
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	2-Methylnaphthalene	ug/L	0.05	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	0.00048
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Acenaphthene	ug/L	0.0001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	2173511-3	Acenaphthene	ug/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Acenaphthene	ug/L	0.01	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Acenaphthene	ug/L	0.01	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Acenaphthene	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Acenaphthene	ug/L	0.01	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Acidity (as CaCO3)	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Acidinity	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	2173511-3	Acridine	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Acridine	ug/L	0.01	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Acridine	ug/L	0.01	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Acridine	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Acridine	ug/L	0.01	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Acrolein	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	2173511-3	Acrolein	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Acrolein	ug/L	0.01	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Acrolein	ug/L	0.01	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Acrolein	ug/L	0.01	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Acrolein	ug/L	0.01	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Alkalinity	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Alkalinity	mg/L	0.01	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Alkalinity	mg/L	0.01	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Alkalinity	mg/L	0.01	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Alkalinity	mg/L	0.01	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Alkalinity	mg/L	0.00001	10/10/18 9:07	EPAA 3511/8/270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Alkalinity	mg/L	0.01	5/28/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Alkalinity	mg/L	0.01	8/12/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Alkalinity	mg/L	0.01	10/10/19 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Alkalinity	mg/L	0.01	3/13/20 0:00	EPAA 3511/8/270D (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Aluminum (Al)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0022
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	2173511-3	Aluminum (Al)-Dissolved	mg/L	0.001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0036
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	2242116-1	Aluminum (Al)-Dissolved	mg/L	0.001	3/16/19 9:00	APHA 2320 ALKALINITY	mg/L	158
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Aluminum (Al)-Dissolved	mg/L	0.01	5/29/19 10:00	APHA 2320 ALKALINITY	mg/L	151
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Aluminum (Al)-Dissolved	mg/L	0.01	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	149
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Aluminum (Al)-Dissolved	mg/L	0.01	10/11/19 13:00	APHA 2320 ALKALINITY	mg/L	144
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Aluminum (Al)-Dissolved	mg/L	0.01	3/12/20 13:00	APHA 2320 ALKALINITY	mg/L	144
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Aluminum (Al)-Carbonate	mg/L	0.001	10/16/19 9:00	APHA 2320 ALKALINITY	mg/L	141
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Aluminum (Al)-Carbonate	mg/L	0.01	5/29/19 10:00	APHA 2320 ALKALINITY	mg/L	138
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Aluminum (Al)-Carbonate	mg/L	0.01	8/13/19 13:00	APHA 2320 ALKALINITY	mg/L	138
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Aluminum (Al)-Carbonate	mg/L	0.01	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	138
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Aluminum (Al)-Carbonate	mg/L	0.01	3/11/20 13:00	APHA 2320 ALKALINITY	mg/L	138
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Aluminum (Al)-Total	mg/L	0.001	10/14/18 22:47	APHA 2320 Alkalinity	mg/L	156
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	2242116-1	Aluminum (Al)-Total	mg/L	0.001	3/16/19 9:00	APHA 2320 Alkalinity	mg/L	155
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Aluminum (Al)-Total	mg/L	0.01	5/29/19 10:00	APHA 2320 Alkalinity	mg/L	151
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Aluminum (Al)-Total	mg/L	0.01	8/12/19 13:00	APHA 2320 Alkalinity	mg/L	149
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Aluminum (Al)-Total	mg/L	0.01	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	145
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Aluminum (Al)-Total	mg/L	0.01	3/11/20 13:00	APHA 2320 ALKALINITY	mg/L	144
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Anion Sum	meq/L	0.005	3/18/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	0.0174
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Anion Sum	meq/L	0.005	8/16/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	0.0312
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	2360195-1	Anion Sum	meq/L	0.005	10/8/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	-0.005
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	2426723-2	Anion Sum	meq/L	0.005	10/12/20 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	0.0202
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	2173511-2	Anion Sum	meq/L	0.005	10/7/18 12:24	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	0.0052
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	2242116-1	Anion Sum	meq/L	0.005	10/7/18 12:24	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	meq/L	-0.0005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	2279628-6	Anion Sum	meq/L	0.005	5/30/19 14:00	APHA 4500_NH3-NITROGEN (AMMONIA)	meq/L	0.0174
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	2325346-2	Anion Sum	meq/L	0.005	3/17/19 15:03	APHA 3030B/6020A (mod)	meq/L	3.63
GW-MP1-OB	L2360195	10/4/19 9:4										



STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Cesium (Cs)-Total	mg/L	0.00001	3/13/19 16:35	EPA 200/2/6020A (mod)	mg/L	0.000323
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Cesium (Cs)-Total	mg/L	0.00005	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.00191
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Cesium (Cs)-Total	mg/L	0.00001	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	0.000062
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Cesium (Cs)-Total	mg/L	0.00001	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.000287
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Cesium (Cs)-Total	mg/L	0.00001	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00228
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Chemical Oxygen Demand	mg/L	10	3/12/19 0:00	APHA 5220 D Colormetry	mg/L	16
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Chemical Oxygen Demand	mg/L	10	5/29/19 0:00	APHA 5220 D Colormetry	mg/L	82
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Chemical Oxygen Demand	mg/L	10	8/13/19 0:00	APHA 5220 D Colormetry	mg/L	-10
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Chemical Oxygen Demand	mg/L	10	10/7/19 12:00	APHA 5220 D Colormetry	mg/L	-10
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Chemical Oxygen Demand	mg/L	10	3/13/20 0:00	APHA 5220 D Colormetry	mg/L	58
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Chloride (Cl)	mg/L	0.5	10/2/18 7:14	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Chloride (Cl)	mg/L	0.5	10/2/18 7:14	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Chloride (Cl)	mg/L	0.5	3/12/19 11:29	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Chloride (Cl)	mg/L	0.5	5/27/19 9:41	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Chloride (Cl)	mg/L	0.5	8/9/19 2:26	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Chloride (Cl)	mg/L	0.5	10/4/19 9:23	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Chloride (Cl)	mg/L	0.5	3/11/20 0:04	EPA 300_1 (mod)	mg/L	-0.5
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Chromium (Cr)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00053
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Chromium (Cr)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00045
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Chromium (Cr)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00013
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Chromium (Cr)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.00018
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Chromium (Cr)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.00021
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Chromium (Cr)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00096
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Chromium (Cr)-Dissolved	mg/L	0.0001	3/12/20 16:35	APHA 3030B/6020A (mod)	mg/L	0.00179
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Chromium (Cr)-Total	mg/L	0.0005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0147
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Chromium (Cr)-Total	mg/L	0.0005	3/12/19 11:29	EPA 300_1 (mod)	mg/L	-0.005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Chromium (Cr)-Total	mg/L	0.0005	5/29/19 9:41	EPA 300_1 (mod)	mg/L	-0.005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Chromium (Cr)-Total	mg/L	0.0005	8/9/19 2:26	EPA 300_1 (mod)	mg/L	-0.005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Chromium (Cr)-Total	mg/L	0.0005	10/4/19 9:23	EPA 300_1 (mod)	mg/L	-0.005
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Chromium (Cr)-Total	mg/L	0.0005	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	-0.005
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Chrysene	ug/L	0.01	5/28/19 0:00	EPA 3511/8/27DD	mg/L	0.00016
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Chrysene	ug/L	0.01	10/2/18 12:59	APHA 3511/8/27DD	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Chrysene	ug/L	0.01	5/28/19 0:00	EPA 3511/8/27DD	mg/L	-0.00001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Chrysene	ug/L	0.01	8/12/19 0:00	EPA 3511/8/27DD	mg/L	-0.00001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Chrysene	ug/L	0.01	10/10/19 15:30	APHA 3511/8/27DD	mg/L	-0.00001
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Chrysene	ug/L	0.01	3/13/20 0:00	EPA 3511/8/27DD	mg/L	-0.00001
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00031
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Cobalt (Co)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00032
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Cobalt (Co)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Cobalt (Co)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Cobalt (Co)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Cobalt (Co)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Cobalt (Co)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Cobalt (Co)-Total	mg/L	1	10/10/18 19:07	EPA 3511/8/27DD	mg/L	92.9
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Cobalt (Co)-Total	mg/L	1	10/10/18 19:07	EPA 3511/8/27DD	mg/L	71.1
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Cobalt (Co)-Total	mg/L	1	5/28/19 0:00	EPA 3511/8/27DD	mg/L	103.8
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Cobalt (Co)-Total	mg/L	1	8/12/19 0:00	EPA 3511/8/27DD	mg/L	95.4
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Cobalt (Co)-Total	mg/L	1	10/10/19 19:07	EPA 3511/8/27DD	mg/L	95.3
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Cobalt (Co)-Total	mg/L	1	3/13/20 0:00	EPA 3511/8/27DD	mg/L	92.6
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Cobalt (Co)-Total	mg/L	1	10/12/18 13:00	EPA 3511/8/27DD	mg/L	307
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Cobalt (Co)-Total	mg/L	1	10/12/18 13:00	EPA 3511/8/27DD	mg/L	323
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Conductivity (@ 25C)	uS/cm	0.0001	3/13/20 16:38	EPA 200/2/6020A (mod)	mg/L	0.00098
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Conductivity (@ 25C)	uS/cm	0.0001	5/28/19 0:00	EBCM Colour Single Wavelength	CU	-5
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Conductivity (@ 25C)	uS/cm	0.0001	8/10/19 12:35	EBCM Colour Single Wavelength	CU	-5
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Conductivity (@ 25C)	uS/cm	0.0001	10/10/19 15:30	APHA 2510 Auto. Conduc.	uS/cm	309
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Conductivity (@ 25C)	uS/cm	0.0001	3/12/20 16:00	APHA 2510 Auto. Conduc.	uS/cm	307
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Dissolved Metals Filtration Location	uS/cm	1	10/8/19 10:00	APHA 2510 B	uS/cm	360
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:50 AM	L2173511-3	Dissolved Metals Filtration Location	uS/cm	1	10/8/19 10:00	APHA 2510 B	uS/cm	438
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00024
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.000155
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00076
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.01998
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-MP1-OB	L2173511	10/11/18 8:50	9/27/18	8:45 AM	L2173511-2	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Dissolved Metals Filtration Location	uS/cm	1	10/18/19 0:00	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Dissolved Metals Filtration Location</td						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Iodo(1,2,3-c,d)pyrene	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Iodo(1,2,3-c,d)pyrene	mg/L	0.00001	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Iodo(1,2,3-c,d)pyrene	ug/L	0.01	5/28/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Iodo(1,2,3-c,d)pyrene	ug/L	0.01	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Iodo(1,2,3-c,d)pyrene	ug/L	0.01	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Iodo(1,2,3-c,d)pyrene	ug/L	0.01	3/12/20 16:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Iron (Fe)-Dissolved	mg/L	0.01	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	0.01
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Iron (Fe)-Dissolved	mg/L	0.01	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Iron (Fe)-Dissolved	mg/L	0.01	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Iron (Fe)-Dissolved	mg/L	0.01	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Iron (Fe)-Dissolved	mg/L	0.01	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Iron (Fe)-Total	mg/L	0.01	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	1.11
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Iron (Fe)-Total	mg/L	0.01	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.349
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Iron (Fe)-Total	mg/L	0.01	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	2.19
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Iron (Fe)-Total	mg/L	0.05	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	22.2
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Iron (Fe)-Total	mg/L	0.01	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	0.361
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Iron (Fe)-Total	mg/L	0.01	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	1.85
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Iron (Fe)-Total	mg/L	0.01	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	21.3
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Lead (Pb)-Dissolved	mg/L	0.00005	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Lead (Pb)-Dissolved	mg/L	0.00005	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Lead (Pb)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Lead (Pb)-Dissolved	mg/L	0.00005	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Lead (Pb)-Dissolved	mg/L	0.00005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Lead (Pb)-Dissolved	mg/L	0.00005	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Lead (Pb)-Dissolved	mg/L	0.00005	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Lithium (Li)-Dissolved	mg/L	0.001	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	0.0085
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Lithium (Li)-Dissolved	mg/L	0.001	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	0.0086
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Lithium (Li)-Dissolved	mg/L	0.001	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	0.0088
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Lithium (Li)-Dissolved	mg/L	0.001	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.0084
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Lithium (Li)-Dissolved	mg/L	0.001	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	0.0086
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Lithium (Li)-Dissolved	mg/L	0.001	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.0087
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Lithium (Li)-Dissolved	mg/L	0.001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.0087
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Lithium (Li)-Total	mg/L	0.001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0094
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Lithium (Li)-Total	mg/L	0.001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0091
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Lithium (Li)-Total	mg/L	0.001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.0097
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Lithium (Li)-Total	mg/L	0.001	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.019
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Lithium (Li)-Total	mg/L	0.001	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	0.0064
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Lithium (Li)-Total	mg/L	0.001	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.0082
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Lithium (Li)-Total	mg/L	0.001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.0193
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Magnesium (Mg)-Dissolved	mg/L	0.005	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	11.6
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Magnesium (Mg)-Dissolved	mg/L	0.005	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	11.7
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Magnesium (Mg)-Dissolved	mg/L	0.005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	11.1
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Magnesium (Mg)-Dissolved	mg/L	0.005	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	9.66
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Magnesium (Mg)-Dissolved	mg/L	0.005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	9.66
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Magnesium (Mg)-Dissolved	mg/L	0.005	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	11.9
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Magnesium (Mg)-Dissolved	mg/L	0.005	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	15.6
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0073
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Manganese (Mn)-Dissolved	mg/L	0.001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.0074
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Manganese (Mn)-Dissolved	mg/L	0.001	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	0.0075
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Manganese (Mn)-Dissolved	mg/L	0.001	5/29/19 14:55	EPA 3030B/6020A (mod)	mg/L	0.0076
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Manganese (Mn)-Dissolved	mg/L	0.001	8/16/19 16:00	EPA 3030B/6020A (mod)	mg/L	0.0076
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Manganese (Mn)-Dissolved	mg/L	0.001	10/5/19 15:45	EPA 3030B/6020A (mod)	mg/L	0.0076
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Manganese (Mn)-Dissolved	mg/L	0.001	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	0.0076
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Manganese (Mn)-Total	mg/L	0.001	10/7/19 10:07	EPA 3030B/6020A (mod)	mg/L	0.599
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Manganese (Mn)-Total	mg/L	0.001	10/7/19 10:07	EPA 3030B/6020A (mod)	mg/L	0.0137
GW-MP1-OB	L22426723	3/1/20 8:50	3/10/20	10:20 AM	L22426723-2	Manganese (Mn)-Total	mg/L	0.001	10/9/18 22:03	EPA 3030B/6020A (mod)	mg/L	0.433
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Mercury (Hg)-Dissolved	mg/L	0.00005	10/10/18 7:09	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Mercury (Hg)-Dissolved	mg/L	0.00005	10/10/18 7:09	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Mercury (Hg)-Dissolved	mg/L	0.00005	5/30/19 14:37	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Mercury (Hg)-Dissolved	mg/L	0.00005	8/16/19 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Mercury (Hg)-Dissolved	mg/L	0.00005	10/5/19 15:45	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Mercury (Hg)-Dissolved	mg/L	0.00005	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Mercury (Hg)-Dissolved	mg/L	0.00005	10/12/19 11:29	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2173511	10/1/18 8:50										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Nitrate (as N)	mg/L	0.005	10/4/19 9:23	EPA 300.1 (mod)	mg/L	0.108
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Nitrate (as N)	mg/L	0.005	3/11/20 9:24	EPA 300.1 (mod)	mg/L	0.424
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Nitrate and Nitrite (as N)	mg/L	0.05	3/12/19 12:00	CALCULATION	mg/L	0.08
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Nitrate and Nitrite (as N)	mg/L	0.0051	5/28/19 19:49	CALCULATION	mg/L	0.244
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Nitrate and Nitrite (as N)	mg/L	0.0051	8/15/19 12:40	CALCULATION	mg/L	0.168
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Nitrate and Nitrite (as N)	mg/L	0.0051	10/5/19 11:02	CALCULATION	mg/L	0.108
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Nitrate and Nitrite (as N)	mg/L	0.0051	3/12/20 10:00	CALCULATION	mg/L	0.424
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Nitrite (as N)	mg/L	0.001	10/2/18 7:14	EPA 300.1 (mod)	mg/L	0.155
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Nitrite (as N)	mg/L	0.001	10/2/18 7:14	EPA 300.1 (mod)	mg/L	0.143
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Nitrite (as N)	mg/L	0.001	3/12/19 11:29	EPA 300.1 (mod)	mg/L	0.0011
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Nitrite (as N)	mg/L	0.001	5/27/19 14:41	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-OB	L226346	8/8/19 9:25	8/7/19	11:00 AM	L226346-2	Nitrite (as N)	mg/L	0.001	8/9/19 19:26	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Nitrite (as N)	mg/L	0.001	10/4/19 9:23	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Nitrite (as N)	mg/L	0.001	3/11/20 9:24	EPA 300.1 (mod)	mg/L	-0.001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/18 4:27	APHA 4500-P Phosphorus	mg/L	0.0072
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/2/18 4:27	APHA 4500-P Phosphorus	mg/L	0.0073
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/10/19 9:40	APHA 4500-P PHOSPHORUS	mg/L	0.002
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/27/19 17:46	APHA 4500-P PHOSPHORUS	mg/L	0.009
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	8/9/19 17:57	APHA 4500-P PHOSPHORUS	mg/L	0.0082
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Orthophosphate-Dissolved (as P)	mg/L	0.001	10/4/19 18:42	APHA 4500-P PHOSPHORUS	mg/L	0.0096
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/1/20 12:25	APHA 4500-P PHOSPHORUS	mg/L	0.0113
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	pH	pH	0.1	10/2/18 9:25	APHA 4500-H pH Value	pH	8.23
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	pH	pH	0.1	10/2/18 9:25	APHA 4500-H pH Value	pH	8.25
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	pH	pH	0.1	3/16/19 9:00	APHA 4500-H-Electrode	pH	8.14
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	pH	pH	0.1	5/29/19 10:00	APHA 4500-H-Electrode	pH	7.97
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	pH	pH	0.1	8/12/19 13:00	APHA 4500-H-Electrode	pH	8.14
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	pH	pH	0.1	10/8/19 10:00	APHA 4500-H-Electrode	pH	8.22
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	pH	pH	0.1	3/11/20 13:00	APHA 4500-H-Electrode	pH	8
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Phenanthrene	mg/L	0.00002	10/10/18 9:07	EPA 3511/8/27(0D)	mg/L	-0.00002
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Phenanthrene	mg/L	0.00002	10/10/18 9:07	EPA 3511/8/27(0D)	mg/L	-0.00002
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Phenanthrene	ug/L	0.02	5/28/19 0:00	EPA 3511/8/27(0D)	mg/L	0.00059
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Phenanthrene	ug/L	0.02	8/12/19 0:00	EPA 3511/8/27(0D)	mg/L	-0.00002
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Phenanthrene	ug/L	0.02	10/10/19 0:00	EPA 3511/8/27(0D)	mg/L	-0.00002
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Phenanthrene	ug/L	0.02	3/13/20 0:00	EPA 3511/8/27(0D)	mg/L	0.00046
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Phenanthrene C10	%	1	10/10/18 9:07	EPA 3511/8/27(0D)	%	108.2
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Phenanthrene C10	%	1	10/10/18 9:07	EPA 3511/8/27(0D)	%	85.3
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Phenanthrene C10	%	1	5/28/19 0:00	APHA 4500-H-Electrode	%	107.7
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Phenanthrene C10	%	1	8/12/19 0:00	APHA 3511/8/27(0D)	%	119.6
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Phenanthrene C10	%	1	10/10/19 0:00	APHA 3511/8/27(0D)	%	117.2
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Phenanthrene C10	%	1	3/13/20 0:00	EPA 3511/8/27(0D)	%	102.1
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Phenols (4AAP)	mg/L	0.001	5/28/19 13:00	APHA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	0.0018
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Phenols (4AAP)	mg/L	0.001	8/12/19 16:00	APHA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Phenols (4AAP)	mg/L	0.001	10/7/19 20:00	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Phenols (4AAP)	mg/L	0.001	3/12/20 12:00	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Phosphorus (P)-Col-Total	mg/L	0.002	10/4/18 4:53	APHA 4500-P Phosphorus	mg/L	0.044
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Phosphorus (P)-Col-Total	mg/L	0.002	10/4/18 4:57	APHA 4500-P Phosphorus	mg/L	0.0253
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Phosphorus (P)-Col-Total	mg/L	0.002	3/12/19 14:11	APHA 4500-P PHOSPHORUS	mg/L	0.0919
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Phosphorus (P)-Col-Total	mg/L	0.002	5/28/19 11:44	APHA 4500-P PHOSPHORUS	mg/L	1.36
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Phosphorus (P)-Col-Total	mg/L	0.002	8/15/19 11:07	APHA 4500-P PHOSPHORUS	mg/L	0.0078
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Phosphorus (P)-Col-Total	mg/L	0.002	10/7/19 12:54	APHA 4500-P PHOSPHORUS	mg/L	0.0381
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Phosphorus (P)-Col-Total	mg/L	0.002	3/12/20 9:57	APHA 4500-P PHOSPHORUS	mg/L	1.09
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Phosphorus (P)-Dissolved	mg/L	0.005	10/2/18 12:59	EPA 3511/8/27(0D)	mg/L	-0.05
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Phosphorus (P)-Dissolved	mg/L	0.005	10/2/18 12:59	APHA 3511/8/27(0D)	mg/L	-0.05
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Phosphorus (P)-Dissolved	mg/L	0.005	3/13/19 16:15	APHA 3511/8/27(0D)	mg/L	-0.05
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Phosphorus (P)-Dissolved	mg/L	0.005	5/29/19 14:55	APHA 3511/8/27(0D)	mg/L	1.4
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Phosphorus (P)-Dissolved	mg/L	0.005	8/10/19 17:00	APHA 200/2/6020A (mod)	mg/L	0.05
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Phosphorus (P)-Dissolved	mg/L	0.005	10/8/19 17:00	APHA 200/2/6020A (mod)	mg/L	0.109
GW-MP1-OB	L2426723	3/1/20 8:50	3/10/20	10:20 AM	L2426723-2	Phosphorus (P)-Dissolved	mg/L	0.005	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	1.13
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Potassium (K)-Dissolved	mg/L	0.005	10/2/18 12:59	EPA 3511/8/27(0D)	mg/L	0.717
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Potassium (K)-Dissolved	mg/L	0.005	10/2/18 12:59	APHA 3511/8/27(0D)	mg/L	0.722
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Potassium (K)-Dissolved	mg/L	0.005	3/13/19 16:15	APHA 3510B/6/2020A (mod)	mg/L	0.536
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Potassium (K)-Dissolved	mg/L	0.005	5/29/19 14:55	APHA 3510B/6/2020A (mod)	mg/L	0.37
GW-MP1-OB	L235346	8/8/19 9:25	8/7/19	11:00 AM	L235346-2	Potassium (K)-Dissolved	mg/L	0.005	8/9/19 16:04	APHA 3510B/6/2020A (mod)	mg/L	0.477
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Potassium (K)-Dissolved	mg/L	0.005	10/10/19 15:30	APHA 3510B/6/2020A (mod)	mg/L	0.546
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Potassium (K)-Dissolved	mg/L	0.005	3/12/20 16:35	APHA 3510B/6/2020A (mod)	mg/L	0.61
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Potassium (K)-Total	mg/L	0.005	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	1.25
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Potassium (K)-Total	mg/L	0.005	10/3/18 14:03	APHA 200/2/6020A (mod)	mg/L	0.848
GW-MP1-OB	L224116	3/9/19 8:50	3/7/19	10:15 AM	L224116-1	Potassium (K)-Total	mg/L	0.005	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	1.01
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Potassium (K)-Total	mg/L	0.005	5/29/19 14:55	APHA 200/2/6020A (mod)		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2173511	10/18/19 8:50	9/27/18	8:50 AM	L2173511-3	Silver (Ag)-Dissolved	mg/L	0.00001	10/2/18 15:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Silver (Ag)-Dissolved	mg/L	0.00001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Silver (Ag)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Silver (Ag)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Silver (Ag)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00021
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Silver (Ag)-Total	mg/L	0.00001	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.000016
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Silver (Ag)-Total	mg/L	0.00001	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.000015
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Silver (Ag)-Total	mg/L	0.00005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.000232
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Silver (Ag)-Total	mg/L	0.00001	8/9/19 16:39	EPA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Silver (Ag)-Total	mg/L	0.00001	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.000019
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Silver (Ag)-Total	mg/L	0.00001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00019
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Sodium (Na)-Dissolved	mg/L	0.05	10/2/18 15:29	APHA 3030B/6020A (mod)	mg/L	6.42
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Sodium (Na)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	6.55
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Sodium (Na)-Dissolved	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	4.97
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Sodium (Na)-Dissolved	mg/L	0.05	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	2.55
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Sodium (Na)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	3.04
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Sodium (Na)-Dissolved	mg/L	0.05	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.3
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Sodium (Na)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	6.29
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Sodium (Na)-Total	mg/L	0.05	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	6.7
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Sodium (Na)-Total	mg/L	0.05	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	5.85
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	4.94
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Sodium (Na)-Total	mg/L	0.25	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	2.41
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Sodium (Na)-Total	mg/L	0.05	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	3.16
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Sodium (Na)-Total	mg/L	0.05	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	6.54
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	6.02
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Strontrium (Sr)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.171
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Strontrium (Sr)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.176
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Strontrium (Sr)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.159
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Strontrium (Sr)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.106
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Strontrium (Sr)-Dissolved	mg/L	0.0002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.132
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Strontrium (Sr)-Dissolved	mg/L	0.0002	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.148
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Strontrium (Sr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.188
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Strontrium (Sr)-Total	mg/L	0.0002	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.178
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Strontrium (Sr)-Total	mg/L	0.0002	10/3/18 14:03	EPA 200/2/6020A (mod)	mg/L	0.171
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Strontrium (Sr)-Total	mg/L	0.0002	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	0.172
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Strontrium (Sr)-Total	mg/L	0.001	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	0.183
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Strontrium (Sr)-Total	mg/L	0.0002	8/12/19 14:39	EPA 200/2/6020A (mod)	mg/L	0.136
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Strontrium (Sr)-Total	mg/L	0.0002	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	0.156
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Strontrium (Sr)-Total	mg/L	0.0002	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.245
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Sulfate (SO4)-Dissolved	mg/L	0.3	10/2/18 17:44	EPA 300-1 (mod)	mg/L	21.1
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Sulfate (SO4)-Dissolved	mg/L	0.3	10/2/18 17:44	EPA 300-1 (mod)	mg/L	20.6
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Sulfate (SO4)-Dissolved	mg/L	0.3	3/12/19 11:29	EPA 300-1 (mod)	mg/L	22
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Sulfate (SO4)-Dissolved	mg/L	0.3	5/27/19 19:47	EPA 300-1 (mod)	mg/L	7.73
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Sulfate (SO4)-Dissolved	mg/L	0.3	8/9/19 22:26	EPA 300-1 (mod)	mg/L	10.6
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Sulfate (SO4)-Dissolved	mg/L	0.3	10/4/19 22:33	EPA 300-1 (mod)	mg/L	19.7
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Sulfate (SO4)-Dissolved	mg/L	0.3	3/11/20 19:24	EPA 300-1 (mod)	mg/L	15.3
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Sulfur (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	6.9
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Sulfur (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	7.04
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Sulfur (Te)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	8.5
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Sulfur (Te)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	2.42
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Sulfur (Te)-Dissolved	mg/L	0.0002	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	4.42
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Sulfur (Te)-Dissolved	mg/L	0.0002	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.47
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Sulfur (Te)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	5.64
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Sulfur (Te)-Total	mg/L	0.0002	10/2/18 14:03	EPA 200/2/6020A (mod)	mg/L	7.75
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Sulfur (Te)-Total	mg/L	0.0002	10/2/18 14:03	EPA 200/2/6020A (mod)	mg/L	7.2
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Sulfur (Te)-Total	mg/L	0.0002	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	7.91
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Sulfur (Te)-Total	mg/L	0.25	5/29/19 14:55	EPA 200/2/6020A (mod)	mg/L	-2.5
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Sulfur (Te)-Total	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	3.81
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Sulfur (Te)-Total	mg/L	0.05	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	6.48
GW-MP1-OB	L2426723	3/11/20 8:50	3/10/20	10:20 AM	L2426723-2	Sulfur (Te)-Total	mg/L	0.05	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	5.36
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:45 AM	L2173511-2	Tellurium (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2173511	10/18/18 8:50	9/27/18	8:50 AM	L2173511-3	Tellurium (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Tellurium (Te)-Dissolved	mg/L	0.0002	3/13/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Tellurium (Te)-Dissolved	mg/L	0.0002	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Tellurium (Te)-Dissolved	mg/L	0.0002	8/9/19 14:39	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Tellurium (Te)-Dissolved	mg/L	0.0002	10			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540 C	mg/L	192
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Total Dissolved Solids	mg/L	20	5/28/19 15:00	APHA 2540 C	mg/L	157
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Total Dissolved Solids	mg/L	20	8/13/19 15:30	APHA 2540 C	mg/L	186
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Total Dissolved Solids	mg/L	20	10/7/19 13:00	APHA 2540 C	mg/L	208
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Total Dissolved Solids	mg/L	20	3/15/20 9:45	APHA 2540 C	mg/L	340
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Total Inorganic Carbon	mg/L	1	3/12/19 14:19	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	36.2
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Total Inorganic Carbon	mg/L	1	5/30/19 0:33	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	36.5
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Total Inorganic Carbon	mg/L	1	8/11/19 11:16	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	36.4
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Total Inorganic Carbon	mg/L	1	10/5/19 0:00	APHA 5310B-B-Instrumental	mg/L	46
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Total Inorganic Carbon	mg/L	1	3/15/20 7:00	APHA 5310B-B-Instrumental	mg/L	45.1
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Total Kjeldahl Nitrogen	mg/L	0.05	3/18/19 0:00	APHA 4500-NORG (TKN)	mg/L	0.213
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Total Kjeldahl Nitrogen	mg/L	0.1	5/30/19 14:00	APHA 4500-NORG (TKN)	mg/L	1.44
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Total Kjeldahl Nitrogen	mg/L	0.05	8/16/19 13:00	APHA 4500-NORG (TKN)	mg/L	0.19
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Total Kjeldahl Nitrogen	mg/L	0.05	10/8/19 12:00	APHA 4500-NORG (TKN)	mg/L	0.082
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Total Kjeldahl Nitrogen	mg/L	0.1	3/13/20 11:00	APHA 4500-NORG (TKN)	mg/L	0.95
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Total Nitrogen	mg/L	0.03	10/5/18 12:35	APHA4500-PJUNEM917/1/USGS03-4174	mg/L	0.163
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Total Nitrogen	mg/L	0.03	10/5/18 12:45	APHA4500-PJUNEM917/1/USGS03-4174	mg/L	0.123
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Total Nitrogen	mg/L	0.05	3/18/19 12:23	APHA 4500 N-Calculated	mg/L	0.293
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Total Nitrogen	mg/L	0.1	5/30/19 15:24	APHA 4500 N-Calculated	mg/L	1.68
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Total Nitrogen	mg/L	0.05	8/16/19 15:40	APHA 4500 N-Calculated	mg/L	0.358
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Total Nitrogen	mg/L	0.05	10/9/19 12:19	APHA 4500 N-Calculated	mg/L	0.19
GW-MP1-OB	L2462723	3/1/20 8:50	3/10/20	10:20 AM	L2462723-2	Total Nitrogen	mg/L	0.1	3/13/20 11:55	APHA 4500 N-Calculated	mg/L	1.38
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Total Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	2.95
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Total Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	2.15
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Total Organic Carbon	mg/L	10	5/28/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	20
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Total Organic Carbon	mg/L	0.5	8/10/19 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.53
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Total Organic Carbon	mg/L	0.5	10/12/19 10:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	2.48
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Total Organic Carbon	mg/L	5	3/14/20 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	.5
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Total Suspended Solids	mg/L	1	10/4/18 13:23	APHA 2540D	mg/L	14.4
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Total Suspended Solids	mg/L	1	10/4/18 13:23	APHA 2540D	mg/L	9.1
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Tungsten (W)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Tungsten (W)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Tungsten (W)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0001
GW-MP1-OB	L2462723	3/1/20 8:50	3/10/20	10:20 AM	L2462723-2	Tungsten (W)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00016
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Tungsten (W)-Total	mg/L	0.0001	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Tungsten (W)-Total	mg/L	0.0001	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Tungsten (W)-Total	mg/L	0.0001	3/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.00012
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Tungsten (W)-Total	mg/L	0.0005	5/29/19 14:55	EPAA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Tungsten (W)-Total	mg/L	0.0005	8/12/19 14:39	EPAA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Tungsten (U)-Dissolved	mg/L	0.0001	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	0.00018
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Tungsten (U)-Dissolved	mg/L	0.0001	3/13/20 16:35	EPAA 200/2/6020A (mod)	mg/L	0.00029
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Turbidity	NTU	0.1	10/2/18 22:45	APHA 2130 Turbidity	NTU	40.2
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Turbidity	NTU	0.1	10/2/18 22:45	APHA 2130 Turbidity	NTU	24.1
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Vanadium (W)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.00044
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Vanadium (U)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000455
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Vanadium (U)-Dissolved	mg/L	0.0001	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	0.000294
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Vanadium (U)-Dissolved	mg/L	0.0005	5/29/19 14:55	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Vanadium (U)-Dissolved	mg/L	0.0005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Vanadium (U)-Dissolved	mg/L	0.0005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2462723	3/1/20 8:50	3/10/20	10:20 AM	L2462723-2	Vanadium (U)-Dissolved	mg/L	0.0005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Vanadium (U)-Total	mg/L	0.0005	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	0.00317
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Vanadium (U)-Total	mg/L	0.0005	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	0.00111
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Vanadium (U)-Total	mg/L	0.0005	3/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.00297
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Vanadium (U)-Total	mg/L	0.0005	5/29/19 14:55	EPAA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Vanadium (U)-Total	mg/L	0.0005	8/9/19 16:04	EPAA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Zinc (Zn)-Dissolved	mg/L	0.0003	10/8/19 17:00	EPAA 200/2/6020A (mod)	mg/L	0.0113
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Zinc (Zn)-Dissolved	mg/L	0.0003	3/12/20 16:35	EPAA 200/2/6020A (mod)	mg/L	0.113
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:45 AM	L2173511-2	Zinc (Zn)-Dissolved	mg/L	0.0006	10/3/18 14:03	EPAA 200/2/6020A (mod)	mg/L	-0.0006
GW-MP1-OB	L2173511	10/1/18 8:50	9/27/18	8:50 AM	L2173511-3	Zinc (Zn)-Dissolved	mg/L	0.0006	10/3/18 14:03	EPAA 3030B/6020A (mod)	mg/L	-0.0006
GW-MP1-OB	L2242116	3/9/19 8:50	3/7/19	10:15 AM	L2242116-1	Zinc (Zn)-Dissolved	mg/L	0.0003	3/13/19 16:15	EPAA 200/2/6020A (mod)	mg/L	0.0227
GW-MP1-OB	L2279628	5/27/19 12:24	5/26/19	2:45 PM	L2279628-6	Zinc (Zn)-Dissolved	mg/L	0.0003	5/29/19 14:55	EPAA 3030B/6020A (mod)	mg/L	0.146
GW-MP1-OB	L2325346	8/8/19 9:25	8/7/19	11:00 AM	L2325346-2	Zinc (Zn)-Dissolved	mg/L	0.0003	8/12/19 14:39	EPAA 3030B/6020A (mod)	mg/L	0.0174
GW-MP1-OB	L2360195	10/4/19 9:40	10/3/19	9:16 AM	L2360195-1	Zinc (Zn)-Dissolved	mg/L	0.0002	3/13/20 16:39	EPAA 200/2/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2462723	3/11/20 8:50	3/10/20	10:20 AM	L2462723-2	Zinc (Zn)-Dissolved	mg/L	0.0005	10/10/19 0:07	EPAA 3511/8270D (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	1-Methylnaphthalene	ug/L	0.02	8/12/19 0:00	EPAA 3511/8270D	mg/L	-0.

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 09:00	APHA 2320 ALKALINITY	mg/L	151
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	113
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	133
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	141
GW-MP1-PW	L2462723	3/11/20 8:50	3/10/20	9:35 AM	2462723-1	Alkalinity, Bicarbonate (as CaCO <sub>3</sub> )	mg/L	1	3/11/20 13:00	APHA 2320 ALKALINITY	mg/L	153
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 09:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	3.6
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MP1-PW	L2462723	3/11/20 8:50	3/10/20	9:35 AM	2462723-1	Alkalinity, Carbonate (as CaCO <sub>3</sub> )	mg/L	1	3/11/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	3/16/19 09:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Alkalinity, Hydroxide (as CaCO <sub>3</sub> )	mg/L	1	6/8/19 11:00	APHA 2320 ALKALINITY	mg/L	117
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	8/12/19 13:00	APHA 2320 ALKALINITY	mg/L	133
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	10/8/19 10:00	APHA 2320 ALKALINITY	mg/L	141
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	1	3/1/20 13:00	APHA 2320 ALKALINITY	mg/L	153
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Aluminum (Al)-Dissolved	mg/L	0.001	10/3/18 8:50	APHA 3030B/6020A (mod)	mg/L	0.0036
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Aluminum (Al)-Dissolved	mg/L	0.001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.004
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Aluminum (Al)-Dissolved	mg/L	0.001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0018
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Aluminum (Al)-Dissolved	mg/L	0.001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.0015
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Aluminum (Al)-Dissolved	mg/L	0.001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0015
GW-MP1-PW	L2462723	3/11/20 8:50	3/10/20	9:35 AM	2462723-1	Aluminum (Al)-Dissolved	mg/L	0.001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	0.313
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Ammonia as N	mg/L	0.005	3/18/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0161
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Ammonia as N	mg/L	0.005	6/11/19 09:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0143
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Ammonia as N	mg/L	0.005	8/16/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0484
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Ammonia as N	mg/L	0.005	10/8/19 11:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0404
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Ammonia as N	mg/L	0.005	3/12/20 10:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0253
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Ammonia, Total (as N)	mg/L	0.005	10/7/18 12:24	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	-0.005
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Ammonium Sum	meq/L	3/17/19 15:03	APHA 1030E	meq/L	3.47	
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Ammonium Sum	meq/L	6/10/19 16:49	APHA 1030E	meq/L	2.71	
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Ammonium Sum	meq/L	8/15/19 12:45	APHA 1030E	meq/L	2.91	
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Ammonium Sum	meq/L	10/11/19 10:45	APHA 1030E	meq/L	3.15	
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Ammonium Sum	meq/L	3/15/20 9:50	APHA 1030E	meq/L	3.48	
GW-MP1-PW	L2173511	10/17/18 8:50	9/27/18	9:00 AM	2173511-1	Anthracene	ug/L	0.00001	10/10/18 9:07	APHA 3511/8/27/20 (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Anthracene	ug/L	0.001	6/5/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Anthracene	ug/L	0.001	8/12/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Anthracene	ug/L	0.001	10/10/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Anthracene	ug/L	0.001	3/13/20 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Antimony (Sb)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Antimony (Sb)-Dissolved	mg/L	0.00001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Antimony (Sb)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Antimony (Sb)-Dissolved	mg/L	0.00001	8/10/19 16:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Antimony (Sb)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Antimony (Sb)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Antimony (Sb)-Total	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Antimony (Sb)-Total	mg/L	0.00001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Antimony (Sb)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Antimony (Sb)-Total	mg/L	0.00001	8/10/19 16:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Antimony (Sb)-Total	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Antimony (Sb)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Arsenic (As)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Arsenic (As)-Dissolved	mg/L	0.00001	3/3/19 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Arsenic (As)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Arsenic (As)-Dissolved	mg/L	0.00001	8/10/19 16:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Arsenic (As)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Arsenic (As)-Dissolved	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Arsenic (As)-Total	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Arsenic (As)-Total	mg/L	0.00001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Arsenic (As)-Total	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Arsenic (As)-Total	mg/L	0.00001	8/10/19 16:44	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Arsenic (As)-Total	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10/20	9:35 AM	2462723-1	Arsenic (As)-Total	mg/L	0.00001	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2273511	10/11/18 8:50	9/27/18	9:00 AM	273511-1	Benz(a)anthracene	ug/L	0.001	6/5/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Benz(a)anthracene	ug/L	0.001	8/12/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Benz(a)anthracene	ug/L	0.001	6/5/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Benz(a)anthracene	ug/L	0.001	8/12/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Benz(a)anthracene	ug/L	0.001	10/10/19 00:00	APHA 3511/8/27/20	mg/L	-0.00001
GW-MP1-PW	L2462723	3/1/20 8:50	3/10									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Bismuth (Bi)-Total	mg/L	0.00005	3/13/20 16:35	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Boron (B)-Dissolved	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.016
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Boron (B)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.015
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Boron (B)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Boron (B)-Dissolved	mg/L	0.01	8/9/19 12:45	APHA 3030B/6020A (mod)	mg/L	0.011
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Boron (B)-Dissolved	mg/L	0.01	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.012
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Boron (B)-Dissolved	mg/L	0.01	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.013
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Boron (B)-Total	mg/L	0.01	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	0.021
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Boron (B)-Total	mg/L	0.01	3/13/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.015
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Boron (B)-Total	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.01
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Boron (B)-Total	mg/L	0.01	8/9/19 12:45	APHA 3030B/6020A (mod)	mg/L	0.01
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Boron (B)-Total	mg/L	0.01	10/4/19 12:33	APHA 3030B/6020A (mod)	mg/L	0.015
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Boron (B)-Total	mg/L	0.01	3/11/20 9:24	APHA 300.1 (mod)	mg/L	-0.05
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Boron (Cd)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0000159
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Boron (Cd)-Dissolved	mg/L	0.00005	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.0000086
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Boron (Cd)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Boron (Cd)-Dissolved	mg/L	0.00005	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.000064
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Boron (Cd)-Dissolved	mg/L	0.00005	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000009
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Boron (Cd)-Dissolved	mg/L	0.00005	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Boron (Cd)-Total	mg/L	0.01	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.0000803
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Boron (Cd)-Total	mg/L	0.01	3/3/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.0000113
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Boron (Cd)-Total	mg/L	0.01	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.0000237
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Boron (Cd)-Total	mg/L	0.01	8/9/19 12:45	APHA 3030B/6020A (mod)	mg/L	0.0000076
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Boron (Cd)-Total	mg/L	0.01	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000081
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Boron (Cd)-Total	mg/L	0.01	3/13/20 16:35	APHA 200.2/6020A (mod)	mg/L	0.0000163
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Calcium (Ca)-Dissolved	mg/L	0.05	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	48.2
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Calcium (Ca)-Dissolved	mg/L	0.05	3/3/19 16:15	EPA 3030B/6020A (mod)	mg/L	41.7
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Calcium (Ca)-Dissolved	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	39.2
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Calcium (Ca)-Dissolved	mg/L	0.05	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	39.7
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Calcium (Ca)-Dissolved	mg/L	0.05	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	38.9
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Calcium (Ca)-Dissolved	mg/L	0.05	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	43.6
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Calcium (Ca)-Total	mg/L	0.05	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	45.5
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Calcium (Ca)-Total	mg/L	0.05	3/13/19 16:15	EPA 200.2/6020A (mod)	mg/L	45.2
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Calcium (Ca)-Total	mg/L	0.05	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	41.1
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Calcium (Ca)-Total	mg/L	0.05	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	39.4
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Calcium (Ca)-Total	mg/L	0.05	10/8/19 17:00	EPA 200.2/6020A (mod)	mg/L	38.6
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Calcium (Ca)-Total	mg/L	0.05	3/13/20 16:35	EPA 200.2/6020A (mod)	mg/L	47.4
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Cation - Anion Balance	%		3/17/19 15:03	APHA 1030E	%	-4.4
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Cation - Anion Balance	%		6/10/19 16:49	APHA 1030E	%	-0.6
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Cation - Anion Balance	%		8/15/19 12:45	APHA 1030E	%	-2.2
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Cation - Anion Balance	%		10/11/19 10:49	APHA 1030E	%	-4.9
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Cation - Anion Balance	%		3/19/20 9:50	APHA 1030E	%	-2
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Cation Sum	meq/L		3/17/19 15:03	APHA 1030E	meq/L	3.18
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Cation Sum	meq/L		6/10/19 16:49	APHA 1030E	meq/L	2.68
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Cation Sum	meq/L		8/15/19 12:45	APHA 1030E	meq/L	2.78
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Cation Sum	meq/L		10/11/19 10:49	APHA 1030E	meq/L	2.85
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Cation Sum	meq/L		3/15/20 9:50	APHA 1030E	meq/L	3.34
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Chesicum (Cs)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Chesicum (Cs)-Dissolved	mg/L	0.00001	3/3/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Chesicum (Cs)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Chesicum (Cs)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Chesicum (Cs)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Chesicum (Cs)-Dissolved	mg/L	0.00001	3/2/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Chesicum (Cs)-Total	mg/L	0.00001	10/3/18 14:03	EPA 200.2/6020A (mod)	mg/L	0.000587
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Chesicum (Cs)-Total	mg/L	0.00001	3/3/19 16:15	EPA 200.2/6020A (mod)	mg/L	0.000022
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Chesicum (Cs)-Total	mg/L	0.00001	6/10/19 16:29	APHA 200.2/6020A (mod)	mg/L	0.000046
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Chesicum (Cs)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200.2/6020A (mod)	mg/L	0.000013
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Chesicum (Cs)-Total	mg/L	0.00001	10/8/19 17:00	EPA 200.2/6020A (mod)	mg/L	-0.000001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Chesicum (Cs)-Total	mg/L	0.00001	3/13/20 16:35	EPA 200.2/6020A (mod)	mg/L	0.0000094
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Chloride (Cl)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.000031
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Chloride (Cl)-Dissolved	mg/L	0.00001	3/3/19 16:15	EPA 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Chloride (Cl)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2353463	8/8/19 9:25	8/7/19	11:40 AM	L2353463-3	Chloride (Cl)-Dissolved	mg/L	0.00001	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Chloride (Cl)-Dissolved	mg/L	0.00001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Chloride (Cl)-Dissolved	mg/L	0.00001	3/2/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0000104
GW-MP1-PW	L2173511	10/18 8:50	9/27/18	9:00 AM	L2173511-1	Chloride (Cl)-Total	mg/L	0.00001	10/3/19 16:15	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Chloride (Cl)-Total	mg/L	0.00001	3/3/19 16:15	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Chloride (Cl)-Total	mg					

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Dissolved Mercury Filtration Location			10/2/18 9:00	APHA 3030B/EPA 1631E (mod)	0	FIELD
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Dissolved Mercury Filtration Location			6/10/19 11:00	APHA 3030B/EPA 1631E (mod)	0	FIELD
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	L2325346-3	Dissolved Mercury Filtration Location			8/16/19 8:00	APHA 3030B/EPA 1631E (mod)	0	FIELD
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Dissolved Mercury Filtration Location			10/5/19 11:00	APHA 3030B/EPA 1631E (mod)	0	FIELD
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Dissolved Mercury Filtration Location			3/13/20 10:00	APHA 3030B/EPA 1631E (mod)	0	LAB
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Dissolved Metals Filtration Location			10/1/18 21:10	APHA 3030B/EPA 020A (mod)	0	FIELD
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Dissolved Metals Filtration Location			10/3/18 18:10	APHA 3030B/EPA 020A (mod)	0	FIELD
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Dissolved Metals Filtration Location			3/13/19 8:00	APHA 3030B/EPA 020A (mod)	0	LAB
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Dissolved Metals Filtration Location			6/10/19 11:00	APHA 3030B/EPA 020A (mod)	0	FIELD
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	L2325346-3	Dissolved Metals Filtration Location			8/9/19 18:00	APHA 3030B/EPA 020A (mod)	0	FIELD
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Dissolved Metals Filtration Location			10/10/19 11:00	APHA 3030B/EPA 020A (mod)	0	FIELD
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Dissolved Metals Filtration Location			3/13/20 12:00	APHA 3030B/EPA 020A (mod)	0	LAB
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Fluoranthene	ug/L	0.00001	10/10/18 9:07	EPAN 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Fluoranthene	ug/L	0.01	6/5/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Fluoranthene	ug/L	0.01	8/12/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Fluoranthene	ug/L	0.01	10/10/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Fluoranthene	ug/L	0.01	3/13/20 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Fluorene	ug/L	0.00001	10/10/18 07:07	EPAN 3511/8270D (mod)	mg/L	0.000013
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Fluorene	ug/L	0.01	6/5/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Fluorene	ug/L	0.01	8/12/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Fluorene	ug/L	0.01	10/10/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Fluorene	ug/L	0.01	3/11/20 00:00	EPAN 3511/8270D	mg/L	0.0093
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Hardness (as CaCO3)	mg/L	0.5	10/9/18 23:00	APHA 5310B	mg/L	3.51
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Hardness (as CaCO3)	mg/L	0.5	3/19/19 8:00	APHA 5310 B-Instrumental	mg/L	1.14
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Hardness (as CaCO3)	mg/L	0.5	6/4/19 00:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	L2325346-3	Hardness (as CaCO3)	mg/L	0.5	8/10/19 13:00	APHA 5310 B-Instrumental	mg/L	0.72
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Hardness (as CaCO3)	mg/L	0.5	10/12/19 10:00	APHA 5310 B-Instrumental	mg/L	0.5
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Hardness (as CaCO3)	mg/L	0.5	3/14/20 14:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Hexavalent Chromium	mg/L	0.00005	10/4/19 23:00	APHA 3500-Cr (Ion Chromatography)	mg/L	-0.00005
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Hexavalent Chromium	mg/L	0.00001	10/10/18 02:07	EPAN 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Hexavalent Chromium	mg/L	0.00001	6/5/19 00:00	EPAN 3511/8270D	mg/L	0.173
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Hexide (F)	mg/L	0.02	10/2/18 7:14	EPAN 300 1 (mod)	mg/L	0.118
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Hexide (F)	mg/L	0.02	6/2/19 11:29	EPAN 300 1 (mod)	mg/L	0.152
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Hexide (F)	mg/L	0.02	8/9/19 22:00	EPAN 300 1 (mod)	mg/L	0.135
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Hexide (F)	mg/L	0.02	10/4/19 23:00	EPAN 300 1 (mod)	mg/L	0.15
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Hexide (F)	mg/L	0.02	3/11/20 00:00	EPAN 300 1 (mod)	mg/L	0.093
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Indeno[1,3-c]dipheny	ug/L	0.00001	10/10/18 02:07	EPAN 3511/8270D (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Indeno[1,3-c]dipheny	ug/L	0.01	6/5/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Indeno[1,3-c]dipheny	ug/L	0.01	8/12/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Indeno[1,3-c]dipheny	ug/L	0.01	10/10/19 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Indeno[1,3-c]dipheny	ug/L	0.01	3/13/20 00:00	EPAN 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Iron (Fe)-Dissolved	mg/L	0.00001	10/10/18 02:07	EPAN 3508/B/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Iron (Fe)-Dissolved	mg/L	0.01	3/13/19 16:15	APHA 3030B/EPA 020A (mod)	mg/L	-0.01
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Iron (Fe)-Dissolved	mg/L	0.01	6/10/19 16:29	APHA 3030B/EPA 020A (mod)	mg/L	-0.01
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Iron (Fe)-Dissolved	mg/L	0.01	8/15/19 04:00	APHA 3030B/EPA 020A (mod)	mg/L	-0.01
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Iron (Fe)-Dissolved	mg/L	0.01	10/10/19 15:30	APHA 3030B/EPA 020A (mod)	mg/L	-0.01
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Iron (Fe)-Dissolved	mg/L	0.01	3/12/20 00:00	APHA 3030B/EPA 020A (mod)	mg/L	-0.01
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Iron (Pb)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Iron (Pb)-Dissolved	mg/L	0.00005	3/1/19 16:15	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Iron (Pb)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Iron (Pb)-Dissolved	mg/L	0.00005	8/12/19 14:39	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Iron (Pb)-Dissolved	mg/L	0.00005	10/19/19 16:30	APHA 3030B/EPA 020A (mod)	mg/L	-0.000062
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Iron (Pb)-Dissolved	mg/L	0.00005	3/12/20 00:00	APHA 3030B/EPA 020A (mod)	mg/L	-0.000062
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Iron (Pb)-Total	mg/L	0.00005	10/3/18 14:03	EPAN 200/2/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Iron (Pb)-Total	mg/L	0.01	3/13/19 16:13	EPAN 200/2/EPA 020A (mod)	mg/L	0.104
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Iron (Pb)-Total	mg/L	0.01	6/10/19 16:29	EPAN 200/2/EPA 020A (mod)	mg/L	0.288
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Iron (Pb)-Total	mg/L	0.01	8/12/19 14:39	EPAN 200/2/EPA 020A (mod)	mg/L	0.053
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Iron (Pb)-Total	mg/L	0.01	10/8/19 17:00	EPAN 200/2/EPA 020A (mod)	mg/L	0.026
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Iron (Pb)-Total	mg/L	0.01	3/1/20 16:35	EPAN 200/2/EPA 020A (mod)	mg/L	0.504
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Manganese (Mn)-Dissolved	mg/L	0.00005	10/2/18 12:59	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Manganese (Mn)-Dissolved	mg/L	0.00005	3/1/19 16:15	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Manganese (Mn)-Dissolved	mg/L	0.00005	6/10/19 16:29	APHA 3030B/EPA 020A (mod)	mg/L	-0.00005
GW-MP1-PW	L225346	8/8/19 9:25	8/7/19	11:40 AM	L225346-3	Manganese (Mn)-Dissolved	mg/L	0.00005	8/12/19 14:39	APHA 3030B/EPA 020A (mod)	mg/L	-0.00006
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Manganese (Mn)-Dissolved	mg/L	0.00005	10/10/19 15:30	APHA 3030B/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Manganese (Mn)-Dissolved	mg/L	0.00005	3/12/20 00:00	APHA 3030B/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	L2173511-1	Manganese (Mn)-Dissolved	mg/L	0.00005	10/3/18 14:03	EPAN 200/2/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Manganese (Mn)-Dissolved	mg/L	0.00005	3/13/19 16:15	EPAN 200/2/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	L2283659-3	Manganese (Mn)-Dissolved	mg/L	0.00005	6/10/19 16:29	EPAN 200/2/EPA 020A (mod)	mg/L	-0.00001
GW-MP1-PW	L225346	8/8/19 9:										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Naphthalene	ug/L	0.02	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Naphthalene	ug/L	0.02	8/12/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Naphthalene	ug/L	0.02	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Naphthalene	ug/L	0.02	3/12/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Naphthalene d8	%	1	10/10/18 9:07	EPA 3511/8270D (mod)	%	81.7
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Nickel (Ni)-Dissolved	mg/L	0.0005	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	0.00084
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Nickel (Ni)-Dissolved	mg/L	0.0005	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Nickel (Ni)-Dissolved	mg/L	0.0005	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Nickel (Ni)-Dissolved	mg/L	0.0005	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Nickel (Ni)-Dissolved	mg/L	0.0005	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Nickel (Ni)-Dissolved	mg/L	0.0005	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Nickel (Ni)-Total	mg/L	0.0005	10/3/18 14:02	EPA 200/2/6020A (mod)	mg/L	0.00333
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Nickel (Ni)-Total	mg/L	0.0005	3/13/19 16:15	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Nickel (Ni)-Total	mg/L	0.0005	6/10/19 16:29	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Nickel (Ni)-Total	mg/L	0.0005	8/9/19 14:39	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Nickel (Ni)-Total	mg/L	0.0005	10/8/19 17:00	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Nickel (Ni)-Total	mg/L	0.0005	3/13/20 16:35	EPA 200/2/6020A (mod)	mg/L	0.00066
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Nitrate (as N)	mg/L	0.0005	10/2/18 7:14	EPA 300.1 (mod)	mg/L	0.105
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Nitrate (as N)	mg/L	0.0005	3/12/19 11:29	EPA 300.1 (mod)	mg/L	0.122
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Nitrate (as N)	mg/L	0.0005	6/2/19 15:06	EPA 300.1 (mod)	mg/L	0.351
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Nitrate (as N)	mg/L	0.0005	8/9/19 2:26	EPA 300.1 (mod)	mg/L	0.296
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Nitrate (as N)	mg/L	0.0005	10/4/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.143
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Nitrate (as N)	mg/L	0.0005	3/11/20 9:24	EPA 300.1 (mod)	mg/L	0.0998
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Nitrate (as N)	mg/L	0.0005	3/12/19 14:00	CALCULATION	mg/L	0.123
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Nitrate (as N)	mg/L	0.0005	6/5/19 12:19	CALCULATION	mg/L	0.351
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Nitrate (as N)	mg/L	0.0005	8/15/19 12:40	CALCULATION	mg/L	0.296
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Nitrate (as N)	mg/L	0.0005	10/5/19 11:02	CALCULATION	mg/L	0.143
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Nitrate (as N)	mg/L	0.0005	3/12/20 14:00	CALCULATION	mg/L	0.0998
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Nitrite and Nitrite (as N)	mg/L	0.0005	3/12/19 12:00	CALCULATION	mg/L	0.123
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Nitrite and Nitrite (as N)	mg/L	0.0005	6/5/19 12:19	CALCULATION	mg/L	0.351
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Nitrite and Nitrite (as N)	mg/L	0.0005	8/15/19 12:40	CALCULATION	mg/L	0.296
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Nitrite and Nitrite (as N)	mg/L	0.0005	10/5/19 11:02	CALCULATION	mg/L	0.143
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Nitrite and Nitrite (as N)	mg/L	0.0005	3/12/20 14:00	CALCULATION	mg/L	0.0998
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	10/2/18 4:27	EPA 4500-P PHOSPHORUS	mg/L	0.007
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Orthophosphate-Dissolved (as P)	mg/L	0.0001	3/10/19 9:40	EPA 4500-P PHOSPHORUS	mg/L	0.0093
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Orthophosphate-Dissolved (as P)	mg/L	0.0001	6/2/19 11:48	EPA 4500-P PHOSPHORUS	mg/L	0.0033
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	8/9/19 18:02	EPA 4500-P PHOSPHORUS	mg/L	0.0031
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Orthophosphate-Dissolved (as P)	mg/L	0.0001	10/4/19 18:44	EPA 4500-P PHOSPHORUS	mg/L	0.0172
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	3/11/20 12:25	EPA 4500-P PHOSPHORUS	mg/L	0.0159
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Orthophosphate-Dissolved (as P)	mg/L	0.0001	6/5/19 12:19	EPA 4500-P PHOSPHORUS	mg/L	0.0159
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Orthophosphate-Dissolved (as P)	mg/L	0.0001	8/15/19 12:40	EPA 4500-P PHOSPHORUS	mg/L	0.0159
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Orthophosphate-Dissolved (as P)	mg/L	0.0001	10/5/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.00002
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Orthophosphate-Dissolved (as P)	mg/L	0.0001	3/12/20 16:35	EPA 3030B/6020A (mod)	mg/L	0.00002
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Phenanthrene	mg/L	0.00002	10/10/18 9:07	EPA 3511/8270D (mod)	mg/L	0.000025
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Phenanthrene	ug/L	0.02	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Phenanthrene	ug/L	0.02	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Phenanthrene	ug/L	0.02	10/10/19 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Phenanthrene	ug/L	0.02	3/13/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	2173511-1	Phenanthrene d10	%	1	10/10/18 9:07	EPA 3511/8270D (mod)	%	89.7
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Phenanthrene d10	%	1	6/5/19 12:19	EPA 3511/8270D (mod)	%	107.1
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Phenanthrene d10	%	1	8/12/19 10:02	EPA 3511/8270D (mod)	%	121.6
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Phenanthrene d10	%	1	10/12/19 0:00	EPA 3511/8270D (mod)	%	107.5
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Phenanthrene d10	%	1	3/12/20 0:00	EPA 3511/8270D (mod)	%	110.4
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Phenols (4AAP)	mg/L	0.0001	8/7/19 0:00	EPA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0003
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Phenols (4AAP)	mg/L	0.0001	8/12/19 16:00	EPA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	0.0039
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Phenols (4AAP)	mg/L	0.0001	10/7/19 20:00	EPA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Phenols (4AAP)	mg/L	0.0001	10/12/19 21:32	EPA 4500-P PHOSPHORUS	mg/L	0.105
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Phenols (4AAP)	mg/L	0.0001	3/12/20 12:48	EPA 4500-P PHOSPHORUS	mg/L	0.024
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Phenols (4AAP)	mg/L	0.0001	3/13/19 16:15	EPA 3030B/6020A (mod)	mg/L	0.0116
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Phenols (4AAP)	mg/L	0.0001	10/2/18 12:59	EPA 3030B/6020A (mod)	mg/L	-0.005
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Phenols (4AAP)	mg/L	0.0001	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	0.054
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Phenols (4AAP)	mg/L	0.0001	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	-0.005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Phenols (4AAP)	mg/L	0.0001	3/12/20 16:35	EPA 200/2/6020A (mod)	mg/L	-0.005
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	2242116-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/12/19 12:59	EPA 3030B/6020A (mod)	mg/L	-0.00039
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	2283659-3	Rubidium (Rb)-Dissolved	mg/L	0.0002	6/10/19 16:29	EPA 3030B/6020A (mod)	mg/L	-0.00024
GW-MP1-PW	L2325346	8/8/19 9:25	8/7/19	11:40 AM	2325346-3	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/9/19 16:04	EPA 3030B/6020A (mod)	mg/L	0.00024
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	2360195-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	10/10/19 15:30	EPA 3030B/6020A (mod)	mg/L	0.00021
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	3/12/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.00022
GW-MP1-PW	L2242116	3/9/										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Silicon (Si)-Total	mg/L	0.05	10/8/19 17:00	EPA 200_2/6020A (mod)	mg/L	2.02
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	L2426723-1	Silicon (Si)-Total	mg/L	0.05	3/13/20 16:35	EPA 200_2/6020A (mod)	mg/L	2.53
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Silver (Ag)-Dissolved	mg/L	0.00001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Silver (Ag)-Dissolved	mg/L	0.00001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Silver (Ag)-Dissolved	mg/L	0.00001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Silver (Ag)-Total	mg/L	0.00001	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Silicon (Na)-Dissolved	mg/L	0.00001	10/8/19 15:30	APHA 3030B/6020A (mod)	mg/L	2.76
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Silicon (Na)-Dissolved	mg/L	0.00001	3/12/20 16:35	EPA 200_2/6020A (mod)	mg/L	4.49
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Sodium (Na)-Total	mg/L	0.05	10/3/18 14:03	EPA 200_2/6020A (mod)	mg/L	5.22
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Sodium (Na)-Total	mg/L	0.05	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	4.39
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Sodium (Na)-Total	mg/L	0.05	6/10/19 16:29	APHA 200_2/6020A (mod)	mg/L	1.6
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Sodium (Na)-Total	mg/L	0.05	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	2.16
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Sodium (Na)-Total	mg/L	0.05	10/8/19 17:00	APHA 200_2/6020A (mod)	mg/L	2.74
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Sodium (Na)-Total	mg/L	0.05	3/13/20 16:35	EPA 200_2/6020A (mod)	mg/L	4.2
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Stronitium (Sr)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	0.162
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Stronitium (Sr)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	0.158
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Stronitium (Sr)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	0.112
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Stronitium (Sr)-Dissolved	mg/L	0.0002	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	0.128
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Stronitium (Sr)-Dissolved	mg/L	0.0002	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.143
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Stronitium (Sr)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.19
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Stronitium (Sr)-Total	mg/L	0.0002	10/3/18 14:03	EPA 200_2/6020A (mod)	mg/L	0.167
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Stronitium (Sr)-Total	mg/L	0.0002	3/13/19 16:15	APHA 200_2/6020A (mod)	mg/L	0.178
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Stronitium (Sr)-Total	mg/L	0.0002	6/10/19 16:29	APHA 200_2/6020A (mod)	mg/L	0.116
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Stronitium (Sr)-Total	mg/L	0.0002	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	0.125
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Stronitium (Sr)-Total	mg/L	0.0002	10/8/19 17:00	EPA 200_2/6020A (mod)	mg/L	0.14
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Stronitium (Sr)-Total	mg/L	0.0002	3/12/20 16:35	APHA 200_2/6020A (mod)	mg/L	0.188
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Sulfate (SO4)	mg/L	0.3	10/2/18 7:14	EPA 300_1 (mod)	mg/L	19.3
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Sulfate (SO4)	mg/L	0.3	3/12/19 11:29	EPA 300_1 (mod)	mg/L	20.4
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Sulfate (SO4)	mg/L	0.3	6/2/19 15:06	EPA 300_1 (mod)	mg/L	5.85
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Sulfate (SO4)	mg/L	0.3	8/9/19 19:28	EPA 300_1 (mod)	mg/L	10.2
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Sulfate (SO4)	mg/L	0.3	10/4/19 9:23	EPA 300_1 (mod)	mg/L	15.1
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Sulfate (SO4)	mg/L	0.3	3/11/20 9:24	EPA 300_1 (mod)	mg/L	19.6
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Sulfur (S)-Dissolved	mg/L	0.5	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	6.81
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Sulfur (S)-Dissolved	mg/L	0.5	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	8.16
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Sulfur (S)-Dissolved	mg/L	0.5	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	2.14
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Sulfur (S)-Dissolved	mg/L	0.5	8/9/19 16:04	APHA 3030B/6020A (mod)	mg/L	4.17
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Sulfur (S)-Dissolved	mg/L	0.5	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	4.95
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Sulfur (S)-Dissolved	mg/L	0.5	3/12/20 16:35	EPA 300_1 (mod)	mg/L	6.83
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Sulfur (S)-Total	mg/L	0.5	10/3/18 14:03	EPA 200_2/6020A (mod)	mg/L	6.81
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Sulfur (S)-Total	mg/L	0.5	3/13/19 16:15	APHA 200_2/6020A (mod)	mg/L	7.59
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Sulfur (S)-Total	mg/L	0.5	6/10/19 16:29	APHA 200_2/6020A (mod)	mg/L	2.38
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Sulfur (S)-Total	mg/L	0.5	8/12/19 14:39	APHA 200_2/6020A (mod)	mg/L	3.57
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Sulfur (S)-Total	mg/L	0.5	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	4.91
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Sulfur (S)-Total	mg/L	0.5	3/13/20 16:35	EPA 200_2/6020A (mod)	mg/L	6.47
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Tellurium (Te)-Dissolved	mg/L	0.0002	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Tellurium (Te)-Dissolved	mg/L	0.0002	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Tellurium (Te)-Dissolved	mg/L	0.0002	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Tellurium (Te)-Dissolved	mg/L	0.0002	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Tellurium (Te)-Dissolved	mg/L	0.0002	10/10/19 17:00	EPA 200_2/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Tellurium (Te)-Dissolved	mg/L	0.0002	3/12/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Thallium (Tl)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Thallium (Tl)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Thallium (Tl)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Thallium (Tl)-Dissolved	mg/L	0.0001	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Thallium (Tl)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Thallium (Tl)-Dissolved	mg/L	0.0001	3/12/20 16:35	EPA 200_2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Thiomium (Ti)-Dissolved	mg/L	0.0003	10/2/18 12:59	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Thiomium (Ti)-Dissolved	mg/L	0.0003	3/13/19 16:15	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Thiomium (Ti)-Dissolved	mg/L	0.0003	6/10/19 16:29	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Thiomium (Ti)-Dissolved	mg/L	0.0003	8/19/19 16:04	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Thiomium (Ti)-Dissolved	mg/L	0.0003	10/10/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Thiomium (Ti)-Dissolved	mg/L	0.0003	3/12/20 16:35	EPA 200_2/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2173511	10/1/18 8:50	9/27/18	9:00 AM	L2173511-1	Total Dissolved Solids	mg/L	20	-10/4/18 8:50	APHA 2540-C GRAVIMETRIC	mg/L	197
GW-MP1-PW	L2242116	3/9/19 8:50	3/7/19	10:30 AM	L2242116-2	Total Dissolved Solids	mg/L	20	3/13/19 14:00	APHA 2540-C	mg/L	183
GW-MP1-PW	L2283659	6/1/19 9:30	5/30/19	2:15 PM	L2283659-3	Total Dissolved Solids	mg/L	20	6/5/19 16:00	APHA 2540-C	mg/L	143
GW-MP1-PW	L235346	8/8/19 9:25	8/7/19	11:40 AM	L235346-3	Total Dissolved Solids	mg/L	20	8/19/19 15:30	APHA 2540-C	mg/L	162
GW-MP1-PW	L2360195	10/4/19 9:40	10/3/19	10:15 AM	L2360195-2	Total Dissolved Solids	mg/L	20	10/7/19 13:00	APHA 2540-C	mg/L	155
GW-MP1-PW	L2426723	3/1/20 8:50	3/10/20	9:35 AM	L2426723-1	Total						

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2283659	6/19/9:30	5/30/19	2:15 PM	2283659-3	Total Nitrogen	mg/L	0.05	6/10/19 7:34	APHA 4500 N-Calculated	mg/L	0.429
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Total Nitrogen	mg/L	0.05	8/16/19 15:40	APHA 4500 N-Calculated	mg/L	0.44
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Total Nitrogen	mg/L	0.05	10/9/19 12:19	APHA 4500 N-Calculated	mg/L	0.194
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Total Nitrogen	mg/L	0.05	3/13/20 11:45	APHA 4500 N-Calculated	mg/L	0.171
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Total Organic Carbon	mg/L	0.5	10/9/18 23:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	4.22
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Total Organic Carbon	mg/L	0.5	3/19/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.2
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Total Organic Carbon	mg/L	0.5	6/4/19 09:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Total Organic Carbon	mg/L	0.5	8/10/19 13:30	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.89
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Total Organic Carbon	mg/L	0.5	10/12/19 10:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.69
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Total Organic Carbon	mg/L	0.5	3/14/20 13:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Total Suspended Solids	mg/L	2	10/4/18 13:25	APHA 2540D	mg/L	53.2
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Tungsten (W)-Dissolved	mg/L	0.0001	10/2/18 12:50	APHA 3020B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Tungsten (W)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Tungsten (W)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Tungsten (W)-Dissolved	mg/L	0.0001	8/12/19 14:39	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Tungsten (W)-Dissolved	mg/L	0.0001	10/9/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Tungsten (W)-Dissolved	mg/L	0.0001	3/12/20 16:00	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Tungsten (W)-Total	mg/L	0.0001	10/3/19 14:03	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Tungsten (W)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Tungsten (W)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Tungsten (W)-Total	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Tungsten (W)-Total	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Tungsten (W)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Turbidity	NTU	0.1	10/2/18 18:00	APHA 2130 Turbidity	NTU	79.2
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Turbidity	NTU	0.1	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Turbidity	NTU	0.1	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Turbidity	NTU	0.1	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Turbidity	NTU	0.1	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0001
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Turbidity	NTU	0.1	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Uranium (U)-Dissolved	mg/L	0.0001	10/2/18 12:59	APHA 3030B (6020A) (mod)	mg/L	0.000457
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Uranium (U)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B (6020A) (mod)	mg/L	0.000292
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Uranium (U)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B (6020A) (mod)	mg/L	0.00019
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Uranium (U)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	0.000232
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Uranium (U)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	0.000221
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Uranium (U)-Dissolved	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Uranium (U)-Total	mg/L	0.0001	10/2/18 12:59	APHA 3030B (6020A) (mod)	mg/L	0.000336
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Uranium (U)-Total	mg/L	0.0001	3/13/19 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Uranium (U)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Uranium (U)-Total	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Uranium (U)-Total	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Uranium (U)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Vanadium (V)-Dissolved	mg/L	0.0001	10/3/19 14:03	APHA 200/2/6020A (mod)	mg/L	0.00436
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Vanadium (V)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000052
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Vanadium (V)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Vanadium (V)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Vanadium (V)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Vanadium (V)-Dissolved	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Vanadium (V)-Total	mg/L	0.0001	10/8/19 17:00	APHA 200/2/6020A (mod)	mg/L	0.000247
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Vanadium (V)-Total	mg/L	0.0001	3/13/19 16:35	APHA 200/2/6020A (mod)	mg/L	0.000336
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Vanadium (V)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Vanadium (V)-Total	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Vanadium (V)-Total	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0005
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Vanadium (V)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Zinc (Zn)-Dissolved	mg/L	0.0001	10/2/18 12:50	APHA 3030B (6020A) (mod)	mg/L	0.0582
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Zinc (Zn)-Dissolved	mg/L	0.0001	3/13/19 16:15	APHA 3030B (6020A) (mod)	mg/L	0.0035
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Zinc (Zn)-Dissolved	mg/L	0.0001	6/10/19 16:29	APHA 3030B (6020A) (mod)	mg/L	0.0002
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Zinc (Zn)-Dissolved	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	0.0002
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Zinc (Zn)-Dissolved	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0003
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Zinc (Zn)-Dissolved	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Zinc (Zn)-Total	mg/L	0.0001	10/3/19 14:03	APHA 200/2/6020A (mod)	mg/L	0.000374
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Zinc (Zn)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.0003
GW-MP1-PW	L2283659	6/1/19:30	5/30/19	2:15 PM	2283659-3	Zinc (Zn)-Total	mg/L	0.0001	6/10/19 16:29	APHA 200/2/6020A (mod)	mg/L	0.0003
GW-MP1-PW	L2325346	8/8/9:25	8/7/19	11:40 AM	2325346-3	Zinc (Zn)-Total	mg/L	0.0001	8/9/19 16:04	APHA 3030B (6020A) (mod)	mg/L	0.000394
GW-MP1-PW	L2360195	10/4/9:40	10/3/19	10:15 AM	2360195-2	Zinc (Zn)-Total	mg/L	0.0001	10/10/19 15:30	APHA 3030B (6020A) (mod)	mg/L	-0.0003
GW-MP1-PW	L2426723	3/11/20 8:50	3/10/20	9:35 AM	2426723-1	Zinc (Zn)-Total	mg/L	0.0001	3/12/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.0003
GW-MP1-PW	L2173511	10/18/8:50	9/27/18	9:00 AM	2173511-1	Zinc (Zn)-Total	mg/L	0.0001	10/3/19 14:03	APHA 200/2/6020A (mod)	mg/L	0.000303
GW-MP1-PW	L2242116	3/9/19:50	3/7/19	10:30 AM	2242116-2	Zinc (Zn)-Total	mg/L	0.0001	3/13/19 16:15	APHA 200/2/6020A (mod)	mg/L	0.000336
GW-MP1-PW	L2283659	6/1/19:30	5/30/19									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Barium (Ba)-Total	mg/L	0.0001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.0975
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Benz(a)anthracene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Benz(a)anthracene	ug/L	0.01	8/20/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Benz(a)anthracene	ug/L	0.01	10/17/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Benz(a)pyrene	ug/L	0.005	6/10/19 0:00	EPA 3511/8/2720D	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Benz(a)pyrene	ug/L	0.005	10/17/19 0:00	EPA 3511/8/2720D	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Benz(b)fluoranthene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Benz(b)fluoranthene	ug/L	0.01	8/20/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Benz(b)fluoranthene	ug/L	0.01	10/17/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Benz(b,h)perylene	ug/L	0.01	6/10/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Benz(b,h)perylene	ug/L	0.01	8/20/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Benz(b,h)perylene	ug/L	0.01	10/17/19 0:00	EPA 3511/8/2720D	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Beryllium (Be)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Beryllium (Be)-Dissolved	mg/L	0.0001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Beryllium (Be)-Total	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Beryllium (Be)-Total	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Beryllium (Be)-Total	mg/L	0.0001	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Bismuth (Bi)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Bismuth (Bi)-Dissolved	mg/L	0.0005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Bismuth (Bi)-Dissolved	mg/L	0.0005	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Bismuth (Bi)-Total	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Bismuth (Bi)-Total	mg/L	0.0005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Bismuth (Bi)-Total	mg/L	0.0005	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Bromide (Br)	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Bromide (Br)	mg/L	0.05	8/13/19 8:57	APHA 300 (mod)	mg/L	-0.05
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Bromide (Br)	mg/L	0.05	10/11/19 8:43	APHA 300 (mod)	mg/L	-0.05
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.000012
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.000017
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000026
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cadmium (Cd)-Total	mg/L	0.00005	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.0000201
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cadmium (Cd)-Total	mg/L	0.00005	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	0.000016
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cadmium (Cd)-Total	mg/L	0.00005	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000016
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cadmium (Cd)-Total	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0000429
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cadmium (Cd)-Total	mg/L	0.00005	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	0.0000429
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cadmium (Cd)-Total	mg/L	0.00005	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.0000429
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cadmium (Ca)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	23.1
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cadmium (Ca)-Dissolved	mg/L	0.05	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	30.2
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cadmium (Ca)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	29.8
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cadmium (Ca)-Total	mg/L	0.05	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	23.4
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cadmium (Ca)-Total	mg/L	0.05	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	28.9
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cadmium (Ca)-Total	mg/L	0.05	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	28.4
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cation - Anion Balance	%	6/13/19 18:34	APHA 1030E	%	-1.2	
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cation - Anion Balance	%	6/22/19 16:05	APHA 1030E	%	3.7	
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cation - Anion Balance	%	6/10/19 16:54	APHA 1030E	%	-4.2	
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cation Sum	meg/L	6/13/19 18:34	APHA 1030E	meg/L	1.61	
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cation Sum	meg/L	6/22/19 16:05	APHA 1030E	meg/L	2.23	
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cation Sum	meg/L	6/10/19 16:54	APHA 1030E	meg/L	2.2	
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cesium (Cs)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cesium (Cs)-Dissolved	mg/L	0.0001	8/21/19 16:01	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cesium (Cs)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cesium (Cs)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.00004
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cesium (Cs)-Total	mg/L	0.0001	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	0.00003
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Cesium (Cs)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000076
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Chrysene	mg/L	0.01	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Chrysene	mg/L	0.01	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Chrysene	mg/L	0.01	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Chromium (Cr)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00021
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Chromium (Cr)-Dissolved	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00016
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Chromium (Cr)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00022
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Chromium (Cr)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.00019
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Chromium (Cr)-Total	mg/L	0.0001	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	0.000076
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Chromium (Cr)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	0.000076
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Chrysene d12	%	1	6/10/19 0:00	APHA 3511/8/2720D	%	114
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Chrysene d12	%	1	8/20/19 0:00	APHA 3511/8/2720D	%	95.7
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Chrysene d12	%	1	10/17/19 0:00	APHA 3511/8/2720D	%	103.7
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Cobalt (Co)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Cobalt (Co)-Dissolved	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Lead (Pb)-Total	mg/L	0.00005	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.000341
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Lead (Pb)-Total	mg/L	0.00005	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.000564
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Lithium (Li)-Dissolved	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0043
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Lithium (Li)-Dissolved	mg/L	0.001	8/11/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.0047
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Lithium (Li)-Dissolved	mg/L	0.001	10/7/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.0058
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Lithium (Li)-Total	mg/L	0.001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0038
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Lithium (Li)-Total	mg/L	0.001	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.0056
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Lithium (Li)-Total	mg/L	0.001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.0055
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Magnesium (Mg)-Dissolved	mg/L	0.005	6/12/19 15:30	APHA 3030B/6020A (mod)	mg/L	4.12
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	6.86
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Magnesium (Mg)-Dissolved	mg/L	0.005	10/7/19 15:45	APHA 3030B/6020A (mod)	mg/L	6.87
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Magnesium (Mg)-Total	mg/L	0.005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0127
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Magnesium (Mg)-Total	mg/L	0.001	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.0184
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Magnesium (Mg)-Total	mg/L	0.001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.0137
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Mercury (Hg)-Dissolved	mg/L	0.00005	6/1/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Mercury (Hg)-Dissolved	mg/L	0.00005	8/20/19 13:12	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Mercury (Hg)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Mercury (Hg)-Total	mg/L	0.00005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.006611
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00585
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00727
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Molybdenum (Mo)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00646
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.00223
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Molybdenum (Mo)-Total	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00092
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Manganese (Mn)-Dissolved	mg/L	0.001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0127
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Manganese (Mn)-Dissolved	mg/L	0.001	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.0184
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Manganese (Mn)-Dissolved	mg/L	0.001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	6.46
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Manganese (Mn)-Total	mg/L	0.001	6/12/19 17:23	APHA 3030B/EPA 1631E (mod)	mg/L	6.98
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Manganese (Mn)-Total	mg/L	0.001	8/21/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	0.00464
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Manganese (Mn)-Total	mg/L	0.001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00223
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Manganese (Mn)-Total	mg/L	0.001	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.0127
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Manganese (Mn)-Total	mg/L	0.001	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.0184
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Manganese (Mn)-Total	mg/L	0.001	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	0.0137
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Mercury (Hg)-Dissolved	mg/L	0.00005	6/1/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Mercury (Hg)-Dissolved	mg/L	0.00005	8/20/19 13:12	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Mercury (Hg)-Dissolved	mg/L	0.00005	10/17/19 14:51	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Mercury (Hg)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Mercury (Hg)-Total	mg/L	0.00005	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Mercury (Hg)-Total	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.006611
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/21/19 17:23	APHA 3030B/6020A (mod)	mg/L	0.00585
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Molybdenum (Mo)-Dissolved	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00727
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Molybdenum (Mo)-Total	mg/L	0.00005	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.00646
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/20/19 13:12	APHA 3030B/6020A (mod)	mg/L	0.00223
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Molybdenum (Mo)-Total	mg/L	0.00005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.00092
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Naphthalene	ug/L	0.02	6/10/19 00:00	EPA 3511/8/270D	mg/L	-0.00002
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Naphthalene	ug/L	0.02	10/17/19 10:00	EPA 3511/8/270D	mg/L	-0.00002
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Nitrate (as N)	mg/L	0.005	8/13/19 05:57	EPA 300 1 (mod)	mg/L	0.0164
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Nitrate (as N)	mg/L	0.005	10/11/19 04:33	EPA 300 1 (mod)	mg/L	0.0454
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Nitrate (as N)	mg/L	0.005	6/4/19 15:09	CALCULATION	mg/L	0.0087
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Nitrate (as N)	mg/L	0.005	10/16/19 15:59	CALCULATION	mg/L	0.0454
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Nitrate (as N)	mg/L	0.005	6/3/19 08:06	EPA 300 1 (mod)	mg/L	-0.001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Nitrate (as N)	mg/L	0.005	8/13/19 08:06	EPA 300 1 (mod)	mg/L	-0.001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Nitrate (as N)	mg/L	0.005	10/15/19 14:00	EPA 300 1 (mod)	mg/L	-0.001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Phosphorus (P)-Col Total	mg/L	0.002	6/9/19 10:24	APHA 4500-P PHOSPHORUS	mg/L	0.0304
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Phosphorus (P)-Col Total	mg/L	0.002	8/6/19 11:14	APHA 4500-P PHOSPHORUS	mg/L	0.0097
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Phosphorus (P)-Col Total	mg/L	0.002	10/13/19 19:50	APHA 4500-P PHOSPHORUS	mg/L	0.0113
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Phosphorus (P)-Dissolved	mg/L	0.05	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Phosphorus (P)-Dissolved	mg/L	0.05	8/02/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Phosphorus (P)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Phosphorus (P)-Total	mg/L	0.05	6/12/19 17:23	EPA 200/2/6020A (mod)	mg/L	0.05
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Phosphorus (P)-Total	mg/L	0.05	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	0.05
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	L2364371-4	Phosphorus (P)-Total	mg/L	0.05	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	0.05
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	L2284090-3	Quinoline	ug/L	0.05	6/10/19 00:00	EPA 3511/8/270D	mg/L	-0.00005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	L2327127-1	Quinoline	ug/L	0.05	8/20/19			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Tellurium (Te)-Total	mg/L	0.0002	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Tellurium (Te)-Total	mg/L	0.0002	10/17/19 15:30	EPA 200/2/6020A (mod)	mg/L	-0.0002
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Thallium (Tl)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Thallium (Tl)-Dissolved	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Thallium (Tl)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Thallium (Tl)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Thallium (Tl)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Thallium (Tl)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Tin (Sn)-Dissolved	mg/L	0.0001	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Tin (Sn)-Dissolved	mg/L	0.0001	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Tin (Sn)-Dissolved	mg/L	0.0001	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Tin (Sn)-Total	mg/L	0.0001	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Tin (Sn)-Total	mg/L	0.0001	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	-0.00002
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Tin (Sn)-Total	mg/L	0.0001	10/17/19 15:30	APHA 200/2/6020A (mod)	mg/L	-0.00002
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Total Dissolved Solids	mg/L	0.0003	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Total Dissolved Solids	mg/L	0.0003	8/21/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Total Dissolved Solids	mg/L	0.0003	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Total Inorganic Carbon	mg/L	1	6/8/19 3:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	19.8
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Total Inorganic Carbon	mg/L	0.5	8/19/19 0:51	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	23.8
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Total Inorganic Carbon	mg/L	1	10/15/19 10:39	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	26.5
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Total Kjeldahl Nitrogen	mg/L	0.05	6/10/19 13:00	APHA 4500-NORG (TKN)	mg/L	-0.05
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Total Kjeldahl Nitrogen	mg/L	0.05	8/12/19 15:00	APHA 4500-NORG (TKN)	mg/L	0.163
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Total Kjeldahl Nitrogen	mg/L	0.05	10/11/19 15:30	APHA 4500-NORG (TKN)	mg/L	0.058
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Tungsten (W)-Dissolved	mg/L	20	8/15/19 15:00	APHA 2540 C	mg/L	119
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Tungsten (W)-Dissolved	mg/L	20	10/11/19 15:30	APHA 2540 C	mg/L	99
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Tungsten (W)-Dissolved	mg/L	0.05	8/21/19 16:35	APHA 4500 N-Calculated	mg/L	0.18
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Tungsten (W)-Total	mg/L	0.05	10/16/19 16:04	APHA 4500 N-Calculated	mg/L	0.103
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Tungsten (W)-Total	mg/L	0.05	8/7/19 8:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	0.51
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Tungsten (W)-Total	mg/L	0.05	10/15/19 10:39	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.19
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Uranium (U)-Dissolved	mg/L	0.05	10/19/19 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.05
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Uranium (U)-Dissolved	mg/L	0.05	8/12/19 15:00	APHA 3030B/6020A (mod)	mg/L	0.000107
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Uranium (U)-Dissolved	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	0.000135
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Uranium (U)-Total	mg/L	0.05	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	0.000109
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Uranium (U)-Total	mg/L	0.05	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	0.000164
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Uranium (U)-Total	mg/L	0.05	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0002
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Vanadium (V)-Dissolved	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Vanadium (V)-Dissolved	mg/L	0.0005	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Vanadium (V)-Dissolved	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Vanadium (V)-Total	mg/L	0.0005	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Vanadium (V)-Total	mg/L	0.0005	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Vanadium (V)-Total	mg/L	0.0005	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Vanadium (V)-Dissolved	ug/L	0.05	6/19/19 0:00	EPHA 3511/8270D	mg/L	-0.00063
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Vanadium (V)-Dissolved	ug/L	0.05	8/22/19 16:01	EPA 200/2/6020A (mod)	mg/L	-0.00078
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Vanadium (V)-Dissolved	ug/L	0.0005	10/17/19 15:30	APHA 3030B/6020A (mod)	mg/L	-0.00078
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Zinc (Zn)-Dissolved	mg/L	0.0006	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Zinc (Zn)-Dissolved	mg/L	0.0006	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Zinc (Zn)-Dissolved	mg/L	0.0006	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Zinc (Zn)-Total	mg/L	0.0006	6/12/19 17:23	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Zinc (Zn)-Total	mg/L	0.0006	8/22/19 16:01	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Zinc (Zn)-Total	mg/L	0.0006	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Zinc (Zn)-Dissolved	mg/L	0.0006	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Zinc (Zn)-Dissolved	mg/L	0.0006	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Zinc (Zn)-Dissolved	mg/L	0.0006	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Zinc (Zn)-Total	mg/L	0.0006	6/12/19 17:23	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-1	Zinc (Zn)-Total	mg/L	0.0006	8/22/19 16:01	APHA 200/2/6020A (mod)	mg/L	-0.0006
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:05 PM	2364371-4	Zinc (Zn)-Total	mg/L	0.0006	10/17/19 15:45	APHA 3030B/6020A (mod)	mg/L	-0.0006
GW-PP2	L2284090	6/3/19 12:40	6/1/19	8:40 AM	2284090-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/11/19 15:29	APHA 1030E	meq/L	-0.1
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-2	Antimony (Sb)-Dissolved	mg/L	0.0003	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:15 PM	2364371-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-PP2	L2284090	6/3/19 12:40	6/1/19	9:10 AM	2284090-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/11/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-2	Antimony (Sb)-Dissolved	mg/L	0.0003	3/15/20 16:00	APHA 200/2/6020A (mod)	mg/L	-0.0003
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:15 PM	2364371-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/5/19 16:47	EPA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2284090	6/3/19 12:40	6/1/19	9:10 AM	2284090-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/11/19 15:00	EPA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-2	Antimony (Sb)-Dissolved	mg/L	0.0003	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-PP2	L2364371	10/10/19 9:10	10/7/19	3:15 PM	2364371-3	Antimony (Sb)-Dissolved	mg/L	0.0003	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.0003
GW-PP2	L2284090	6/3/19 12:40	6/1/19	9:10 AM	2284090-3	Antimony (Sb)-Total	mg/L	0.0003	6/11/19 15:29	APHA 1030E	meq/L	-0.1
GW-PP2	L2327127	8/13/19 8:02	8/11/19	11:20 AM	2327127-2	Antimony (Sb)-Total	mg/L	0.0003	3/15/20 16:00	APHA 200/2/6020A (mod)		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Benz(a)anthracene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Benz(a)anthracene	ug/L	0.01	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Benz(a)anthracene	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Benz(a)pyrene	ug/L	0.005	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00005	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Benz(a)pyrene	ug/L	0.005	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Benz(b)fluoranthene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Benz(b)fluoranthene	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Benz(h,i)pyrene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Benz(h,i)pyrene	ug/L	0.01	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Benz(h,i)pyrene	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Benz(j)fluoranthene	ug/L	0.01	6/4/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Benz(j)fluoranthene	ug/L	0.01	6/5/19 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Benz(j)fluoranthene	ug/L	0.01	3/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Beryllium (Be)-Dissolved	mg/L	0.0001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Beryllium (Be)-Dissolved	mg/L	0.0001	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Beryllium (Be)-Dissolved	mg/L	0.0001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Beryllium (Be)-Total	mg/L	0.0001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Beryllium (Be)-Total	mg/L	0.0001	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Beryllium (Be)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Beryllium (Br)-Total	mg/L	0.0001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Beryllium (Br)-Total	mg/L	0.0001	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Beryllium (Br)-Total	mg/L	0.0001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Bismuth (Bi)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Bismuth (Bi)-Total	mg/L	0.00005	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Bismuth (Bi)-Total	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Bromide (Br)	mg/L	0.05	5/30/19 9:45	APHA 300 1 (mod)	mg/L	-0.05	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Bromide (Br)	mg/L	0.05	6/4/19 9:55	APHA 300 1 (mod)	mg/L	-0.05	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Bromide (Br)	mg/L	0.05	3/12/20 10:36	APHA 300 1 (mod)	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cadmium (Cd)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cadmium (Cd)-Total	mg/L	0.00005	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cadmium (Cd)-Total	mg/L	0.00005	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Calcium (Ca)-Dissolved	mg/L	0.05	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.05	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Calcium (Ca)-Dissolved	mg/L	0.05	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.05	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Calcium (Ca)-Dissolved	mg/L	0.05	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Calcium (Ca)-Total	mg/L	0.05	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.05	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Calcium (Ca)-Total	mg/L	0.05	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.05	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Calcium (Ca)-Total	mg/L	0.05	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Calcium - Anion Balance	%	6/11/19 17:04	APHA 1030E	%	0	0	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Calcium - Anion Balance	%	6/11/19 15:29	APHA 1030E	%	-91.5		
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Calcium - Anion Balance	%	3/18/20 13:20	APHA 1030E	%	0		
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Calcium Sum	meg/L	6/11/19 17:04	APHA 1030E	meg/L	-0.1		
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Calcium Sum	meg/L	6/11/19 15:29	APHA 1030E	meg/L	-0.1		
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Calcium Sum	meg/L	6/12/20 13:20	APHA 1030E	meg/L	-0.1		
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cesium (Cs)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cesium (Cs)-Dissolved	mg/L	0.00001	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cesium (Cs)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cesium (Cs)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cesium (Cs)-Total	mg/L	0.00001	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cesium (Cs)-Total	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cesium (Cs)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cesium (Cs)-Total	mg/L	0.00001	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cesium (Cs)-Total	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Chrysene	ug/L	0.01	6/4/19 0:00	APHA 3511/8270D	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Chrysene	ug/L	0.01	6/5/19 0:00	APHA 3511/8270D	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Chrysene	ug/L	0.01	3/13/20 16:35	APHA 3511/8270D	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Chrysene d12	%	1	6/4/19 0:00	APHA 3511/8270D	%	113.2	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Chrysene d12	%	1	6/5/19 0:00	APHA 3511/8270D	%	115	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Chrysene d12	%	1	3/19/20 0:00	APHA 3511/8270D	%	87.8	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cobalt (Co)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cobalt (Co)-Dissolved	mg/L	0.00001	6/11/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cobalt (Co)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Cobalt (Co)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Cobalt (Co)-Total	mg/L	0.00001	6/11/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Cobalt (Co)-Total	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Conductivity (@ 25C)	uS/cm	2	6/6/19 15:00	APHA 2510 B	uS/cm	-2	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Conductivity (@ 25C)	uS/cm	2	6/8/19 15:00	APHA 2510 B	uS/cm	-2	
L												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
L_22827323		3/12/20 8:50	3/11/20	11:00 AM	L2427323-2	Lead (Pb)-Total	mg/L	0.00005	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Lithium (Li)-Dissolved	mg/L	0.001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Lithium (Li)-Dissolved	mg/L	0.001	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Lithium (Li)-Dissolved	mg/L	0.001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Lithium (Li)-Total	mg/L	0.001	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Lithium (Li)-Total	mg/L	0.001	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Magnesium (Mg)-Dissolved	mg/L	0.005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Magnesium (Mg)-Dissolved	mg/L	0.005	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Magnesium (Mg)-Dissolved	mg/L	0.005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Magnesium (Mg)-Total	mg/L	0.005	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Magnesium (Mg)-Total	mg/L	0.005	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Magnesium (Mg)-Total	mg/L	0.005	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Manganese (Mn)-Dissolved	mg/L	0.001	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Manganese (Mn)-Dissolved	mg/L	0.001	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Manganese (Mn)-Dissolved	mg/L	0.001	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Manganese (Mn)-Total	mg/L	0.001	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Manganese (Mn)-Total	mg/L	0.001	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Manganese (Mn)-Total	mg/L	0.001	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Mercury (Hg)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Mercury (Hg)-Dissolved	mg/L	0.00005	6/6/19 15:30	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Mercury (Hg)-Dissolved	mg/L	0.00005	3/17/20 16:35	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Mercury (Hg)-Total	mg/L	0.00005	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Mercury (Hg)-Total	mg/L	0.00005	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Mercury (Hg)-Total	mg/L	0.00005	3/13/20 17:11	EPA 1631E (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 1631E (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Molybdenum (Mo)-Total	mg/L	0.00005	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Molybdenum (Mo)-Total	mg/L	0.00005	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Molybdenum (Mo)-Total	mg/L	0.00005	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Naphthalene	ug/L	0.02	6/4/19 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Naphthalene	ug/L	0.02	6/5/19 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Naphthalene	ug/L	0.02	3/19/20 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Nickel (Ni)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Nickel (Ni)-Dissolved	mg/L	0.00005	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Nickel (Ni)-Dissolved	mg/L	0.00005	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Nickel (Ni)-Total	mg/L	0.00005	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Nickel (Ni)-Total	mg/L	0.00005	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Nickel (Ni)-Total	mg/L	0.00005	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.00005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Nitrate (as N)	mg/L	0.005	5/30/19 04:45	EPA 300-1 (mod)	mg/L	-0.005
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Nitrate (as N)	mg/L	0.005	6/4/19 05:53	EPA 300-1 (mod)	mg/L	0.0146
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Nitrate (as N)	mg/L	0.005	3/12/20 10:36	EPA 300-1 (mod)	mg/L	-0.005
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Nitrate and Nitrite (as N)	mg/L	0.001	6/5/19 10:54	CALCULATION	mg/L	-0.0051
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Nitrate and Nitrite (as N)	mg/L	0.001	6/5/19 10:59	CALCULATION	mg/L	0.0146
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Nitrate and Nitrite (as N)	mg/L	0.001	3/13/20 11:45	CALCULATION	mg/L	-0.0051
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Nitrite (as N)	mg/L	0.001	5/30/19 04:45	EPA 300-1 (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Nitrite (as N)	mg/L	0.001	6/4/19 05:53	EPA 300-1 (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Nitrite (as N)	mg/L	0.001	3/12/20 10:36	EPA 300-1 (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	5/30/19 18:00	APHA 4500-P PHOSPHORUS	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Orthophosphate-Dissolved (as P)	mg/L	0.001	6/3/19 17:38	APHA 4500-P PHOSPHORUS	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Orthophosphate-Dissolved (as P)	mg/L	0.001	3/12/20 14:20	APHA 4500-P PHOSPHORUS	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	pH	pH	0.1	6/6/19 15:00	APHA 4500-H-Electrode	pH	5.89
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	pH	pH	0.1	6/8/19 15:00	APHA 4500-H-Electrode	pH	6.23
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	pH	pH	0.1	3/12/20 14:20	APHA 4500-H-Electrode	pH	5.37
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Phenanthrene	ug/L	0.02	6/4/19 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Phenanthrene	ug/L	0.02	6/5/19 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Phenanthrene	ug/L	0.02	3/19/20 00:00	EPA 3511/8270D	mg/L	-0.00002
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Potassium (K)-Dissolved	mg/L	0.001	6/5/19 16:47	EPA 3030B/6020A (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Potassium (K)-Dissolved	mg/L	0.001	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Potassium (K)-Dissolved	mg/L	0.001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Potassium (K)-Total	mg/L	0.001	6/5/19 16:47	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Potassium (K)-Total	mg/L	0.001	6/1/19 15:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Potassium (K)-Total	mg/L	0.001	3/15/20 16:00	EPA 200/2/6020A (mod)	mg/L	-0.001
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Rubidium (Rb)-Dissolved	mg/L	0.00002	6/5/19 16:47	EPA 3030B/6020A (mod)	mg/L	-0.00002
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	9:10 AM	L2284033-3	Rubidium (Rb)-Dissolved	mg/L	0.00002	6/1/19 15:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	11:00 AM	L2427323-2	Rubidium (Rb)-Dissolved	mg/L	0.00002	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00002
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2:25 PM	L2282518-3	Selenium (Se)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005
L_228403												

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Thallium (Tl)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2284033	6/3/19 12:40	6/2/19	9:10 AM	2284033-3	Thallium (Tl)-Dissolved	mg/L	0.00001	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Thallium (Tl)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Thallium (Tl)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Thallium (Tl)-Total	mg/L	0.00001	6/1/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Thorium (Th)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Thorium (Th)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Thorium (Th)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Thorium (Th)-Total	mg/L	0.00001	6/1/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Tin (Sn)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Tin (Sn)-Dissolved	mg/L	0.00001	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Tin (Sn)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Tin (Sn)-Total	mg/L	0.00001	3/15/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Titanium (Ti)-Dissolved	mg/L	0.00003	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00003	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Titanium (Ti)-Dissolved	mg/L	0.00003	6/1/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00003	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Titanium (Ti)-Total	mg/L	0.00003	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00003	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Titanium (Ti)-Total	mg/L	0.00003	3/15/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00003	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Dissolved Solids	mg/L	10	6/1/19 15:30	APHA 2540 C	mg/L	-10	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Total Dissolved Solids	mg/L	10	6/6/19 12:00	APHA 2540 C	mg/L	-10	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Dissolved Solids	mg/L	10	6/6/19 16:48	APHA 2540 C	mg/L	-10	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Total Dissolved Solids	mg/L	10	6/6/19 16:48	APHA 2540 C	mg/L	-10	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Inorganic Carbon	mg/L	0.5	6/6/19 16:00	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Total Inorganic Carbon	mg/L	0.5	6/6/19 13:44	APHA 5310B TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Kjeldahl Nitrogen	mg/L	0.05	6/5/19 9:00	APHA 4500-NORG (TKN)	mg/L	-0.05	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Total Kjeldahl Nitrogen	mg/L	0.05	6/7/19 10:00	APHA 4500-NORG (TKN)	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Nitrogen	mg/L	0.05	3/17/20 11:00	APHA 4500-NORG (TKN)	mg/L	-0.05	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Total Nitrogen	mg/L	0.05	6/10/19 7:24	APHA 4500 N-Calculated	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Nitrogen	mg/L	0.05	6/10/19 7:34	APHA 4500 N-Calculated	mg/L	-0.05	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Total Nitrogen	mg/L	0.05	3/17/20 14:30	APHA 4500 N-Calculated	mg/L	-0.05	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Total Organic Carbon	mg/L	0.5	6/4/19 0:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Total Organic Carbon	mg/L	0.5	6/5/19 16:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Tungsten (W)-Dissolved	mg/L	0.00001	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Tungsten (W)-Dissolved	mg/L	0.00001	3/13/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Tungsten (W)-Total	mg/L	0.00001	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Tungsten (W)-Total	mg/L	0.00001	6/1/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Tungsten (W)-Total	mg/L	0.00001	3/15/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Tungsten (W)-Total	mg/L	0.00001	3/13/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00001	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Vanadium (V)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Vanadium (V)-Dissolved	mg/L	0.00005	3/15/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Vanadium (V)-Total	mg/L	0.00005	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Vanadium (V)-Total	mg/L	0.00005	6/1/19 15:00	APHA 200/2/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Zinc (Zn)-Dissolved	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Zinc (Zn)-Dissolved	mg/L	0.00005	3/15/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Zinc (Zn)-Total	mg/L	0.00005	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Zinc (Zn)-Total	mg/L	0.00005	3/15/20 16:35	APHA 3030B/6020A (mod)	mg/L	-0.00005	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/5/19 16:47	APHA 3030B/6020A (mod)	mg/L	-0.00006	
L_2427323	6/3/19 12:40	6/2/19	9:10 AM	2427323-2	Zirconium (Zr)-Dissolved	mg/L	0.00006	6/1/19 15:00	APHA 3030B/6020A (mod)	mg/L	-0.00006	
L_2282518	5/30/19 9:15	5/27/19	2:15 PM	2282518-3	Zirconium (Zr)-Total	mg/L	0.00006	6/5/19 16:47	APHA 200/2/6020A (mod)	mg/L	-0.00006	
L_2427323	3/12/20 8:50	3/11/20	11:00 AM	2427323-2	Zirconium (Zr)-Total	mg/L	0.00006	3/15/20 16:35	APHA 200/2/6020A (mod)	mg/L	-0.00006	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/19/20 13:00	APHA 2320 ALKALINITY	mg/L	190	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/19/20 13:00	APHA 2320 ALKALINITY	mg/L	-1	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/19/20 13:00	APHA 2320 ALKALINITY	mg/L	-1	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Alkalinity, Total (as CaCO3)	mg/L	1	8/19/20 13:00	APHA 2320 ALKALINITY	mg/L	190	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Ammonia as N	mg/L	0.005	8/20/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0237	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Bromide (Br)	mg/L	0.05	8/18/20 9:03	EPA 300.1 (mod)	mg/L	-0.05	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Chemical Oxygen Demand	mg/L	10	8/18/20 8:00	APHA 5220 D Colorometry	mg/L	-10	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Chloride (Cl)	mg/L	0.5	8/18/20 9:03	EPA 300.1 (mod)	mg/L	1.62	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Dissolved Mercury Filtration Location	mg/L		8/19/20 9:00	APHA 3030B/EPA 1631E (mod)	mg/L	0 FIELD	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Dissolved Metals Filtration Location	mg/L		8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Aluminum (Al)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0075	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Antimony (Sb)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Arsenic (As)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00116	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Barium (Ba)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0425	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Beryllium (Be)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Boron (B)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.051	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.000005	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	38.6	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Magnesium (Mg)-Dissolved	mg/L	0.005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	21.4	
GW-4-BR	8/18/20 8:15	8/16/20	11:00 AM	G2490256-1	Manganese (Mn)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Benz(o)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Benz(o,b,j)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Benz(o,h,i)perylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Benz(o,k)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Chrysene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Dibenz(a,h)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	93.5
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	102.2
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	101.5
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	pH	pH	0.1	8/19/20 13:00	APHA 4500-H-Electrode	pH	8.26
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Phosphorus (4AAP)	mg/L	0.001	8/19/20 21:00	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Sulfate (SO4)	mg/L	0.3	8/18/20 18:03	EPA 300.1 (mod)	mg/L	92.4
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	346
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Total Inorganic Carbon	mg/L	1	8/20/20 11:00	APHA 5310 B-Instrumental	mg/L	28.5
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Total Kjeldahl Nitrogen	mg/L	0.05	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.051
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Mercury (Hg)-Total	mg/L	0.00005	8/20/20 11:13	APHA 1631E (mod)	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0903
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0027
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Arsenic (As)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0121
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0416
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Beryllium (Be)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Bismuth (Bi)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.058
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Cadmium (Cd)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000083
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	41.4
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00017
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Chromium (Cr)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0025
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Cobalt (Co)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0026
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.176
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000123
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0313
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	21.6
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Manganese (Mn)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.497
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00799
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Nickel (Ni)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0053
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.05
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	1.48
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Rubidium (Rb)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00056
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Selenium (Se)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	3.27
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Silver (Ag)-Total	mg/L	0.00001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	43.7
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.609
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Sulfur (S)-Total	mg/L	0.6	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	33.7
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Tellurium (Te)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00002
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Thallium (Tl)-Total	mg/L	0.00001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Thorium (Th)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Tin (Sn)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0145
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Titanium (Ti)-Dissolved	mg/L	0.00005	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Chromium (Cr)-Dissolved	mg/L	0.00001	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Manganese (Mn)-Dissolved	mg/L	0.0001	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.137
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00123
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Nickel (Ni)-Dissolved	mg/L	0.00005	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Phosphorus (P)-Dissolved	mg/L	0.05	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.05
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Potassium (K)-Dissolved	mg/L	0.05	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.726
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.00036
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Selenium (Se)-Dissolved	mg/L	0.00005	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	0.000948
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Silicon (Si)-Dissolved	mg/L	0.05	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	4.18
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Silver (Ag)-Dissolved	mg/L	0.00001	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490256-1	Sodium (Na)-Dissolved	mg/L	0.05	8/19/20 16:00	EPA 3030B/6020A (mod)	mg/L	3.61
GW-4-BR	L2490256	8/18/20 8:15	8/16/20	11:00 AM	L2490							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Benz(o)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Benz(o,b,j)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Benz(o,h,j)phenylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Benz(o,k,l)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Chrysene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Dibenz(a,h)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	105.5
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	107.9
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	106.9
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	pH	pH	0.1	8/19/20 13:00	APHA 4500 H-Electrode	pH	8.23
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Phenols (4AAP)	mg/L	0.001	8/19/20 21:00	APHA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	0.0022
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Phosphorus (P)-Col-Total	mg/L	0.002	8/19/20 7:55	APHA 4500-P PHOSPHORUS	mg/L	0.0052
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Sulfate (SO4)	mg/L	0.3	8/18/20 9:03	EPA 300.1 (mod)	mg/L	16.1
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	219
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Total Inorganic Carbon	mg/L	1	8/20/20 11:00	APHA 5310 B-Instrumental	mg/L	26.4
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Total Kjeldahl Nitrogen	mg/L	0.3	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.21
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Mercury (Hg)-Total	mg/L	0.000005	8/20/20 11:15	APHA 1631E (mod)	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0558
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0049
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Arsenic (As)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0079
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0647
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Beryllium (Be)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Bismuth (Bi)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.031
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Cadmium (Cd)-Total	mg/L	0.000005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000092
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	43.3
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00013
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Chromium (Cr)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00014
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Cobalt (Co)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0011
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.204
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00102
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0008
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	13.2
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Manganese (Mn)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.016
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Molybdenum (Mo)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00259
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Nickel (Ni)-Total	mg/L	0.005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0051
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.05
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.922
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Rubidium (Rb)-Total	mg/L	0.002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00045
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Selenium (Se)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	3.72
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Silver (Ag)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	4.78
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.272
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Sulfur (S)-Total	mg/L	0.6	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	5.88
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Tellurium (Te)-Total	mg/L	0.002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0002
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Thallium (Tl)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Thorium (Th)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Tin (Sn)-Dissolved	mg/L	0.001	8/18/20 16:00	EPA 300.1 (mod)	mg/L	0.0363
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Chromium (Cr)-Dissolved	mg/L	0.0001	8/18/20 16:00	EPA 300.1 (mod)	mg/L	-0.0001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Manganese (Mn)-Dissolved	mg/L	0.001	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	-0.0001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	0.000525
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Phosphorus (P)-Dissolved	mg/L	0.05	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	-0.05
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Potassium (K)-Dissolved	mg/L	0.08	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	0.487
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	0.00024
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Calcium (Ca)-Dissolved	mg/L	0.05	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	43.1
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Magnesium (Mg)-Dissolved	mg/L	0.005	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	12.3
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Barium (Ba)-Dissolved	mg/L	0.0001	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	0.0671
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Beryllium (Be)-Dissolved	mg/L	0.001	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	-0.0001
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	-0.00005
GW-3-A	L2490256	8/18/20 8:15	8/16/20	12:00 PM	L2490256-2	Boron (B)-Dissolved	mg/L	0.03	8/18/20 16:00	EPA 3030B/6202A (mod)	mg/L	-0.0

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Benz(o,p)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Benz(o,p,j)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Benz(o,h,p)phenylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Benz(o,k)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Chrysene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Dibenz(a,h)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	110.1
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	112.9
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	106.7
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	pH	pH	0.1	8/19/20 13:00	APHA 4500 H-Electrode	pH	8.18
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Phenols (AAp)	mg/L	0.001	8/19/20 21:00	APHA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Sulfate (SO4)	mg/L	0.002	8/19/20 15:59	APHA 4500-P PHOSPHORUS	mg/L	0.0047
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	194
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Total Inorganic Carbon	mg/L	1	8/19/20 11:00	APHA 5310 B-Instrumental	mg/L	23
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Total Kjeldahl Nitrogen	mg/L	0.05	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.163
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Mercury (Hg)-Total	mg/L	0.00005	8/20/20 11:13	APHA 1631E (mod)	mg/L	-0.00005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0442
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0002
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Arsenic (As)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0653
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Beryllium (Be)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Bismuth (Bi)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.011
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Cadmium (Cd)-Total	mg/L	0.00005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.000148
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	45.1
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.00012
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Chromium (Cr)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0024
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Cobalt (Co)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.053
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.00122
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0051
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	12.3
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Manganese (Mn)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.106
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Molybdenum (Mo)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.00048
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Nickel (Ni)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.05
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.472
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Rubidium (Rb)-Total	mg/L	0.002	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0029
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Selenium (Se)-Total	mg/L	0.0005	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0231
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	3.42
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Silver (Ag)-Total	mg/L	0.0001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	1.24
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.157
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Uranium (U)-Total	mg/L	0.6	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.19
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Tellurium (Te)-Total	mg/L	0.002	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.00002
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Thallium (Tl)-Total	mg/L	0.0001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Thorium (Th)-Total	mg/L	0.001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Uranium (U)-Total	mg/L	0.0001	8/20/20 14:00	APHA 200/2/6020A (mod)	mg/L	0.0157
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-3	Vanadate (V)-Total	mg/L	0.05	8/20/20 14:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00036
GW-3-B	L2490256	8/18/20 8:15	8/16/20	12:35 PM	L2490256-4	Dissolved Metals Filtration Location	mg/L	0.00005	8/19/20 11:15	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Mercury (Hg)-Dissolved	mg/L	0.00005	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Aluminum (Al)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0016
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Antimony (Sb)-Dissolved	mg/L	0.0001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Arsenic (As)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.00012
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Barium (Ba)-Dissolved	mg/L	0.0001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	0.0394
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Beryllium (Be)-Dissolved	mg/L	0.0001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Calcium (Ca)-Dissolved	mg/L	0.05	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	35.3
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Magnesium (Mg)-Dissolved	mg/L	0.005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	9.72
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Manganese (Mn)-Dissolved	mg/L					

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Benz(o)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Benz(o,b,j)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Benz(o,h,j)perylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Benz(o,k)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Dibenz(a,h)anthracene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	105.4
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	103.1
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	110.7
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	pH	pH	0.1	8/19/20 13:00	APHA 4500-H-Electrode	pH	8.22
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Phenols (AAp)	mg/L	0.001	8/19/20 21:00	EPHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Phosphorus (P)-Col-Total	mg/L	0.002	8/19/20 7:57	APHA 4500-P PHOSPHORUS	mg/L	0.0044
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Sulfate (SO4)	mg/L	0.3	8/18/20 9:03	EPHA 300.1 (mod)	mg/L	12.2
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	156
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Total Inorganic Carbon	mg/L	1	8/20/20 11:00	APHA 5310 B-Instrumental	mg/L	20
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Total Kjeldahl Nitrogen	mg/L	0.05	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.413
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Mercury (Hg)-Total	mg/L	0.00005	8/20/20 11:13	APHA 1631E (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0501
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0024
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Arsenic (As)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00018
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.036
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Beryllium (Be)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Bismuth (Bi)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.01
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Cadmium (Cd)-Total	mg/L	0.00005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00008
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	34.4
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00013
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Chromium (Cr)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00043
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Cobalt (Co)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00067
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.077
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00103
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0012
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	9.27
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Manganese (Mn)-Total	mg/L	0.0001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00512
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Molybdenum (Mo)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.000517
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Nickel (Ni)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.00067
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.05
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.5
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Rubidium (Rb)-Total	mg/L	0.002	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0003
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Selenium (Se)-Total	mg/L	0.0005	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.000517
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	1.6
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Silver (Ag)-Total	mg/L	0.0001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.755
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0699
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Uranium (U)-Total	mg/L	0.6	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	2.14
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Tellurium (Te)-Total	mg/L	0.002	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.00002
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Thallium (Tl)-Total	mg/L	0.0001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Thorium (Th)-Total	mg/L	0.001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	-0.0001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Tin (Sn)-Total	mg/L	0.0001	8/20/20 14:00	EPHA 200/2/6020A (mod)	mg/L	0.0003
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Titanium (Ti)-Dissolved	mg/L	0.0003	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.0003
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Uranium (U)-Dissolved	mg/L	0.0001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Vanadine (V)-Dissolved	mg/L	0.0005	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Zinc (Zn)-Dissolved	mg/L	0.001	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.001
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Zirconium (Zr)-Dissolved	mg/L	0.0002	8/19/20 16:00	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Dissolved Organic Carbon	mg/L	0.5	8/19/20 11:00	APHA 5310 B-Instrumental	mg/L	2.26
GW-3-C	L2490256	8/18/20 8:15	8/16/20	1:00 PM	L2490256-4	Conductivity (@ 25°C)	us/cm <sup>-1</sup>	2	8/19/20 13:00	APHA 2510 B	us/cm <sup>-1</sup>	437
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Fluoride (F)	mg/L	0.02	8/18/20 0:03	EPA 300.1 (mod)	mg/L	0.633
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Hardness (as CaCO3)	mg/L	0.5	8/20/20 17:49	APHA 2340 B	mg/L	188
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Ion Balance	%	-100	8/20/20 17:53	APHA 1030E	%	97.3
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Cation - Anion Balance	%		8/20/20 17:49	APHA 1030E	%	-1.4
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Anion Sum	meg/L		8/20/20 17:49	APHA 1030E	meg/L	5.34
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Calumnum	meg/L		8/20/20 17:49	APHA 1030E	meg/L	5.2
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Nitrate (as N)	mg/L	0.005	8/18/20 0:03</td			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Benz(o)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Benz(o,p)fluoranthene	ug/L	0.02	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Benz(o,p)phenylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Benz(o,p)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Chrysene	ug/L	0.008	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00008
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Dibenz(a,h)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	103
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	109.3
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	109.3
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	pH	pH	0.1	8/19/20 13:00	APHA 4500 H-Electrode	pH	8.27
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Phenols (AAp)	mg/L	0.001	8/19/20 21:00	APHA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Phosphorus (P)-Col-Total	mg/L	0.002	8/19/20 8:00	APHA 4500-P PHOSPHORUS	mg/L	0.0438
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Sulfate (SO4)	mg/L	0.3	8/18/20 0:03	EPA 300.1 (mod)	mg/L	33.4
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	302
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Total Inorganic Carbon	mg/L	1	8/20/20 11:00	APHA 5310 B-Instrumental	mg/L	34
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Total Kjeldahl Nitrogen	mg/L	0.3	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.78
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Mercury (Hg)-Total	mg/L	0.000005	8/20/20 11:13	APHA 1631E (mod)	mg/L	-0.00005
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.62
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00117
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Arsenic (As)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00233
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0723
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Beryllium (Be)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0001
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Bismuth (Bi)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.00005
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.141
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Cadmium (Cd)-Total	mg/L	0.000005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000101
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	54.7
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000151
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Chromium (Cr)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00246
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Cobalt (Co)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00097
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00549
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.98
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00113
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0177
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	15.1
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Manganese (Mn)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.057
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Molybdenum (Mo)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0196
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Nickel (Ni)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00032
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.091
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	1.31
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Rubidium (Rb)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00164
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Selenium (Se)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000097
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	5.73
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Silver (Ag)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00003
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	31.2
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.457
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Uranium (U)-Total	mg/L	0.00001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.000697
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Vanadium (V)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00217
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Zinc (Zn)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0522
GW-1-A	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Zirconium (Zr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0002
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:00 PM	L2490256-5	Total Organic Carbon	mg/L	0.5	8/19/20 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	6.88
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Aluminum (Al)-Dissolved	mg/L	0.002	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00002
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Thallium (Tl)-Dissolved	mg/L	0.00001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.000029
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Antimony (Sb)-Dissolved	mg/L	0.0001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00006
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Arsenic (As)-Dissolved	mg/L	0.0001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Barium (Ba)-Dissolved	mg/L	0.0001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0.0752
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Beryllium (Be)-Dissolved	mg/L	0.0001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Boron (B)-Dissolved	mg/L	0.003	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0.0113
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Cadmium (Cd)-Dissolved	mg/L	0.05	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	47.8
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Magnesium (Mg)-Dissolved	mg/L	0.005	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	14.1
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Manganese (Mn)-Dissolved	mg/L	0.0001	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0.0314
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/19/20 12:00	APHA 3030B/6020A (mod)	mg/L	0.00998
GW-1-B	L249											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Benz(a)anthracene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Benz(o,p)pyrene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Benz(o,p,j)fluoranthene	ug/L	0.02	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Benz(o,h,p)phenylene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Benz(o,k)fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Dibenz(a,h)anthracene	ug/L	0.005	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Fluoranthene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.000034
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Fluorene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	0.000122
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/19/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	1-Methylnaphthalene	ug/L	0.05	8/19/20 0:00	EPA 3511/8270D	mg/L	0.000099
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Acenaphthene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	87.6
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Chrysene d12	%	1	8/19/20 0:00	EPA 3511/8270D	%	102.5
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Phenanthrene d10	%	1	8/19/20 0:00	EPA 3511/8270D	%	98.2
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	pH	pH	0.1	8/19/20 13:00	APHA 4500-H-Electrode	pH	8.24
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Phenolphthalein	mg/L	0.001	8/19/20 21:00	APHA 4500-H-PHOSPHORUS	mg/L	-0.0001
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Phosphorus (P)-Col-Total	mg/L	0.5	8/19/20 8:00	APHA 4500-P-PHOSPHORUS	mg/L	5.2
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Sulfate (SO4)	mg/L	0.3	8/18/20 0:03	EPA 300.1 (mod)	mg/L	20.2
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Total Dissolved Solids	mg/L	20	8/18/20 18:30	APHA 2540 C	mg/L	307
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Total Inorganic Carbon	mg/L	1	8/20/20 11:00	APHA 5310 B-Instrumental	mg/L	37
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Total Kjeldahl Nitrogen	mg/L	0.35	8/19/20 16:00	APHA 4500-NORG (TKN)	mg/L	11.6
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Mercury (Hg)-Total	mg/L	0.000005	8/20/20 11:13	APHA 1631E (mod)	mg/L	-0.00005
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Aluminum (Al)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	30.4
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Antimony (Sb)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00048
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Arsenic (As)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0307
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Barium (Ba)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	1.24
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Beryllium (Be)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00438
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Bismuth (Bi)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00138
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Boron (B)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.064
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Cadmium (Cd)-Total	mg/L	0.000005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00442
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Calcium (Ca)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	220
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Cesium (Cs)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00739
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Chromium (Cr)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0577
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Cobalt (Co)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0423
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Copper (Cu)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.113
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Iron (Fe)-Total	mg/L	0.01	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	93.3
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Lead (Pb)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0804
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Lithium (Li)-Total	mg/L	0.001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0861
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Magnesium (Mg)-Total	mg/L	0.005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	58.5
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Manganese (Mn)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	1.6
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Molybdenum (Mo)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00138
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Nickel (Ni)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.112
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Phosphorus (P)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	4.5
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Potassium (K)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	7.14
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Rubidium (Rb)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0512
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Selenium (Se)-Total	mg/L	0.00005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00672
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Silicon (Si)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	41.1
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Silver (Ag)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00149
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Sodium (Na)-Total	mg/L	0.05	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	2.87
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Strontium (Sr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.517
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Uranium (U)-Total	mg/L	0.0001	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.00616
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Vanadium (V)-Total	mg/L	0.0005	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.0647
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Zinc (Zn)-Total	mg/L	0.003	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	0.428
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Zirconium (Zr)-Total	mg/L	0.0002	8/20/20 14:00	EPA 200.2/6202A (mod)	mg/L	-0.0002
GW-1-B	L2490256	8/18/20 8:15	8/16/20	2:30 PM	L2490256-6	Total Organic Carbon	mg/L	10	8/20/20 11:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	52
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	287
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	287
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Alkalinity, Total (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Thallium (Tl)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	0.00138
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	0.0438
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Bismuth (Bi)-Dissolved	mg/L	0.000005	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	58.7
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Magnesium (Mg)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	29.2
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM	L2491400-1	Managanese (Mn)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3038/6020A (mod)	mg/L	0.0056
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:00 AM								

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Benz(o,p)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Benz(o,p)phenylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Benz(o,p)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.000024
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	1-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.000131
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	2-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.000042
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Naphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Phenanthrene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.000037
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	104
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	107.2
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	99.9
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	8.14
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Phenols (AAp)	mg/L	0.001	8/22/20 15:00	EPA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Phosphorus (P)-Total	mg/L	0.02	8/21/20 10:17	APHA 4500-P PHOSPHORUS	mg/L	0.349
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	32.9
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Total Dissolved Solids	mg/L	20	8/24/20 10:45	APHA 2540 C	mg/L	361
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	64
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Total Kjeldahl Nitrogen	mg/L	0.35	8/25/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.95
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Mercury (Hg)-Total	mg/L	0.000005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.8
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0028
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Arsenic (As)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00226
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.192
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00022
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Bismuth (Bi)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000059
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.158
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Cadmium (Cd)-Total	mg/L	0.000005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0000942
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	79.5
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000706
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Chromium (Cr)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00293
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Cobalt (Co)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00267
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00454
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.69
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00369
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0506
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	33.4
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0545
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000454
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000624
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.343
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.05
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00596
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Selenium (Se)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000271
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	7.92
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Silver (Ag)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000062
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	18.7
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.85
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Uranium (U)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000208
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-1	Vanadate (V)-Dissolved	mg/L	0.0005	8/24/20 11:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Dissolved Metals Filtration Location	mg/L	0	8/21/20 13:35	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Aluminum (Al)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0012
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Antimony (Sb)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00011
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0545
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-9-BR	L2491400	8/19/20 9:00	8/18/20	9:40 AM	L2491400-2	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L</td	

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Aanthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Benz(o,h,j)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Benz(o,k,l)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	102.4
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	101.8
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	104.5
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	8.39
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Phenols (AAp)	mg/L	0.001	8/22/20 15:12	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	21.1
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Total Dissolved Solids	mg/L	20	8/24/20 10:45	APHA 2540 C	mg/L	224
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	36.5
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Total Kjeldahl Nitrogen	mg/L	0.085	8/25/16 0:00	APHA 4500-NORG (TKN)	mg/L	0.077
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.143
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00015
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Arsenic (As)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00015
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.052
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.017
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000077
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	47.3
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Chromium (Cr)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00003
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Cobalt (Co)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0021
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.322
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000192
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0104
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	16.6
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Manganese (Mn)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0109
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000272
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.053
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.78
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00086
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Selenium (Se)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000797
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	3.58
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Silver (Ag)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	3.38
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.269
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Uranium (U)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000217
GW-9-OB	L2491400	8/19/20 9:00	8/18/20	10:12 AM	L2491400-2	Vanadium (V)-Total	mg/L	0.0005	8/26/20 14:20	EPA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Total Organic Carbon	mg/L	0.5	8/22/20 15:00	APHA 5310 D TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	145
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	1.4
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	146
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Alkalinity, Total (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Thallium (Tl)-Dissolved	mg/L	0.0001	8/20/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0217
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Bromide (Br)-Dissolved	mg/L	0.05	8/20/20 7:05	EPA 300.1 (mod)	mg/L	-0.05
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chemical Oxygen Demand	mg/L	10	8/20/20 8:00	APHA 5220 D Colorimetry	mg/L	22
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chloride (Cl)-Dissolved	mg/L	0.5	8/20/20 7:05	EPA 300.1 (mod)	mg/L	-0.5
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Dissolved Mercury Filtration Location	mg/L	0	8/24/20 11:00	APHA 3030B/EPA 1631E (mod)	mg/L	0 FIELD
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Dissolved Metals Filtration Location	mg/L	0	8/21/20 12:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Aluminum (Al)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0014
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	41.6
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Magnesium (Mg)-Dissolved	mg/L	0.005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	9.43
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Manganese (Mn)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00013
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/21/			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Athanracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Benz(o,h,j)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Benz(o,k)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	103.1
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	105.1
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	105.2
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	8.33
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Phenols (AAAP)	mg/L	0.001	8/22/20 10:12	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Phosphorus (P)-Total	mg/L	0.002	8/22/20 10:12	APHA 4500-P PHOSPHORUS	mg/L	0.0673
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	12.3
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Total Dissolved Solids	mg/L	20	8/24/20 10:45	APHA 2540 C	mg/L	187
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	37.1
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Total Kjeldahl Nitrogen	mg/L	0.085	8/25/16:00	APHA 4500-NORG (TKN)	mg/L	0.132
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Mercury (Hg)-Total	mg/L	0.000005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.7
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00018
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Arsenic (As)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00057
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.138
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.013
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Cadmium (Cd)-Total	mg/L	0.000005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000040
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	47.2
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00205
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chromium (Cr)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00125
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Cobalt (Co)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00067
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00111
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-1.36
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00026
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0064
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	10.3
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0279
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00411
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00137
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.105
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Potassium (K)-Total	mg/L	0.00005	8/24/20 13:35	APHA 5310 G-Calculated	mg/L	-0.5
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Selenium (Se)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00385
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	3.4
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Silver (Ag)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00014
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	3.13
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.128
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Sulfur (S)-Total	mg/L	0.6	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	4.64
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Tellurium (Te)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0002
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Thallium (Tl)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000023
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Thorium (Th)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00026
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Tin (Sn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00011
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Chromium (Cr)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0857
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	4.33
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Magnesium (Mg)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	1.83
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Manganese (Mn)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0173
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00246
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Nickel (Ni)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Phosphorus (P)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-MP1-OB	L2491400	8/19/20 9:00	8/18/20	11:05 AM	L2491400-3	Potassium (K)-Dissolved	mg/L	0.085	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.585

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Athanracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Benz(o,h,j)phenylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Benz(o,k)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	105.6
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	108.2
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	103
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	8.65
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Phenols (AAp)	mg/L	0.001	8/22/20 10:22	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Phosphorus (P)-Total	mg/L	0.02	8/20/20 10:22	APHA 4500-P PHOSPHORUS	mg/L	0.318
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	15.4
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Total Dissolved Solids	mg/L	20	8/24/20 10:45	APHA 2540 C	mg/L	411
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Total Inorganic Carbon	mg/L	5	8/21/20 8:45	APHA 5310 B-Instrumental	mg/L	63
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Total Kjeldahl Nitrogen	mg/L	0.3	8/25/16:00	APHA 4500-NORG (TKN)	mg/L	1.75
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.565
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0029
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Arsenic (As)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00065
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.103
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Beryllium (Be)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Bismuth (Bi)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.369
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0000308
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	4.61
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000183
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Chromium (Cr)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00088
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Cobalt (Co)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00036
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0014
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.18
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000759
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.545
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.03
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0284
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Molybdenum (Mo)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00222
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00126
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.103
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.717
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Rubidium (Rb)-Total	mg/L	0.002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00166
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Selenium (Se)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	3.11
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Silver (Ag)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00011
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	152
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.142
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Sulfur (S)-Total	mg/L	0.6	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	5.41
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Tellurium (Te)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00002
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Thallium (Tl)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Thorium (Th)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00011
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Tin (Sn)-Dissolved	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Titanium (Ti)-Dissolved	mg/L	0.0003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0003
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Titanium (Ti)-Dissolved	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Tungsten (W)-Dissolved	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Uranium (U)-Dissolved	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Vanadate (V)-Dissolved	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-4	Zinc (Zn)-Dissolved	mg/L	0.001	8/26/20 14:20	EPA 3038/6020A (mod)	mg/L	-0.001
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-5	Zirconium (Zr)-Dissolved	mg/L	0.0002	8/21/20 14:36	EPA 3038/6020A (mod)	mg/L	-0.0002
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-5	Dissolved Organic Carbon	mg/L	0.5	8/22/20 15:00	APHA 5310 B-Instrumental	mg/L	-0.5
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-5	Conductivity (@ 25C)	us/cm <sup>-1</sup>	2	8/21/20 13:00	EPA 2510 B	us/cm <sup>-1</sup>	273
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-5	Fluoride (F)	mg/L	0.02	8/20/20 7:05	EPA 300.1 (mod)	mg/L	0.151
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20	11:40 AM	L2491400-5	Hardness (as CaCO3)	mg/L	0.5	8/26/20 15:00	APHA 2340 B	mg/L	135
GW-MP1-BR	L2491400	8/19/20 9:00	8/18/20</									

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Aanthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Benz(o,h,j)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Benz(o,k)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	97.2
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	98.6
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	103.2
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	8.33
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Phenols (AAp)	mg/L	0.001	8/22/20 15:00	APHA 9068-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Phosphorus (P)-Total	mg/L	0.002	8/21/20 10:15	APHA 4500-P PHOSPHORUS	mg/L	0.01
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	13.7
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Total Dissolved Solids	mg/L	20	8/24/20 10:45	APHA 2540 C	mg/L	172
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310-B-Instrumental	mg/L	29.4
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Total Kjeldahl Nitrogen	mg/L	0.085	8/25/20 16:00	APHA 4500-NORG (TKN)	mg/L	0.075
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Mercury (Hg)-Total	mg/L	0.000005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0809
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Arsenic (As)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00016
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0793
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.016
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Cadmium (Cd)-Total	mg/L	0.000005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000074
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	42.4
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00022
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Chromium (Cr)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00031
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Cobalt (Co)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.14
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000091
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.007
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	9.3
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00305
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00052
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.05
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.446
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0004
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Selenium (Se)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000484
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.22
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Silver (Ag)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.64
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.136
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Uranium (U)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000272
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Vanadium (V)-Total	mg/L	0.00005	8/26/20 14:20	EPA 3030B/6020A (mod)	mg/L	-0.00005
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Zinc (Zn)-Total	mg/L	0.003	8/26/20 14:20	EPA 3030B/6020A (mod)	mg/L	-0.003
GW-MP1-PW	L2491400	8/19/20 9:00	8/18/20	12:15 PM	L2491400-5	Zirconium (Zr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 3030B/6020A (mod)	mg/L	-0.0002
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Total Organic Carbon	mg/L	0.5	8/22/20 15:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	-0.5
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Dissolved Metals Filtration Location	mg/L	0	8/21/20 12:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Aluminum (Al)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Antimony (Sb)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Boron (B)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.05
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Cesium (Cs)-Dissolved	mg/L	0.00001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00001
0	L2491400	8/19/20 9:00	8/18/20	1:35 PM	L2491400-6</td							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Aanthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Benz(o,h,j)phenylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Benz(o,k,l)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	2-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000026
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Naphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000056
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Phenanthrene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	109.7
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	114.3
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	110.1
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	pH	pH	0.1	8/21/20 13:00	APHA 4500 H-Electrode	pH	5.77
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Phenols (AAp)	mg/L	0.001	8/22/20 10:00	APHA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Phosphorus (P)-Total	mg/L	0.002	8/22/20 10:17	APHA 4500-P PHOSPHORUS	mg/L	-0.002
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	-0.3
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Total Dissolved Solids	mg/L	10	8/24/20 10:45	APHA 2540 C	mg/L	-10
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	-5
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Total Kjeldahl Nitrogen	mg/L	0.085	8/25/16 0:00	APHA 4500-NORG (TKN)	mg/L	-0.05
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.003
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Arsenic (As)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Beryllium (Be)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Bismuth (Bi)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.01
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.05
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Chromium (Cr)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Cobalt (Co)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.01
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Selenium (Se)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.05
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Silver (Ag)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.05
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00002
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Titanium (Ti)-Total	mg/L	0.0003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00003
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Uranium (U)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Vanadium (V)-Total	mg/L	0.0005	8/26/20 14:20	EPA 3030B/EPA 1631E (mod)	mg/L	-0.0005
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Zinc (Zn)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.003
L_2491400		8/19/20 9:00	8/18/20	1:35 PM	L2491400-6	Zirconium (Zr)-Total	mg/L	0.002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.002
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	172
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	-1
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	1
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Alkalinity, Total (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	172
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Thallium (Tl)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Thorium (Th)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.0001
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Tin (Sn)-Dissolved	mg/L	0.001	8/26/20 14:20	EPA 3030B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Titanium (Ti)-Dissolved	mg/L	0.0003	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00003
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Uranium (U)-Dissolved	mg/L	0.0001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00001
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Vanadate (V)-Dissolved	mg/L	0.0005	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Zinc (Zn)-Dissolved	mg/L	0.001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	0.004
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Zirconium (Zr)-Dissolved	mg/L	0.0002	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00002
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Dissolved Organic Carbon	mg/L	0.5	8/23/20 16:00	APHA 5310 B-Instrumental	mg/L	0.66
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Conductivity (@ 25°C)	us/cm <sup>-1</sup>	2	8/24/20 12:00	APHA 2510 B	us/cm <sup>-1</sup>	386
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Fluoride (F)	mg/L	0.02	8/22/20 0:39	EPA 300.1 (mod)	mg/L	0.237
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Hardness (as CaCO3)	mg/L	0.5	8/25/20 11:58	APHA 2340 B	mg/L	151
CM-12-01	L2492462	8/21/20 8:45	8/19/20	9:45 AM	L2492462-1	Ion Balance	%	-100	8/25/20 11:58	APHA 1030E	%	87.3

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Benz(o)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Benz(o,b,j)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Benz(o,h,j)perylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Benz(o,k)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	2-Methylnaphthalene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00002
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Naphthalene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	0.000035
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Phenanthrene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00002
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Quinoline	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	99.3
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	99.4
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	102.4
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	pH	pH	0.1	8/24/20 12:00	EPA 4500 H-Electrode	pH	8.21
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Phosphorus (P)-Col-Total	mg/L	0.001	8/24/20 11:29	EPA 4500-P PHOSPHORUS	mg/L	-0.001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	47.9
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Total Dissolved Solids	mg/L	20	8/25/20 10:40	EPA 2540 C	mg/L	250
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Total Inorganic Carbon	mg/L	5	8/21/20 15:00	EPA 5310 B-Instrumental	mg/L	27.1
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Total Kjeldahl Nitrogen	mg/L	0.08	8/23/20 10:00	EPA 4500-NORG (TKN)	mg/L	0.555
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Mercury (Hg)-Total	mg/L	0.00005	8/26/20 16:18	EPA 1631E (mod)	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Aluminum (Al)-Total	mg/L	0.003	8/20/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.198
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Antimony (Sb)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00268
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Arsenic (As)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00134
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Barium (Ba)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.225
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Beryllium (Be)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.0001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Bismuth (Bi)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Boron (B)-Total	mg/L	0.01	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.016
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Cadmium (Cd)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000021
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Calcium (Ca)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	34.3
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Cesium (Cs)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00007
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Chromium (Cr)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00025
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Cobalt (Co)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00016
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Copper (Cu)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00064
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Iron (Fe)-Total	mg/L	0.01	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.536
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Lead (Pb)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00102
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Lithium (Li)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.0261
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Magnesium (Mg)-Total	mg/L	0.005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	13.5
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Manganese (Mn)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.102
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Molybdenum (Mo)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.0162
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Nickel (Ni)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00006
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Phosphorus (P)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.073
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Potassium (K)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	1.47
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Rubidium (Rb)-Total	mg/L	0.0002	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00335
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Selenium (Se)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.00005
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Silicon (Si)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	4.62
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Silver (Ag)-Total	mg/L	0.00001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.00001
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Sodium (Na)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	49
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Strontium (Sr)-Total	mg/L	0.0002	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.0701
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Uranium (U)-Total	mg/L	0.6	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	21.2
CM-12-01	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-1	Tellurium (Te)-Total	mg/L	0.0002	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.00002
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Aluminum (Al)-Dissolved	mg/L	0.001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.0027
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Antimony (Sb)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.0462
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Arsenic (As)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.0014
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Barium (Ba)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.169
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Beryllium (Be)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Chromium (Cr)-Dissolved	mg/L	0.00005	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.00013
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Cobalt (Co)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.00047
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Copper (Cu)-Dissolved	mg/L	0.0002	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.00002
CM-11-11	L2492462	8/19/20 8:45	8/19/20	9:45 AM	L2492462-2	Iron (Fe)-Dissolved	mg/L	0.01	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	1.01
CM-11-11	L2492462	8/19/20 8:45										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Benz(o,p)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Benz(o,p)phenylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Indeno[1,2,3-cd]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	2-Methylnaphthalene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	0.000036
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Naphthalene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	0.000059
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Phenanthrene	ug/L	0.02	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00002
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Quinoline	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	100.5
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	103.4
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	105.3
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	pH	pH	0.1	8/24/20 12:00	EPA 4500 H-Electrode	pH	8.04
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Phosphorus (4AAP)	mg/L	0.001	8/25/20 15:30	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Phosphorus (P)-Col-Total	mg/L	0.002	8/24/20 11:29	EPA 4500-P PHOSPHORUS	mg/L	0.0228
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	11.6
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Total Dissolved Solids	mg/L	20	8/24/20 7:45	EPA 2540 C	mg/L	198
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Total Inorganic Carbon	mg/L	5	8/24/20 15:30	EPA 5310 B-Instrumental	mg/L	26.7
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Total Kjeldahl Nitrogen	mg/L	0.3	8/23/20 10:00	EPA 4500-NORG (TKN)	mg/L	1.05
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Aluminum (Al)-Total	mg/L	0.003	8/20/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.126
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Antimony (Sb)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.034
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Arsenic (As)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00187
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Barium (Ba)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.187
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Beryllium (Be)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.0001
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Bismuth (Bi)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000057
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Boron (B)-Total	mg/L	0.01	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.033
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Cadmium (Cd)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000048
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Calcium (Ca)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	25.1
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Cesium (Cs)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000107
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Chromium (Cr)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00152
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Cobalt (Co)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00091
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Copper (Cu)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00253
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Iron (Fe)-Total	mg/L	0.01	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	1.73
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Lead (Pb)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000447
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Lithium (Li)-Total	mg/L	0.001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.031
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Magnesium (Mg)-Total	mg/L	0.005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	10.7
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Manganese (Mn)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.144
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Molybdenum (Mo)-Total	mg/L	0.00005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00444
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Nickel (Ni)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00259
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Phosphorus (P)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.05
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Potassium (K)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	2.65
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Rubidium (Rb)-Total	mg/L	0.002	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.00519
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Selenium (Se)-Total	mg/L	0.0005	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	-0.00005
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Silicon (Si)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	4.25
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Silver (Ag)-Total	mg/L	0.0001	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.000015
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Sodium (Na)-Total	mg/L	0.05	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	32.6
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Strontium (Sr)-Total	mg/L	0.0002	8/24/20 15:30	EPA 200.2/6020A (mod)	mg/L	0.135
CM-11-11	L2492462	8/19/20 8:45	8/19/20	11:05 AM	L2492462-2	Total Organic Carbon	mg/L	0.5	8/23/20 16:00	EPA 4500 N-Calculated	mg/L	1.07
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Aluminum (Al)-Dissolved	mg/L	0.00005	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.000023
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Antimony (Sb)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	5.73
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Arsenic (As)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.00024
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Barium (Ba)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	0.0401
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Beryllium (Be)-Dissolved	mg/L	0.0001	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.0001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.000083
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Chloride (Cl)-Dissolved	mg/L	0.0005	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.00023
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Phosphorus (P)-Dissolved	mg/L	0.05	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.05
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/24/20 14:00	EPA 3030B/6020A (mod)	mg/L	-0.000002
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Selenium (Se)-Dissolved	mg/L	0.0005	8/24/20 14:00	EPA 3030B/6020A (mod)		

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Benz(o,p)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Benz(o,p,j)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Benz(o,h,p)phenylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Benz(o,k)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	97.1
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	98.6
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	102.9
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	pH	pH	0.1	8/24/20 12:00	APHA 4500 H-Electrode	pH	7.07
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Phenols (AAP)	mg/L	0.001	8/25/20 15:00	APHA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Phosphorus (P)-Col-Total	mg/L	0.002	8/24/20 11:31	APHA 4500-P PHOSPHORUS	mg/L	0.032
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	3.39
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Total Dissolved Solids	mg/L	10	8/24/20 7:45	APHA 2540 C	mg/L	46
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Total Inorganic Carbon	mg/L	1	8/24/20 15:00	APHA 5310 B-Instrumental	mg/L	2.9
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Total Kjeldahl Nitrogen	mg/L	0.05	8/23/20 10:00	APHA 4500-NORG (TKN)	mg/L	0.116
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Aluminum (Al)-Total	mg/L	0.003	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.019
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Antimony (Sb)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.0025
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Arsenic (As)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.00023
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Barium (Ba)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.0404
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Beryllium (Be)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.0001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Bismuth (Bi)-Total	mg/L	0.0005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Boron (B)-Total	mg/L	0.01	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.01
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Cadmium (Cd)-Total	mg/L	0.00005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.000017
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Calcium (Ca)-Total	mg/L	0.05	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	5.34
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Cesium (Cs)-Total	mg/L	0.0001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Chromium (Cr)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.0001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Cobalt (Co)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.0001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Copper (Cu)-Total	mg/L	0.005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Iron (Fe)-Total	mg/L	0.01	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.011
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Lead (Pb)-Total	mg/L	0.0005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00005
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Lithium (Li)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Magnesium (Mg)-Total	mg/L	0.005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	1.68
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Manganese (Mn)-Total	mg/L	0.001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.00067
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Molybdenum (Mo)-Total	mg/L	0.00005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.000108
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Nickel (Ni)-Total	mg/L	0.0005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.0025
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Phosphorus (P)-Total	mg/L	0.05	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.054
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Potassium (K)-Total	mg/L	0.05	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.186
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Rubidium (Rb)-Total	mg/L	0.002	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.0002
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Selenium (Se)-Total	mg/L	0.00005	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.000157
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Silicon (Si)-Total	mg/L	0.05	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	1.73
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Silver (Ag)-Total	mg/L	0.0001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Sodium (Na)-Total	mg/L	0.05	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.232
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Strontium (Sr)-Total	mg/L	0.0002	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	0.019
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Uranium (U)-Total	mg/L	0.00001	8/24/20 21:05	APHA 200.2/6202A (mod)	mg/L	-0.00001
CM-13-06	L2492462	8/19/20 8:45	8/19/20	12:45 PM	L2492462-3	Vanadium (V)-Total	mg/L	0.0005	8/24/20 21:05	APHA 2320 ALKALINITY	mg/L	80.7
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	80.7
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Alkalinity, Total (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	80.7
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Antimony (Sb)-Dissolved	mg/L	0.0001	8/24/20 12:00	J. ENVIRON. MONIT., 2005, 7, 37-42, RSC	mg/L	0.0562
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Bromide (Br)-Dissolved	mg/L	0.05	8/22/20 8:39	EPA 300.1 (mod)	mg/L	-0.05
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Chemical Oxygen Demand	mg/L	10	8/22/20 10:00	APHA 5220 D Colorometry	mg/L	-10
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Chloride (Cl)-Dissolved	mg/L	0.5	8/22/20 8:39	EPA 300.1 (mod)	mg/L	-0.5
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Dissolved Mercury Filtration Location	mg/L	0	8/24/20 11:00	APHA 3030B/EPA 1631E (mod)	mg/L	-0.00005
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Dissolved Metals Filtration Location	mg/L	0	8/23/20 8:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Aluminum (Al)-Dissolved	mg/L	0.001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	0.0022
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Antimony (Sb)-Dissolved	mg/L	0.001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Arsenic (As)-Dissolved	mg/L	0.001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-PP-2	L2492462	8/19/20 8:45	8/19/20	1:00 PM	L2492462-4	Barium (Ba)-Dissolved	mg/L	0.0001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	0.0749
GW-PP-2	L24924											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Athanracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Benz(a)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Benz(o,p)phenylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	91.1
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	104.4
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	102.5
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	pH	pH	0.1	8/24/20 12:00	APHA 4500-H-Electrode	pH	7.89
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Phenophorus (4AAP)	mg/L	0.001	8/25/20 15:30	EPA 9066 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	6.13
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Total Dissolved Solids	mg/L	20	8/24/20 7:45	APHA 2540 C	mg/L	118
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Total Inorganic Carbon	mg/L	5	8/21/20 15:00	APHA 5310-B-Instrumental	mg/L	10.8
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Total Kjeldahl Nitrogen	mg/L	0.08	8/23/20 12:00	APHA 4500-NORG (TKN)	mg/L	0.262
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Mercury (Hg)-Total	mg/L	0.000005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Aluminum (Al)-Total	mg/L	0.003	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	1.02
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Antimony (Sb)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0028
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Arsenic (As)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0007
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Barium (Ba)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.108
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Beryllium (Be)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	-0.0001
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Bismuth (Bi)-Total	mg/L	0.00005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	-0.00005
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Boron (B)-Total	mg/L	0.01	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.012
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Cadmium (Cd)-Total	mg/L	0.000005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.000093
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Calcium (Ca)-Total	mg/L	0.05	8/24/20 15:30	APHA 4500-P PHOSPHORUS	mg/L	0.0524
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Chromium (Cr)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.00127
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Cobalt (Co)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0084
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Copper (Cu)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.00174
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Iron (Fe)-Total	mg/L	0.01	8/24/20 15:30	APHA 300.2/6020A (mod)	mg/L	-1.39
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Lead (Pb)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.00125
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Lithium (Li)-Total	mg/L	0.001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0053
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Magnesium (Mg)-Total	mg/L	0.005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	5.68
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Manganese (Mn)-Total	mg/L	0.0001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0558
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Molybdenum (Mo)-Total	mg/L	0.00005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.00758
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Nickel (Ni)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0018
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Phosphorus (P)-Total	mg/L	0.05	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.093
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Potassium (K)-Total	mg/L	0.05	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.688
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Rubidium (Rb)-Total	mg/L	0.0002	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.00284
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Selenium (Se)-Total	mg/L	0.00005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.000127
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Silicon (Si)-Total	mg/L	0.05	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	3.07
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Silver (Ag)-Total	mg/L	0.0001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.000013
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Sodium (Na)-Total	mg/L	0.05	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	2.23
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Strontium (Sr)-Total	mg/L	0.0002	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.161
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Uranium (U)-Total	mg/L	0.00001	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.000162
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Vanadium (V)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0022
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Zinc (Zn)-Total	mg/L	0.003	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	0.0129
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Zirconium (Zr)-Total	mg/L	0.0002	8/24/20 15:30	APHA 200.2/6020A (mod)	mg/L	-0.0002
GW-PP2	L2492462	8/19/20 8:45	8/19/20	1:50 PM	L2492462-4	Total Organic Carbon	mg/L	0.5	8/23/20 16:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	1.48
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Alkalinity, Bicarbonate (as CaCO3)	mg/L	11	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	156
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	156
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Alkalinity, Total (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	156
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Antimony (Sb)-Dissolved	mg/L	0.0001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Arsenic (As)-Dissolved	mg/L	0.001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Barium (Ba)-Dissolved	mg/L	0.0001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	0.0414
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Beryllium (Be)-Dissolved	mg/L	0.0001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.00005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.000005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Calcium (Ca)-Dissolved	mg/L	0.05	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	48.7
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cesium (Cs)-Dissolved	mg/L	0.00001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Chromium (Cr)-Dissolved	mg/L	0.0001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cobalt (Co)-Dissolved	mg/L	0.0001	8/24/20 14:00	APEN 3030B/6020A (mod)	mg/L	-0.0000

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Benz(o)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Benz(o,b,j)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Benz(o,h,j)phenylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Benz(o,k,l)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	0.00004
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	0.00009
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	98.5
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Acenaphthene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	108.7
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	99
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	pH	pH	0.1	8/24/20 12:00	APHA 4500-H-Electrode	pH	8.12
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Phenols (4AAP)	mg/L	0.001	8/25/20 15:38	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	29.3
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Total Dissolved Solids	mg/L	20	8/24/20 7:45	APHA 2540 C	mg/L	224
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Total Inorganic Carbon	mg/L	5	8/21/20 15:00	APHA 5310 B-Instrumental	mg/L	23.6
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Total Kjeldahl Nitrogen	mg/L	0.3	8/23/20 12:00	APHA 4500-NORG (TKN)	mg/L	0.63
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Aluminum (Al)-Total	mg/L	0.01	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	2.67
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Antimony (Sb)-Total	mg/L	0.005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Arsenic (As)-Total	mg/L	0.005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00267
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Barium (Ba)-Total	mg/L	0.005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.153
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Beryllium (Be)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.00005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Bismuth (Bi)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.00025
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Boron (B)-Total	mg/L	0.05	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.05
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cadmium (Cd)-Total	mg/L	0.00025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.000083
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Calcium (Ca)-Total	mg/L	0.25	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	52.9
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cesium (Cs)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0008
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Chromium (Cr)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00422
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cobalt (Co)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0036
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Copper (Cu)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0041
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Iron (Fe)-Total	mg/L	0.05	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	7.09
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Lead (Pb)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0039
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Lithium (Li)-Total	mg/L	0.005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0141
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Magnesium (Mg)-Total	mg/L	0.02	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	17.3
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Manganese (Mn)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.121
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Molybdenum (Mo)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00037
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Nickel (Ni)-Total	mg/L	0.025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0077
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Phosphorus (P)-Total	mg/L	0.25	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.39
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Potassium (K)-Total	mg/L	0.25	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	1.94
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Rubidium (Rb)-Total	mg/L	0.001	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0076
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Selenium (Se)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00091
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Silicon (Si)-Total	mg/L	0.25	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	7.41
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Silver (Ag)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.000087
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Sodium (Na)-Total	mg/L	0.25	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	3.16
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Strontium (Sr)-Total	mg/L	0.001	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.293
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Uranium (U)-Total	mg/L	2.6	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.5
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Tellurium (Te)-Total	mg/L	0.001	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Thallium (Tl)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00051
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Thorium (Th)-Total	mg/L	0.005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.00101
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Tin (Sn)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Titanium (Ti)-Total	mg/L	0.0015	8/24/20 21:05	EPA 200/2/6020A (mod)	mg/L	0.0305
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Tungsten (W)-Dissolved	mg/L	0.0005	8/24/20 21:05	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Uranium (U)-Dissolved	mg/L	0.0001	8/24/20 21:05	EPA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Vanadate (V)-Dissolved	mg/L	0.0005	8/24/20 21:05	EPA 3030B/6020A (mod)	mg/L	-0.0005
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Zinc (Zn)-Dissolved	mg/L	0.001	8/24/20 21:05	EPA 3030B/6020A (mod)	mg/L	-0.001
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Zirconium (Zr)-Dissolved	mg/L	0.0002	8/24/20 21:05	EPA 3030B/6020A (mod)	mg/L	-0.0002
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Dissolved Organic Carbon	mg/L	0.5	8/23/20 16:00	APHA 5310 B-Instrumental	mg/L	0.87
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Conductivity (@ 25°C)	us/cm <sup>-1</sup>	2	8/24/20 12:00	APHA 2510 B	us/cm <sup>-1</sup>	371
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Fluoride (F)	mg/L	0.02	8/22/20 8:39	EPA 300.1 (mod)	mg/L	0.168
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Hardness (as CaCO3)	mg/L	0.5	8/25/20 11:53	APHA 2340 B	mg/L	212
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Ion Balance	%	-100	8/25/20 11:53	APHA 1030E	%	101
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Cation - Anion Balance	%	8/25/20 11:53	APHA 1030E	%	0.7	
GW-14-OB	L2492462	8/19/20 8:45	8/19/20	2:50 PM	L2492462-5	Anion Sum	meg/L	8/25/20 11:53	APHA 1030E	meg/L	4.59	
GW-14-OB	L2492462	8/19/20 8:45</										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Benz(o)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Benz(o,b,j)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Benz(o,h,j)perylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Benz(o,k)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Chrysene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Dibenz(a,h)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	0.00022
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	0.00053
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	107.8
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	105.7
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	105.4
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	pH	pH	0.1	8/24/20 12:00	APHA 4500-H-Electrode	pH	8.25
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Phenols (4AAP)	mg/L	0.001	8/25/20 15:30	EPA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Phosphorus (P)-Col-Total	mg/L	0.02	8/24/20 11:38	APHA 4500-P PHOSPHORUS	mg/L	0.414
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	36
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Total Dissolved Solids	mg/L	20	8/24/20 7:45	APHA 2540 C	mg/L	249
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Total Inorganic Carbon	mg/L	5	8/21/20 15:00	APHA 5310-B-Instrumental	mg/L	29.8
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Total Kjeldahl Nitrogen	mg/L	0.3	8/23/20 12:00	APHA 4500-NORG (TKN)	mg/L	0.95
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Aluminum (Al)-Total	mg/L	0.01	8/20/20 15:30	APHA 200/2/6020A (mod)	mg/L	1.92
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Antimony (Sb)-Total	mg/L	0.005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0055
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Arsenic (As)-Total	mg/L	0.005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00313
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Barium (Ba)-Total	mg/L	0.005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.144
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Beryllium (Be)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Bismuth (Bi)-Total	mg/L	0.0025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0025
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Boron (B)-Total	mg/L	0.05	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.069
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Cadmium (Cd)-Total	mg/L	0.00025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00168
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Calcium (Ca)-Total	mg/L	0.25	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	63.4
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Cesium (Cs)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00063
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Chromium (Cr)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00397
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Cobalt (Co)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00317
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Copper (Cu)-Total	mg/L	0.0025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0055
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Iron (Fe)-Total	mg/L	0.05	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.19
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Lead (Pb)-Total	mg/L	0.0025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00371
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Lithium (Li)-Total	mg/L	0.005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0182
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Selenium (Se)-Total	mg/L	0.0025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0003
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Silicon (Si)-Total	mg/L	0.25	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	6.56
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Silver (Ag)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.000077
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Strontium (Sr)-Total	mg/L	0.25	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	10.2
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Sulfur (S)-Total	mg/L	2.6	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	1.53
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Tellurium (Te)-Total	mg/L	0.001	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	-0.001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Thallium (Tl)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.000139
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Thorium (Th)-Total	mg/L	0.005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00102
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Tin (Sn)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.00161
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Titanium (Ti)-Total	mg/L	0.0015	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0147
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Tungsten (W)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Uranium (U)-Total	mg/L	0.0005	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.000428
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Vanadium (V)-Total	mg/L	0.0025	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.0069
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Zinc (Zn)-Total	mg/L	0.01	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	0.037
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Zirconium (Zr)-Total	mg/L	0.001	8/24/20 15:30	APHA 200/2/6020A (mod)	mg/L	-0.001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:12 PM	L2492462-6	Total Organic Carbon	mg/L	2.5	8/23/20 16:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	17.4
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	193
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	-1
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	1
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Alkalinity, Total (as CaCO3)	mg/L	1	8/24/20 12:00	APHA 2320 ALKALINITY	mg/L	193
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Antimony (Sb)-Dissolved	mg/L	0.0001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Arsenic (As)-Dissolved	mg/L	0.001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	0.00076
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Barium (Ba)-Dissolved	mg/L	0.0001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	0.0346
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Beryllium (Be)-Dissolved	mg/L	0.0001	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Calcium (Ca)-Dissolved	mg/L	0.05	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	53.5
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7	Manganese (Mn)-Dissolved	mg/L	0.0005	8/24/20 14:00	APHA 3030B/6020A (mod)	mg/L	17.2
GW-14-BR	L2492462	8/19/20 8:45	8/19/20	3:33 PM	L2492462-7</td							

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Aanthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Benz(a)anthracene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Benz(o,p)pyrene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Benz(o,p)phenylene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Benz(o,p)fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Chrysene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.000037
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Dibenz(a,h)anthracene	ug/L	0.005	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Fluoranthene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Fluorene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	0.000095
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/22/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	1-Methylnaphthalene	ug/L	0.05	8/22/20 0:00	EPA 3511/8270D	mg/L	0.000206
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Acenaphthene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	97
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Chrysene d12	%	1	8/22/20 0:00	EPA 3511/8270D	%	10.6
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Phenanthrene d10	%	1	8/22/20 0:00	EPA 3511/8270D	%	103.6
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	pH	pH	0.1	8/24/20 12:00	APHA 4500-H-Electrode	pH	8.25
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Phenols (4AAP)	mg/L	0.001	8/25/20 15:00	APHA 9066-AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Phosphorus (P)-Col-Total	mg/L	0.05	8/24/20 12:41	APHA 4500-P PHOSPHORUS	mg/L	0.508
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Sulfate (SO4)	mg/L	0.3	8/22/20 8:39	EPA 300.1 (mod)	mg/L	37.3
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Total Dissolved Solids	mg/L	20	8/24/20 7:45	APHA 2540 C	mg/L	266
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Total Inorganic Carbon	mg/L	5	8/21/20 15:00	APHA 5310-B-Instrumental	mg/L	30.4
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Total Kjeldahl Nitrogen	mg/L	0.3	8/23/20 12:00	APHA 4500-NORG (TKN)	mg/L	0.77
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Aluminum (Al)-Total	mg/L	0.01	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	2.08
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Antimony (Sb)-Total	mg/L	0.005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Arsenic (As)-Total	mg/L	0.005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.00183
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Barium (Ba)-Total	mg/L	0.005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.106
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Beryllium (Be)-Total	mg/L	0.005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Bismuth (Bi)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.0025
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Boron (B)-Total	mg/L	0.05	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.071
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Cadmium (Cd)-Total	mg/L	0.00025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.00105
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Calcium (Ca)-Total	mg/L	0.25	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	58.2
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Cesium (Cs)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.00567
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Chromium (Cr)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0378
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Cobalt (Co)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0216
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Copper (Cu)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0038
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Iron (Fe)-Total	mg/L	0.05	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	6.11
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Lead (Pb)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.00254
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Lithium (Li)-Total	mg/L	0.005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0185
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Magnesium (Mg)-Total	mg/L	0.02	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	19.3
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Manganese (Mn)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.124
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Molybdenum (Mo)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Nickel (Ni)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0053
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Phosphorus (P)-Total	mg/L	0.25	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.25
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Potassium (K)-Total	mg/L	0.25	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	1.72
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Rubidium (Rb)-Total	mg/L	0.001	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0064
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Selenium (Se)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.0025
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Silicon (Si)-Total	mg/L	0.25	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	7.07
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Silver (Ag)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.0005
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Sodium (Na)-Total	mg/L	0.25	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	9.28
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Strontium (Sr)-Total	mg/L	0.001	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	1.46
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Uranium (U)-Total	mg/L	0.0005	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.00023
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Vanadium (V)-Total	mg/L	0.0025	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.0064
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Zinc (Zn)-Total	mg/L	0.01	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	0.019
GW-14-BR	L2492462	8/21/20 8:45	8/19/20	3:33 PM	L2492462-7	Zirconium (Zr)-Total	mg/L	0.001	8/24/20 21:05	EPA 200.2/6020A (mod)	mg/L	-0.001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	130
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	130
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Alkalinity, Total (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	130
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Antimony (Sb)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00024
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0021
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0434
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	31
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Magnesium (Mg)-Dissolved	mg/L	0.005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	12.8
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Manganese (Mn)-Dissolved	mg/L	0.0001	8/21/20 14:36			

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Aanthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Benz(o,h,i)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Benz(o,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000076
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	2-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000036
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Naphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Phenanthrene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	98.2
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	106.6
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	104.9
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	pH	pH	0.1	8/21/20 13:00	APHA 4500 H-Electrode	pH	8.04
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Phosphorus (P)-Col-Total	mg/L	0.001	8/22/20 10:42	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	26
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Total Dissolved Solids	mg/L	20	8/20/20 18:45	APHA 2540 C	mg/L	170
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	27
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Total Kjeldahl Nitrogen	mg/L	0.3	8/21/20 8:00	APHA 4500-NORG (TKN)	mg/L	1.02
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Mercury (Hg)-Total	mg/L	0.000005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.16
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0054
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Arsenic (As)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00254
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.272
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00025
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000052
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.077
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Cadmium (Cd)-Total	mg/L	0.000005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000036
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	46.9
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00671
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Chromium (Cr)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00305
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Cobalt (Co)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.002
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00521
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	6.42
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00416
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0178
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	14.9
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.295
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00117
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00467
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.411
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.62
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00613
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Selenium (Se)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000104
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	8.51
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Silver (Ag)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000069
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	4.46
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.907
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Uranium (U)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000237
GW-MD2	L2491571	8/19/20 9:00	8/17/20	12:10 PM	L2491571-2	Total Organic Carbon	mg/L	2.5	8/22/20 14:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	8.8
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Alkalinity, Bicarbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	333
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Alkalinity, Carbonate (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	-1
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Alkalinity, Hydroxide (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	333
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Alkalinity, Total (as CaCO3)	mg/L	1	8/21/20 13:00	APHA 2320 ALKALINITY	mg/L	1
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Antimony (Sb)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	56.9
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00279
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.244
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Bismuth (Bi)-Dissolved	mg/L	0.000005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Cadmium (Cd)-Dissolved	mg/L	0.000005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.000005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	30
GW-6-BR	L2491571	8/19/2										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Benz(o,p)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Benz(o,p)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Benz(o,h,p)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Benz(o,k)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	2-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000024
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Naphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Phenanthrene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	100.5
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	106.6
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	106.8
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	pH	pH	0.1	8/21/20 13:00	APHA 4500-H-Electrode	pH	7.97
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Phosphorus (P)-Total	mg/L	0.001	8/22/20 15:47	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Sulfate (SO4)	mg/L	1.5	8/20/20 7:05	EPA 300.1 (mod)	mg/L	102
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Total Dissolved Solids	mg/L	20	8/20/20 18:45	APHA 2540 C	mg/L	933
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	64.3
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Total Kjeldahl Nitrogen	mg/L	0.3	8/21/20 12:00	APHA 4500-NORG (TKN)	mg/L	1.13
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	APHA 1631E (mod)	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Aluminum (Al)-Total	mg/L	0.003	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.986
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Antimony (Sb)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0047
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Arsenic (As)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00494
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Barium (Ba)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.23
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Beryllium (Be)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00025
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Boron (B)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.572
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.000553
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Calcium (Ca)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	86.9
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00247
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Chromium (Cr)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00372
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Cobalt (Co)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.0142
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Copper (Cu)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00335
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Iron (Fe)-Total	mg/L	0.01	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	9.3
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Lead (Pb)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00201
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Lithium (Li)-Total	mg/L	0.001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.07
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	44.2
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	2.79
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.004
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00799
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Phosphorus (P)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.628
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Potassium (K)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	7.89
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Rubidium (Rb)-Total	mg/L	0.002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00537
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Selenium (Se)-Total	mg/L	0.00005	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00148
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Silicon (Si)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	8.37
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Silver (Ag)-Total	mg/L	0.00001	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00022
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Sodium (Na)-Total	mg/L	0.05	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	238
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Strontrium (Sr)-Total	mg/L	0.0002	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	1.47
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Uranium (U)-Total	mg/L	0.1	8/26/20 14:20	EPA 200.2/6020A (mod)	mg/L	0.00207
GW-6-BR	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-3	Vanadine (V)-Dissolved	mg/L	0.00005	8/21/20 12:00	APHA 3030B/6020A (mod)	mg/L	0 FIELD
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Dissolved Metals Filtration Location	mg/L	0	8/21/20 12:00	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Aluminum (Al)-Dissolved	mg/L	0.001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0013
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Antimony (Sb)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Arsenic (As)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00012
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Barium (Ba)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.0859
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Beryllium (Be)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Bismuth (Bi)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Boron (B)-Dissolved	mg/L	0.01	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.012
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Cadmium (Cd)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Calcium (Ca)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	40.7
GW-7-A	L2491571	8/19/20 9:00	8/17/20	1:35 PM	L2491571-5	Magnesium (Mg)-Dissolved	mg/L	0.005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	10.7
GW-7-A	L2491571											

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Benz(o)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Benz(o,h,j)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Benz(o,k)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Chrysene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Dibenz(a,h)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Aceanaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	91.2
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	103.4
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	101.3
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	pH	pH	0.1	8/21/20 13:00	APHA 4500 H-Electrode	pH	8.1
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Phosphorus (P)-Total	mg/L	0.001	8/22/20 10:44	APHA 4500-P PHOSPHORUS	mg/L	-0.001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	14.5
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Total Dissolved Solids	mg/L	20	8/20/20 18:45	APHA 2540 C	mg/L	174
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	30.6
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Total Kjeldahl Nitrogen	mg/L	0.08	8/26/20 8:00	APHA 4500-NORG (TKN)	mg/L	0.121
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Boron (B)-Total	mg/L	0.00005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Aluminum (Al)-Total	mg/L	0.003	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.777
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Antimony (Sb)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00046
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Arsenic (As)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00076
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Barium (Ba)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.113
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Beryllium (Be)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Boron (B)-Total	mg/L	0.01	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.017
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00073
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Calcium (Ca)-Total	mg/L	0.05	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	44.3
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00023
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Chromium (Cr)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00245
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Cobalt (Co)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00149
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Copper (Cu)-Total	mg/L	0.0005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00277
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Iron (Fe)-Total	mg/L	0.01	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-1.62
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Lead (Pb)-Total	mg/L	0.00005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00121
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Lithium (Li)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.0095
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	10.9
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.087
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00054
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00248
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Phosphorus (P)-Total	mg/L	0.05	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.079
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Potassium (K)-Total	mg/L	0.05	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.715
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Rubidium (Rb)-Total	mg/L	0.002	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00227
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Selenium (Se)-Total	mg/L	0.00005	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.000658
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Silicon (Si)-Total	mg/L	0.05	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	3.13
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Silver (Ag)-Total	mg/L	0.0001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00016
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Sodium (Na)-Total	mg/L	0.05	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	3.07
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Strontium (Sr)-Total	mg/L	0.0002	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.159
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Sulfur (S)-Total	mg/L	0.6	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	5.63
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Tellurium (Te)-Total	mg/L	0.002	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-0.0002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Thallium (Tl)-Total	mg/L	0.00001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00003
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Thorium (Th)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Tin (Sn)-Total	mg/L	0.001	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	0.00563
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Titanium (Ti)-Total	mg/L	0.0003	8/26/20 17:29	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Tungsten (W)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Uranium (U)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Vanadine (V)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00027
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Selenium (Se)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.000541
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Manganese (Mn)-Dissolved	mg/L	0.0001	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Molybdenum (Mo)-Dissolved	mg/L	0.00005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.000542
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Nickel (Ni)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.0005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Phosphorus (P)-Dissolved	mg/L	0.05	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	-0.05
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Potassium (K)-Dissolved	mg/L	0.08	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.464
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Rubidium (Rb)-Dissolved	mg/L	0.0002	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	0.00027
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:05 PM	L2491571-5	Silicon (Si)-Dissolved	mg/L	0.0005	8/21/20 14:36	APHA 3030B/6020A (mod)	mg/L	2.06
GW-7-A	L2491571	8										

STATION ID	LOGINNUM	RECEIVEDATE	SMPDATE	SMPTIME	SAMPLENUM	ANALYTE	UNITS	DL	ANALDATE	METHOD	Unified units	Final Results
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Benz(a)anthracene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Benz(o,a)pyrene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Benz(o,b,j)fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Benz(o,h,i)perylene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Chrysene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Dibenzo(a,h)anthracene	ug/L	0.005	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Fluoranthene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Fluorene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Indeno[1,2,3-c,d]pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	2-Methylnaphthalene	ug/L	0.02	8/21/20 0:00	EPA 3611/8270D	mg/L	-0.00002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Naphthalene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	0.000024
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Phenanthrene	ug/L	0.02	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Pyrene	ug/L	0.01	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Quinoline	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	1-Methylnaphthalene	ug/L	0.05	8/21/20 0:00	EPA 3511/8270D	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Acenaphthene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	97
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Chrysene d12	%	1	8/21/20 0:00	EPA 3511/8270D	%	104.7
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Phenanthrene d10	%	1	8/21/20 0:00	EPA 3511/8270D	%	102.5
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	pH	pH	0.1	8/21/20 13:00	APHA 4500 H-Electrode	pH	8.11
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Phenols (4AAP)	mg/L	0.001	8/22/20 15:00	EPA 9068 AUTO-DISTILL-COLORIMETRIC	mg/L	-0.001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Phosphorus (P)-Col-Total	mg/L	0.002	8/21/20 10:38	APHA 4500-P PHOSPHORUS	mg/L	0.0203
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Sulfate (SO4)	mg/L	0.3	8/20/20 7:05	EPA 300.1 (mod)	mg/L	14.5
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Total Dissolved Solids	mg/L	20	8/20/20 18:45	APHA 2540 C	mg/L	160
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Total Inorganic Carbon	mg/L	5	8/21/20 8:00	APHA 5310 B-Instrumental	mg/L	29.8
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Total Kjeldahl Nitrogen	mg/L	0.08	8/21/20 12:00	APHA 4500-NORG (TKN)	mg/L	0.091
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Mercury (Hg)-Total	mg/L	0.00005	8/24/20 13:35	EPA 1631E (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Aluminum (Al)-Total	mg/L	0.003	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.432
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Antimony (Sb)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0016
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Arsenic (As)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0039
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Barium (Ba)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0978
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Beryllium (Be)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Bismuth (Bi)-Total	mg/L	0.00005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.00005
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Boron (B)-Total	mg/L	0.01	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.015
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Cadmium (Cd)-Total	mg/L	0.00005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.000368
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Calcium (Ca)-Total	mg/L	0.05	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	43
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Cesium (Cs)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.000116
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Chromium (Cr)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00102
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Cobalt (Co)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00086
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Copper (Cu)-Total	mg/L	0.0005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00107
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Iron (Fe)-Total	mg/L	0.01	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.838
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Lead (Pb)-Total	mg/L	0.0005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.000554
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Lithium (Li)-Total	mg/L	0.001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0086
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Magnesium (Mg)-Total	mg/L	0.005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	10.6
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Manganese (Mn)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0503
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Molybdenum (Mo)-Total	mg/L	0.00005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.000565
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Nickel (Ni)-Total	mg/L	0.0005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00127
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Phosphorus (P)-Total	mg/L	0.05	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.052
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Potassium (K)-Total	mg/L	0.05	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.589
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Rubidium (Rb)-Total	mg/L	0.0002	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00119
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Selenium (Se)-Total	mg/L	0.00005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00054
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Silicon (Si)-Total	mg/L	0.05	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	2.67
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Silver (Ag)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Sodium (Na)-Total	mg/L	0.05	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	3.03
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Strontrium (Sr)-Total	mg/L	0.0002	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.156
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Sulfur (S)-Total	mg/L	0.6	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	5.49
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Tellurium (Te)-Total	mg/L	0.002	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Thallium (Tl)-Total	mg/L	0.00001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Thorium (Th)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Tin (Sn)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00157
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Titanium (Ti)-Total	mg/L	0.0003	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0153
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Tungsten (W)-Total	mg/L	0.0001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0001
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Uranium (U)-Total	mg/L	0.00001	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.000281
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Vanadium (V)-Total	mg/L	0.0005	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.00129
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Zinc (Zn)-Total	mg/L	0.003	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	0.0062
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Zirconium (Zr)-Total	mg/L	0.0002	8/26/20 17:51	EPA 200.2/6020A (mod)	mg/L	-0.0002
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Total Nitrogen	mg/L	0.05	8/25/20 16:43	APHA 4500 N-Calculated	mg/L	0.198
GW-7-A	L2491571	8/19/20 9:00	8/17/20	3:21 PM	L2491571-6	Total Organic Carbon	mg/L	0.5	8/22/20 14:00	APHA 5310 TOTAL ORGANIC CARBON (TOC)	mg/L	2.74

Note: Negatives values correspond to results below detection limit

General and Inorganic Parameters												Lab Results				
Sampling Location	Date Sampled	Sample Type	General and Inorganic Parameters						Lab Results							
			Alkalinity (bicarbonate, as CaCO <sub>3</sub> )	Alkalinity (hydroxide, as CaCO <sub>3</sub> )	Alkalinity (carbonate, as CaCO <sub>3</sub> )	Ammonia (total, as N)	Total Alkalinity - Cation Percent Difference	Bromide	Chloride	Conductivity	Dissolved organic carbon	Fluoride	Hydroxide (OH <sup>-</sup> )	Ion balance		
CM11-11	8-Sep-13	Normal	-	-	<0.50	160	-	-	3.5	190	-	1.4	-	-0.50	0.87	
CM11-11	7-Jan-14	Normal	-	-	<0.50	140	0.31	0.30	-	<0.50	3.8	8.0	9.0	-0.50	1.1	
CM11-11	9-Aug-14	Normal	-	-	<0.50	150	0.81	-	3.2	180	-	<0.50	3.4	-0.50	1.1	
CM11-11	5-Nov-14	Normal	-	-	<0.50	150	0.79	-	3.3	180	-	<0.50	3.4	-0.50	1.1	
CM11-11	15-Oct-15	Normal	<1.0	<1.0	<2.0	145	0.809	-	1.6	3.25	176.9	0.062	2.1	-0.0020	2.1	
CM11-11	15-Oct-15	Duplicate	151	<1.0	<2.0	151	0.834	-	<1.9	3.68	184.2	0.062	1.10	-0.0050	1.10	
CM11-11	21-Jun-16	Normal	<1.0	<1.0	<2.0	180	0.872	-	-1.2	4.23	219	<0.050	1.0	-0.0050	1.0	
CM12-01	8-Sep-13	Normal	-	-	<0.50	95	-	-	4.5	120	-	<0.50	7.2	15	-0.50	1.6
CM12-01	8-Sep-13	Duplicate	-	-	<0.50	99	-	-	4.4	120	-	<0.50	8.5	16	-0.50	1.9
CM12-01	7-Jan-14	Normal	-	-	<0.50	100	0.054	<0.50	-	140	-	<0.50	-	-0.50	1.0	
CM12-01	7-Jan-14	Duplicate	-	-	<0.50	110	<0.50	<0.50	-	140	-	<0.50	-	-0.50	1.0	
CM12-01	20-Apr-14	Normal	-	-	<0.50	140	0.066	-	-	7.0	170	-	<0.50	6.8	-0.50	0.98
CM12-01	9-Aug-14	Normal	-	-	<0.50	150	0.37	-	3.3	180	-	<0.50	3.3	-0.50	1.0	
CM12-01	9-Aug-14	Duplicate	-	-	<0.50	150	0.41	-	-	3.3	180	-	<0.50	3.3	-0.50	1.0
CM12-01	5-Nov-14	Normal	-	-	<0.50	150	0.42	-	-	3.9	190	-	<0.50	4.2	-0.50	1.1
CM12-01	5-Nov-14	Duplicate	-	-	<0.50	150	0.40	-	-	4.0	190	-	<0.50	4.2	-0.50	1.1
CM12-01	15-Oct-15	Normal	<1.0	<1.0	<2.0	166	0.259	-	-4.5	3.92	202.5	0.052	<1.0	-0.0050	2.44	
CM12-01	21-Jun-16	Normal	<1.0	<1.0	<2.0	156	0.316	-	1.3	3.45	191	<0.050	<1.0	-0.50	-	
CM13-06	8-Sep-13	Normal	-	-	<0.50	23	-	-	0.72	29	-	<0.50	4.0	660	-0.50	5.6
CM13-06	6-Jan-14	Normal	-	-	<0.50	16	0.073	<0.50	-	20	-	<0.50	11	5.0	-0.50	1.1
CM13-06	19-Aug-14	Normal	-	-	<0.50	21	0.071	-	-	0.58	26	-	<0.50	11	-0.50	0.96
CM13-06	5-Nov-14	Normal	-	-	<0.50	16	<0.050	-	-	0.38	19	-	<0.50	11	-0.50	1.2
CM13-06	15-Oct-15	Normal	23.2	<1.0	<2.0	23.2	0.050	-	-4.3	0.54	28.3	<0.050	<1.0	0.50	-	
CM13-06	21-Jun-16	Normal	<1.0	<1.0	<2.0	19.3	0.0154	-	-4.4	0.43	23.5	<0.050	<1.0	0.40	242	
CM13-06	21-Jun-16	Duplicate	19.2	<1.0	<2.0	19.2	0.071	-	-5.5	0.43	23.4	<0.050	<1.0	0.39	248	
CM13-25	8-Sep-13	Normal	-	-	<0.50	230	-	-	-	5.3	280	-	<0.50	5.3	-0.50	-
CM13-25	9-Aug-14	Normal	-	-	<0.50	160	0.11	-	-	3.5	200	-	<0.50	3.6	-0.50	1.0
CM13-25	15-Oct-15	Normal	176	<1.0	<2.0	176	0.123	-	0.6	3.88	214.7	<0.050	<1.0	3.92	882	
CM13-25	21-Jun-16	Normal	148	<1.0	<2.0	148	0.0719	-	0.5	3.14	181	<0.50	<1.0	3.17	32	
CM11-11	5-Mar-19	Normal	171	-1	-	1.36	-	-	-	3.78	-	-0.05	3.42	-	0.142	95
CM11-11	1-Jun-19	Normal	168	-1	-	168	0.486	-	-	3.70	-	0.064	3.57	-	0.140	98
CM11-11	8-Aug-19	Normal	146	-1	-	146	0.555	-	-	3.41	-	0.15	3.68	-	0.106	108
CM12-01	1-Jun-19	Normal	150	4.8	-1	155	0.0959	-	-	3.98	-	0.071	3.98	-	0.212	149
CM12-01	8-Aug-19	Normal	168	-1	-	168	0.158	-	-	3.86	-	-0.05	4.06	-10	0.192	168
CM13-06	1-Jun-19	Normal	16	-1	-	16	0.0245	-	-	0.37	-	-0.05	0.37	-	0.041	181
CM13-06	9-Aug-19	Normal	16	-1	-	16	0.0095	-	-	0.43	-	-0.05	0.43	-	0.041	181
CM13-25	2-Jun-19	Normal	153	3.6	-1	156	0.127	-	-	3.28	-	-0.05	3.32	-	0.186	147
CM13-25	8-Aug-19	Normal	95	-1	-1	95	0.285	-	-	2.38	45	0.061	2.18	-	0.020	59

Data Source: NWP 2016. Crown  
Mountain Property Baseline Groundwater  
Investigation Results

Water Quality Monitoring Data - Q3 2023												F1 (GC-110)																		
Sampling Location	Date Sampled	Sample Type	Nitrate (as N)				Nitrite (as N)				Dissolved Kjeldahl Nitrogen				Orthophosphate (dissolved, as P)				Sodium (dissolved)				Total Dissolved Solids (compacted)				Total Organic Carbon			
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mV	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		
CMM11-11	8-Sep-13	Normal	0.16	0.16	0.070	0.0338	0.012	-	-	-	-0.0030	160	7.69	21	18	27	200	180	-	-	1.2	51	44	<0.00040	<0.00040	<0.100				
CMM11-11	7-Jan-14	Normal	0.060	0.26	0.077	0.078	0.018	0.057	0.47	0.39	0.37	-0.0030	160	7.67	12	12	10	-	160	34.6	0.57	-	-	-	<0.00040	<0.00040	<0.100			
CMM11-11	9-Aug-14	Normal	0.022	0.097	0.022	0.022	<0.010	<0.033	0.83	0.80	-	0.0040	49	7.67	15	15	14	160	170	40	0.92	3.3	10	<0.00040	<0.00040	<0.100				
CMM11-11	5-Nov-14	Normal	0.024	0.11	0.024	0.024	<0.010	<0.033	0.75	0.73	0.85	0.0030	140	7.91	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CMM11-11	15-Oct-14	Normal	<0.0050	-	<-0.0051	<-0.005	<0.013	-	0.939	0.982	-	<-0.0010	-	7.66	12.2	11.7	15.2	-	-	30.4	4.84	-	-	-	-	-	-	-		
CMM11-11	15-Oct-15	Duplicate	0.062	-	0.062	0.062	<0.010	-	0.941	0.984	-	<-0.0010	-	7.71	17.8	21.8	30.3	-	-	34.9	3.68	-	-	-	-	-	-	-		
CMM11-11	21-Jun-16	Normal	<0.0050	-	<-0.0051	<-0.005	<0.010	-	0.932	0.932	-	<-0.0010	-	7.63	60.4	58.6	29.2	-	-	46.6	2.43	-	-	-	-	-	-	-		
CMM12-01	8-Sep-13	Normal	0.94	4.2	0.94	0.94	<0.014	<0.0090	<-0.0099	-	-	-	6.93	98	-	-	120	-	-	340	-	-	-	-	-	-	-	-		
CMM12-01	8-Sep-13	Duplicate	0.92	4.1	0.92	0.92	<0.014	<0.0090	<-0.0099	-	-	-	7.00	120	-	-	110	-	-	360	-	-	-	-	-	-	-	-		
CMM12-01	7-Jan-14	Normal	0.78	3.4	0.80	0.80	0.018	0.059	1.9	1.1	<0.050	<-0.030	142	7.82	96	100	110	1800	280	-	1.9	370	650	<0.00040	<0.00040	<0.100				
CMM12-01	7-Jan-14	Duplicate	0.80	3.6	0.82	0.82	0.018	0.058	2.1	1.3	<0.050	<0.011	151	7.78	97	100	110	1600	280	-	2.2	360	640	<0.00040	<0.00040	<0.100				
CMM12-01	20-Apr-14	Normal	0.90	4.0	1.4	1.42	0.52	1.7	1.4	<-0.50	-	-	299	8.22	150	150	190	1200	440	-	<5.0	560	610	<0.00040	<0.00040	<0.100				
CMM12-01	9-Aug-14	Normal	0.012	0.053	0.012	0.014	<0.010	<0.033	0.46	0.44	-	0.0050	72	7.89	4.1	4.0	14	-	160	33.9	<0.50	-	-	-	-	-	-	-		
CMM12-01	9-Aug-14	Duplicate	0.010	0.044	0.010	0.014	<0.010	<0.033	0.49	0.48	-	<-0.0030	95	7.91	4.1	4.1	14	-	160	33.2	<0.50	-	-	-	-	-	-	-		
CMM12-01	5-Nov-14	Normal	0.067	0.30	0.067	0.067	0.067	0.067	0.59	0.52	0.57	0.0040	130	8.11	25	40	41	220	210	40	<0.50	2.7	3.0	<0.00040	<0.00040	<0.100				
CMM12-01	5-Nov-14	Duplicate	0.070	0.31	0.070	0.070	0.070	0.070	0.51	0.44	0.40	0.0030	140	8.11	26	36	45	220	220	40	<0.50	5.3	2.9	<0.00040	<0.00040	<0.100				
CMM12-01	15-Oct-15	Normal	0.048	-	0.170	0.170	0.0221	-	0.944	0.944	0.342	-	<0.0010	-	8.00	10.9	18.2	27.7	192	-	-	37.3	1.80	-	-	-	-	-		
CMM12-01	21-Jun-16	Normal	0.110	-	0.113	0.113	0.029	-	0.473	0.349	-	<0.0010	-	7.81	9.43	9.81	14.8	192	-	-	40.2	0.86	-	-	-	-	-			
CMM13-06	8-Sep-13	Normal	0.089	0.39	0.089	0.089	0.089	0.089	<-0.0099	-	-	<-0.0030	7.20	20	-	-	10	-	110	-	-	-	-	-	-	-	-	-		
CMM13-06	6-Jan-14	Normal	0.056	0.24	0.055	0.055	0.065	0.065	<-0.0099	14	14	<0.050	<0.073	271	6.80	2.9	<5.0	14	1900	41	-	2.4	9800	>1000	<0.00040	<0.00040	<0.100			
CMM13-06	5-Nov-14	Normal	0.038	0.17	0.036	0.036	0.038	0.038	<-0.010	14	14	<0.050	<0.050	357	6.78	0.56	0.55	30	46	5.9	-	1.5	68	73	<0.00040	<0.00040	<0.100			
CMM13-06	5-Nov-14	Normal	0.037	0.16	0.037	0.037	0.037	0.037	<-0.010	14	14	<0.050	<0.035	170	6.93	<50	<5.0	20	5.1	2.7	37	3.7	73	<0.00040	<0.00040	<0.100				
CMM13-06	15-Oct-15	Normal	0.0442	-	0.0442	0.0442	0.0442	0.0442	<0.0010	-	0.75	1.54	-	6.37	0.394	0.689	3.64	62	-	4.09	44.4	-	-	-	-	-	-	-		
CMM13-06	21-Jun-16	Normal	0.0226	-	0.0226	0.0226	0.0226	0.0226	<0.0010	-	1.5	3.08	-	6.46	0.29	0.61	2.12	130	-	4.13	79.2	-	-	-	-	-	-	-		
CMM13-06	21-Jun-16	Duplicate	0.0266	-	0.0266	0.0266	0.0266	0.0266	<0.0010	-	<1.5	3.28	-	6.37	0.25	0.58	2.12	136	-	5.24	84.9	-	-	-	-	-	-	-		
CMM13-25	8-Sep-13	Normal	1.0	0.24	0.24	0.24	0.24	0.24	0.043	-	-	-	-	7.65	28	-	-	31	-	270	-	-	-	-	-	-	-	-		
CMM13-25	9-Aug-14	Normal	0.021	0.091	0.021	0.021	0.021	0.021	<0.010	<0.033	1.3	1.3	-	<0.0030	69	7.32	6.0	6.3	13	-	170	37.2	0.89	-	-	-	-	-	-	
CMM13-25	15-Oct-15	Normal	<0.0050	-	<-0.0051	<-0.0051	<-0.0051	<-0.0051	<0.0010	-	0.85	6.82	-	<0.0010	-	7.14	10.3	11.1	17.0	184	-	45.9	247	-	-	-	-	-	-	
CMM13-25	21-Jun-16	Normal	<0.0050	-	<-0.0051	<-0.0051	<-0.0051	<-0.0051	<0.0010	-	0.282	0.371	-	<0.0418	-	7.11	1.85	1.82	1.82	169	-	39.9	6.47	-	-	-	-	-	-	
CMM13-25	5-Mar-17	Normal	0.0146	-	0.0146	0.0146	0.0146	0.0146	<0.0010	<0.0113	1.16	1.16	-	0.0418	-	7.65	32.8	34.2	15.9	202	-	45.9	3	-	-	-	-	-	-	
CMM11-11	1-Jun-19	Normal	0.0131	-	0.0149	0.0149	0.0149	0.0149	0.0018	-	1.180	1.170	-	-	-	8.21	32.70	34.40	15.20	192	-	45.9	4.96	-	-	-	-	-	-	
CMM11-11	8-Aug-19	Normal	-0.005	-	-0.0051	-0.0051	-0.0051	-0.0051	-0.001	-	0.95	0.95	-	-	-	7.68	27.4	22.2	21.1	190	-	38.6	13	-	-	-	-	-	-	
CMM12-01	1-Jun-19	Normal	0.0671	-	0.0671	0.0671	0.0671	0.0671	-0.001	-	0.334	0.267	-	-	-	8.30	21.80	16.90	41.20	210	-	39.7	0.96	-	-	-	-	-	-	
CMM12-01	8-Aug-19	Normal	0.0208	-	0.0208	0.0208	0.0208	0.0208	-0.001	-	0.46	0.44	-	-	-	8.10	19.7	16.1	22.5	189	-	41.5	2	-	-	-	-	-	-	
CMM13-06	1-Jun-19	Normal	0.0236	-	0.0236	0.0236	0.0236	0.0236	-0.001	-	0.137	0.113	-	-	-	6.88	0.28	0.24	2.14	61	-	6.7	3.89	-	-	-	-	-	-	
CMM13-06	9-Aug-19	Normal	0.0476	-	0.0476	0.0476	0.0476	0.0476	-0.001	-	0.29	0.24	-	-	-	7.28	0.3	-0.3	2.5	29	-	6.6	8	-	-	-	-	-	-	
CMM13-25	2-Jun-19	Normal	0.0389	-	0.0389	0.0389	0.0389	0.0389	-0.001	-	0.670	6.700	-	-	-	8.32	5.04	7.45	6.91	149	-	48.3	44.00	-	-	-	-	-	-	
CMM13-25	8-Aug-19	Normal	0.0441	-	0.0441	0.0441	0.0441	0.0441	-0.001	-	1.10	0.66	-	-	-	7.89	10.9	9.0	10.2	109	-	26.5	14	-	-	-	-	-	-	

## Mountain Property Baseline Groundwater Investigation Results





Lab Results											
Dissolved Metals											
Sampling Location	Date Sampled	Sample Type	Arsenicic (dissolved)	Beryllium (dissolved)	Boron (dissolved)	Cadmium (dissolved)	Chromium (dissolved)	Cobalt (dissolved)	Copper (dissolved)	Iron (dissolved)	Lead (dissolved)
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
CM11-11	8-Sep-13	Normal									
CM11-11	7-Jan-14	Normal									
CM11-11	9-Aug-14	Normal	0.00061	0.00011	0.30	<0.0010	0.036	<0.00020	32	<0.0010	0.32
CM11-11	5-Nov-14	Normal	0.012	0.00039	0.29	<0.0010	0.036	<0.00023	33	<0.0010	0.029
CM11-11	15-Oct-15	Normal	0.00262	0.00029	0.420	<0.00020	0.033	<0.000050	0.00013	<0.000010	0.0176
CM11-11	15-Oct-15	Duplicate	0.00262	0.00031	0.395	<0.00020	0.035	<0.000050	0.00012	<0.000010	0.0204
CM11-11	21-Jun-16	Normal	0.00208	0.000172	0.116	<0.0010	0.036	<0.000050	16.0	<0.0010	0.0307
CM12-01	8-Sep-13	Normal									
CM12-01	8-Sep-13	Duplicate									
CM12-01	7-Jan-14	Normal									
CM12-01	7-Jan-14	Duplicate									
CM12-01	20-Apr-14	Normal									
CM12-01	9-Aug-14	Normal	<0.00060	<0.00020	0.27	<0.0010	<0.020	<0.00020	37	<0.0010	<0.00023
CM12-01	9-Aug-14	Duplicate	<0.00060	<0.00020	0.26	<0.0010	<0.020	<0.00020	37	<0.0010	<0.00028
CM12-01	5-Nov-14	Normal	<0.00060	0.00073	0.24	<0.0010	<0.021	<0.00020	38	<0.0010	<0.00020
CM12-01	5-Nov-14	Duplicate	<0.00060	0.00074	0.24	<0.0010	<0.020	<0.00020	38	<0.0010	<0.00020
CM12-01	15-Oct-15	Normal	0.00175	0.00034	0.267	<0.00020	<0.000050	<0.000050	0.00010	<0.000010	0.0054
CM12-01	21-Jun-16	Normal	0.00177	0.00047	0.266	<0.0010	<0.000050	<0.000050	0.00010	<0.000010	0.0138
CM13-06	8-Sep-13	Normal									
CM13-06	6-Jan-14	Normal									
CM13-06	19-Aug-14	Normal									
CM13-06	5-Nov-14	Normal	<0.00060	0.00024	0.038	<0.0010	<0.020	<0.00037	6.0	<0.0010	<0.00030
CM13-06	15-Oct-15	Normal	0.00036	0.00023	0.0476	<0.0010	<0.00050	<0.00050	0.00021	<0.00010	0.039
CM13-06	21-Jun-16	Normal	<0.00020	0.00029	0.0365	<0.00020	<0.00010	<0.00010	0.00020	<0.00010	0.0088
CM13-06	21-Jun-16	Duplicate	<0.00020	0.00026	0.0377	<0.00020	<0.00010	<0.00010	0.00020	<0.00010	0.0036
CM13-25	8-Sep-13	Normal									
CM13-25	9-Aug-14	Normal	0.00022	0.00050	0.17	<0.0010	<0.020	<0.00040	33	<0.0010	<0.00059
CM13-25	15-Oct-15	Normal	0.00182	0.00143	0.185	<0.00020	<0.00050	0.014	<0.000050	34.0	<0.00010
CM13-25	21-Jun-16	Normal	0.00076	0.00072	0.177	<0.00010	<0.00050	0.015	<0.000050	30.4	<0.00010
CM13-25	5-Mar-19	Normal	0.02750	0.00067	0.169	<0.0010	<0.00005	0.038	<0.00005	22.1	<0.00001
CM11-11	1-Jun-19	Normal	0.01670	0.00134	0.204	<0.0010	<0.00005	0.032	<0.00005	24.0	<0.00001
CM11-11	8-Aug-19	Normal	0.00692	0.00117	0.256	<0.0010	<0.00005	0.023	<0.00005	28.3	<0.00001
CM12-01	1-Jun-19	Normal	0.00409	0.00037	0.288	<0.0010	<0.00005	0.018	<0.00005	35.8	<0.00001
CM12-01	8-Aug-19	Normal	0.00376	0.00072	0.286	<0.0010	<0.00005	0.017	<0.00005	39.1	<0.00001
CM13-06	1-Jun-19	Normal	-0.00010	0.00027	0.037	<0.0010	<0.00005	0.019	<0.00005	4.7	<0.00001
CM13-06	9-Aug-19	Normal	0.00017	0.00029	0.039	<0.0010	<0.00005	0.010	<0.00005	5.4	<0.00001
CM13-25	2-Jun-19	Normal	0.02100	0.00200	0.189	<0.0010	<0.00005	0.014	<0.00005	28.3	<0.00001
CM13-25	8-Aug-19	Normal	0.29700	0.00066	0.116	<0.0010	<0.00005	0.011	<0.00005	20.4	<0.00001
Silicon (dissolved, as Si)											
Potassium (dissolved, APHA 4500-P)											
Phosphorus (dissolved, ICP/MS/CPOES)											
Nickel (dissolved)											
Molybdenum (dissolved)											
Manganese (dissolved)											
Lithium (dissolved)											
Lead (dissolved)											
Iron (dissolved)											
Cobalt (dissolved)											
Boron (dissolved)											
Cadmium (dissolved)											
Chromium (dissolved)											
Copper (dissolved)											
Iron (dissolved)											
Cobalt (dissolved)											
Boron (dissolved)											
Cadmium (dissolved)											
Beryllium (dissolved)											
Arsenicic (dissolved)											
Antimony (dissolved)											
Sample Type											
Date Sampled											
Sampling Location											

Data Source: NMP 2016 Crown  
Mountain Property Baseline Groundwater  
Investigation Results

Sampling Location	Date Sampled	Sample Type	Trace Elements (dissolved)											
			Silver (dissolved)				Strontium (dissolved)				Zinc (dissolved)			
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
CM11-11	8-Sep-13	Normal												
CM11-11	7-Jan-14	Normal												
CM11-11	9-Aug-14	Normal	<0.00010	0.092	3.1	<0.00020	<0.0010	<0.0010	<0.0045	<0.0010	<0.0030	-		
CM11-11	5-Nov-14	Normal	<0.00010	0.096	4.4	<0.00020	<0.0010	<0.0010	0.0056	<0.0010	0.0087	-		
CM11-11	15-Oct-15	Normal	<0.00050	0.0701	6.8	<0.00010	<0.0010	<0.00030	-	0.00308	0.0059	<0.0030		
CM11-11	15-Oct-15	Duplicate	<0.00010	0.0709	11.0	<0.00010	<0.0010	<0.00030	-	0.00356	<0.0050	<0.0030		
CM11-11	21-Jun-16	Normal	<0.00010	0.0710	10.3	0.000022	<0.0010	<0.00030	0.0016	0.00184	<0.0050	0.0084	<0.0030	
CM12-01	8-Sep-13	Normal												
CM12-01	8-Sep-13	Duplicate												
CM12-01	7-Jan-14	Normal												
CM12-01	7-Jan-14	Duplicate												
CM12-01	20-Apr-14	Normal												
CM12-01	9-Aug-14	Normal	<0.00010	0.044	4.2	<0.00020	<0.0010	<0.0010	0.0022	<0.0010	<0.0030	-		
CM12-01	9-Aug-14	Duplicate	<0.00010	0.044	4.2	<0.00020	<0.0010	<0.0010	0.0023	<0.0010	<0.0030	-		
CM12-01	5-Nov-14	Normal	<0.00010	0.056	13	<0.00020	<0.0010	<0.0010	0.0014	<0.0010	<0.0030	-		
CM12-01	5-Nov-14	Duplicate	<0.00010	0.057	14	<0.00020	<0.0010	<0.0010	0.0015	<0.0010	<0.0030	-		
CM12-01	15-Oct-15	Normal	<0.000010	0.0497	728	0.000078	<0.0010	<0.00030	0.00654	<0.00050	0.0083	<0.0030		
CM12-01	21-Jun-16	Normal	<0.000010	0.0488	549	0.000047	<0.0010	<0.00030	0.00595	<0.00050	0.0089	<0.0030		
CM13-06	8-Sep-13	Normal												
CM13-06	6-Jan-14	Normal												
CM13-06	19-Apr-14	Normal												
CM13-06	5-Nov-14	Normal	<0.00010	0.020	0.98	<0.00020	<0.0010	<0.0010	<0.00010	<0.0010	0.028	-		
CM13-06	15-Oct-15	Normal	<0.000010	0.0230	1.31	0.000025	<0.0010	0.00173	-	<0.00010	<0.00050	0.0087	<0.0030	
CM13-06	21-Jun-16	Normal	<0.000020	0.0169	<1.0	<0.00020	<0.0020	0.00755	<0.00020	<0.00020	<0.0010	0.0085	<0.0060	
CM13-06	21-Jun-16	Duplicate	<0.000020	0.0166	<1.0	<0.00020	<0.0020	0.00756	<0.00020	<0.00020	<0.0010	0.0086	<0.0060	
CM13-25	8-Sep-13	Normal												
CM13-25	9-Aug-14	Normal	<0.00010	0.051	4.1	<0.00020	<0.0010	<0.0010	<0.00038	<0.0010	0.0077	-		
CM13-25	15-Oct-15	Normal	<0.000010	0.0545	6.09	<0.00010	<0.0010	<0.00030	-	0.00449	<0.0050	0.0127	<0.0030	
CM13-25	21-Jun-16	Normal	<0.000010	0.0516	2.79	0.000038	<0.0010	<0.00030	<0.000105	0.000105	<0.00050	0.0073	<0.0030	
CM13-25	5-Mar-19	Normal	<0.00001	0.1190	5.16	0.000012	<0.001	<0.0003	<0.0001	0.001910	<0.0005	0.0082	<0.0030	
CM11-11	1-Jun-19	Normal	<0.00001	0.1170	5.21	0.000037	0.00016	<0.0003	<0.00010	0.001710	<0.0005	0.0083	<0.0030	
CM11-11	9-Aug-19	Normal	<0.00001	0.1080	8.39	<0.0001	0.00027	<0.0003	<0.0001	0.000933	<0.0005	0.0084	<0.0030	
CM12-01	1-Jun-19	Normal	<0.00001	0.0587	14.30	0.000035	<0.001	<0.0003	<0.00010	0.000608	<0.0005	0.0024	<0.0030	
CM12-01	8-Aug-19	Normal	<0.00001	0.0566	9.16	0.000037	<0.001	<0.0003	<0.000105	0.000685	<0.0005	0.0068	<0.0030	
CM13-06	1-Jun-19	Normal	<0.00001	0.0177	0.58	0.000013	<0.001	<0.0003	<0.00010	0.0001010	<0.0005	0.0069	<0.00216	
CM13-06	9-Aug-19	Normal	<0.00001	0.0210	0.72	0.000014	<0.001	<0.0003	<0.000103	0.0001013	<0.0005	0.0084	<0.00226	
CM13-25	2-Jun-19	Normal	<0.00001	0.0514	2.43	0.000076	<0.001	<0.0003	<0.00010	0.000165	<0.0005	0.0180	<0.0006	
CM13-25	8-Aug-19	Normal	<0.00001	0.0319	3.94	0.00165	0.00016	<0.0003	<0.0001	0.000226	<0.0005	0.0482	<0.0006	

Data Source: NMP 2016 Crown  
Mountain Property Baseline Groundwater  
Investigation Results

Values in red exceed one or more criteria

negative values correspond to results below detection limit.

Values in red exceed one or more criteria

values in red exceed one or more criteria  
negative values correspond to results below detection limit

values in red exceed one or more criteria  
negative values correspond to results below detection limits.

values in red exceed one or more criteria  
negative values correspond to results below detection limit

values in red exceed one or more criteria  
negative values correspond to results below detection limit

ates, values in red exceed one or more criteria a negative values correspond to results below detection limit

values in red exceed one or more criteria  
negative values correspond to results below detection limit

ates; values in red exceed one or more criteria  
negative values correspond to results below detection limit

Values in red exceed one or more criteria  
Negative values correspond to results below detection limit

values in red exceed one or more criteria  
negative values correspond to results below detection limit

values in red exceed one or more criteria  
negative values correspond to results below detection limit

---

## **Appendix B      Groundwater Numerical Model**




## Appendix B

# Draft Groundwater Numerical Model, Crown Mountain Project

Prepared for

New Coal Canada Ltd.



Prepared by



**srk** consulting

SRK Consulting (Canada) Inc.  
1CN028.002  
November 2020

## Appendix B

# Draft Groundwater Numerical Model, Crown Mountain Project

November 2020

### Prepared for

New Coal Canada Ltd.  
810-789 West Pender Street  
Vancouver, BC V6C 1H2  
Canada

Tel: (025)295-0123

Project No: 1CN028.002

File Name: 1CN028.002\_Ground Water Assessment\_1CN028.002\_Draft\_SI\_DM

### Prepared by

SRK Consulting (Canada) Inc.  
2200–1066 West Hastings Street  
Vancouver, BC V6E 3X2  
Canada

Tel: +1 604 681 4196  
Web: [www.srk.com](http://www.srk.com)

Copyright © SRK Consulting (Canada) Inc., 2016



## Table of Contents

<b>Appendix B (Groundwater Numerical Model) .....</b>	<b>1</b>
B.1. Introduction .....	1
B.2. Modeling Objectives.....	1
B.3. Model Software .....	1
B.4. Model Assumptions.....	1
B.5. Model Domain.....	2
B.6. Model Mesh .....	2
B.7. Boundary Conditions .....	4
External Boundaries .....	4
Internal Boundaries .....	4
B.8. Model Parametization .....	8
B.9. Model Calibration and Sensitivity Analysis .....	10
Calibration     10	
Sensitivity    16	
Type III Sensitivities.....	18
B.10.Predictive Simulations .....	19
Groundwater Flow Simulations .....	19
Groundwater Seepage Footprint Simulations .....	19
B.11.Model Results .....	22
Significance of Results .....	22
Baseline Model .....	22
Potential Impacts from Mining (EOM and LTC) .....	30
B.12.Conclusion .....	45
B.13.References.....	47

## List of Figures

Figure B-1. Model Mesh.....	3
Figure B-2. Model Boundary Conditions .....	5
Figure B-3. Recharge Applied Regression Equation for MAP Orographic Effects .....	6
Figure B-4. Recharge Distribution .....	7
Figure B-5. Bedrock Anisotropy Directions in Pit Area .....	9
Figure B-6. Calibration Statistics.....	12
Figure B-7. Calibration to Steady State Water Levels .....	13
Figure B-8. Calibration to Steady State Water Levels (individual points) .....	14

Figure B-9. Baseflow Measurement Points.....	15
Figure B-10. Calibration to Baseflow .....	16
Figure B-11. Faults.....	21
Figure B-12. Baseline Hydraulic Head Distribution.....	24
Figure B-13. Groundwater Fluxes .....	25
Figure B-14. Baseline Conditions: North and South Pit Cross Sections .....	26
Figure B-15. Baseline Conditions: East Pit and East Alexander Cross Sections.....	27
Figure B-16. Fluid Rate Budget .....	28
Figure B-17. Forward Streamlines in Lower Alexander Creek .....	29
Figure B-18. Spill Point Locations and Elevations .....	33
Figure B-19. North Pit Cross Sections (with mining influence) .....	34
Figure B-20. East Pit Cross Sections (with mining influence).....	35
Figure B-21. South Pit (East-West) Cross Sections (with mining influence) .....	36
Figure B-22. South Pit (North-South) Cross Sections (with mining influence) .....	37
Figure B-23. Darcy Flux to Creek below Waste Dump .....	38
Figure B-24. Particle Tracking from Waste Dump and Pond.....	39
Figure B-25. Backward Streamlines to Creek below Waste Dump .....	40
Figure B-26. Seepage Modelling (Base case) .....	41
Figure -27. Seepage Modelling (including Waste Dump and Pond, Plan View).....	42
Figure -28. Seepage Modelling (including Waste Dump and Pond, Cross Sections) .....	43
Figure B-29. Seepage Modelling (Sensitivity to Faults).....	44

## List of Tables

Table B-1. Calibrated Model Hydraulic Properties.....	8
Table B-2. Bedrock Anisotropy Model Parameters.....	9
Table B-3. Observed and Modelled Water Levels .....	10
Table B-4. Sensitivity of Baseline Condition Model .....	17
Table B-5. Sensitivity Types of the Crown Mountain Model .....	18
Table B-6. Model Mass Water Balance (Baseline) .....	23
Table B-7. Estimated Change in Groundwater Flux .....	31
Table B-8. Model Mass Water Balance (comparing EOM to Pre-mining) .....	32
Table B-9. Model Mass Water Balance (comparing LTC to Pre-mining).....	32

## List of Abbreviations

End of Mining	EOM
Equivalent Porous Media	EPM
hydraulic conductivity	K
inches	"
Local Study Area	LSA
Long Term Closure	LTC
millimeters	mm
meters above sea level	m asl
meters below ground surface	m bgs
square kilometers	km <sup>2</sup>

## Appendix B (Groundwater Numerical Model)

### B.1. Introduction

SRK Consulting (Canada) Inc. is providing hydrogeological services to NWP in support of the proposed Crown Mountain Coal Project, located in the Elk Valley region of southeastern British Columbia, Canada. One part of this support is definition of baseline conditions and assessment of potential effects on the environment of the project in support of environmental permitting. A groundwater numerical model for the project site was developed as part of this work. This document describes the model, model parameterization and calibration, estimates of current groundwater conditions (focusing primarily on flow quantities) and estimates of potential changes to the groundwater system from the project.

### B.2. Modeling Objectives

The objectives of the numerical model were to:

- Develop a quantitative groundwater model for current conditions (pre-mining)
- Use this model to assess potential future groundwater conditions when the mine is constructed
- Provide estimates of quantitative changes to the groundwater system and groundwater contributions to surface water receptors from the project.

### B.3. Model Software

Groundwater numerical modelling was completed using the software FEFLOW v.7.3 (DHI, 2019). FEFLOW is a professional software package for modeling fluid flow and transport of dissolved constituents and/or heat transport processes in the subsurface. This program is used extensively for groundwater mining projects around the world. The code is based on a finite element solution of the partial differential equations for flow and transport.

### B.4. Model Assumptions

The model assumptions are as follows:

- At the scale of the assessment, groundwater system flow in bedrock can be approximated by an Equivalent Porous Media (EPM) model
- Bedrock hydraulic conductivity (K) is anisotropic, with highest K parallel to bedding planes/ coal seams and to thrust fault strike with lowest K perpendicular to bedding. K, in all orientations, decreases with depth, according to the model proposed by Wei et al. (1995)
- Apart from preferential flow parallel to mapped fault strike, there are no major faults acting as conduits and no major regional deep flow influences
- Recharge follows the same spatial trend with elevation as precipitation. The evaporation and evapotranspiration mechanisms are not explicitly modeled but assumed to be integrated as “net recharge”. It is assumed that this approach will not unduly bias the model

- Water level data collected in 2018 and 2019 are representative of the pre-mining steady-state conditions
- Steady-state models are adequate to define current conditions and predict mine effects to groundwater at a scale appropriate for assessment of potential environmental effects
- Another key assumption is that groundwater quality is important primarily with regards to how it can discharge and influence surface water receptors (i.e., surface water is the primary groundwater “user”). Changes to groundwater quality are not explicitly included in the numerical model. Estimations of future water quality related to mining influences are completed as part of water quality modeling conducted under separate cover (SRK, 2020).


## B.5. Model Domain

The model domain is shown in Figure B-1 and covers an area of approximately 8 km x 14 km, with a total area of 112 km<sup>2</sup>. The domain is set to encompass the East Alexander, West Alexander, Lower Alexander and the upper portion of the Grave catchments, with the external boundaries considered to be sufficiently distant from the mining area to minimize influence of the boundary conditions on model predictions.

The upper surface of the model is defined based on DEM coverages from Lidar images and from the Shuttle Land Elevation Mission (SRTM). The base of the model is set at a constant elevation of 800 m asl (approximately 400 meters below the lowest surface elevation point in the model domain and 800 meters below surface elevation in the areas of pits).

## B.6. Model Mesh

The model mesh is composed of 1,231,956 nodes and 2,308,736 elements, which are approximately 100 m wide over most of the model area, with a finer mesh resolution of 5 to 10 m near the creeks and proposed pit areas. The model is divided into 16 layers, at varying thicknesses, as shown in Figure B-1.

**Figure B-1. Model Mesh**

## B.7. Boundary Conditions

Boundary conditions are described below and illustrated in Figure B-2.

### External Boundaries

- The western and eastern model edges coincide with ridges which form surface water catchment divides and are thus assigned no-flow (or zero-flux) boundary conditions
- Groundwater flow through the northern and southern model edges is outwards from the model area, via the creek channels which are simulated using seepage boundary conditions<sup>1</sup>. Early model simulations highlighted the likelihood for deep groundwater flow below the creeks, particularly in the lower Alexander Creek where flow is southwards out of the model area. Therefore, to simulate potential deep regional aquifer flow out of the model area to the south, seepage boundary conditions were introduced at depth (slice 10)
- The base of the model is defined as a no-flow boundary.

### Internal Boundaries

#### Recharge

Recharge from precipitation and snowmelt is applied on the top slice and is assumed to follow a similar relationship to that observed between MAP and elevation (Section 3.2). The applied regression equation for MAP orographic effects is shown in Figure B-3. These MAP values were multiplied by a factor for recharge as a percentage of MAP. Recharge rates were adjusted during the calibration of the model to match the baseflow estimates for East Alexander, West Alexander and Lower Alexander creeks. The base case calibrated average recharge over the model domain is equivalent to 15% of MAP for the overburden and 10% of MAP where bedrock is at outcrop, resulting in the distribution shown in Figure B-4. The low and high average MAP estimates (5 and 30%) were applied as part of the sensitivity analysis.

#### Rivers/Creeks

The creeks are simulated using seepage boundary conditions with the following exception:


- However, the Lower Alexander is assumed to be a ‘losing section’ of the creek and is modelled as constant head boundary conditions, with a maximum flow from surface water to groundwater of 691 m<sup>3</sup>/d, calculated by extrapolating the decrease in flow from S4 to S3
- Some additional nodes with seepage boundary conditions were added along valleys and upgradient of main rivers to represent surface run-off and interflow.

Given the overall DEM spacing of 20 m and vertical resolution between 5 and 10 m, all the boundaries applied to rivers and creeks were set with a head value at 1 m below surface topography.

<sup>1</sup> A seepage condition is a condition that constrains a node to behave as a drain rather than a constant source of water, i.e. only allow for discharge of groundwater to the creek bed where the water table is above the level of the creek.

## Mine Pit

During mine simulations, seepage boundary conditions were assigned to the nodes within the pit, allowing water to exit the model.



**Figure B-2. Model Boundary Conditions**




Figure B-3. Recharge Applied Regression Equation for MAP Orographic Effects




Figure B-4. Recharge Distribution

## B.8. Model Parametization

The results of analyses of the hydraulic tests, as described in Section 3.7, were used as the starting values and calibration range for the modelled hydraulic parameters per hydrostratigraphic unit. The calibrated model hydraulic properties are shown in Table B-1. Assignment of the properties includes consideration of the following:

- Hydraulic conductivity values are calibrated within ranges calculated from the field test results, as discussed in the conceptual model section of the main report
- Specific storage and specific yield values are based on typical literature values for the material type (Heath, 1983; Morris and Johnson, 1967, Kruseman & De Ridder, 2000)
- The fractured bedrock is modeled as an equivalent porous media
- The bedrock hydraulic conductivity field is anisotropic with a conductivity tensor for the local mining areas shown in Figure B-5 and Table B-2. The highest conductivity is parallel to bedding
- Bedrock hydraulic conductivity decreases with depth due to increases in lithostatic stress. Wei et al. (1995) developed a model based on 5,532 injection tests at dam sites in the Rocky Mountain Front Range. The decrease in hydraulic conductivity is defined as per Wei et al. model as a function of depth (z):

$$K(z) = K_0 \left( 1 - \frac{z}{58.0 + 1.02 \cdot z} \right)^3,$$

where  $K_0$  is the hydraulic conductivity at the ground surface.

**Table B-1. Calibrated Model Hydraulic Properties**

Zone	Geology	Approximate K Range from Field Data & Conceptual (m/s)	K1 & K2 (horizontal) (m/s)	K3 (perpendicular/vertical) (m/s)	Specific Storage (1/m)	Specific Yield (-)
1	Bedrock	$2 \times 10^{-8}$ to $2 \times 10^{-5}$	$1 \times 10^{-7}$ (decreasing with depth)	$4 \times 10^{-8}$ (decreasing with depth)	$1 \times 10^{-6}$	0.001
2	Till/Colluvium	$5 \times 10^{-8}$ to $1 \times 10^{-5}$	$1 \times 10^{-7}$	$1 \times 10^{-7}$	$5 \times 10^{-5}$	0.01
3	Glaciofluvial (set = fluvial)	$1 \times 10^{-4}$ to $2 \times 10^{-3}$	$5 \times 10^{-4}$	$5 \times 10^{-5}$	$1 \times 10^{-4}$	0.20
4	Glaciolacustrine	$2 \times 10^{-7}$ to $1 \times 10^{-6}$	$4 \times 10^{-7}$	$4 \times 10^{-7}$	$1 \times 10^{-5}$	0.005
5	Fluvial	$5 \times 10^{-5}$ to $5 \times 10^{-4}$	$5 \times 10^{-5}$	$5 \times 10^{-6}$	$1 \times 10^{-4}$	0.05




Figure B-5. Bedrock Anisotropy Directions in Pit Area

Table B-2. Bedrock Anisotropy Model Parameters

Mine Area	Dip	Dip Dir	Phi	Theta	Psi
East	20	280	80	340	280
South	20	280	80	340	280
North (West)	50	75	285	310	75
North (East)	40	255	105	320	255
Elsewhere	0	0	360	360	0

## B.9. Model Calibration and Sensitivity Analysis

### Calibration

The model calibration was completed in two phases. In the first phase, hydraulic conductivities were varied, while keeping the recharge constant, until head predictions matched the water levels measured since 2018. In the second phase, the recharge and hydraulic conductivity values were varied while keeping a constant K/R ratio (hydraulic conductivity/recharge) until the simulated baseflows matched the baseflow estimates for the East Alexander, West Alexander and Lower Alexander creeks.

The model results are compared to the measured heads in Table B-3, Figure B-6, Figure B-7 and Figure B-8. The final calibrated model reproduces the regional behavior reasonably well. The calibration statistics on heads are considered acceptable. The normalized root mean squared error (NRMSE) is 0.3%. The largest maximum errors (>30 m) are reported at CM11-11 and CM12-01, both of which are collared at high elevations within the South Pit. Variation in observed water levels could be indicative of compartmentalization associated with a coal seam, as they are both located within 500 m of one another and at a similar height on a ridge (inside the pit footprint area) but have an 87 m difference in observed water levels. Model calibration water levels are between both values at this location.

The baseflow predictions compare reasonably well to the baseflow estimations (Figure B-9). The largest variation between modelled and observed baseflows occurs between SW7.8 and SW7.1 on East Alexander Creek where the observed flow rate increases significantly. The reason for the sudden increase in observed flow is not clear. Despite testing of multiple parameter variations to the model setup, this significant flow increase was not reflected in the model.

**Table B-3. Observed and Modelled Water Levels**

No.	Borehole ID	Observed Water Level (m asl)	Modelled Water Level (m asl)	Residual
1	GW1-A	1465	1464	-1
2	GW1-B	1466	1464	-2
3	GW3-A	1510	1512	2
4	GW3-B	1510	1512	2
5	GW3-C	1510	1512	2
6	GW4-OB	1537	1518	-20
7	GW4-BR	1530	1518	-12
8	GW6-OB	1560	1539	-21
9	GW6-BR	1558	1539	-19
10	GW7-A	1512	1516	3
11	GW7-B	1518	1516	-3
12	GW-MP1-OB	1548	1521	-26
13	GW-MP1-BR	1542	1530	-12
14	GW-MP1-PW	1548	1524	-25

No.	Borehole ID	Observed Water Level (m asl)	Modelled Water Level (m asl)	Residual
15	GW9-OB	1573	1582	9
16	GW9-BR	1574	1585	12
18	GW12-BR	1969	1988	19
19	GW14-OB	1854	1844	-10
20	GW14-BR	1853	1843	-10
21	GW-MD1	1913	1910	-3
22	GW-MD2	1823	1818	-4
23	GW-PP2	1866	1867	1
25	CM12-01	2100	2067	-33
26	CM13-06	1993	2001	8
27	CM11-11	2013	2052	39
28	CM13-25	1857	1860	3
29	GW12-OB	1976	1989	13
30	CM13-20	<1853	1841	Within range




Figure B-6. Calibration Statistics




Figure B-7. Calibration to Steady State Water Levels





Figure B-8. Calibration to Steady State Water Levels (individual points)

**Figure B-9. Baseflow Measurement Points**




Figure B-10. Calibration to Baseflow

## Sensitivity

Multiple model runs were conducted to assess the sensitivity of the model to the hydraulic conductivity/recharge (K/R) ratio and K anisotropy. Parameters were varied without re-calibration of the model. In order to rate the sensitivity of model results (Table B-4) to total baseflow, water level calibration (using % change in root mean squared error) and groundwater flux (Darcy flux) in creek cross sections (location shown in Figure B-13) the following relative sensitivity definitions were applied:

- High: more than 30% change
- Medium: 15 to 30% change

- Low: 5 to 15% change
- Insignificant: less than 5% change

**Table B-4. Sensitivity of Baseline Condition Model**

Parameter	Parameter Variation	Water Level Calibration (using % change in root mean squared error)	Effect on Baseflow Predictions (using % change in baseflow)	Darcy Flux in Creek Cross Sections (using % change in flux)
K/R ratio*	Adjusted to half calibrated recharge of 7.5% and 5% MAP for overburden and bedrock respectively	Medium	High	Low
	Adjusted to double calibrated recharge of 30% and 20% MAP for overburden and bedrock respectively	High	High	Medium
K anisotropy	Anisotropic ( $K_{xy}$ / bedding planes oriented horizontally)	Insignificant	Insignificant	Low
	Isotropic ( $K_z = K_{xy}$ , $K_{xy}$ oriented horizontally). K decreasing with depth.	Low	Insignificant	Low
	Isotropic ( $K_z = K_{xy}$ , $K_{xy}$ oriented horizontally). No decrease in K with depth	High	Insignificant	High

\* K/R, ratio between hydraulic conductivity and recharge

Results of the sensitivity analyses are summarized in Table B-5, according to sensitivity types as defined by Brown (1996):

- Type I: There are insignificant effects for both model calibration residuals and predictive model results (relative to modeling objectives). In other words, parameters are varied within a reasonable range of values, but there are no significant changes in results. This parameter type does not need further data collection or monitoring
- Type II: There is a significant effect on model calibration, but an insignificant effect on predictive model results (relative to modeling objectives). The model calibration is affected (residuals increase for some part of the parameter range being tested) so the parameter has an effect on calibration goodness of fit. However, the results of the predictive model are still insensitive to this parameter
- Type III: There are significant effects on both model calibration and model prediction results (relative to modeling objectives). The parameter has an effect on calibration goodness of fit and a corresponding effect on predictive model results
- Type IV: There is an insignificant effect on model calibration, but a significant effect on predictive model results (relative to modeling objectives). The model calibration is not affected and does not help constrain this parameter value, while the results of the predictive model are sensitive to this parameter.

Types I and II are of no concern because the impact on predictions is insignificant. Type III is of concern only for an uncalibrated model, and a proper calibration of this parameter is the solution. The sensitivity is important, but it is known and can be avoided by model calibration.

Type IV is a cause for concern because non-uniqueness in a model input might allow a range of valid calibrations, but the choice of value significantly impacts model prediction. It is important to determine the actual value of this parameter and not rely on model calibration to estimate this parameter. It should be measured with good data (model field audit), and ideally the data should represent the same stresses as in the predictive model simulations.

**Table B-5. Sensitivity Types of the Crown Mountain Model**

		Change in Calibration	
		Insignificant	Significant
Change in Prediction Results	Insignificant	<b>Type I</b> Sensitivity 3 (horizontal bedding) Sensitivity 4 ( $K_z = K_{xy}$ )	<b>Type II</b> None
	Significant	<b>Type IV</b> None	<b>Type III</b> Sensitivity 1 (half recharge) Sensitivity 2 (double recharge) Sensitivity 5 (no decrease in K with depth in bedrock)

### Type III Sensitivities

The sensitivity analysis showed that “significant recharge variations” and “change in bedrock K with depth” are categorized as Type III parameters. While model calibration and prediction results show sensitivity to these parameters, the conditions used for calibration of the model are considered reasonable. The model is constructed based on the available data and at the scale of the mine site it replicates reasonably well the site observations and the regional behavior of the groundwater system. Model results have highest confidence in the vicinity of the mine area, where there is relatively more data. Actual conditions may vary locally due to variations in hydraulic conductivity or other material properties where data are not available. Hydraulic properties of large-scale geological structures are not well constrained; however, where large-scale fractures and faults are connected, they may act as conduits or barriers to flow.

Groundwater recharge is constrained in the model by calibration to baseflow. Some baseflow data are available to which the model is calibrated, but it is acknowledged that the dataset is limited. Understanding of groundwater recharge should improve over time as more data become available. This sensitivity is considered most important, in regards to how it could affect the quantity and location of recharge to the groundwater system under the Waste Rock Dump.

These limitations should be considered when interpreting or using model results. In addition, as is typical in numerical models, results indicate some undue influence of model boundaries on water levels, however at a distance of 200 m inwards of the boundary, this influence is considered insignificant.

## B.10. Predictive Simulations

### Groundwater Flow Simulations

Predictive **groundwater flow simulation** results are assessed using steady-state simulations for the following conditions:

- Baseline (current conditions)
- End of Mining (EOM; open pit and Waste Rock Dump developed to full extent)
- Long Term Closure (LTC; open pit and Waste Rock Dump at full extent; open pit flooded to decant).

The following points reflect assumptions or conditions for the flow simulation set-up:

- The steady-state conditions represent seasonally averaged stable groundwater flow conditions after an extended amount of time, which is considered conservative from the perspective of assessing potential effects of the project on the groundwater system
- The pit is fully excavated at the start of the EOM simulations. The open pit is represented using seepage node boundary conditions
- The ex-pit rock disposal areas are not explicitly modelled; they are accounted for through variations of the recharge rates at the base of the rock disposals (with recharge/seepage increased to double that of natural rainfall percolation recharge at original ground surface)
- The LTC pit lake and in-pit rock disposal areas are represented using constant head nodes, set at elevations equivalent to the spill points based on the proposed mine layout.


### Groundwater Seepage Footprint Simulations

Predictive **seepage footprints** are assessed using transient contaminant transport simulations for the following conditions:

- Base case (potential for contaminant seepage from Waste Rock Dump only, with all other facilities being lined)
- Both waste facilities and pond as potential contaminant seepage sources
- Sensitivity test of above scenario, assuming no fault structures.

The following points reflect assumptions or conditions for the flow simulation set-up:

- Source concentration is represented as “100 %” using constant concentration boundary condition cells, with background and initial concentration being “0%”
- The representative concentration parameter is assumed to be conservative (i.e. no sorption or retardation is simulated)
- The diffusion co-efficient was set to  $10^{-9}$  m<sup>2</sup>/s ( $9 \times 10^{-4}$  m<sup>2</sup>/d) (Appelo and Postma, 2005)
- A longitudinal dispersivity value of 100 m was selected for the simulations (Spitz and Moreno, 1996)
- An average value of 10 m was selected for transverse dispersivity, noting that Bear and Verruijt ([1992]) estimate that the average transverse dispersivity is 10 to 20 times smaller than the longitudinal dispersivity
- Faults (shown in Figure B-11) are assumed to have K values one order of magnitude higher than their calibrated formation K parallel to the fault, and one order of magnitude lower than their calibrated formation K perpendicular to the fault. Faults are represented in all transport scenarios, except for the final sensitivity test without faults
- Results are output at time periods of 1 year, 2 years, 25 years and 100 years.

**Figure B-11. Faults**

## B.11. Model Results

### Significance of Results

The British Columbia Groundwater Modeling Guidelines (Wels et al., 2012) define three levels of modeling complexity, based on the potential impacts, modeling objectives, hydrogeological framework and data availability. The model developed to undertake this assessment may be classified as of moderate complexity, defined as follows:

*"These are conceptual or numerical models based on a reasonable, though limited, dataset and having limited calibration. These models may be used to determine the potential range of change or to "bracket" potential effects that may occur due to a given stress."*

Hence, while specific results are calculated during the modelling process, there always remains a degree of uncertainty associated with these estimates. Quantification of the uncertainty may be a laborious and expensive process. SRK has attempted to quantify the uncertainty by providing a range of estimates; however, these ranges should not be viewed as definitive.

### Baseline Model

The mass water balance for the Baseline model area is shown in Table B-6. The calculated Baseline hydraulic head distribution is presented in Figure B-12. Groundwater flux calculations are given in Figure B-13 and numerous cross sections through the proposed pit areas and creeks are shown in Figure B-14 and Figure B-15.

Modeling results indicate that:

- The mass water balance (Table B-6) for the model area indicates that the vast majority of recharge from rainfall flows into the local creeks, however a very small percentage (0.1%) flows southwards below Alexander Creek and there are sections of losing streams (with flow from streams to groundwater) within the model area
- The groundwater fluxes through North Pit, East Pit and South Pit are  $317 \text{ m}^3/\text{d}$ ,  $147 \text{ m}^3/\text{d}$  and  $965 \text{ m}^3/\text{d}$  respectively. The East Pit is smallest and situated near the top of the ridge, hence why it has a lower groundwater flux. Although the groundwater flux through the South Pit is highest, it is not considered extremely high. This is also due to it being on a ridge and thus only capturing local recharge water. In addition, groundwater is quite deep ( $> 50 \text{ m bgs}$ ) over a large area of South Pit (see Figure B-14)
- The total horizontal groundwater fluxes within the top 50 m at defined locations along the West Alexander Creek, East Alexander Creek and Alexander Creek valleys are  $215 \text{ m}^3/\text{d}$ ,  $796 \text{ m}^3/\text{d}$  and  $1001 \text{ m}^3/\text{d}$ , respectively
- Modelled water levels in the cross section of East Alexander Creek (Figure B-15) show intersection with topography at a location on the west bank where springs have been observed, and a water level below the base of the creek, consistent with observations and the conceptual model that it is a losing stream in this area

- Figure B-16 shows the losing and gaining sections of the modelled creeks and Figure B-17 presents forward streamlines along the lower Alexander Creek valley (showing surface water and groundwater interactions below the creek).

**Table B-6. Model Mass Water Balance (Baseline)**

<b>Model Mass Balance (16s)</b>	<b>Inputs (m<sup>3</sup>/d)</b>	<b>Outputs (m<sup>3</sup>/d)</b>
Recharge:	25,417	
Baseflow (GW to SW):		25,710
Flow from Aquifer (out of model boundary):		33
Losing Streams (SW to GW):	326	
Total	25,743	25,743




Figure B-12. Baseline Hydraulic Head Distribution




Figure B-13. Groundwater Fluxes






Figure B-14. Baseline Conditions: North and South Pit Cross Sections

## Cross Section: East Pit (North – South)



## Cross Section: East Alexander (NW – SE)



 <b>srk consulting</b>	 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
<b>Baseline Conditions: East Pit and East Alexander Cross Sections</b>		
Job No.: 1CN028.002 Filename: Figure 8-3.pptx	Crown Mountain Project	Date: Oct 2020      Approved: DM      Figure: B-15

Figure B-15. Baseline Conditions: East Pit and East Alexander Cross Sections




Figure B-16. Fluid Rate Budget




Figure B-17. Forward Streamlines in Lower Alexander Creek

## Potential Impacts from Mining (EOM and LTC)

Results from model simulations for EOM and LTC are shown in Table B-7 and Figure B-18 through to Figure B-29. Modeling results indicate the following:

- Changes in horizontal groundwater flux (Darcy flux) during LOM and at LTC for key cross sections (locations shown in Figure B-13) are shown in Table B-7. Decreases in flow are due to mine pit dewatering during LOM and changes to groundwater flow even with the pit lake decanting for LTC. The greatest decrease in groundwater flow occurs down-gradient of West Alexander Creek and is in the range 9% to 25% during LOM and 6% to 18% for LTC. Groundwater flux impacts are less at East Alexander and have an even smaller percent impact down-gradient in the Alexander Creek valley where groundwater flow decreases to 1% to 7% during LOM and 0% to 6% for LTC
- Mass balance tables to compare EOM and LTC to pre-mining conditions are shown in Table B-8 and Table B-9 respectively. By the EOM, the modelled baseflow contribution to the West Alexander Creek catchment area decreases by approximately 30% compared to pre-mining, although there is some recovery to approximately 21% below pre-mining level at LTC. The decrease in baseflow to the East Alexander catchment ranges between 4 and 5% below pre-mining baseflow for EOM and LTC. The Lower Alexander Catchment shows a baseflow decrease of between 1 and 2%. Although the upper Grave Creek catchment (that which falls in the model area), experiences a decrease in baseflow of approximately 4% at EOM, it reduces to a 2% decrease at LTC
- Spill point locations are shown in Figure B-18. They occur at an elevation of 1978, 2049 and 1671 m asl for North Pit, East Pit and South Pit respectively. These dictate the maximum LTC flooded pit lake water levels
- Figure B-19 through to Figure B-22 show cross sections through the pits and changes in water level from Baseline (pre-mining) to EOM and subsequently through to LTC. The maximum drawdown related to dewatering during operations is approximately 150 m in North Pit, 60 m in East Pit and 220 m in South Pit. The drawdown zone is predicted to extend from West Alexander Creek in the west, across the ridge as far as East Alexander Creek, though this is considered conservative as it crosses bedding, thus if anisotropy is greater this effect should be less
- As shown in Figure B-23, Darcy flux in the West Alexander Creek valley bottom, in the vicinity of the proposed waste rock facility, indicates higher upwards groundwater flow velocities in the upper 20 m. Velocities reach 0.005 m/d, but decrease rapidly with depth
- Particle tracking from the waste dump and sediment pond locations show that the vast majority of groundwater flow is towards the creek and dewatered mine pits, however a small number of particles indicate potential flow to the East Alexander if there is deposition to the east of the groundwater divide (Figure B-24)
- Figure B-25 shows backward streamlines of 500 years for the groundwater flow to the creek below the proposed Waste Rock Dump. Most flow is shallow and local

- Figure B-26 shows the potential seepage footprint from the Waste Rock Dump as the pond is assumed to be lined and therefore is not a seepage source in this base case. Seepage modelling was undertaken with transient contaminant transport where source concentration is input as a normalized “100%” and background is assumed to be “0%”. After 100 years, the seepage footprint remains within 1,000 m of the Waste Rock Dump in the near surface but has the potential to extend to 2,000 m at depth in groundwater. The West Alexander Cross Section (shown by the white line in the plan view) shows the potential for low concentrations (5 to 15% of source if geochemically conservative) to extend below the West Alexander valley at a depth of 100 m bgs to 300 m bgs
- Figure -27 and Figure -28 show the plan and cross section view respectively of the results of a model predictive scenario that assumes that the pond down-gradient of the Waste Rock Dump is an additional potential seepage source. After 2 years, the seepage footprint extends only 100 m down-gradient, however after 25 years the potential extent is approximately 1,200m and after 100 years the potential extent is approximately 2,500 m. The concentration of this down-gradient extent is low (5 to 15% of source if geochemically conservative). The West Alexander cross section, situated immediately down-gradient of the pond, shows the potential for a seepage footprint with an 80% concentration near-surface, and extending to depths of approximately 300 m bgs;
- Figure B-29 shows a comparison of model predictive scenarios with and without faults in order to assess the sensitivity of seepage modelling to the assumed fault structures. Without the faults, the concentrations between the Waste Rock Dump and the pond are slightly lower, however there appears to be a low sensitivity to faults. This is likely due to the orientation and the narrow width of the faults (assumed to be 1 m), the orientation of the faults aligning with local bedding, and the relatively minimal extension of the faults south/down-gradient of South Pit.

**Table B-7. Estimated Change in Groundwater Flux**

GW Flux Cross Section <sup>1</sup>	Baseline	EOM (most likely) % change from baseline	EOM (uncertainty range) % change from baseline	LTC (most likely) % change from baseline	LTC (uncertainty range) % change from baseline
<b>West Alexander</b>	100%	-17%	-25% to -9%	-12%	-18% to -6%
<b>East Alexander</b>	100%	-9%	-14% to -4%	-4%	-9% to 0%
<b>Alexander</b>	100%	-4%	-7% to -1%	-3%	-6% to 0%

Note <sup>1</sup>: Sections are the same as used for baseline flux estimation in Figure B-13.

**Table B-8. Model Mass Water Balance (comparing EOM to Pre-mining)**

<b>Mass Balance</b>	<b>Pre-mining</b>		<b>End of Mining</b>		<b>Changes in flow (m³/d)</b>	<b>Changes in flow (%)</b>
	<b>Inflow (m³/d)</b>	<b>Outflow (m³/d)</b>	<b>Inflow (m³/d)</b>	<b>Outflow (m³/d)</b>		
Groundwater Recharge from Rainfall	25,417		24,420			
West Alexander Creek Baseflow	74	3,280	76	2,305	-977	-30.47%
East Alexander Creek Baseflow	63	10,368	63	9,873	-495	-4.80%
Lower Alexander Creek Baseflow	189	9,169	191	9,030	-141	-1.57%
Grave Creek (Upper) Baseflow		2,893		2,781	-112	-3.87%
Flow from Aquifer (out of model boundary)		33		33	0	0.00%
Mine Pit GW-SW Interaction	N/A	N/A		728		
<b>Total</b>	<b>25,743</b>	<b>25,743</b>	<b>24,750</b>	<b>24,750</b>		

**Table B-9. Model Mass Water Balance (comparing LTC to Pre-mining)**

<b>Mass Balance</b>	<b>Pre-mining</b>		<b>Long Term Closure</b>		<b>Changes in flow (m³/d)</b>	<b>Changes in flow (%)</b>
	<b>Inflow (m³/d)</b>	<b>Outflow (m³/d)</b>	<b>Inflow (m³/d)</b>	<b>Outflow (m³/d)</b>		
Recharge	25,417		24,420			
West Alexander Creek Baseflow	74	3,280	76	2,607	-675	-21.05%
East Alexander Creek Baseflow	63	10,368	63	9,929	-439	-4.26%
Lower Alexander Creek Baseflow	189	9,169	191	9,078	-93	-1.04%
Grave Creek (Upper) Baseflow		2,893		2,840	-53	-1.83%
Flow from Aquifer (out of model boundary)		33		33	0	0.00%
Mine Pit GW-SW Interaction	N/A	N/A		263		
<b>Total</b>	<b>25,743</b>	<b>25,743</b>	<b>24,750</b>	<b>24,750</b>		







Figure B-18. Spill Point Locations and Elevations




**Figure B-19. North Pit Cross Sections (with mining influence)**

## Cross Section: East Pit (North – South)


Baseline (long term  
steady state pre-mining):



@ Life of Mine  
(lowest point of mine  
pit = 1981 m asl)



@ Long Term Closure  
(spill point = 2049 m)



**srk** consulting

**NWP Coal Canada Ltd**

Job No: 1CN028.002  
Filename: Figure 8-3.pptx

Crown Mountain Project

Groundwater Technical Report

East Pit Cross Sections  
(with mining influence)

Date: Oct 2020	Approved: DM	Figure: B-20
----------------	--------------	--------------

Figure B-20. East Pit Cross Sections (with mining influence)




Figure B-21. South Pit (East-West) Cross Sections (with mining influence)






Figure B-22. South Pit (North-South) Cross Sections (with mining influence)



<b>srk consulting</b>	<b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
		<b>Darcy Flux to Creek below Waste Dump</b>
Job No: 1CN028.002	Crown Mountain Project	Date: Oct 2020
Filename: Figure 8-3.pptx	Approved: DM	Figure: B-23

Figure B-23. Darcy Flux to Creek below Waste Dump

## Particle Tracking from Dump and Pond @ Life of Mine / during mining:




<b>srk consulting</b>	<b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
<b>Particle Tracking from Dump and Pond</b>		
Job No: 1CN028.002 Filename: Figure B-3.pptx	Crown Mountain Project	Date: Oct 2020      Approved: DM      Figure: B-24

Figure B-24. Particle Tracking from Waste Dump and Pond


## Backward Streamlines (500 years) to Creek below Waste Dump)

Red lines show distances and directions along which groundwater flows to the creek below the Waste Dump footprint




 <b>srk</b> consulting	 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
		<b>Backward Streamlines to Creek below Waste Dump)</b>
Job No: 1CN028.002 Filename: Figure 8-3.pptx	Crown Mountain Project	Date: Oct 2020    Approved: DM    Figure: <b>B-25</b>


Figure B-25. Backward Streamlines to Creek below Waste Dump



**Figure B-26. Seepage Modelling (Base case)**



**Figure -27. Seepage Modelling (including Waste Dump and Pond, Plan View)**



**Figure -28. Seepage Modelling (including Waste Dump and Pond, Cross Sections)**




Figure B-29. Seepage Modelling (Sensitivity to Faults)

## B.12. Conclusion

A numerical model was constructed based on the conceptual model and calibrated to pre-mining water levels and creek baseflow estimates. The final calibrated model reproduced the regional hydrogeological system reasonably well, with a normalized root mean squared error (NRMSE) of 0.3% and simulated baseflows within 80% to 120% to those calculated from local streamflow measurements (except for point SW 7.1 on East Alexander, which shows a sudden drastic increase in observed flow, which is approximately 3 times greater than that modelled).

The calibrated model was used to simulate the groundwater system at current conditions, at EOM conditions, and for LTC conditions. Changes in groundwater flux (upper 50m) at EOM and at LTC for key cross sections indicate that there is a likely decrease in groundwater flow across the West Alexander Creek by 17% and 12% for EOM and LTC respectively, and a decrease down-gradient in the Alexander cross section by 4% and 3% for EOM and LTC respectively. Groundwater flow rates decrease rapidly with depth.

By the EOM, the modelled baseflow contribution to the West Alexander Creek catchment area decreases by approximately 30% compared to pre-mining, although there is some recovery to approximately 20% below pre-mining level at LTC. The decrease in baseflow to the East Alexander catchment ranges between 4 and 5% below pre-mining baseflow for EOM and LTC. The Lower Alexander Catchment shows a baseflow decrease of between 1 and 2%. Although the upper Grave Creek catchment (that which falls in the model area), experiences a decrease in baseflow of approximately 4% at EOM, it reduces to a 2% decrease at LTC.

The sensitivity analysis showed low sensitivity to K (horizontal to vertical) anisotropy and bedding planes. However, it has medium to high sensitivity to recharge and decreasing bedrock K with depth. However, these parameters also have a high impact on model calibration, and the conditions used for calibration of the model are considered reasonable, thus there remains confidence in the model predictive results within the uncertainty range.

The maximum drawdown during dewatering of the pit is approximately 150 m in North Pit, 60 m in East Pit and 220 m in South Pit. The drawdown zone is predicted to extend from West Alexander Creek in the west, across the ridge as far as East Alexander Creek, though this is considered conservative as it crosses bedding, thus if anisotropy is greater this effect should be less.

Particle tracking from the Waste Rock Dump and Pond locations show that the vast majority of groundwater flow is towards the creeks and dewatered mine pits, however a small number of particles indicate potential flow to East Alexander Creek if there is waste rock deposition to the east of the groundwater divide.

Seepage modelling was undertaken with transient contaminant transport where source concentration is input as a normalized “100%” and background is assumed to be “0%”. After 100 years, the base case scenario (with the potential for seepage from the Waste Rock Dump but not the pond) seepage footprint remains within 1,000 m of the Waste Rock Dump in the near surface but has the potential to extend to 2,000 m at depth in groundwater. Analysis of the cross section of the West Alexander Creek area immediately down-gradient of the pond shows the potential for low

concentrations (5 to 15% of source if geochemically conservative) to extend below the West Alexander valley at a depth of 100 m bgs to 300 m bgs.

If the pond is not lined and therefore forms an additional seepage source, then the seepage footprint has the potential to extend 100 m; 1,200 m and 2,500 m down-gradient in the valley area after 2 years, 25 years and 100 years respectively. The concentration of this down-gradient extent is low (5 to 15% of source if geochemically conservative). The West Alexander cross section, situated immediately down-gradient of the sediment pond, shows that if the pond is not lined, there is potential for a seepage footprint with an 80% concentration near-surface, and extending to depths of approximately 300 m bgs.

A comparison of model predictive scenario seepage results with and without faults shows a low sensitivity to faults. This is likely due to the orientation of the narrow width of the faults (assumed to be 1 m), the orientation of the faults aligning with local bedding, and the relatively minimal extension of the faults south/down-gradient of south pit.

## B.13. References

- Appelo, C. and Postma, D. Geochemistry, Groundwater and Pollution. 2nd Edition, Balkema, (Rotterdam, 2005).
- Bear,J and Verruijt,A. Modeling Groundwater Flow and Pollution. Volume 2 of the Theroy and Applications of Transport in Porous Media (1992).
- Heath, R.C., 1983. Basic ground-water hydrology, U.S. Geological Survey Water-Supply Paper 2220, 86p.
- Kruseman, G.P. and N.A. de Ridder, 1994. Analysis and Evaluation of Pumping Test Data (2nd ed.), Publication 47, Intern. Inst. for Land Reclamation and Improvement, Wageningen, The Netherlands, 370p.
- Morris, D.A. and A.I. Johnson, 1967. Summary of hydrologic and physical properties of rock and soil materials as analyzed by the Hydrologic Laboratory of the U.S. Geological Survey, U.S. Geological Survey Water-Supply Paper 1839-D, 42p.
- SRK, 2020. Water Quality Prediction Model. Crown Mountain Coking Coal Project, British Columbia.
- Spitz, K. and Moreno, J. A Practical Guide to Groundwater and Solute Transport Modeling. John Wiley & Sons, Inc., (New York, 1996)
- Wei, Z.Q., Egger, P. & Descoeuilles, F., 1995. Permeability predictions for jointed rock masses. International Journal of Rock Mechanics, Mineral Science and Geomechanics, Vol. 32, 251-261.
- Wels, C., Mackie, D. and Scibek, J., 2012. Guidelines for Groundwater Modelling to Assess Impacts of Proposed Natural Resource Development Activities. B.C. Ministry of Environment. Water Protection & Sustainability Branch.

---

## **Appendix C      Groundwater Quality Predictions**

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	[Alkalinity]	236.79	0.00	0.00	236.79	260.47	-	-	-	-	-
	[Hardness]	109.37	0.00	0.00	109.37	120.31	-	-	-	-	-
	[Ag]	0.000050	0.0001400	0.0025346	0.000054	0.0000055	-	0.03	-	0.0015	0.003
	[Al]	0.0045	0.0370	0.0025	0.0046	0.0050	9.5	9.5	-	0.05	0.01
	[As]	0.00032	0.00390	0.00253	0.00033	0.00035	0.01	0.01	-	-	0.005
	[B]	0.097	0.100	0.003	0.097	0.107	5	5	-	1.2	-
	[Ba]	0.103	0.540	0.003	0.104	0.113	-	1	-	-	-
	[Be]	0.000050	0.000480	0.002535	0.000051	0.000055	-	0.008	-	-	-
	[Bi]	0.000025	0.000000	0.002535	0.000025	0.000028	-	-	-	-	-
	[Ca]	31.19	0.00	0.00	31.19	34.31	-	-	-	-	-
	[Cd]	0.0000059	0.0027000	0.0025346	<b>0.0000128</b>	0.0000065	0.005	0.005	0.00024	0.226	0.645
	[Cl]	10.11	0.00	0.00	10.11	11.12	250	250	-	150	600
	[Co]	0.000082	0.146980	0.002535	<b>0.000455</b>	0.000090	0.001	0.001	-	0.004	0.11
	[Cr]	0.00014	0.00130	0.00253	0.00014	0.00016	0.05	0.05	-	-	-
	[Cu]	0.00023	0.00710	0.00253	0.00025	0.00025	2	1.5	-	-	-
	[F]	0.79	0.00	0.00	0.79	0.87	1.5	1.5	-	1.37	-
	[Fe]	0.008	0.042	0.003	0.008	0.009	0.3	6.5	-	0.35	-
	[Hg]	0.000025	0.000000	0.0025346	0.0000025	0.0000028	0.001	0.001	-	-	-
	[K]	0.64	0.00	0.00	0.64	0.71	-	-	-	-	-
	[Li]	0.1945	0.0000	0.0025	0.1945	0.2140	-	0.008	-	-	-
Control Point # 1: Sedimentation Pond / Background GW MP1-BR & GW-MP1-pW & GW-MP1-OB	[Mg]	7.64	0.00	0.00	7.64	8.40	-	-	-	-	-
	[Mn]	0.01	0.27	0.00	0.01	0.01	0.12	1.5	-	1.65	1.75
	[Mo]	0.0015	0.1447	0.0025	<b>0.0019</b>	0.0017	0.088	0.25	-	1	2
	[Na]	69.77	0.00	0.00	69.77	76.74	-	200	-	-	-
	[NH4]	-	0	0.00253	-	-	-	-	-	-	-
	[Ni]	0.00035	0.38000	0.00253	<b>0.00131</b>	0.00039	0.08	0.08	-	-	-
	[NO2]	0.00015	0.0000	0.0025	0.0015	0.0016	3	1	-	0.2	0.6
	[NO3]	0.121	0.500	0.003	0.122	0.133	45	10	3	-	-
	[P]	0.029	0.000	0.003	0.029	0.032	0.01	-	-	0.005	-
	[Pb]	0.000027	0.001300	0.002535	<b>0.00030</b>	0.00030	0.005	-	-	0.006879	0.091505
	[S]	5.20	0.00	0.00	5.20	5.72	-	-	-	-	-
	[Sb]	0.00009	0.01500	0.00253	<b>0.00013</b>	0.00010	0.006	0.006	-	-	-
	[Se]	0.00040	0.05781	0.00253	<b>0.00055</b>	0.00044	0.01	0.01	0.019	0.001	-
	[Si]	2.30	0.00	0.00	2.30	2.53	-	-	-	-	-
	[Sn]	0.00008	0.00000	0.00253	0.00008	0.00008	-	2.5	-	-	-
	[SO4]	13.87	531.76	0.00	15.22	15.26	500	500	429	309	-
	[Sr]	0.17	0.00	0.00	0.17	0.19	7	2.5	-	-	-
	[Tl]	0.00018	0.00000	0.00253	0.00018	0.00020	-	-	-	-	-
	[Tl]	0.000050	0.0000600	0.0025346	0.000052	0.000055	-	-	-	-	-
	[U]	0.00025	0.01083	0.00253	<b>0.00028</b>	0.00027	0.02	0.02	-	-	-
	[V]	0.00025	0.00120	0.00253	0.00025	0.00028	-	0.02	-	-	-
	[Zn]	0.0047	0.0410	0.0025	0.0048	0.0052	3	3	-	0.0220	0.0475
	[Zr]	0.000098	0.00000	0.002535	0.000098	0.000108	-	-	-	-	-

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline
		mg/L	mg/L	C/co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	[Alkalinity]	141.10	0.00	0.00	141.10	155.20	-	-	-	-	-
	[Hardness]	147.62	0.00	0.00	147.62	162.38	-	-	-	-	-
	[Ag]	0.0000050	0.00001400	0.00000000	0.0000050	0.0000055	-	0.03	0.0015	0.003	-
	[Al]	0.0058	0.0370	0.0000	0.0058	0.0064	9.5	9.5	0.05	0.01	-
	[As]	0.00028	0.00390	0.000000	0.00028	0.00030	0.01	0.01	-	-	0.005
	[B]	0.015	0.100	0.000	0.015	0.016	5	5	1.2	-	-
	[Ba]	0.059	0.540	0.000	0.059	0.065	1	-	-	-	-
	[Be]	0.0000050	0.0000480	0.00000000	0.0000050	0.0000055	-	0.008	-	-	-
	[Bil]	0.0000025	0.00000000	0.00000000	0.0000025	0.0000028	-	-	-	-	-
	[Ca]	39.56	0.00	0.00	39.56	43.52	-	-	-	-	-
	[Cd]	0.0000076	0.0027000	0.00000000	0.0000076	0.0000084	0.005	0.005	0.00024	0.282	0.879
	[Cl]	0.44	0.00	0.00	0.44	0.48	250	250	-	150	600
	[Co]	0.0000080	0.146980	0.00000000	0.0000080	0.0000087	0.001	0.001	-	0.004	0.11
	[Cr]	0.000013	0.00130	0.000000	0.000013	0.000014	0.05	0.05	-	-	-
	[Cu]	0.000018	0.00710	0.000000	0.000018	0.000020	2	1.5	-	-	-
	[F]	0.23	0.00	0.00	0.23	0.26	1.5	1.5	-	-	-
	[Fe]	0.015	0.042	0.000	0.015	0.017	0.3	6.5	-	-	0.35
	[Hg]	0.0000025	0.00000000	0.00000000	0.0000025	0.0000028	0.001	0.001	-	-	-
	[K]	0.60	0.00	0.00	0.60	0.66	-	-	-	-	-
West Alexander	[Li]	0.0052	0.0000	0.0000	0.0052	0.0058	-	0.008	-	-	-
	[Mg]	11.72	0.00	0.00	11.72	12.90	-	-	-	-	-
	[Mn]	0.11	0.27	0.00	0.11	0.12	0.12	1.5	-	1.23	2.17
	[Mo]	0.0014	0.1447	0.0000	0.0014	0.0015	0.038	0.25	-	1	2
	[Na]	2.64	0.00	0.00	2.64	2.90	-	200	-	-	-
	[NH4]	-	0	0.38000	0.00000	0.000026	0.000029	0.08	-	-	-
	[Ni]	0.00026	0.00028	0.00000	0.00028	0.00031	3	1	-	0.02	0.06
	[NO2]	0.00028	0.00000	0.00000	0.0072	0.080	45	10	3	-	-
	[NO3]	0.072	0.500	0.000	0.025	0.028	0.01	-	-	0.005	-
	[P]	0.025	0.000	0.000	0.025	0.005	-	-	-	0.009	0.134
	[Pb]	0.000025	0.001300	0.00000	0.000025	0.000028	-	-	-	-	-
	[S]	8.89	0.00	0.00	8.89	9.78	-	-	-	-	-
	[Sb]	0.000015	0.01500	0.00000	0.000015	0.000017	0.06	0.006	-	-	-
	[Se]	0.00099	0.05781	0.00000	0.00099	0.00108	0.01	0.01	0.019	0.001	-
	[Si]	3.03	0.00	0.00	3.03	3.34	-	-	-	-	-
	[Sn]	0.00087	0.00000	0.00000	0.00087	0.00096	-	2.5	-	-	-
	[SO4]	19.80	531.76	0.00	19.80	21.78	500	500	429	309	-
	[Sr]	0.17	0.00	0.00	0.17	0.19	7	2.5	-	-	-
	[Tl]	0.00016	0.00000	0.00000	0.00016	0.00018	-	-	-	-	-
	[Ti]	0.0000050	0.0000690	0.000000	0.000050	0.000055	-	-	-	-	-
	[U]	0.00031	0.01083	0.00000	0.00031	0.00034	0.02	0.02	-	-	-
	[V]	0.00025	0.00120	0.00000	0.00025	0.00028	-	0.02	-	-	-
	[Zn]	0.0023	0.0410	0.0000	0.0023	0.0025	3	3	0.0507	0.0762	-
	[Zr]	0.000093	0.00000	0.00000	0.000093	0.000102	-	-	-	-	-

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	[Alkalinity]	193.57	0.00	0.00	193.57	212.93	-	-	-	-	-
	[Hardness]	176.57	0.00	0.00	176.57	194.23	-	-	-	-	-
	[Ag]	0.0000050	0.0001400	0.0000000	0.0000050	0.0000055	-	0.03	-	0.0015	0.003
	[Al]	0.0038	0.0370	0.0000	0.0038	0.0042	9.5	9.5	-	0.05	0.01
	[As]	0.00093	0.00390	0.0000	0.00093	0.00102	0.01	0.01	-	-	0.005
	[B]	0.071	0.100	0.000	0.071	0.078	5	5	-	1.2	-
	[Ba]	0.072	0.540	0.000	0.072	0.079	-	1	-	-	-
	[Be]	0.0000050	0.000480	0.00000	0.000050	0.000055	-	0.008	-	-	-
	[Bi]	0.0000025	0.0000000	0.00000	0.000025	0.000028	-	-	-	-	-
	[Ca]	47.74	0.00	0.00	47.74	52.52	-	-	-	-	-
	[Cd]	0.0000055	0.0027000	0.0000000	0.0000055	0.0000061	0.005	0.005	0.00024	0.32	1.06
	[Cl]	0.38	0.00	0.00	0.38	0.41	250	250	-	150	600
	[Co]	0.0000154	0.146980	0.0000000	0.000154	0.000170	0.001	0.001	-	0.004	0.11
	[Cr]	0.000009	0.00130	0.00000	0.00009	0.000010	0.05	0.05	-	-	-
	[Cu]	0.00038	0.00710	0.00000	0.00038	0.00042	2	1.5	-	-	-
	[F]	0.40	0.00	0.00	0.40	0.44	1.5	1.5	-	-	1.56267
	[Fe]	0.040	0.042	0.000	0.040	0.044	0.3	6.5	-	-	0.35
	[Hg]	0.0000025	0.0000000	0.0000000	0.0000025	0.0000028	0.001	0.001	-	-	-
	[K]	0.94	0.00	0.00	0.94	1.03	-	-	-	-	-
Control Point # 3: Alexander Creek at LSA Boundary / Background GW 1-A & GW-1-B	[Li]	0.0113	0.0000	0.0000	0.0113	0.0124	-	0.008	-	-	-
	[Mg]	13.94	0.00	0.00	13.94	15.33	-	-	-	-	-
	[Mn]	0.08	0.27	0.00	0.08	0.09	0.12	1.5	-	1.46	2.49
	[Mo]	0.0033	0.1447	0.0000	0.0033	0.0037	0.088	0.25	-	1	2
	[Na]	13.88	0.00	0.00	13.88	15.26	-	200	-	-	-
	[NH4]	-	0	0	-	-	-	-	-	-	-
	[Ni]	0.00053	0.38000	0.00000	0.00053	0.00059	0.08	0.08	-	-	-
	[NO2]	0.0006	0.0000	0.0000	0.0006	0.0007	3	1	-	0.02	0.06
	[NO3]	0.011	0.500	0.000	0.011	0.012	45	10	3	-	-
	[P]	0.025	0.000	0.000	0.025	0.028	0.01	-	-	0.005	-
	[Pb]	0.000028	0.001300	0.00000	0.000028	0.00031	0.005	-	-	0.010	0.168
	[S]	10.43	0.00	0.00	10.43	11.47	-	-	-	-	-
	[Sb]	0.00019	0.01500	0.00000	0.00019	0.00021	0.06	0.006	-	-	-
	[Se]	0.00049	0.05781	0.00000	0.00049	0.00054	0.01	0.01	0.019	0.001	-
	[Si]	3.71	0.00	0.00	3.71	4.08	-	-	-	-	-
	[Sn]	0.00061	0.00000	0.00000	0.00061	0.00067	-	2.5	-	-	-
	[SO4]	25.78	531.76	0.00	25.78	28.36	500	500	429	309	-
	[Zn]	0.0035	0.0410	0.0000	0.0035	0.0039	3	3	-	0.072	0.098
	[Zr]	0.000082	0.00000	0.00000	0.000082	0.000090	-	-	-	-	-

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline
		mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	[Alkalinity]	176.29	0.00	0.01	176.29	193.91	-	-	-	-	-
	[Hardness]	194.50	0.00	0.01	194.50	213.95	-	-	-	-	-
[Ag]	0.000050	0.0001400	0.006543	<b>0.000059</b>	0.0000055	-	0.03	-	0.0015	0.003	-
[Al]	0.0139	0.0370	0.0066	<b>0.0142</b>	0.0153	9.5	-	0.05	0.01	-	-
[As]	0.00039	0.00390	0.00655	<b>0.00042</b>	0.00043	0.01	-	-	-	0.005	-
[B]	0.053	0.100	0.007	<b>0.053</b>	0.058	5	5	-	1.2	-	-
[Ba]	0.044	0.540	0.007	0.048	<b>0.048</b>	-	1	-	-	-	-
[Be]	0.000050	0.000480	0.006554	<b>0.000053</b>	0.000055	-	0.008	-	-	-	-
[Bi]	0.000025	0.000000	0.006554	<b>0.000025</b>	0.000028	-	-	-	-	-	-
[Ca]	51.62	0.00	0.01	51.62	56.79	-	-	-	-	-	-
[Cd]	0.00001	0.00270	0.00655	<b>0.00002</b>	0.00001	0.00500	0.00500	0.00024	0.35	1.17	-
[Cl]	0.50	0.00	0.01	0.50	0.55	250	-	150	600	-	-
[Co]	0.000210	0.146980	0.006554	<b>0.001173</b>	0.000231	0.001	0.001	-	0.004	0.11	-
[Cr]	0.00014	0.00130	0.00655	<b>0.00015</b>	0.00015	0.05	0.05	-	-	-	-
[Cu]	0.00035	0.00710	0.00655	<b>0.00039</b>	0.00038	2	1.5	-	-	-	-
[F]	0.17	0.00	0.01	0.17	0.19	1.5	1.5	-	-	1.60	-
[Fe]	0.205	0.042	0.07	0.205	0.225	0.3	6.5	-	-	0.35	-
[Hg]	0.000025	0.000000	0.0065543	<b>0.0000025</b>	0.0000028	0.001	0.001	-	-	-	-
[K]	0.87	0.00	0.01	0.87	0.95	-	-	-	-	-	-
[Li]	0.0143	0.0000	0.0066	<b>0.0143</b>	0.0157	-	0.008	-	-	-	-
[Mg]	15.94	0.00	0.01	15.94	17.53	-	-	-	-	-	-
[Mn]	0.05	0.27	0.01	0.06	0.06	0.12	1.5	-	1.38	2.68	-
[Mo]	0.0007	0.1447	0.0066	<b>0.0016</b>	0.0008	0.088	0.25	-	1	2	-
[Na]	7.42	0.00	0.01	7.42	8.16	-	200	-	-	-	-
4: North Pit Creek at Property Boundary / Background GW		-	1.5813E-23	-	-	-	-	-	-	-	-
14-OB & GW-14 [NH4] BR		[Ni]	0.00071	0.38000	0.00655	<b>0.00320</b>	0.000078	0.08	-	-	-
[NO2]		[NO3]	0.0006	0.0000	0.0066	<b>0.0006</b>	0.0006	3	1	0.02	0.06
[P]		[Pb]	0.044	0.500	0.007	<b>0.047</b>	0.048	45	10	3	-
[S]		[Sb]	0.029	0.000	0.007	<b>0.029</b>	0.032	0.01	-	0.005	-
[Se]		[Sb]	0.00008	0.01500	0.00655	<b>0.00018</b>	0.00009	0.06	0.006	-	-
[S]		[Se]	0.00054	0.05781	0.00655	<b>0.00092</b>	0.00059	0.01	0.01	0.019	0.001
[Si]		[Si]	3.70	0.00	0.01	3.70	4.06	-	-	-	-
[Sn]		[Sn]	0.00008	0.00000	0.00655	<b>0.00008</b>	0.00008	-	2.5	-	-
[SO4]		[SO4]	33.05	531.76	0.01	<b>36.54</b>	36.36	500	500	429	309
[Sr]		[Sr]	0.93	0.00	0.01	0.93	1.02	7	2.5	-	-
[Tl]		[Tl]	0.00044	0.00000	0.00655	<b>0.00044</b>	0.00049	-	-	-	-
[U]		[U]	0.000063	0.000060	0.006543	<b>0.000067</b>	0.000069	-	-	-	-
[V]		[V]	0.00024	0.01083	0.00655	<b>0.00031</b>	0.00027	0.02	0.02	-	-
[Zn]		[Zn]	0.00028	0.00120	0.00655	<b>0.00029</b>	0.00031	-	0.02	-	-
[Zr]		[Zr]	0.00033	0.0410	0.0066	<b>0.0036</b>	0.0036	3	3	0.086	0.111
		[Zr]	0.000070	0.00000	0.006554	<b>0.000070</b>	0.000077	-	-	-	-

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline
		mg/L	mg/L	C/co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Control Point # 5: Grave Creek at LSA Boundary / Background GW-14-OB & GW-14-BR	[Alkalinity]	176.29	0.00	176.29	193.91	-	-	-	-	-	-
	[Hardness]	194.50	0.00	194.50	213.95	-	-	-	-	-	-
	[Ag]	0.000050	0.00001400	0.0000002	0.0000050	0.0000055	-	0.03	-	0.0015	0.003
	[Al]	0.0139	0.0370	0.0000	0.0139	0.0153	9.5	-	0.05	0.01	-
	[As]	0.00039	0.000390	0.0000	0.000039	0.000043	0.01	0.01	-	-	0.005
	[B]	0.053	0.100	0.000	0.053	0.058	5	5	-	1.2	-
	[Ba]	0.044	0.540	0.000	0.044	0.048	-	1	-	-	-
	[Be]	0.000050	0.0000480	0.000000	0.000050	0.000055	-	0.008	-	-	-
	[Bi]	0.000025	0.000000	0.000000	0.000025	0.000028	-	-	-	-	-
	[Ca]	51.62	0.00	51.62	56.79	-	-	-	-	-	-
	[Cd]	0.0000072	0.00027000	0.0000002	0.0000072	0.0000079	0.005	0.005	0.00024	0.35	1.17
	[Cl]	0.50	0.00	0.50	0.55	250	-	150	-	600	-
	[Co]	0.0000210	0.146980	0.000000	0.000210	0.000231	0.001	0.001	-	0.004	0.11
	[Cr]	0.000014	0.000130	0.000000	0.000014	0.000015	0.05	0.05	-	-	-
	[Cu]	0.00035	0.00710	0.00000	0.00035	0.00038	2	1.5	-	-	-
	[F]	0.17	0.00	0.17	0.19	1.5	1.5	-	-	1.60	-
	[Fe]	0.205	0.042	0.000	0.205	0.225	0.3	6.5	-	0.35	-
	[Hg]	0.0000025	0.000000	0.000002	0.0000025	0.0000028	0.001	0.001	-	-	-
	[K]	0.87	0.00	0.87	0.95	-	-	-	-	-	-
Control Point # 5: Grave Creek at LSA Boundary / Background GW-14-OB & GW-14-BR	[Li]	0.0143	0.0000	0.0000	0.0143	0.0157	-	0.008	-	-	-
	[Mg]	15.94	0.00	15.94	17.53	-	-	-	-	-	-
	[Mn]	0.05	0.27	0.00	0.05	0.06	0.12	1.5	-	1.38	2.68
	[Mo]	0.0007	0.1447	0.0000	0.0007	0.0008	0.088	0.25	-	1	2
	[Na]	7.42	0.00	7.42	8.16	-	200	-	-	-	-
	[NH4]	-	1.5813E-23	-	-	-	-	-	-	-	-
	[Ni]	0.00071	0.38000	0.00000	0.00071	0.000078	0.08	0.08	-	-	-
	[NO2]	0.0006	0.0000	0.0000	0.0006	0.0006	3	1	-	0.02	0.06
	[NO3]	0.044	0.500	0.000	0.044	0.048	45	10	3	-	-
	[P]	0.029	0.000	0.029	0.029	0.032	0.01	-	-	0.005	-
	[Pb]	0.000060	0.001300	0.00000	0.000060	0.000066	0.005	-	-	0.011	0.190
	[S]	11.32	0.00	11.32	12.45	-	-	-	-	-	-
	[Sb]	0.00008	0.01500	0.00000	0.00008	0.00009	0.06	0.006	-	-	-
	[Se]	0.00054	0.05781	0.00000	0.00054	0.00059	0.01	0.01	0.019	0.001	-
	[Si]	3.70	0.00	3.70	4.06	-	-	-	-	-	-
	[Sn]	0.00008	0.00000	0.00000	0.00008	0.00008	-	2.5	-	-	-
	[SO4]	33.05	531.76	0.00	33.05	36.36	500	500	429	309	-
	[Sr]	0.93	0.00	0.93	1.02	7	2.5	-	-	-	-
	[Tl]	0.00044	0.00000	0.00000	0.00044	0.00049	-	-	-	-	-
	[Tl]	0.000063	0.000002	0.000063	0.000069	-	-	-	-	-	-
	[U]	0.00024	0.01083	0.00000	0.00024	0.00027	0.02	0.02	-	-	-
	[V]	0.00028	0.00120	0.00000	0.00028	0.00031	-	0.02	-	-	-
	[Zn]	0.0033	0.0410	0.0000	0.0033	0.0036	3	3	-	0.0859	0.1114
	[Zr]	0.000070	0.00000	0.000070	0.000077	0.000070	-	-	-	-	-

Catchment	Groundwater Quality Control Point	End of Operations (Year 17)									
		Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	<b>EVWQP</b>	BC Fresh Water Aquatic Life Guideline	Maximum
		mg/L	mg/L	C/Co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L

Concentration exceeding BC Drinking Water guideline

**Concentration exceeding EVWQP guideline**

**Bold values indicate exceeding significance threshold (Increase greater than 10% from the background mean)**

Catchment	Groundwater Quality Control Point	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	Long Term Closure (Year 101)			BC Fresh Water Aquatic Life Guideline			
								EVWQP	BC CSR DW Guideline	BC DW Guideline	BC Chronic	BC Acute	Short Term	Long Term
		[Alkalinity]	236.79	0.00	0.04	236.79	260.47	-	-	-	-	-	-	-
		[Hardness]	109.37	0.00	0.04	109.37	120.31	-	-	-	-	-	-	-
		[Ag]	0.0000050	0.0001400	0.0439424	<b>0.0000112</b>	0.0000055	-	0.03	-	0.0015	0.003	-	-
		[Al]	0.0045	0.0370	0.0439	<b>0.0062</b>	0.0050	9.5	9.5	-	0.05	0.01	-	-
		[As]	0.00032	0.00390	0.04394	<b>0.00049</b>	0.00035	0.01	0.01	-	-	-	0.005	-
		[B]	0.097	0.100	0.044	0.102	0.107	5	5	-	1.2	-	-	-
		[Ba]	0.103	0.540	0.044	0.126	0.113	-	1	-	-	-	-	-
		[Be]	0.0000050	0.000480	0.043942	<b>0.000071</b>	0.000055	-	0.008	-	-	-	-	-
		[Bi]	0.0000025	0.0000000	0.043942	0.000025	0.000028	-	-	-	-	-	-	-
		[Ca]	31.19	0.00	0.04	31.19	34.31	-	-	-	-	-	-	-
		[Cd]	0.0000059	0.0027000	0.0439424	<b>0.00001246</b>	0.0000065	0.005	0.005	0.00024	0.226	0.645	-	-
		[Cl]	10.11	0.00	0.04	10.11	11.12	250	250	-	150	600	-	-
		[Co]	0.0000082	0.146980	0.043942	<b>0.0006541</b>	0.000090	0.001	0.001	-	0.004	0.11	-	-
		[Cr]	0.00014	0.00130	0.04394	<b>0.00020</b>	0.00016	0.05	0.05	-	-	-	-	-
		[Cu]	0.00023	0.00710	0.04394	<b>0.00054</b>	0.00025	2	1.5	-	-	-	-	-
		[F]	0.79	0.00	0.04	0.79	0.87	1.5	1.5	-	-	1.37	-	-
		[Fe]	0.008	0.042	0.044	<b>0.010</b>	0.009	0.3	6.5	-	-	0.35	-	-
		[Hg]	0.0000025	0.0000000	0.0439424	0.0000025	0.000028	0.001	0.001	-	-	-	-	-
		[K]	0.64	0.00	0.04	0.64	0.71	-	-	-	-	-	-	-
		[Li]	0.1945	0.00000	0.0439	<b>0.1945</b>	0.2140	-	0.008	-	-	-	-	-
Control Point # 1: Sedimentation Pond / Background GW MP1-BR & GW-MP1-pW & GW-MP1-OB		[Mg]	7.64	0.00	0.04	7.64	8.40	-	-	-	-	-	-	-
		[Mn]	0.01	0.27	0.04	<b>0.02</b>	0.01	0.12	1.5	-	1.65	1.75	-	-
		[Mo]	0.0015	0.1447	0.0439	<b>0.0079</b>	0.0017	0.088	0.25	-	1	2	-	-
		[Na]	69.77	0.00	0.04	69.77	76.74	-	200	-	-	-	-	-
		[NH4]	-	0	-	-	-	-	-	-	-	-	-	-
		[Ni]	0.00035	0.38000	0.04394	<b>0.01705</b>	0.00039	0.08	0.08	-	-	-	-	-
		[NO2]	0.0015	0.00000	0.0439	0.0015	0.0016	3	1	-	0.02	0.06	-	-
		[NO3]	0.121	0.500	0.044	<b>0.142</b>	0.133	45	10	3	-	-	-	-
		[P]	0.029	0.000	0.044	0.029	0.032	0.01	-	-	0.005	-	-	-
		[Pb]	0.000027	0.001300	0.043942	<b>0.000084</b>	0.000030	0.005	-	-	0.006879	0.091505	-	-
		[S]	5.20	0.00	0.04	5.20	5.72	-	-	-	-	-	-	-
		[Sb]	0.00009	0.01500	0.04394	<b>0.00075</b>	0.00010	0.06	0.006	-	-	-	-	-
		[Se]	0.00040	0.05781	0.04394	<b>0.00294</b>	0.00044	0.01	0.01	0.019	0.001	-	-	-
		[Si]	2.30	0.00	0.04	2.30	2.53	-	-	-	-	-	-	-
		[Sn]	0.00008	0.00000	0.04394	0.00008	0.00008	-	2.5	-	-	-	-	-
		[SO4]	13.87	531.76	0.04	<b>37.24</b>	15.26	500	500	429	309	-	-	-
		[Sr]	0.17	0.00	0.04	0.17	0.19	7	2.5	-	-	-	-	-
		[Tl]	0.00018	0.00000	0.04394	0.00018	0.00020	-	-	-	-	-	-	-
		[U]	0.0000050	0.0000690	0.0439424	<b>0.0000080</b>	0.000055	-	-	-	-	-	-	-
		[V]	0.00025	0.01083	0.04394	<b>0.00073</b>	0.00027	0.02	0.02	-	-	-	-	-
		[Zn]	0.00025	0.00120	0.04394	<b>0.00030</b>	0.00028	-	0.02	-	-	-	-	-
		[Zr]	0.0047	0.0410	0.0439	<b>0.0065</b>	0.0052	3	3	-	0.0220	0.0475	-	-
		[Z]	0.000098	0.00000	0.043942	0.000098	0.000108	-	-	-	-	-	-	-

Catchment	Groundwater Quality Control Point	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	Long Term Closure (Year 101)			BC Fresh Water Aquatic Life Guideline		
								EVWQP	BC CSR DW Guideline	BC DW Guideline	Chronic	Short Term	Acute
West Alexander	Control Point # 2: Podralsky Cabin/ Background GW 3-A & GW-3-B & Gw-3-C	[Alkalinity]	141.10	0.00	0.00	141.10	155.20	-	-	-	-	-	-
		[Hardness]	147.62	0.00	0.00	147.62	162.38	-	-	-	-	-	-
		[Ag]	0.0000050	0.0001400	0.0016540	0.0000052	0.0000055	-	0.03	-	0.0015	0.003	-
		[Al]	0.0058	0.0370	0.0017	0.0059	0.0064	9.5	9.5	-	0.05	0.01	-
		[As]	0.00028	0.00390	0.00165	0.00028	0.00030	0.01	0.01	-	-	-	0.005
		[B]	0.015	0.100	0.002	0.015	0.016	5	5	1.2	-	-	-
		[Ba]	0.059	0.540	0.002	0.060	0.065	-	1	-	-	-	-
		[Be]	0.0000050	0.0000480	0.001654	0.000051	0.000055	-	0.008	-	-	-	-
		[Bi]	0.0000025	0.0000000	0.001654	0.000025	0.000028	-	-	-	-	-	-
		[Ca]	39.56	0.00	0.00	39.56	43.52	-	-	-	-	-	-
		[Cd]	0.00000076	0.0027000	0.0016540	<b>0.0000121</b>	0.0000084	0.005	0.005	0.00024	0.282	0.879	-
		[Cl]	0.44	0.00	0.00	0.44	0.48	250	250	-	150	600	-
		[Co]	0.0000080	0.146980	0.001654	<b>0.000323</b>	0.000087	0.001	0.001	-	0.004	0.11	-
		[Cr]	0.00013	0.00130	0.00165	0.00013	0.00014	0.05	0.05	-	-	-	-
		[Cu]	0.00018	0.00710	0.00165	0.00019	0.00020	2	1.5	-	-	-	-
		[F]	0.23	0.00	0.00	0.23	0.26	1.5	1.5	-	-	1.49	-
		[Fe]	0.015	0.042	0.002	0.015	0.017	0.3	6.5	-	-	0.35	-
		[Hg]	0.0000025	0.0000000	0.0016540	0.000025	0.000028	0.001	0.001	-	-	-	-
		[K]	0.60	0.00	0.00	0.60	0.66	-	-	-	-	-	-
		[Li]	0.0052	0.00000	0.0017	0.0052	0.0058	-	0.008	-	-	-	-
		[Mg]	11.72	0.00	0.00	11.72	12.90	-	-	-	-	-	-
		[Mn]	0.11	0.27	0.00	0.11	0.12	0.12	1.5	-	1.23	2.17	-
		[Mo]	0.0014	0.1447	0.0017	<b>0.0016</b>	0.0015	0.088	0.25	-	1	2	-
		[Na]	2.64	0.00	0.00	2.64	2.90	-	200	-	-	-	-
		[NH4]	-	0	-	-	-	-	-	-	-	-	-
		[Ni]	0.00026	0.38000	0.00165	<b>0.00089</b>	0.00029	0.08	0.08	-	-	-	-
		[NO2]	0.0028	0.00000	0.0017	0.0028	0.0031	3	1	-	0.02	0.06	-
		[NO3]	0.072	0.500	0.002	0.073	0.080	45	10	3	-	-	-
		[P]	0.025	0.000	0.002	0.025	0.028	0.01	-	-	0.005	-	-
		[Pb]	0.000025	0.001300	0.001654	0.000027	0.000028	0.005	-	-	0.009	0.134	-
		[S]	8.89	0.00	0.00	8.89	9.78	-	-	-	-	-	-
		[Sb]	0.00015	0.01500	0.00165	<b>0.00018</b>	0.00017	0.06	0.006	-	-	-	-
		[Se]	0.00099	0.05781	0.00165	0.00108	0.00108	0.01	0.01	0.019	0.001	-	-
		[Si]	3.03	0.00	0.00	3.03	3.34	-	-	-	-	-	-
		[Sn]	0.00087	0.00000	0.00165	0.00087	0.00096	-	2.5	-	-	-	-
		[SO4]	19.80	531.76	0.00	20.68	21.78	500	500	429	309	-	-
		[Zn]	0.0023	0.0410	0.0017	0.0023	0.0025	3	3	-	0.0507	0.0762	-
		[Zr]	0.00093	0.00000	0.001654	0.000093	0.000102	-	-	-	-	-	-

Catchment	Groundwater Quality Control Point	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	Long Term Closure (Year 101)			BC Fresh Water Aquatic Life Guideline		
								BC DW Guideline	BC CSR DW Guideline	EVWQP Long Term	Chronic	Short Term	Acute
		[Alkalinity]	193.57	0.00	0.00	193.57	212.93	-	-	-	-	-	-
		[Hardness]	176.57	0.00	0.00	176.57	194.23	-	-	-	-	-	-
		[Ag]	0.0000050	0.0001400	0.0000000	0.0000050	0.0000055	-	0.03	0.0015	0.003	-	-
		[Al]	0.0038	0.0370	0.0000	0.0038	0.0042	9.5	9.5	0.05	0.01	-	-
		[As]	0.00093	0.00390	0.00000	0.00093	0.00102	0.01	0.01	-	-	0.005	-
		[B]	0.071	0.100	0.000	0.071	0.078	5	5	1.2	-	-	-
		[Ba]	0.072	0.540	0.000	0.072	0.079	-	1	-	-	-	-
		[Be]	0.0000050	0.000480	0.000000	0.000050	0.000055	-	0.008	-	-	-	-
		[Bi]	0.000025	0.000000	0.000000	0.000025	0.000028	-	-	-	-	-	-
		[Ca]	47.74	0.00	0.00	47.74	52.52	-	-	-	-	-	-
		[Cd]	0.0000055	0.0027000	0.0000000	0.0000055	0.0000061	0.005	0.000024	0.32	1.06	-	-
		[Cl]	0.38	0.00	0.00	0.38	0.41	250	250	-	150	600	-
		[Co]	0.000154	0.146980	0.000000	0.000154	0.000170	0.001	0.001	-	0.004	0.11	-
		[Cr]	0.00009	0.00130	0.00000	0.00009	0.00010	0.05	0.05	-	-	-	-
		[Cu]	0.00038	0.00710	0.00000	0.00038	0.00042	2	1.5	-	-	-	-
		[F]	0.40	0.00	0.00	0.40	0.44	1.5	1.5	-	-	1.56267	-
		[Fe]	0.040	0.042	0.000	0.040	0.044	0.3	6.5	-	-	0.35	-
		[Hg]	0.000025	0.000000	0.0000000	0.000025	0.000028	0.001	0.001	-	-	-	-
		[K]	0.94	0.00	0.00	0.94	1.03	-	-	-	-	-	-
Control Point # 3: Alexander Creek at LSA Boundary / Background GW 1-A & GW-1-B	[Li]	0.0113	0.0000	0.0000	0.0113	0.0124	-	0.008	-	-	-	-	-
	[Mg]	13.94	0.00	0.00	13.94	15.33	-	-	-	-	-	-	-
	[Mn]	0.08	0.27	0.00	0.08	0.09	0.12	1.5	-	1.46	2.49	-	-
	[Mo]	0.0033	0.1447	0.0000	0.0033	0.0037	0.088	0.25	-	1	2	-	-
	[Na]	13.88	0.00	0.00	13.88	15.26	-	200	-	-	-	-	-
	[NH4]	-	0			-	-	-	-	-	-	-	-
	[Ni]	0.00053	0.38000	0.00000	0.00053	0.00059	0.08	0.08	-	-	-	-	-
	[NO2]	0.0006	0.00000	0.00000	0.0006	0.0007	3	1	-	0.02	0.06	-	-
	[NO3]	0.011	0.500	0.000	0.011	0.012	45	10	3	-	-	-	-
	[P]	0.025	0.000	0.000	0.025	0.028	0.01	-	-	0.005	-	-	-
	[Pb]	0.000028	0.001300	0.00000	0.00028	0.00031	0.005	-	-	0.010	0.168	-	-
	[S]	10.43	0.00	0.00	10.43	11.47	-	-	-	-	-	-	-
	[Sb]	0.00019	0.01500	0.00000	0.00019	0.00021	0.06	0.006	-	-	-	-	-
	[Se]	0.00049	0.05781	0.00000	0.00049	0.00054	0.01	0.01	0.019	0.001	-	-	-
	[Si]	3.71	0.00	0.00	3.71	4.08	-	-	-	-	-	-	-
	[Sn]	0.00061	0.00000	0.00000	0.00061	0.00067	-	2.5	-	-	-	-	-
	[SO4]	25.78	531.76	0.00	25.78	28.36	500	500	429	309	-	-	-
	[Sr]	0.30	0.00	0.00	0.30	0.33	7	2.5	-	-	-	-	-
	[Tl]	0.00015	0.00000	0.00000	0.00015	0.00017	-	-	-	-	-	-	-
	[Tl]	0.000059	0.0000690	0.000000	0.000059	0.000065	-	-	-	-	-	-	-
	[U]	0.00052	0.01083	0.00000	0.00052	0.00057	0.02	0.02	-	-	-	-	-
	[V]	0.00025	0.00120	0.00000	0.00025	0.00028	0.02	0.02	-	-	-	-	-
	[Zn]	0.0035	0.0410	0.00000	0.0035	0.0039	3	3	0.072	0.098	-	-	-
	[Zr]	0.000082	0.00000	0.00000	0.000082	0.000090	-	-	-	-	-	-	-

Catchment	Groundwater Quality Control Point	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	Long Term Closure (Year 101)			BC Fresh Water Aquatic Life Guideline			
								EVWQP	BC CSR DW Guideline	BC DW Guideline	BC Chronic	BC Acute	Short Term	Long Term
Control Point # 4: North Pit Creek at Property Boundary / Background GW 14-OB & GW-14	[Alkalinity]	[Alkalinity]	176.29	0.00	0.07	176.29	193.91	-	-	-	-	-	-	-
	[Hardness]	[Hardness]	194.50	0.00	0.07	194.50	213.95	-	-	-	-	-	-	-
	[Ag]	[Ag]	0.0000050	0.0001400	0.0658922	0.0000142	0.0000055	-	0.03	-	0.0015	0.003	-	-
	[Al]	[Al]	0.0139	0.0370	0.0659	0.0164	0.0153	9.5	9.5	-	0.05	0.01	-	-
	[As]	[As]	0.00039	0.0039	0.06589	0.000065	0.00043	0.01	0.01	-	-	0.005	-	-
	[B]	[B]	0.053	0.100	0.066	0.059	0.058	5	5	-	1.2	-	-	-
	[Ba]	[Ba]	0.044	0.540	0.066	0.080	0.048	-	1	-	-	-	-	-
	[Be]	[Be]	0.0000050	0.000480	0.065892	0.000082	0.000055	-	0.008	-	-	-	-	-
	[Bi]	[Bi]	0.0000025	0.0000000	0.065892	0.000025	0.000028	-	-	-	-	-	-	-
	[Ca]	[Ca]	51.62	0.00	0.07	51.62	56.79	-	-	-	-	-	-	-
	[Cd]	[Cd]	0.000001	0.00270	0.06589	0.00019	0.00001	0.00500	0.00500	0.00024	0.35	1.17	-	-
	[Cl]	[Cl]	0.50	0.00	0.07	0.50	0.55	250	250	-	150	600	-	-
	[Co]	[Co]	0.000210	0.146980	0.065892	0.0009894	0.0000231	0.001	0.001	-	0.004	0.11	-	-
	[Cr]	[Cr]	0.00014	0.00130	0.06589	0.00022	0.00015	0.05	0.05	-	-	-	-	-
	[Cu]	[Cu]	0.00035	0.00710	0.06589	0.00081	0.00038	2	1.5	-	-	-	-	-
	[F]	[F]	0.17	0.00	0.07	0.17	0.19	1.5	1.5	-	-	1.60	-	-
	[Fe]	[Fe]	0.205	0.042	0.066	0.207	0.225	0.3	6.5	-	-	0.35	-	-
	[Hg]	[Hg]	0.0000025	0.0000000	0.0658922	0.0000025	0.000028	0.001	0.001	-	-	-	-	-
	[K]	[K]	0.87	0.00	0.07	0.87	0.95	-	-	-	-	-	-	-
	[Li]	[Li]	0.0143	0.0000	0.0659	0.0143	0.0157	-	0.008	-	-	-	-	-
	[Mg]	[Mg]	15.94	0.00	0.07	15.94	17.53	-	-	-	-	-	-	-
	[Mn]	[Mn]	0.05	0.27	0.07	0.07	0.06	0.12	1.5	-	1.38	2.68	-	-
	[Mo]	[Mo]	0.0007	0.1447	0.0659	0.0102	0.0008	0.088	0.25	-	1	2	-	-
	[Na]	[Na]	7.42	0.00	0.07	7.42	8.16	-	200	-	-	-	-	-
	[NH4]	[NH4]	-	1.5813E-23			-	-	-	-	-	-	-	-
	[Ni]	[Ni]	0.00071	0.38000	0.06589	0.02575	0.00078	0.08	0.08	-	-	-	-	-
	[NO2]	[NO2]	0.0006	0.00000	0.0659	0.0006	0.0006	3	1	-	0.02	0.06	-	-
	[NO3]	[NO3]	0.044	0.500	0.066	0.077	0.048	45	10	3	-	-	-	-
	[P]	[P]	0.029	0.000	0.066	0.029	0.032	0.01	-	-	0.005	-	-	-
	[Pb]	[Pb]	0.000060	0.001300	0.065892	0.000146	0.000066	0.005	-	-	0.011	0.190	-	-
	[S]	[S]	11.32	0.00	0.07	11.32	12.45	-	-	-	-	-	-	-
	[Sb]	[Sb]	0.00008	0.01500	0.06589	0.00107	0.00009	0.06	0.006	-	-	-	-	-
	[Se]	[Se]	0.00054	0.05781	0.06589	0.00435	0.00059	0.01	0.01	0.019	0.001	-	-	-
	[Si]	[Si]	3.70	0.00	0.07	3.70	4.06	-	-	-	-	-	-	-
	[Sn]	[Sn]	0.00008	0.00000	0.06589	0.00008	0.00008	-	2.5	-	-	-	-	-
	[SO4]	[SO4]	33.05	531.76	0.07	68.09	36.36	500	500	429	309	-	-	-
	[Sr]	[Sr]	0.93	0.00	0.07	0.93	1.02	7	2.5	-	-	-	-	-
	[Tl]	[Tl]	0.00044	0.00000	0.06589	0.00044	0.00049	-	-	-	-	-	-	-
	[Tl]	[Tl]	0.0000063	0.0000690	0.0658922	0.0000108	0.000069	-	-	-	-	-	-	-
	[U]	[U]	0.00024	0.01083	0.06589	0.00006	0.00027	0.02	0.02	-	-	-	-	-
	[V]	[V]	0.00028	0.00120	0.06589	0.00036	0.00031	-	0.02	-	-	-	-	-
	[Zn]	[Zn]	0.0033	0.0410	0.0659	0.0060	0.0036	3	3	-	0.086	0.111	-	-
	[Zr]	[Zr]	0.000070	0.00000	0.065892	0.000070	0.000077	-	-	-	-	-	-	-

Catchment	Groundwater Quality Control Point	Parameter	Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	Long Term Closure (Year 101)			BC Fresh Water Aquatic Life Guideline			
								EVWQP	BC CSR DW Guideline	BC DW Guideline	BC Chronic	BC Acute	Short Term	Long Term
	[Alkalinity]	mg/L	176.29	0.00	C/ <i>Co</i>	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	-	-
	[Hardness]	mg/L	194.50	0.00		176.29	193.91	-	-	-	-	-	-	-
	[Ag]	0.0000050	0.0001400	0.00000710		0.0000050	0.0000055	-	0.03	-	0.0015	0.003	-	-
	[Al]	0.0139	0.0370	0.0001		0.0139	0.0153	9.5	9.5	-	0.05	0.01	-	-
	[As]	0.00039	0.00390	0.00007		0.000040	0.000043	0.01	0.01	-	-	-	0.005	-
	[B]	0.053	0.100	0.000		0.053	0.058	5	5	-	1.2	-	-	-
	[Ba]	0.044	0.540	0.000		0.044	0.048	-	1	-	-	-	-	-
	[Be]	0.0000050	0.000480	0.000071		0.000050	0.000055	-	0.008	-	-	-	-	-
	[Bi]	0.0000025	0.0000000	0.000071		0.000025	0.000028	-	-	-	-	-	-	-
	[Ca]	51.62	0.00	0.00		51.62	56.79	-	-	-	-	-	-	-
	[Cd]	0.00000072	0.00027000	0.0000710		0.0000073	0.0000079	0.005	0.005	0.00024	0.35	1.17	-	-
	[Cl]	0.50	0.00	0.00		0.50	0.55	250	250	-	150	600	-	-
	[Co]	0.000210	0.146980	0.000071		0.0000220	0.0000231	0.001	0.001	-	0.004	0.11	-	-
	[Cr]	0.00014	0.00130	0.00007		0.00014	0.00015	0.05	0.05	-	-	-	-	-
	[Cu]	0.00035	0.00710	0.00007		0.00035	0.00038	2	1.5	-	-	-	-	-
	[F]	0.17	0.00	0.00		0.17	0.19	1.5	1.5	-	-	1.60	-	-
	[Fe]	0.205	0.042	0.000		0.205	0.225	0.3	6.5	-	-	0.35	-	-
	[Hg]	0.0000025	0.0000000	0.0000710		0.0000025	0.0000028	0.001	0.001	-	-	-	-	-
	[K]	0.87	0.00	0.00		0.87	0.95	-	-	-	-	-	-	-
	[Li]	0.0143	0.0000	0.0001		0.0143	0.0157	-	0.008	-	-	-	-	-
Control Point # 5: Grave Creek at LSA Boundary / Background GW-14-OB & GW-14-BR	[Mg]	15.94	0.00	0.00		15.94	17.53	-	-	-	-	-	-	-
	[Mn]	0.05	0.27	0.00		0.05	0.06	0.12	1.5	-	1.38	2.68	-	-
	[Mo]	0.0007	0.1447	0.0001		0.0007	0.0008	0.088	0.25	-	1	2	-	-
	[Na]	7.42	0.00	0.00		7.42	8.16	-	200	-	-	-	-	-
	[NH4]	-	1.5813E-23			-	-	-	-	-	-	-	-	-
	[Ni]	0.00071	0.38000	0.00007		0.00073	0.00078	0.08	0.08	-	-	-	-	-
	[NO2]	0.0006	0.00000	0.0001		0.0006	0.0006	3	1	-	0.02	0.06	-	-
	[NO3]	0.044	0.500	0.000		0.044	0.048	45	10	3	-	-	-	-
	[P]	0.029	0.000	0.000		0.029	0.032	0.01	-	-	0.005	-	-	-
	[Pb]	0.000060	0.001300	0.000071		0.000060	0.000066	0.005	-	-	0.011	0.190	-	-
	[S]	11.32	0.00	0.00		11.32	12.45	-	-	-	-	-	-	-
	[Sb]	0.00008	0.01500	0.00007		0.00008	0.00009	0.06	0.006	-	-	-	-	-
	[Se]	0.00054	0.05781	0.00007		0.00054	0.00059	0.01	0.01	0.019	0.001	-	-	-
	[Si]	3.70	0.00	0.00		3.70	4.06	-	-	-	-	-	-	-
	[Sn]	0.00008	0.00000	0.00007		0.00008	0.00008	-	2.5	-	-	-	-	-
	[SO4]	33.05	531.76	0.00		33.09	36.36	500	500	429	309	-	-	-
	[Sr]	0.93	0.00	0.00		0.93	1.02	7	2.5	-	-	-	-	-
	[Tl]	0.00044	0.00000	0.00007		0.00044	0.00049	-	-	-	-	-	-	-
	[Tl]	0.0000063	0.0000690	0.0000710		0.000063	0.000069	-	-	-	-	-	-	-
	[U]	0.00024	0.01083	0.00007		0.00024	0.00027	0.02	0.02	-	-	-	-	-
	[V]	0.00028	0.00120	0.00007		0.00028	0.00031	-	0.02	-	-	-	-	-
	[Zn]	0.0033	0.0410	0.0001		0.0033	0.0036	3	3	-	0.0859	0.1114	-	-
	[Zr]	0.000070	0.00000	0.000071		0.000070	0.000077	-	-	-	-	-	-	-

Catchment	Groundwater Quality Control Point	Long Term Closure (Year 101)									
		Background Parameter Concentration	Source Term value	Estimated Contaminant Ratio	Estimated Parameter Concentration	Significance Threshold	BC DW Guideline	BC CSR DW Guideline	EVWQP	BC Fresh Water Aquatic Life Guideline	
mg/L	mg/L	Cj/Co	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	

Concentration exceeding BC Drinking Water guideline  
**Concentration exceeding EVWQP guideline**

**Bold values indicate exceeding significance threshold (Increase greater than 10% from the background mean)**

---

## **Appendix D      Figures**

**Figure 1.1: General Location Map**

**Figure 1.2: Groundwater Study Areas**

**Figure 3.3: Local Groundwater Monitoring Network**

**Figure 3.4: Stratigraphic Column**

**Figure 3.5: Bedrock Geology**

**Figure 3.6: Major Faults in the Project Area**

**Figure 3.7: Geological Cross Sections**

**Figure 3.8: Overburden Geology**

**Figure 3.9: Hydraulic Conductivity by Hydrostratigraphic Unit and Bedrock Hydraulic Conductivity Estimate Over Depth**

**Figure 3.10: Continuous Water Level Data**

**Figure 3.11: Groundwater Levels and Vertical Gradients**

**Figure 3.12: Groundwater Levels and Vertical Gradients 2**

**Figure 3.13: Box and Whisker Plots for Conductivity, Total Dissolved Solids and pH by Hydrostratigraphic Unit**

**Figure 3.14: Piper Plot by Hydrostratigraphic Unit**

**Figure 3.15: Box and Whisker Pots for Other Parameters of Interest**

**Figure 3.16: Temporal Variations for Some Analytes in Monitoring Wells located within the Open Pits Footprints**

**Figure 3.17: Temporal Variations for Some Analytes in Other Monitoring Wells**

**Figure 3.18: Selected Pourbaix Diagrams**

**Figure 3.19: Other Groundwater Users and Regional Monitoring Network**

**Figure 4.20: Cross Section A – B along the West Alexander Creek**

**Figure 4.21: Cross Section C – D and Cross Section G - H**

**Figure 4.22: Cross Section E – F**

**Figure 4.23: Cross Section I – J**

**Figure 4.24: Shallower aquifer hydraulic head contours**


**Figure 4.25: Bedrock hydraulic head contours**

**Figure 4.26: Hydrogeological Conceptual Model**

**Figure 4.27: Conceptual pit cross section for EOM and LTC**

**Figure 5.28: Modelled Head Contours Baseline, EOM and LTC**

**Figure 5.29: Horizontal groundwater flux across three cross sectional areas**



Notes:  
 1. Data presented in NAD 1983 UTM Zone 11N.  
 2. Image Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**srk consulting**

**NWP Coal Canada Ltd**

Groundwater Technical Report

Crown Mountain  
General Location Map

Job No: 1CN028.002


Filename: Figure1-1\_General Location Map\_Feb2021

Crown Mountain

Date:  
Feb 2021

Approved:  
DCM

Figure:  
**1-1**



Notes:  
 1. Data presented in NAD 1983 UTM Zone 11N.  
 2. Image Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**srk consulting**


Job No: 1CN028.002  
 Filename: Figure1-2\_Groundwater Study Areas\_Feb2021

Crown Mountain

Groundwater Technical Report

Crown Mountain  
 Groundwater Study Areas

Date: Feb 2021 Approved: DCM Figure: 1-2



Y:\01\_SITES\Crown Mountain\040\_AutoCAD\Figures for report\2020 Groundwater Report\Figure3-1\_Local Groundwater Monitoring Network\_Feb2021.mxd

1. Data presented in NAD 1983 UTM Zone 11N.  
 2. Image Source: Esri, Maxar, GeeEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community  
 3. Surface Water Points source: Swiftwater Consulting, 2018

 **srk consulting**


Job No: 1CN028.002  
 Filename: Figure3-1\_Local Groundwater Monitoring Network\_Feb2021

Crown Mountain

Groundwater Technical Report  
 Crown Mountain  
 Local Groundwater Monitoring Network

Date: Feb 2021 Approved: DCM Figure: 3-1

PERIOD	GROUP	FORMATION MEMBER	ROCK TYPES
Lower Cretaceous	BLAIRMORE GROUP	Upper Blairmore (Undivided)	Massive bedded sandstones and conglomerates
		Cadomin Formation	
Lower Cretaceous to Upper Jurassic	KOOTENAY GROUP	Elk Formation	Sandstone, siltstone, shale, mudstone, chert pebble conglomerate and minor coal seams.
		Mist Mountain Formation	Sandstone, siltstone, shale, mudstone, and coal seams.
		Morrissey Formation	Medium to coarse grained, slightly ferruginous quartz-chert sandstone.
Jurassic	FERNIE GROUP	Fernie Formation	Shale, siltstone, fine-grained sandstone.



Y:\01-SITES\Crown Mountain\040\_AutoCAD\Figures for report\2020 Groundwater Report\Figure3-3\_Bedrock\_Geology\_Feb2021.mxd  
Notes:  
1. Data presented in NAD 1983 UTM Zone 11N  
2. Data Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community  
3. Regional Geology: General and Fauna source: Col. V., Miller, D., Schreiber, P. and Dakow, L.J., 2018, British Columbia digital geology, British Columbia Ministry of Energy, Mines and Petroleum Resources, British Columbia Geological Survey Open File 2017-18, Open File 2018-19  
4. Karst Likelihood source: Forest Analysis and Inventory, 2019  
5. Drillholes included correspond to a drilling program conducted in 2018.

**srk consulting**


Job No: 1CN028.002  
Filename: Figure3-3\_Bedrock\_Geology\_Feb2021



#### Groundwater Technical Report

##### Crown Mountain Bedrock Geology

Date: Feb 2021 Approved: DCM Figure: 3-3


Crown Mountain








#### LEGEND


Topography	Seam 8 Middle	Seam 10 Upper	Mist Mountain Formation
Contact	Seam 8 Lower	Seam 10 Middle	Morrissey Formation
Oxidation Depth	Seam 8 Rider	Seam 10 M Rider	Fernie Formation
Seam 8 Upper	Seam 9	Seam 10 Lower	
Seam 8 Rider	Seam 9 Rider		







 <b>srk consulting</b>	 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report		
		<b>Hydraulic conductivity by HU and Bedrock hydraulic conductivity estimate over depth</b>		
Job No: 1CN028.002		Crown Mountain Project	Date: Feb 2021	Approved: DCM
Filename: 1CN028.002_Letter_Size_Figures.pptx			Figure: 3-7	











 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report		
	<b>Box and whisker plots for conductivity, total dissolved solids and pH by hydrostratigraphic unit</b>		
Job No: 1CN028.002 Filename: 1CN028.002_Letter_Size_Figures.pptx	Crown Mountain Project	Date: Nov 2020	Approved: DCM
		Figure: 3-11	




 <b>srk consulting</b>	 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
		Piper Plot by hydrostratigraphic unit
Job No: 1CN028.002 Filename: 1CN028.002_Letter_Size_Figures.pptx	Crown Mountain Project	Date: Feb 2021    Approved: DCM    Figure: <b>3-12</b>


### Dissolved Cadmium (mg/L)




### Nitrate (mg/L)




### Sulfate (mg/L)




### Dissolved Selenium (mg/L)




### Dissolved Arsenic (mg/L)




### Dissolved Iron (mg/L)







### Dissolved Lithium (mg/L)











### Dissolved Nickel (mg/L)



■ Bedrock ■ Confining Layers ■ Shallow Aquifer








Notes:

Diagram constructed using water quality results from GW-MP1-PW.  
An assumed conversion of +220 mV was used to convert from field ORP to Eh.  
Blue shading indicates aqueous species, whereas brown indicate solid minerals.

 <b>srk consulting</b>	 <b>NWP Coal Canada Ltd</b>	Groundwater Technical Report		
		Temporal variations for Other Monitoring Wells		
Job No: 1CN028.002		Crown Mountain Project	Date: Feb 2021	Approved: DcM
Filename: 1CN028.002_Letter_Size_Figures.pptx			Figure: 3-16	



Notes:  
 1. Data presented in NAD 1983 UTM Zone 11N.  
 2. Image Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community.  
 3. Source of Regional Monitoring Locations: Tock, 2018, 2018 Regional Groundwater Monitoring Program Annual Report  
 4. Groundwater Users are from BC GWELLS Database (<https://apps.nrs.gov.ca/gwells/>)

**srk consulting**


Job No: 1CN028.002  
 Filename: Figure3-17\_Regional Groundwater Users\_Feb2021

Crown Mountain

Groundwater Technical Report

Regional Monitoring Network and  
other groundwater users

Date: Feb 2021 Approved: DCM Figure: 3-17





Vertical exaggeration 4x

### Legend

- |  |    |         |           |         |               |      |
|--|----|---------|-----------|---------|---------------|------|
| Water Table                              | UH | Bedrock | Colluvial | Fluvial | Glaciofluvial | Till |
| ..... Inferred Bedrock Groundwater Level |    |         |           |         |               |      |



 Job No: 1CN028.002	 Crown Mountain Project	Groundwater Technical Report		
		A – B Cross Section		
Filename: 1CN028.002_Letter_Size_Figures.pptx	Date: Feb 2021	Approved: DCM	Figure: 4-1	



### Legend


- ..... Inferred Groundwater Bedrock Level HU      Bedrock      Fluvial      Glaciogenic      Glaciolacustrine      Till
- Water Table

 Job No: 1CN028.002	 Crown Mountain Project	Groundwater Technical Report	
		C – D and G – H Cross Sections	
Filename: 1CN028.002_Letter_Size_Figures.pptx		Date: Feb 2021	Approved: DCM
		Figure: 4-2	



### Legend


Water Table	HU	Bedrock	Fluvial	Glaciofluvial	Glaciolacustrine	Till
Inferred Bedrock Groundwater Level						





### Legend

- |                                       |    |          |         |         |               |      |
|---------------------------------------|----|----------|---------|---------|---------------|------|
| Water Table                           | HU | Alluvial | Bedrock | Fluvial | Glaciofluvial | Till |
| ..... Inferred water level in bedrock |    |          |         |         |               |      |




 Job No: 1CN028.002	 Crown Mountain Project	Groundwater Technical Report		
		I - J Cross Section		
Filename: 1CN028.002_Letter_Size_Figures.pptx	Date: Feb 2021	Approved: DCM	Figure: 4-4	









<b>srk consulting</b>	<b>NWP Coal Canada Ltd</b>	Groundwater Technical Report
		Hydrogeological Conceptual Model
Job No: 1CN028.002 Filename: 1CN028.002_Letter_Size_Figures.pptx	Crown Mountain Project	Date: Feb 2021      Approved: DCM      Figure: 4-7




## Baseline Conditions



## End Of Mine



## Long Term Closure




### Legend

- Proposed Main Sediment Pond
- Proposed Open Pit
- Proposed Waste Dump
- Streams
- Monitoring Wells
- Seepage Points
- Model Boundary
- Modelled Head Contours
- Flow Direction

	NWP Coal Canada Ltd.	Groundwater Technical Report
Modelled Head Contours for Baseline, EOM and LTC	Crown Mountain	Modeled Head Contours for Baseline, EOM and LTC
Date: Feb 2021	Approved: DCM	Date: Feb 2021

Job No: 1CN028.002  
Filename: 1CN028.002\_Tabloid\_Size\_Figures.ipx

Figure: 5-1



		Groundwater Technical Report	
		GW Flow Cross Sections and GWQ Control Points	
Date:	Approved:	Figure:	5-2
Feb 2021	DCM		
Job No: 1CN028.002		Crown Mountain	
Filename: Figure5-2_Horizontal GW Flow Cross Sections and GWQ Control Points_Feb2021			

srk consulting