

8.0 REFERENCES

- Adams, S.B., D.A. Schmetterling and M.K. Young. 2005. Instream movements by boreal toads (*Bufo boreas boreas*). *Herpetological Review* 36:27-33.
- AEP (Alberta Environment and Parks). 2010a. Recommended land use guidelines for mountain goat and bighorn sheep ranges in Alberta. Available online at: <http://aep.alberta.ca/fish-wildlife/wildlife-land-use-guidelines/documents/WildlifeLandUse-MountainGoatBighornSheepRange-Oct30-2010.pdf>
- AEP (Alberta Environment and Parks). 2010b. Recommended land use guidelines: Key wildlife and biodiversity zones. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-land-use-guidelines/documents/KeyWildlifeBiodiversityZones-Apr08-2015.pdf>
- AEP (Alberta Environment and Parks). 2010c. Alberta Wild Species General Status Listing – 2010a. Government of Alberta. Available online: <http://aep.alberta.ca/fish-wildlife/species-at-risk/albertas-species-at-risk-strategy/general-status-of-alberta-wild-species-2010/documents/SAR-2010WildSpeciesGeneralStatusList-Jan2012.pdf>
- AEP (Alberta Environment and Parks). 2010d. Long-toed Salamander Conservation Management Plan 2010-2015. Alberta Sustainable Resource Development. Species at Risk Conservation Management Plan No. 1. Edmonton AB. 10 pp. Available online at: <http://aep.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR-LongToedSalamander-ConsManPlan-2010-15.pdf>
- AEP (Alberta Environment and Parks). 2012a. Addendum to Class Protocol #004: Bat Capture, Handling, and Release. Available online at: <http://aep.alberta.ca/fish-wildlife/wildlife-research-collection/documents/WRClassProtocol004Addendum-Bats-Dec2012.pdf>
- AEP (Alberta Environment and Parks). 2012b. R11 Forest Management Plan: Five-Year Stewardship Report. Forestry Division, Clearwater Forest Area, Rocky Mountain House, AB.
- AEP (Alberta Environment and Parks). 2014. A Guide to Endangered and Threatened Species and Species of Special Concern in Alberta. Version 1. Available online at: <http://aep.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/documents/SpeciesAtRiskGuide-Jan-2015.pdf>
- AEP (Alberta Environment and Parks). 2015. Alberta Hunting Draws Booklet. Available online at: <http://mywildalberta.com/Hunting/HuntingDraws/documents/2015AlbertaHuntingDrawsBooklet-May2015a.pdf>

- AEP (Alberta Environment and Parks). 2016a. Alberta Grizzly Bear (*Ursus arctos*) Recovery Plan. Alberta Environment and Parks, Alberta Species at Risk Recovery Plan No. 38. Edmonton, AB. 85pp.
- AEP (Alberta Environment and Parks). 2016b. Access FWMIS Data - Fish and Wildlife Internet Mapping Tool. Available online at: <http://esrd.alberta.ca/fish-wildlife/fwmis/>
- AEP (Alberta Environment and Parks). 2016c. Hunter Harvest. Available online at: <http://mywildalberta.com/Hunting/HuntersHarvest.aspx>
- AESRD (Alberta Environment Sustainable Resource Development). 2003. Status of the Northern Leopard Frog (*Rana pipiens*) in Alberta: Update 2003. Alberta Sustainable Resource Development, Fish and Wildlife Division, and Alberta Conservation Association, Wildlife Status Report No. 9 (Update 2003). Edmonton, AB. Available online at: http://www.ab-conservation.com/go/default/assets/File/Programs/AWSR/Reptile%20Amphibian%20and%20Fish%20Reports/Status%20of%20Northern%20Leopard%20Frog%20in%20Alberta_update%2003.pdf
- AESRD (Alberta Environment Sustainable Resource Development). 2005. Alberta Vegetation Inventory Interpretation Standards Version 2.1.1 March 2005. Available online at: <http://aep.alberta.ca/lands-forests/documents/AVI-ABVegetation3-InventoryStan-Mar05.pdf>
- AESRD (Alberta Environment Sustainable Resource Development). 2008. Alberta Grizzly Bear Recovery Plan 2008-2013. Alberta Species at Risk Recovery Plan No. 15. Edmonton, AB. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/grizzly-bears/documents/GrizzlyBear-RecoveryPlan2008-13-revJuly23-2008.pdf>.
- Alberta Environment and Sustainable Resource Development (AESRD). 2011. Alberta BearSmart Program Manual. Prepared by Sustainable Resource Development, Government of Alberta. Edmonton, Alberta, Canada.
- AESRD (Alberta Environment and Sustainable Resource Development). 2012. Management plan for cougars in Alberta. Wildlife Management Planning Series Number 8. Wildlife Management Branch, Edmonton, Alberta.
- AESRD (Alberta Environment and Sustainable Resource Development). 2013. Big Game Harvest Estimates 2013 – Elk. Available online at: <http://mywildalberta.com/Hunting/documents/ElkHunterHarvest-2013.pdf>.
- Alberta Environment (AENV). 2006. Approved Water Management Plan for the South Saskatchewan River Basin. Alberta Environment, Edmonton, Alberta, Canada. Available online at: <http://aep.alberta.ca/water/programs-and-services/river-management-frameworks/south->

saskatchewan-river-basin-approved-water-management-plan/documents/SSRB-ApprovedWaterManagementPlan-2006.pdf.

- Alberta Forestry, Lands and Wildlife (AFLW). 1989. Management plan for mule deer in Alberta, wildlife management planning series 1. Government of Alberta, Fish and Wildlife Division, Edmonton, Alberta.
- Alberta Grizzly Bear Recovery Plan (2008-2013). 2008. Alberta Sustainable Resource Development, Fish and Wildlife Division, Alberta Species At Risk Recovery Plan No. 15. Edmonton, AB. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/grizzly-bears/documents/GrizzlyBear-RecoveryPlan2008-13-revJuly23-2008.pdf>
- Alberta Sustainable Resource Development (ASRD). 2003. Management Plan for Mountain Goats in Alberta. Available online at <http://esrd.alberta.ca/fish-wildlife/wildlife-management/documents/WildlifeMgmtPlan-MountainGoats-Jul2003.pdf>.
- Alberta Sustainable Resource Development (ASRD) and Alberta Conservation Association. 2010. Status of the grizzly bear (*Ursus arctos*) in Alberta: Update 2010. Alberta Sustainable Resource Development. Wildlife Status Report No. 37. (Update 2010). Edmonton, Alberta, Canada.
- Alberta Transportation. 2015. South Provincial Highway Projects. Twinning – BC to Hwy 507. Available online at: <http://www.transportation.alberta.ca/projects/south.aspx>. Accessed August 2015.
- American Bird Conservancy. 2007. New green lights may stop bird strikes on offshore platforms. Available online at: http://www.abcbirds.org/newsandreports/stories/080319_oil.html. Accessed July 2015.
- Anderson A. E. 1983. A critical review of literature on puma (*Felis concolor*). Special Report No. 54. Denver: Colorado Division of Wildlife.
- Anthony, E.L.P., Stack, M.H. and T.H. Kunz. 1981. Night roosting and the nocturnal time budget of the little brown bat, *Myotis lucifugus*: Effects of reproductive status, prey density, and environmental conditions. *Oecologia* 51: 151-156.
- Apps, C.D. 2000. Space-use, diet, demographics, and topographic associations of lynx in the southern Canadian Rocky Mountains: a study. Pages 351–371 in *Ecology and conservation of lynx in the United States*. Edited by L. F. Ruggiero, K. B. Aubry, S. W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey and J. R. Squires. University Press of Colorado, Boulder, Colorado, USA.

- Apps, C.D., J.L. Weaver, P.C. Paquet, B. Bateman and B.N. McLellan. 2007. Carnivores in the southern Canadian Rockies: Core areas and connectivity across the Crowsnest Highway. Wildlife Conservation Society Canada Conservation Report No. 3. Toronto, Ontario, Canada.
- Arc Wildlife Services, Ltd. 2004. Selected Ecological Resources of Alberta's Castle-Carbondale: A Synopsis of Current Knowledge. Compiled by Arc Wildlife Services Ltd., Calgary. Prepared for CPAWS Calgary/Banff and Shell Canada. 216 pp. <http://cpaws-southernalberta.org/upload/Castle%20Carbondale%20Ecoresource%20Full%20Report.pdf>
- Archibald, J.H., Klappstein, G.D. and I. G.W. Corns. 1996. Field Guide to Ecosites of Southwestern Alberta. UBC Press, Vancouver, BC.
- Armstrong, J.T. 1965. Breeding home range in the nighthawk and other birds: Its evolutionary and ecological significance. *Ecology* 46: 619–629.
- Aubry, K.B., G.M. Koehler and J.R. Squires. 2000. Ecology of Canada lynx in the southern boreal forests. Pages 373–396 in *Ecology and conservation of lynx in the United States*. Edited by L. F. Ruggiero K. B. Aubry, S.W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey, and J. R. Squires. University Press of Colorado, Boulder, Colorado, USA.
- Austin, M. 1998. Wolverine winter travel routes and response to transportation corridors in Kicking Horse Pass between Yoho and Banff National Parks. M.Sc. Thesis, University of Calgary. Calgary, Alberta, Canada.
- Avian Power Line Interaction Commission (APLIC). 2012. Reducing avian collisions with power lines: The state of the art in 2012. Edison Electric Institute and APLIC. Washington, D.C. Available online at: http://www.aplic.org/uploads/files/11218/Reducing_Avian_Collisions_2012watermarkLR.pdf.
- Baichich, P.J. and C.J.O. Harrison. 1997. *Nests, eggs, and nestlings of North American Birds*. Princeton University Press, Princeton, New Jersey, USA.
- Baker, B.J. and J.M.L. Richardson. 2006. The effect of artificial light on male breeding-season behaviour in green frogs, *Rana clamitans melanota*. *Canadian Journal of Zoology* 84:1528-1532.
- Baldwin, R.A. and L.C. Bender. 2008. Distribution, occupancy, and habitat correlates of American martens (*Martes americana*) in Rocky Mountain National Park, Colorado. *Journal of Mammalogy* 89: 419-427.
- Banfield, A.W.F. 1974. *The Mammals of Canada*. University of Toronto Press, Toronto.
- Barclay, R.M.R. 1991. Population structure of temperate zone insectivorous bats in relation to foraging behavior and energy demand. *Journal of Animal Ecology* 60: 165-178.

- Bartelt, P.E., A.L. Gallant, R.W. Klaver, C.K. Wright, D.A. Patla, and C.R. Peterson. 2011. Predicting breeding habitat for amphibians: A spatiotemporal analysis across Yellowstone National Park. *Ecological Applications* 21: 2530-2547.
- Bat Conservation Trust. 2008. Bats and lighting in the UK: Bats and the built environment series. Available online at: <http://www.batsandlighting.co.uk/Publications.html>. Accessed October 15 2013.
- Bat Conservation Trust. 2011. Statement on the impact and design of artificial lighting on bats. Available online at: <http://www.batsandlighting.co.uk/Publications.html>. Accessed October 15 2013.
- Bayne, E.M., S. Boutin and R.A. Moses. 2008. Ecological factors influencing the spatial pattern of Canada lynx relative to its southern range edge in Alberta, Canada. *Canadian Journal of Zoology* 86:1189-1197.
- Bayne, E.M., L. Habib and S. Boutin. 2008. Impacts of chronic anthropogenic noise from energy-sector activity on abundance of songbirds in the boreal forest. *Conservation Biology* 22:1186-1193.
- Bee, M.A. and E.M. Swanson. 2007. Auditory masking of anuran advertisement calls by road traffic noise. *Animal Behaviour*. 74:1765-1776.
- Belant, J.L. 2007. Human-caused mortality and population trends of American marten and fisher in a U.S. national park. *Natural Areas Journal* 27:155-160.
- Bélisle, M. and A. Desrochers. 2002. Gap-crossing decisions by forest birds: an empirical basis for parameterizing spatially-explicit, individual-based models. *Landscape Ecology* 17: 219-231.
- Belwood, J.J. and M.B. Fenton. 1976. Variation in the diet of *Myotis lucifugus* (Chiroptera: Vespertilionidae). *Canadian Journal of Zoology* 54: 1674-1678.
- Bemis, C. and J.D. Rising. 1999. Western Wood-Pewee (*Contopus sordidulus*). *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/451>
- Bennett, V.J. and A.A. Zurcher. 2012. When corridors collide: Road-related disturbance in commuting bats. *The Journal of Wildlife Management* 77:93-101.
- Berg, B.J. 1983. Wild and domestic ungulate interactions in the Bob Creek Area, southwestern Alberta. MSc Thesis, University of Alberta, Edmonton, Alberta.

- Betts, M.G., J.C. Hagar, J.W. Rivers, J.D. Alexander, K. McGarigal and B.C. McComb. 2010. Thresholds in forest bird occurrence as a function of the amount of early-seral broadleaf forest at landscape scales. *Ecological Applications* 20: 2116–2130.
- Beyer, H.L., R. Ung, D.L. Murray and M.-J. Fortin. 2013. Functional responses, seasonal variation and thresholds in behavioural responses of moose to road density. *Journal of Applied Ecology* 50: 286-294.
- Bibby, C.J., N.D. Burgess and D.A. Hill. 2000. *Bird Census Techniques*, 2nd Edition. Academic Press, London, United Kingdom.
- Bird, B.L., L.C. Branch and D.L. Miller. 2004. Effects of coastal lighting on foraging behaviour of beach mice. *Conservation Biology* 18(5):1435-1439.
- Black, E. 2014. Biologists propose wildlife crossings for Highway 3 through Crowsnest Pass. *Crowsnest Pass Herald*. October 22, 2014. Available online at: <http://passherald.ca/archives/141022/index1.htm>
- Boulanger, J. 2001a. Analysis of the 1997 Elk Valley and Flathead Valley DNA mark-recapture Grizzly Bear Inventory Projects – 2001 Revision. Wildlife Branch, Ministry of Environment, Lands and Parks. Victoria, BC.
- Boulanger, L., G.C. White, M. Proctor, G. Stenhouse, G. MacHutchon and S. Himmer. 2008. Use of occupancy models to estimate the influence of past live captures on detection probabilities of grizzly bears using DNA hair snagging methods. *Journal of Wildlife Management* 72: 589-595.
- Boulanger, J. and G. Stenhouse. 2009. Demography of Alberta Grizzly Bears: 1999-2009. Integrated Ecological Research, Nelson, BC. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/grizzly-bears/documents/GrizzlyBears-DemographyAlbertaGrizzlyBears-1999-2009.pdf>.
- Boulanger, J. and G. Stenhouse. 2014. The impact of roads on the demography of grizzly bears in Alberta. *PLoS ONE*: 9(12): e115535.
- Boutin, S., C.J. Krebs, R. Boonstra, M.R.T. Dale, S.J. Hannon, K. Martin, A.R.E. Sinclair, J.N.M. Smith, R. Turkington, M. Blower, A. Byrom, F.I. Doyle, C. Doyle, D. Hik, L. Hofer, A. Hubbs, T. Karels, D.L. Murray, V. Nams, M. O'Donoghue, C. Rohner and S. Schweiger. 1995. Population changes of the vertebrate community during a snowshoe hare cycle in Canada's boreal forest. *Oikos* 74: 69-80.
- Bowman, J., J.C. Ray, A.J. Magoun, D.S. Johnson and F.N. Dawson. 2010. Roads, logging, and the large-mammal community of an eastern Canadian boreal forest. *Canadian Journal of Zoology* 88: 454–467.

- Boyce, M.S., J.S. Mao, E.H. Merrill, D. Fortin, M.G. Turner, J. Fryxell and P. Turchin. 2003. Scale and heterogeneity in habitat selection by elk in Yellowstone National Park. *Ecoscience* 10:421-431.
- Brigham, R.M., J. Ng, R.G. Poulin and S.D. Grindal. 2011. Common Nighthawk (*Chordeiles minor*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/213>
- Brooks, T. M., R. A. Mittermeier, C.G. Mittermeier, G.A. Da Fonseca, A.B. Rylands, W.R. Konstant and C. Hilton-Taylor. 2002. Habitat loss and extinction in the hotspots of biodiversity. *Conservation Biology* 16: 909-923.
- Brown, C.R. and M. Bomberger Brown. 1999. Barn Swallow (*Hirundo rustica*). The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/452>.
- Brown, C.L., C.A. Paszkowski, A.L. Foote, A. Moenting and S.M. Boss. 2009. The relationship of amphibian abundance to habitat features across spatial scales in the Boreal Plains. *Ecoscience* 16:209-223.
- Brown, D.J., G.M. Street, R.W. Nairn and M.R.J. Forstner. 2012. A place to call home: Amphibian use of created and restored wetlands. *International Journal of Ecology Article* 989872.
- Browne, C.L., C.A. Paszkowski, A.L. Foote, A. Moenting and S.M. Boss. 2009. The relationship of amphibian abundance to habitat features across spatial scales in the Boreal Plains. *Ecoscience* 16: 209-223.
- Browne, C.L. and C.A. Paszkowski. 2010. Hibernation sites of western toads (*Anaxyrus boreas*): Characterization and management implications. *Herpetological Conservation and Biology* 5: 49-63.
- Buchanan, B. W. 1993. Effects of enhanced lighting on the behavior of nocturnal frogs. *Animal Behaviour*. 45:893-899.
- Buchanan, B.W. 2006. Observed and potential effects of artificial night lighting on anura amphibians. In *Ecological consequences of artificial night lighting*, C. Rich and T. Longcore (eds.). Island Press, Washington, USA.
- Buehler, D.A. 2000. Bald Eagle (*Haliaeetus leucocephalus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/506>.

- Buehler, D.A. and L.B. Keith. 1982. Snowshoe hare distribution and habitat use in Wisconsin. *Canadian Field Naturalist* 96:19–29.
- Bull, E.L. and J.R. Duncan. 1993. Great Gray Owl (*Strix nebulosa*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/041>
- Bull, E.L. and M.P. Hayes. 2001. Post-breeding season movements of Columbia spotted frogs (*Rana luteiventris*) in northeastern Oregon. *Western North American Naturalist* 61: 119-123.
- Bull, E.L. and T.W. Heater. 2001. Survival, causes of mortality, and reproduction in the American marten in northeastern Oregon. *Northwestern Naturalist* 82:1-6.
- Bunnell, F.L. 1990. Ecology of black-tailed deer. Pages 32-63 in: Nyberg, J.B. and D.W. Janz. Deer and elk habitats in coastal forests of southern British Columbia. British Columbia Ministry of Forests and Ministry of Environment, Lands and Parks.
- Bull, E.L. and J. R. Duncan. 1993. Great Gray Owl (*Strix nebulosa*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/041>
- Bull, E.L. and M.G. Henjum. 1990. Ecology of the great gray owl. Gen. Tech. Rep. PNW-GTR-265. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, Oregon, USA. Available Online: <http://www.sierraforestlegacy.org/Resources/Conservation/SierraNevadaWildlife/GreatGrayOwl/GGO-Henjum90.pdf>
- Burdett, C.L., R.A. Moen, G.J. Niemi and D.L. Mech. 2007. Defining space use and movements of Canada lynx with Global Positioning System telemetry. *Journal of Mammalogy* 88: 457-467.
- BWT. 2010. Cheviot and Luscar mine Wildlife Inventory 2009. Created for Teck Coal Limited, Cardinal River Operations, by Bighorn Wildlife Technologies Ltd. Hinton, AB, Canada.
- Canadian Wildlife Service (CWS). 2005. Nitrate Pollution: An Unseen Threat to Amphibian Populations. Environment Canada, CWS Ontario Region. Available online at: www.on.ec.gc.ca/wildlife/factsheets/pdf/nitrate-e.pdf
- Carr, H. D. 1989. Distribution, numbers and mortality of grizzly bears in and around Kananaskis Country, Alberta. Wildlife Research Series No. 3. Alberta Forestry, Lands and Wildlife, Fish and Wildlife Division, Edmonton, Alberta. 49 pp.
- Carra, B.L. 2010. Spatial and Spatial-Temporal Analysis of Grizzly Bear Movement Patterns as Related to Underlying Landscapes Across Multiple Scales” (2010) Theses and Dissertations (Comprehensive). Paper 1093

- Carrozzino, A.M. 2009. Evaluating wildlife response to vegetation restoration on reclaimed mine lands in southwestern Virginia. M.Sc Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.
- Chetkiewicz, C-L. B. and M. S. Boyce. 2009. Use of resource selection functions to identify conservation corridors. *Journal of Applied Ecology* 46: 1036-1047.
- Christensen, J.H., B. Hewitson, A. Busuioc, A. Chen, X. Gao, I. Held, R. Jones, R.K. Kolli, W.-T. Kwon, R. Laprise, V. Magana Rueda, L. Mearns, C.G. Menendez, J. Raisanen, A. Rinke, A. Sarr and P. Whetton. 2007. Regional climate projections. In *Climate Change 2007: The physical science basis. Contributions of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, New York, USA.
- Christianson, D. A. and S. Creel. 2007. A review of environmental factors affecting elk winter diets. *Journal of Wildlife Management* 71: 164-176.
- Chruszcz, B., A.P. Clevenger, K.E. Gunson and M.L. Gibeau. 2003. Relationships among grizzly bears, highways, and habitat in the Banff-Bow Valley, Alberta, Canada. *Canadian Journal of Zoology* 81: 1378-1391.
- City of Toronto. 2009. Migratory birds in the city of Toronto: A literature review and data assessment. City Planning Division, City of Toronto. Available online at: http://www1.toronto.ca/City%20Of%20Toronto/City%20Planning/migratory_birds_15aug09.pdf.
- Ciuti, S.J., M. Northrup, T.B. Muhly, S. Simi, M. Musiani, J.A. Pitt and M.S. Boyce. 2012. Effects of Humans on Behaviour of Wildlife Exceed Those of Natural Predators in a Landscape of Fear. *PLoS ONE* 7: e50611. doi:10.1371/journal.pone.0050611.
- Claar, J. J. 1973. Correlation of ungulate food habits and winter range conditions in the Idaho Primitive Area. Thesis, University of Idaho, Moscow, USA.
- Clare, E.L., Barber, B.R., Sweeney, B.W., Hebert, P.D.N. and M.B. Fenton. 2011. Eating local: Influences of habitat on the diet of little brown bats (*Myotis lucifugus*). *Molecular Ecology* 20: 1772-1780.
- Clayton, K. M. 2000. Status of the Short-eared Owl (*Asio flammeus*) in Alberta. Alberta Environment, Fisheries and Wildlife Management Division, and Alberta Conservation Association, Wildlife Status Report No. 28, Edmonton, AB. Available online at: http://www.ab-conservation.com/go/default/assets/File/Programs/AWSR/Bird%20Reports/Status%20of%20Short-eared%20Owl%20in%20Alberta_2000.pdf

- Clevenger, A.P. and M. P. Huijser. 2011. Wildlife crossing structure handbook: design and evaluation in North America. Prepared for U.S. Department of Transportation, Federal Highway Administration. Publication FHWA-CFL/TD-11-003.
- Clevenger, A., C. Apps, T. Lee, M. Quinn, D. Paton, D. Poulton and R. Ament. 2010. Highway 3: Transportation mitigation for wildlife and connectivity in the crown of the continent ecosystem. Western Transportation Institute, Montana State University. Bozeman, Montana, USA.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2002. COSEWIC assessment and status report on the Western Toad (*Bufo boreas*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 31 pp.
(www.sararegistry.gc.ca/status/status_e.cfm)
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2003. COSEWIC assessment and update status report on the wolverine *Gulo gulo* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi + 41 pp.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2007a. COSEWIC assessment and status report on the Olive-sided Flycatcher *Contopus cooperi* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vii + 25 pp.
(www.sararegistry.gc.ca/status/status_e.cfm).
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2007b. COSEWIC assessment and status report on the Common Nighthawk (*Chordeiles minor*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. v + 27 pp. Available online at: http://www.sararegistry.gc.ca/species/speciesDetails_e.cfm?sid=986
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2008. COSEWIC assessment and status report on the Short-eared Owl (*Asio flammeus*) in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. Available online at: www.sararegistry.gc.ca/status/status_e.cfm
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2011. COSEWIC assessment and status report on the Barn Swallow *Hirundo rustica* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. ix + 37 pp. Available online at: www.sararegistry.gc.ca/status/status_e.cfm.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2012. COSEWIC assessment and status report on the Grizzly Bear *Ursus arctos* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. (www.registrelep-sararegistry.gc.ca/default_e.cfm).

- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2013. COSEWIC assessment and status report on the Little Brown Myotis *Myotis lucifugus*, Northern Myotis *Myotis septentrionalis* and Tri-colored Bat *Perimyotis subflavus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. xxiv + 93 pp. Available online at: www.registrelep-sararegistry.gc.ca/default_e.cfm.
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2014. Canadian Wildlife Species at Risk. Committee on the Status of Endangered Wildlife in Canada. Available online at: http://www.cosewic.gc.ca/eng/sct0/rpt/rpt_csar_e.cfm
- Committee on the Status of Endangered Wildlife in Canada (COSEWIC). 2014b. COSEWIC assessment and status report on the wolverine *Gulo gulo* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa, Ontario, Canada. Available online at: www.registrelep-sararegistry.gc.ca/default_e.cfm.
- Connelly, J. W., M. W. Gratson and K. P. Reese. 1998. Sharp-tailed Grouse (*Tympanuchus phasianellus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/354>
- Copeland, J.P., J. Peak, C. Groves, W. Melquist, K.S. McKelvey, G.W. McDaniel, C.D. Long and C.E. Harris. 2007. Seasonal habitat associations of the wolverine in Central Idaho. *Journal of Wildlife Management* 71: 2201-2212.
- Copeland, J.P., K.S. McKelvey, K.B. Aubry, A. Landa, J. Persson, R.M. Inman, J. Krebs, E. Lofroth, H. Golden, J.R. Squires, A. Magoun, M.K. Schwartz, J. Wilmot, C.L. Copeland, R.E. Yates, I. Kojola and R. May. 2010. The bioclimatic envelope of the wolverine (*Gulo gulo*): Do climatic constraints limit its geographic distribution? *Canadian Journal of Zoology* 88: 233-246.
- Courtois, R., C. Dussault, F. Potvin and G. Daigle. 2002. Habitat selection by moose (*Alces alces*) in clear-cut landscapes. *Alces* 38:177-192.
- Creel, S., J.E. Fox, A. Hardy, J. Sands, B. Garrott and R.O. Peterson. 2002. Snowmobile activity and glucocorticoid responses in wolves and elk. *Conservation Biology* 16:809-814.
- Cristescu, B, G.B. Stenhouse, M. Symbaluk and M.S. Boyce. 2011. Land-use planning following resource extraction – lessons learned from grizzly bears at reclaimed and active open pit mines. Volume 2: Pages 207-218 In: Fourie, A., M. Tibbet and A. Beersing (eds.). *Mine Closure 2011. Proceedings of the Sixth International Conference on Mine Closure*. Australian Center for Geomatics.

- Cristescu, B., Stenhouse, G.B., Symbaluk, M., Boyce, M.S. 2012. Ecological Effects of Mine Reclamation on Grizzly Bears. Department of Biological Sciences, University of Alberta, Edmonton, AB.
- Cristescu, B., Stenhouse, G.B., Boyce, M.S. 2015. Grizzly Bear Diet shifting on Reclaimed Mines. *Global Ecology and Conservation*. 207-220.
- Crowsnest Conservation Society. 2014. 2014 Crowsnest Pass Christmas Bird Count. Available online at: <http://crowsnestconservation.ca/2014-crowsnest-pass-christmas-bird-count/>
- Cushman, S.A., Raphael, M.G., Ruggiero, L.F., Shirk, A.S., Wasserman, T.N. and E.C. O'Doherty. 2011. Limiting factors and landscape connectivity: the American marten in the Rocky Mountains. *Landscape Ecology* 26: 1137-1149.
- Davis, A.B. and P.A. Verrell. 2005. Demography and reproductive ecology of the Columbia spotted frog (*Rana vuteiventris*) across the Palouse. *Canadian Journal of Zoology* 83: 702-711.
- Davis, T.M. 2000. Ecology of the western toad (*Bufo boreas*) in forested areas on Vancouver Island. Final Report. Forest Renewal B.C. Ministry of Forests, Victoria, British Columbia, Canada.
- De Molenaar, J. G., M.E. Sanders and D.A. Jonkers, (2006). Road lighting and grassland birds: local influence of road lighting on a black-tailed godwit population. *Ecol Consequences Artif Night Light*, 169, 114-136.
- DeCesare, N. and D.H. Pletscher. 2006. Movements, connectivity, and resource selection of Rocky Mountain bighorn sheep. *Journal of Mammalogy* 87: 531-538
- Dodd, N.L., J.W. Gagnon, S. Boe and R.E. Schweinsburg. 2007. Assessment of elk highway permeability using Global Positioning Satellite telemetry. *Journal of Wildlife Management* 71:1107-1117.
- Dunne, B. M. and M.S. Quinn. 2009. Effectiveness of above-ground pipeline mitigation for moose (*Alces alces*) and other large mammals. *Biological Conservation* 142:332-343.
- Dussault, C., J-P. Ouellet, R. Courtois, J. Huot, L. Breton and H. Jolicoeur. 2005. Linking moose habitat selection to limiting factors. *Ecography* 28:619-628.
- Dussault, C., J.P. Ouellet, C. Laurian, R. Courtois, M. Poulin and L. Breton. 2006. Moose movement rates along highways and crossing probability models. *Journal of Wildlife Management* 71: 2338-2345.

- Dussault, C., J-P Ouellet, C. Laurian, R. Courtois, M. Poulin and L. Breton. 2007. Moose movement rates along highways and crossing probability models. *Journal of Wildlife Management* 71(7):2338-2345.
- Eigenbrod, F., S.J. Hecnar and L. Fahrig. 2009. Quantifying the road-effect zone: Threshold effects of a motorway on anuran populations in Ontario, Canada. *Ecology and Society* 14:24.
- Environment Canada. 2013. Guide for developing Beneficial Management Practices for migratory bird conservation in Canada. Available online at: <http://www.ec.gc.ca/paom-itmb/default.asp?lang=En&n=E9B8C86C-1>.
- Environment Canada. 2014. North American Breeding Bird Survey - Canadian Trends Website, Data-version 2012. Environment Canada, Gatineau, Quebec, K1A 0H3. Available online at: <http://www.ec.gc.ca/reom-mbs/default.asp?lang=En&n=0D74F35F-1>.
- Environment Canada. 2015. Recovery Strategy for Little Brown Myotis (*Myotis lucifugus*), Northern Myotis (*Myotis septentrionalis*), and Tri-colored Bat (*Perimyotis subflavus*) in Canada. *Species at Risk Act Recovery Strategy Series*. Environment Canada, Ottawa, Ontario, Canada.
- Environment Canada. 2016a. Recovery Strategy for the Olive-sided Flycatcher (*Contopus cooperi*) in Canada. *Species at Risk Act Recovery Strategy Series*. Environment Canada, Ottawa, Ontario, Canada.
- Environment Canada. 2016b. Recovery Strategy for the Common Nighthawk (*Chordeiles minor*) in Canada. *Species at Risk Act Recovery Strategy Series*. Environment Canada, Ottawa, Ontario, Canada.
- Environment Canada. 2016c. Management Plan for the Short-eared Owl (*Asio flammeus*) in Canada [Proposed]. *Species at Risk Act Management Plan Series*. Environment Canada, Ottawa. v + 35 pp.
- Environment Canada. 2016d. Avoidance guidelines. Available online at: <http://www.ec.gc.ca/paom-itmb/default.asp?lang=En&n=AB36A082-1>.
- Erb, P. L., McShea, W. J. and Guralnick, R. P. 2012. Anthropogenic influences on macro-level mammal occupancy in the Appalachian trail corridor. *PLoS ONE* 7(8): e42574
- Erickson, W.P., G.D. Johnson and D.P. Young Jr. 2005. A summary and comparison of bird mortality from anthropogenic causes with an emphasis on collisions. USDA Forest Service General Technical Report PSW-GTR-191.
- Fahrig, L. 2003. Effects of habitat fragmentation on biodiversity. *Annual Review of Ecology, Evolution, and Systematics* 34: 487-515.

- Federation of Alberta Naturalists (FAN). 2007. The Atlas of Breeding Birds of Alberta: A Second Look. Federation of Alberta Naturalists, Edmonton, AB.
- Fenton, M.B. and R.M.R. Barclay. 1980. *Myotis lucifugus*. Mammalian Species 142: 1-8.
- Festa-Bianchet, M. 1986. Site fidelity and seasonal range use by bighorn rams. Canadian Journal of Zoology 64: 2126-2132.
- Festa-Bianchet, M. 1988. A pneumonia epizootic in bighorn sheep, with comments on preventive management. Proceedings of the Northern Wild Sheep and Goat Council, 6: 66-76.
- Fiera (Fiera Biological Consulting, Ltd.) 2014. Environmental Significant Areas in Alberta: 2014 Update. Report Prepared for the Government of Alberta, Edmonton, Alberta. Fiera Biological Consulting Report No. 1305. Available online at:
<http://www.albertaparks.ca/media/5425575/2014-esa-final-report-april-2014.pdf>
- Fisher, J.T., B. Anholt, S. Bradbury, M. Wheatley and J.P. Volte. 2012. Spatial segregation of sympatric marten and fishers: The influence of landscapes and species-scapes. Ecology 93: 001-009.
- Fisher, J.T., S. Bradbury, B. Anholt, L. Nolan, L. Roy, J.P. Volpe and M. Wheatley. 2013. Wolverines (*Gulo gulo luscus*) on the Rocky Mountain slopes: Natural heterogeneity and landscape alteration as predictors of distribution. Canadian Journal of Zoology 91: 706-716.
- Fisher, R.J., Q.E. Fletcher, C.K.R. Willis and R.M. Brigham. 2004. Roost selection and roosting behavior of male common nighthawks. American Midland Naturalist 151: 79-87.
- Flannigan, L.C. and M.D. Corn. 2000. Influence of potential climate change on forest landscape dynamics of west-central Alberta. Canadian Journal of Forest Research 30:1905-1912
- Fondell, T. F. 1997. Nest density and nest success of ground-nesting grassland birds relative to grazing in western Montana. Thesis, University of Montana, Missoula, Montana, USA.
- Foothills Research Institute Grizzly Bear Program (FRIGBP). 2012. How to use the Grizzly Bear Models and Tools. Foothills Research Institute, presentation by Gordon Stenhouse.
- Forbes, G. 2012a. Technical summary and supporting information for an emergency assessment of the little brown myotis, *Myotis lucifugus*. Committee on the Status of Endangered Wildlife in Canada. Available online at: http://www.sararegistry.gc.ca/virtual_sara/files/cosewic/ca_petite_chauvesouris_little_brown_myotis_0212_e.pdf.
- Fowle, C. D. 1946. Notes on the development of the nighthawk. The Auk 63: 159-162.

- Franklin, A.B. 1988. Breeding biology of the great gray owl in southeastern Idaho and northeastern Wyoming. *The Condor* 90: 689-696.
- Fuller, A.K., D.J. Harrison and J.H. Vashon. 2006. Winter habitat selection by Canada lynx in Maine: Prey abundance or accessibility? *Journal of Wildlife Management* 71: 1980-1986.
- Funk, W.C., M.S. Blouin, P.S. Corn, B.A. Maxell, D.S. Pilliod, S. Amish and F.W. Allendorf. 2005a. Population structure of Columbia spotted frogs (*Rana luteiventris*) is strongly affected by the landscape. *Molecular Ecology* 14: 483-496.
- Funk, W.C., A.E. Greene, P.S. Corn and F.W. Allendorf. 2005b. High dispersal in a frog species suggests that it is vulnerable to habitat fragmentation. *Biology Letters* 1: 13-15.
- Galbreath, K.E., D.J. Hafner, and K.R. Zamudio. 2009. When cold is better: Climate-drive elevation shifts yield complex patterns of diversification and demography in an alpine specialist (American pika, *Ochotona princeps*). *Evolution* 63:2848-2863/
- Garcia, P.F.J., J.M. Constible, P.T. Gregory and K.W. Larsen. 2004. Natural history of the Canadian toad, *Bufo hemiophrys*, in the mixed-wood boreal forest of northeastern Alberta. Submitted to Alberta-Pacific Industries Inc.
- Gauthreaux, S.A. and C.G. Belser. 2006. Effects of artificial night lighting on migrating birds. Pages 67–93 in C. Rich and T. Longcore (eds.). *Ecological Consequences of Artificial Night Lighting*. Island Press, Washington, D.C., USA.
- Geist, V. 1981. Behavior: adaptive strategies in mule deer. In *Mule and black-tailed deer of North America: A Wildlife Management Institute Book*. Compiled and edited by O.C. Wallmo. Published by the University of Nebraska Press, Lincoln, Nebraska.
- Ghalambor, C.K. and T.E. Martin. 1999. Red-breasted nuthatch (*Sitta canadensis*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; *The Birds of North America Online*: <http://bna.birds.cornell.edu/bna/species/459>. Accessed July 2015.
- Gibeau, M. L., A. P. Clevenger, S. Herrero and J. Wierzchowski. 2002. Grizzly bear response to human development and activities in the Bow River Watershed, Alberta, Canada. *Biological Conservation* 103: 227-236.
- Gier, H.T. 1975. Ecology and social behavior of the coyote, pp. 247–262 in Fox, M.W. (ed.). *The wild canids*. Van Nostrand Reinhold, New York, USA.
- Goad, E. 2013. Mammalian habitat use along a residential development gradient in northern Colorado. M.Sc. thesis, Colorado State University, Fort Collins, Colorado.

- Golder Associates. 2008. Selenium status report 2007: Elk River Valley, B.C. Prepared for the Elk Valley Selenium Task Force. Available online at: http://www.teckelkvalley.com/res/vpl/documents/_ces_portal_meta/_portal_pages/documents/selenium%20status%20reports/selenium%20status%20report%202007.pdf.
- Gosse, J. W. and B. J. Hearn. 2005. Seasonal diets of Newfoundland martens, *Martes americana atrata*. Canadian Field-Naturalist 119(1): 43-47.
- Government of Alberta (GoA). 2012. Trophy bighorn sheep management in Alberta draft discussion paper. Fish and Wildlife Division, Sustainable Resource Development. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/documents/TrophyBighornSheepManagement-Feb03-2012.pdf>.
- Government of Alberta (GoA). 2013a. Integrated Standards and Guidelines: Enhanced Approval Process. Alberta Energy Regulator. Available online at: <http://aep.alberta.ca/forms-maps-services/enhanced-approval-process/eap-manuals-guides/documents/EAP-IntegratedStandardsGuide-Dec01-2013.pdf>.
- Government of Alberta (GoA). 2013b. Sensitive species inventory guidelines. Edmonton, Alberta, Canada. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/sensitive-species-inventory-guidelines.aspx>.
- Government of Alberta (GoA). 2014. South Saskatchewan Regional Plan 2014-2024. Available online at: <https://landuse.alberta.ca/RegionalPlans/SouthSaskatchewanRegion/Pages/default.aspx>.
- Government of Alberta (GoA). 2015. Alberta Guide to Trapping Regulations. Available online at: <http://esrd.alberta.ca/fish-wildlife/fishing-hunting-trapping/alberta-regulations/documents/AlbertaGuideTrappingRegs-2014-2015.pdf>.
- Government of Canada. 2014. Species At Risk Act Schedule 1 (Subsections 2(1), 42(2) and 68(2)). Available online at: http://www.registrelep-sararegistry.gc.ca/species/schedules_e.cfm?id=1
- Government of Canada. 2015. Species at Risk Public Registry. Species Profile – Little Brown Myotis. Available online at: http://www.registrelep-sararegistry.gc.ca/species/speciesDetails_e.cfm?sid=1173. Accessed July 2015.
- Graham, K. L. and G.L. Powell. 1999. Status of the Long-Toed Salamander (*Ambystoma macrodactylum*) in Alberta. Alberta Environmental Protection, Fisheries and Wildlife Management Division, and Alberta Conservation Association, Wildlife Status Report No. 22, Edmonton AB.
- Graham, K. and G.B. Stenhouse. 2014. Home range, movements, and denning chronology of the grizzly bear (*Ursus arctos*) in west-central Alberta. The Canadian Field Naturalist 128:223-234.

- Gramza, A.F. 1967. Responses of brooding nighthawks to a disturbance stimulus. *The Auk* 84: 72-86.
- Greenwood, C.L. and L.B. Dalton. 1984: Mule deer passage beneath an overland coal conveyer. *Great Basin Naturalist* 443: 499-504.
- Griffin, P.C. and L.S Mills. 2009. Sinks without borders: Snowshoe hare dynamics in a complex landscape. *Oikos* 118:1487-1498.
- Grovenburg, T. W., J. A. Jenks, R. W. Klaver, C. C. Swanson, C. N. Jacques, D. Today. 2009. Seasonal movements and home ranges of white-tailed deer in north-central South Dakota. *Canadian Journal of Zoology* 87: 876-885.
- Gunther, K.A., M.J. Biel. and H.L. Robison. 1998. Factors influencing the frequency of road-killed wildlife in Yellowstone National Park. Pages 32-42 in G.L. Evink, D. Ziegler and J. Berry, eds. *Proceedings of the International Conference on Wildlife Ecology and Transportation*. FL-ER-69-98, Florida Department of Transportation, Tallahassee, Florida.
- Guzy, M. J. and G. Ritchison. 1999. Common Yellowthroat (*Geothlypis trichas*). *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/448>
- Hab-Tech Environmental. 2012. Project and Cumulative Impact Statement for Wildlife, Vista Coal Mine Project. Prepared for Coalspur Mines by Hab-Tech Environmental.
- Habib, L., E.M. Bayne and S. Boutin. 2007. Chronic industrial noise affects pairing success and age structure of ovenbirds *Seiurus aurocapilla*. *Journal of Applied Ecology* 44: 176-184.
- Hagar, J., S. Howlin and L. Ganio. 2004. Short term responses of songbirds to experimental thinning of young Douglas Fir forests in the Oregon Cascades. *Forest Ecology and Management* 199: 333-347.
- Hamer, D. and S. Herrero. 1987. Grizzly bear food and habitat in the front ranges of Banff National Park, Alberta. *In: Bears: Their Biology and Management Vol. 7, A Selection of Papers from the Seventh International Conference on Bear Research and Management, Williamsburg, Virginia, USA, and Plitvice Lakes, Yugoslavia, February and March 1986 (1987)*, pages. 199-213 The International Society for Bear Research and Management, West Glacier, MT, USA.
- Hamilton, A. N. and M.A. Austin. 2001. Grizzly Bear Harvest Management in British Columbia: Background Report. Ministry of Water, Land and Air Protection, Biodiversity Branch. Victoria, BC. Available online at: <http://www.env.gov.bc.ca/wld/documents/gbearbckgrdr.pdf>.

- Hamilton, A.N. and M.A. Austin. 2004. Revised British Columbia Grizzly Bear population estimate – 2003: habitat based model. Biodiversity Branch, B.C. Ministry of Water, Land and Air Protection. Victoria, BC.
- Hammerson, G., G. Santos-Barrera and E. Muths. 2004. *Anaxyrus boreas*. The IUCN Red List of Threatened Species. Version 2015.2. <www.iucnredlist.org>. Downloaded on 29 July 2015.
- Harding, L.E., M. Graham and D. Paton. 2005. Accumulation of selenium and lack of severe effects on productivity of American dippers (*Cinclus mexicanus*) and spotted sandpipers (*Actitis macularia*). Archives of Environmental Contamination and Toxicology 48: 414-423.
- Hargis, C. D., Bissonette, J. A. and D. L. Turner. 1999. The influence of forest fragmentation and landscape pattern on American martens. Journal of Applied Ecology 36:157-172.
- Hatch Mott MacDonald. 2015. Riversdale Resources Proposed Coal Mine near Blairmore, AB Traffic Impact Assessment. Grassy Mountain Coal Project EIA Appendix 8.
- Hauer, F.R. and E.K. Sexton. 2013. Transboundary Flathead River: Water quality and aquatic life use. Flathead Lake Biological Station, University of Montana, Polson, MT.
- Hauge, T. M. and L. B. Keith. 1981. Dynamics of moose populations in northeastern Alberta. Journal of Wildlife Management 45:573-597.
- Hebblewhite, M., E.H. Merrill and G. McDermid. 2008. A multi-scale test of the forage maturation hypothesis in a partially migratory ungulate population. Ecological Monographs 78:141-166
- Hebblewhite, M. and E.H. Merril. 2009. Trade-offs between predation risk and forage differ between migrant strategies in a migratory ungulate. Ecology 90: 3445-3454.
- Hecnar S.J. and G.S. Casper. 2009. Development of a Lake Superior Basin amphibian and reptile monitoring program. Final Report of E.P.A. Great Lakes Grants Program Project #2004-0005-202. Final Report of E.P.A. Great Lakes Grants Program Project #2004-0005-202. 22 December.
- Hejl, S. J., D.E. Mack, J.S. Young, J.C. Bednarz, & R.L. Hutto, (2002). Birds and changing landscape patterns in conifer forests of the north-central Rocky Mountains. *Studies in Avian Biology*, 25,
- Hermanutz, R. and M. Jokinen. 2013. Delegated Big Game Surveys, 2012/2013 Survey Season. Data Report D-2013-006. Alberta Conservation Association, Sherwood Park, Alberta, Canada. Available online at: <http://www.ab-conservation.com/go/default/assets/File/Programs/Wildlife/AUS/BigGameSurvey2012-2013Final.pdf>

- Hossack, B.R. and P.S. Corn. 2007. Responses of pond-breeding amphibians to wildfire: Short-term patterns in occupancy and colonization. *Ecological Applications* 17: 1403-1410.
- Hoover, A., Watson, J., Beck, B., Beck, J., Todd, M. and Bonar, R. 1999. Snowshoe hare winter range: Habitat suitability index model, version 4. Foothills Model Forest, Hinton, Alberta, Canada.
- Jalkotzy, M.G., P.I. Ross, M.D. Nasserden and Arc Wildlife Services Ltd. 1997. The effects of linear developments on wildlife: A review of selected scientific literature. Prepared for the Canadian Association of Petroleum Producers. Calgary, Alberta, Canada.
- James, J. D. 1998. Status of the Columbia spotted frog (*Rana luteiventris*) in Alberta. Alberta Environmental Protection, Fisheries and Wildlife Management Division, and Alberta Conservation Association, Wildlife Status Report No. 17, Edmonton, AB. Available online at: <http://esrd.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR-StatusColumbiaSpottedFrogAlberta-Oct1998.pdf>
- Janz, D.M., D.K. DeForest, M.L. Brooks, P.M. Chapman, G. Gilron, D. Hoff, W.A. Hopkins, D.O. McIntyre, C.A. Mebane, V.P. Palace, J.P. Skorupa and M. Wayland. 2010. Selenium toxicity to aquatic organisms. Pages 139-230 in P. M. Chapman, W. J. Adams, M. L. Brooks, C. G. Delos, S. N. Luoma, W. A. Maher, H. M. Ohlendorf, T. S. Presser and D. P. Shaw, editors. *Ecological Assessment of Selenium in the Aquatic Environment*. Society of Environmental Toxicology and Chemistry (SETAC), Pensacola, Florida.
- Jenks, K. E., P. Chanteap, K. Damrongchainarong, P. Cutter, P. Cutter, T. Redford, A. J. Lynam, J. Howard and P. Leimgruber,. 2011. Using relative abundance indices from camera trapping to test wildlife conservation hypotheses – an example from Khao Yai National Park, Thailand. *Tropical Conservation Science* 4: 113 – 131.
- Johnston, N.N., J.E., Bradley and K.A. Otter. 2014. Increased flight altitudes among migrating golden eagles suggest turbine avoidance at a Rocky Mountain wind installation. *PLoS One* 9:e93030.
- Jokinen, M. and G. Hale. 2012. Wildlife Management Unit 402 Goats. Pages 11-14 *In*: M. Ranger and R. Andersen. Delegated aerial ungulate surveys, 2010/2011 survey season. Data Report, D2011-009, produced by the Alberta Conservation Association, Sherwood Park, Alberta, Canada.
- Jokinen, M., D. Dorge and P. Jones. 2007. Bighorn sheep survival and demography in the Yarrow-Castle region of Alberta, Canada. Technical Report, T-2007-003, produced by Alberta Conservation Association, Blairmore, Alberta, Canada.
- Jones, P. F. 1997. Winter habitat selection by elk (*Cervus elaphus*) in the lower foothills of west-central Alberta. M.Sc Thesis, University of Alberta, Edmonton, Alberta, Canada.

- Jones, Z.F. and C.E. Bock. 2002. Conservation of grassland birds in an urbanizing landscape: A historical perspective. *The Condor* 104: 643–651.
- Jones, P.F. and R.J. Hudson. 2002. Winter habitat selection at three spatial scales by American elk, *Cervus elaphus*, in west-central Alberta. *Canadian Field-Naturalist* 116: 183-191.
- Kaczensky, P., F. Knauer, B. Krze, M. Jonozovic, H. Adamic and H. Hossow. 2003. The impact of high speed, high volume traffic axes on brown bears in Slovenia. *Biological Conservation* 111 (2003) 191-204.
- Kainai Nation. 2015. Public Report on Kainai Traditional Knowledge and Use of the Grassy Mountain Area. Compiled by Kai Scott for Riversdale Resources, July 2015.
- Kansas, J. L. 2005. Grizzly bears and mining in the Cheviot region: Retrospective analysis (Report prepared for Cardinal River Operations). Calgary, AB: URSUS Ecosystem Management Ltd.
- Kansas, J.L. and M.L. Charlebois. 2006. Monitoring responses of ungulates and mammalian carnivores to oil and gas development in the Christina Lake/Jackfish Region: 2006 progress report. Prep. For Devon Canada Corporation by URSUS Ecosystem Management Ltd. Calgary, AB.
- Karakker, N.E., J.E. Gibbs and J.R. Vonesh. 2008. Impacts of road deicing salt on the demography of vernal pool-breeding amphibians. *Ecological Applications* 18:724-734.
- Kasworm, W. F., L. R. Irby and H. B. Ihsle Pac. 1984. Diets of ungulates using winter ranges in northcentral Montana. *Journal of Range Management* 37: 67-71.
- Katnik, D. D. 1992. Spatial use, territoriality, and summer–autumn selection of habitat in an intensively harvested population of martens on commercial forestland in Maine. MS Thesis. University of Maine, Orono, ME.
- Keim, J.L., P.D. DeWitt and S.R. Lele. 2011. Predators choose prey over prey habitats: evidence from lynx-hare system. *Ecological Applications* 21: 1011-1016.
- Kelsall, J.P., E.S. Telfer and T.D. Wright. 1977. The effects of fire on the ecology of the boreal forest with particular reference to the Canadian north: A review and selected bibliography. Canadian Wildlife Service Report No. 15. Edmonton, Alberta, Canada.
- Kempnaers, B., P. Borgström, P. Loës, E. Schlicht and M. Valcu. 2010. Artificial night lighting affects dawn song, extra-pair siring success, and lay date in songbirds. *Current Biology* 20:1735-1739.
- Kirk, D.A., A.W. Diamond, K.A. Hobson and A.R. Smith. 1996. Breeding bird communities of the western and northern Canadian boreal forest: Relationship to forest type. *Canadian Journal of Zoology* 74: 1749–1770.

- Kirk, T.A. and W.J. Zielinski. 2009. Developing and testing a landscape suitability model for the American marten (*Martes americana*) in the Cascades Mountains of California. *Landscape Ecology* 10.1007/s10980-009-9349-5.
- Knopff, K. H., A. A. Knopff, A. Kortello and M. S. Boyce. 2010a. Cougar kill rate and prey composition in a multiprey system. *Journal of Wildlife Management* 74:1435-1447.
- Kochert, M. N., K. Steenhof, C. L. McIntyre and E. H. Craig. 2002. Golden Eagle (*Aquila chrysaetos*). *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/684>.
- Koehler, G.M. and M.G. Hornocker. 1977. Fire effects on marten habitat in the Selway-Bitterroot Wilderness. *Journal of Wildlife Management* 41: 500-505.
- Koehler, G.M. and K.B. Aubrey. 1994. Lynx. In Ruggiero, L.F., K.B. Aubrey, S.W. Buskirk, L.J. Lyon, W.J. Zielinski, editors. *The scientific basis for conserving forest carnivores: American marten, fisher, lynx and wolverine in the western United States*. USDA Forest Service General Technical Report RM-254. Fort Collins, Colorado, USA.
- Koehler, G.M., B.T. Maletzke, J.A. Von Kienast, K.B. Aubry, R.B. Wielgus and R.H. Naney. 2008. Habitat fragmentation and the persistence of lynx populations in Washington State. *Journal of Wildlife Management* 72:1518-1524.
- Korpimaki, E. and K. Norrdahl. 1991. Numerical and functional responses of kestrels, short-eared owls, and long-eared owls to vole densities. *Ecology* 72: 814-826.
- Krebs, J., E. J. Lofroth, V. Copeland, D. Banci, H. Cooley, A. Golden, R. Magoun, R. Mulders and B. Shults. 2004. Synthesis of survival rates and causes of mortality in North American wolverines. *Journal of Wildlife Management* 68: 493-502.
- Kuchapski, K.A. 2013. Effects of selenium and other surface coal mine influences on fish and invertebrates in Canadian Rockies streams. M.Sc. Thesis, University of Lethbridge, Lethbridge, Alberta, Canada.
- Kufeld, R. C. 1973. Foods eaten by rocky mountain elk. *Journal of Range Management* 26:106-113.
- Kunkel, K. Pletscher, D. H. 1999. Species-specific population dynamics of cervids in a multipredator ecosystem. *Journal of Wildlife Management* 63: 1082-1093.
- Lacki, M.J., J.W. Hummer and H.J. Webster. 1992. Mine drainage treatment wetland as habitat for herpetofaunal wildlife. *Environmental Management*. 16: 513-520.

- Latham, A.D.M., M.C. Latham, M.S. Boyce and S. Boutin. 2011. Movement responses by wolves to industrial linear features and their effect on woodland caribou in northeastern Alberta. *Ecological Applications* 21:2854-2865.
- Larivière, S. 2001. *Ursus americanus*. *Mammalian Species* 647: 1–11.
- Laurian, C., C. Dussault, J-P Ouellet, R. Courtois, M. Poulin and L. Breton. 2008. Behavioural adaptation of moose to roadside salt pools. *Journal of Wildlife Management* 72: 1094-1100.
- Laurian, C., C. Dussault, J-P Ouellet, R. Courtois, M. Poulin and L. Breton. 2008. Behavior of moose relative to a road network. *The Journal of Wildlife Management* 72: 1550-1557.
- Lee, T. 2007. Evaluating the contribution of citizen participation in research to understand wildlife movement across Highway Three in Crowsnest Pass, Alberta. M.Sc. thesis, University of Calgary, Calgary, Alberta.
- Lefcort, H., R.A. Maguire, L.H. Wilson and W.F. Ettinger. 1998. Heavy metals alter the survival, growth, metamorphosis, and antipredatory behavior of Columbia spotted frog (*Rana luteiventris*) tadpoles. *Archives of Environmental Contamination and Toxicology* 35: 447-456.
- Lengagne, T. 2008. Traffic noise affects communication behavior in a breeding anuran, *Hyla arborea*. *Biological Conservation*. 141:2023-2031.
- Licht, L.E. 1969. Comparative breeding behavior of the red-legged frog (*Rana aurora aurora*) and the western spotted frog (*Rana pretiosa pretiosa*) in southwestern British Columbia. *Canadian Journal of Zoology* 47: 1287–1299.
- Linke, J., G.J. McDermid, M.-J. Fortin, and G. Stenhouse. 2013. Relationships between grizzly bears and human disturbances in a rapidly changing multi-use landscape. *Biological Conservation* 166: 54-63.
- Long, Z. L. and E.E. Prepas. 2012. Scale and landscape perception: The case of refuge use by Boreal Toads (*Anaxyrus boreas boreas*). *Canadian Journal of Zoology* 90:1015-1022.
- Longcore, T. and C. Rich 2004. Ecological light pollution. *Frontiers in Ecology and the Environment* 2(4): 191-198. Available online at:
<http://www.urbanwildlands.org/Resources/LongcoreRich2004.pdf>
- Lunde, R. E. and A. S. Harestad. 1986. Activity of little brown bats in coastal forests. *Northwest Science* 60: 206-209.
- Lyon, J. L. 1983. Road density models describing habitat effectiveness for elk. *Journal of Forestry*. 81(9): 592-594, 613.

- MacCallum, B. 1997. Bighorn sheep interaction with alpine habitat and reclaimed lands in Alberta's Rocky Mountains. Prepared by Bighorn Environmental Design Ltd. for Alberta Department of Environmental Protection, Natural Resources Service, Wildlife Management Division; Cardinal River Coals Ltd.; Department of Canadian Heritage, Parks Canada, Jasper Park and Gregg River Resources Ltd. Hinton, Alberta, Canada.
- MacKenzie D.I., Nichols J.D., Lachman G.B., Droege S., Royle J.A. and C.A. Langtimm. 2002. Estimating site occupancy rates when detection probabilities are less than one. *Ecology* 83: 2248-2255
- Mackey, R.L. and R.M.R. Barclay. 1989. The influence of physical clutter and noise on bat activity over water. *Canadian Journal of Zoology* 67(5): 1167-1170.
- Macyk, T.M. 2003. Thirty years of reclamation research in the alpine and subalpine regions in Alberta, Canada. Paper presented at: 2003 National Meeting of the American Society of Mining and Reclamation and the 9th Billings Land Reclamation Symposium, Billings, Montana, June 3-6, 2003. Published by ASMR, 3134 Montavesta Road, Lexington, Kentucky, USA. Available online at: <http://www.asmr.us/Publications/Conference%20Proceedings/2003/0680-Macyk.pdf>.
- Maier, J.A.K., J.M. Ver Hoef, A.D. McGuire, R.T. Bowyer, L. Sapterstein and H.A. Maier. 2005. Distribution and density of moose in relation to landscape characteristics: Effects of scale. *Canadian Journal of Forest Research* 35: 2233-2243.
- Marco, A., C. Quilchano and A.R. Blaustein. 1999. Sensitivity to nitrate and nitrite in pond-breeding amphibians in the Pacific Northwest, USA. *Environmental Toxicology and Chemistry*. 18:2836-2839.
- Martell, A. 2015. White-winged crossbill. In: Davidson, P.J.A., R.J. Cannings, A.R. Couturier, D. Lepage and C.M. Di Corrado (eds). *The Atlas of the Breeding Birds of British Columbia, 2008-2012*. Bird Studied Canada, Delta, B.C. Available online at: <http://www.birdatlas.bc.ca/accounts/speciesaccount.jsp?sp=WWCR&lang=en>. Accessed August 2015.
- McGillivray, W.B. and G.P. Semenchuk. 1998. *The Federation of Alberta Naturalists Field Guide to Alberta Birds*. Federation of Alberta Naturalists, Edmonton, Alberta, Canada.
- McIntyre, C. 2012. Quantifying sources of mortality and wintering ranges of golden eagles from interior Alaska using banding and satellite tracking. *Journal of Raptor Research* 46: 129-134.
- McKelvey, K.S., Y.K. Ortega, G.M. Koehler, K.B. Aubry and J.D. Brittell. 2000c. Canada lynx habitat and topographic use patterns in north central Washington: a reanalysis. Pages 307-336 In Ruggiero, L.F., K. B. Aubry, S. W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey and J.R.

- Squires. (Tech. Eds.). Ecology and conservation of lynx in the United States. Univ. Press of Colorado. Boulder, CO. 480 pp.
- McLellan, B.N. 1989. Effects of resource extraction industries on behaviour and population dynamics of grizzly bears in the Flathead drainage, British Columbia and Montana. PhD. Thesis. University of British Columbia. Vancouver.
- McLellan, B. N. and F. W. Hovey. 1995. The diet of grizzly bears in the Flathead River drainage of southeastern British Columbia. *Canadian Journal of Zoology* 73: 704-712.
- McLellan, B. N., F. W. Hovey, R. D. Mace, J. G. Woods, D. W. Carney, M. L. Gibeau, W. L. Wakkinen and W. F. Kasworm. 1999. Rates and causes of grizzly bear mortality in the interior mountains of British Columbia, Alberta, Montana, Washington and Idaho. *Journal of Wildlife Management* 63: 911-920.
- McNay, R.S. and D.D. Doyle. 1987. Winter habitat selection by black-tailed deer on Vancouver Island: a job completion report. British Columbia Ministry Environment, Parks and Land; Research Branch. Victoria, BC. IWIFR-34.
- Mech, D. 1974. *Canis lupus*. *Mammalian Species* 37:1-6.
- Melvin, S. M. and J. P. Gibbs. 2012 . Sora (*Porzana carolina*). The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/250>.
- Miistakis Institute for the Rockies. 2005. Highway 3 Wildlife Mortality. EVDS, University of Calgary.
- Millsap, B.A., G.S. Zimmerman, J.R. Sauer, R.M. Nielson, M. Otto, E. Bjerre and R. Murphy. 2013. Golden eagle population trends in the western United States: 1968-2010. *Journal of Wildlife Management* 77: 1436-1448.
- Minnow Environmental. 2006. Evaluation of selenium-related effects among Columbia spotted frog tadpoles in wetlands downstream of coal mines in the Elk Valley, BC. Report prepared for the Elk Valley Selenium Task Force.
- Mowat, G. 2001. Measuring wolverine distribution and abundance in Alberta. Alberta Sustainable Resource Development, Fish and Wildlife Division, Alberta Species at Risk Report No. 32. Edmonton, Alberta, Canada.
- Mowat, G. 2006. Winter habitat associations of American martens (*Martes americana*) in interior wet-belt forests. *Wildlife Biology* 12: 51-61.

- Mowat, G., M. Efford, B. McLellan and S. Neilsen. 2013. South Rockies and Flathead Grizzly Bear Monitoring Final Report 2006-2011. Ministry of Forests, Lands and Natural Resource Operations. Victoria, BC. Available online at:
http://www.env.gov.bc.ca/wildlife/wsi/reports/5160_WSI_5160_RPT_SOUTHERN_ROCKIES_V6.PDF.
- Mowat, G. and B. Slough. 2003. Habitat preference of Canada lynx through a cycle in snowshoe hare abundance. *Canadian Journal of Zoology* 81: 1736-1745.
- Mowat, G., Strobeck, C. 2000. Estimating population size of grizzly bears using hair capture, DNA profiling, and mark-recapture analysis. *Journal of Wildlife Management*, 64, 183-193.
- Muhly, T.B. Direct, Indirect and Predator-Mediated Effects of Humans on Terrestrial food web: Implications for Conservation. University of Calgary, Alberta, Canada.
- Muir, J.E, V.C. Hawkes, K.N. Tuttle and T. Mochizuki. 2011. Synthesis of Habitat Models used in the Oil Sands Region. LGL Report EA3259. Unpublished report by LGL Limited environmental research associates, Sidney, BC, for the Cumulative Environmental Management Association (CEMA) – The Reclamation Working Group (RWG), Fort McMurray, AB.
- Munro, R.H.M., S.E. Nielsen, M.H. Price, G.B. Stenhouse and M.S. Boyce. 2006. Seasonal and diel patterns of grizzly bear diet and activity in west-central Alberta. *Journal of Mammalogy* 87: 1112-1121.
- Murray, D.L., S. Boutin and M. O'Donoghue. 1994. Winter habitat selection by lynx and coyotes in relation to snowshoe hare abundance. *Canadian Journal of Zoology* 72:1444-1451.
- Murray, D.L., T.D. Steury and J.D. Roth. 2008. Assessment of Canada lynx research and conservation needs in the southern range: Another kick at the cat. *Journal of Wildlife Management* 72:1463-1472
- National Wildlife Health Center (NWHC). 2014. Wildlife health bulletin 2014-04: White nose syndrome updates for the 2013/2014 surveillance season. Available online at:
http://www.nwhc.usgs.gov/publications/wildlife_health_bulletins/WHB_2014-04_WNS_Updates.pdf.
- Natural Regions Committee. 2006. Natural regions and subregions of Alberta. Compiled by D.J. Downing and W.W. Pettapiece. Government of Alberta. Publication No. T/852. Edmonton, Alberta, Canada.
- Naughton, D. 2012. *The Natural History of Canadian Mammals*. University of Toronto Press, Toronto, ON.

- Navara, K.J. and R.J. Nelson. 2007. The dark side of light at night: Physiological, epidemiological, and ecological consequences. *Journal of Pineal Research* 43:215-224.
- Nebel, S., A. Mills, J.D. McCracken and P.D. Taylor. 2010. Declines of aerial insectivores in North America follow a geographic gradient. *Avian Conservation and Ecology* 5: 1.
- Nero, R.W. 1980. *The Great Gray Owl: Phantom of the Northern Forest*. Smithsonian Institution Press, Washington, D.C.
- Neufeld, L.M. 2006. Spatial dynamics of wolves and woodland caribou in an industrial forest landscape in west-central Alberta. M. Sc. Thesis presented to the Department of Renewable Resources, University of Alberta, Alberta, Canada.
- Ng, S.J., J.W. Dole, R.M. Sauvajot, S.P.D. Riley and T.J. Valone. 2004. Use of highway undercrossings by wildlife in southern California. *Biological Conservation* 115: 499-507.
- Nielsen, S. E., R. H. M. Munro, E. L. Bainbridge, G. B. Stenhouse and M. S. Boyce. 2004. Grizzly bears and forestry: II. Distribution of grizzly bear foods in clearcuts of west-central Alberta, Canada. *Forest Ecology and Management* 199: 67-82.
- Nielsen, S., J. Cranston and G. Stenhouse. 2009. Identification of priority areas for grizzly bear conservation and recovery in Alberta, Canada. *Journal of Conservation Planning*, 5:38-60.
- Northrup J. M., G. B. Stenhouse and M. S. Boyce. 2012b. Agricultural lands as ecological traps for grizzly bears. *Animal Conservation* 15: 369-377.
- O'Donoghue, M.S. Boutin, D.L. Murray, C.J. Krebs, E.J. Hofer, U. Breitenmoser, C. Breitenmoser-Wuersten, G. Zutela, C. Doyle and V.O. Nams. 2001. Coyotes and lynx. In *Ecosystem dynamics in the boreal forest: the Kluane Project*. Edited by C.J. Krebs, S. Boutin and R. Boonstra. Oxford University Press.
- Oeming, A.F. 1955. A preliminary study of the great gray owl (*Scotiaptex nebulosa nebulosa*) in Alberta, with observations on some other species of owls. M.Sc Thesis, University of Alberta, Edmonton, Alberta, Canada.
- Olson, C.R. 2011. The roosting behaviour of little brown bats (*Myotis lucifugus*) and northern long-eared bats (*Myotis septentrionalis*) in the boreal forest of northern Alberta. Thesis, University of Calgary, Calgary, Alberta.
- Osko, T.J., M.N. Hiltz, R.J. Hudson and S.M. Wasel. 2004. Moose habitat preferences in response to changing availability. *Journal of Wildlife Management* 68(3):576-584.

- Packila, M.L., A.J. McCue, R.M. Inman and K.H. Inman. 2007. Wolverine road crossings in Greater Yellowstone. Chapter 7 in Greater Yellowstone Wolverine Study, Cumulative Progress Report, May 2007. Wildlife Conservation Society, North America Program, General Technical Report. Bozeman, Montana, USA.
- Parris, K.M., M. Velik-Lord and J.M.A. North. 2009. Frogs call at a higher pitch in traffic noise. *Ecology and Society* 14:25.
- Paton, D. 2000. Harlequin duck surveys of the Oldman River basin in 2000. Alberta Sustainable Resource Development, Fish and Wildlife Division. Alberta Species at Risk Report No. 20. Edmonton, AB.
- Paton, D. 2002. Columbian mountain amphibian surveys, 2001. Alberta Sustainable Resource Development, Fish and Wildlife Division. Alberta Species at Risk Report No. 39. Edmonton, AB. Available online at: <http://esrd.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR039-ColumbianMountainAmphibian-Feb2002.pdf>.
- Paton, D. G. 2012. Connectivity of Elk Migration in Southwestern Alberta. M. Sc. Thesis, University of Calgary, Calgary, Alberta.
- Patriquin, K.J. and R.M.R. Barclay. 2003. Foraging by bats in cleared, thinned, and unharvested boreal forest. *Journal of Applied Ecology* 40: 646-657.
- Pattie, D. and C. Fisher. 1999. Mammals of Alberta. Lone Pine Publishing. Edmonton, AB.
- Pauly, G. B. 2008. Phylogenetic systematics, historical biogeography, and the evolution of vocalizations in Nearctic toads (*Bufo*). Ph.D. Thesis, University of Texas, Austin, Texas, USA.
- Payer, D.C. and D.J. Harrison. 2003. Influence of forest structure on habitat use by American marten in an industrial forest. *Forest Ecology and Management* 179:145-156.
- Pearl, C.A., M.J. Adams and W.H. Wentz. 2007. Characteristics of Columbia spotted frog (*Rana luteiventris*) oviposition sites in northeastern Oregon, USA. *Western North American Naturalist* 67: 86-91.
- Pearson, K. 2003. Distribution and habitat associations of the long-toed salamander (*Ambystoma macrodactylum*) in the Oldman River drainage. Alberta Sustainable Resource Development, Fish and Wildlife Division. Alberta Species at Risk Report No. 75.
- Pearson, K. 2005. Southern Headwaters at-risk Project (SHARP) Amphibian and Western Painted Turtle (*Chrysemys picta*) surveys, 2003-2004. Alberta Sustainable Resource Development, Fish and Wildlife Division, Alberta Species at Risk Report No. 97. Edmonton, AB.

- Pedevillano, C. and R.G. Wright. 1987. The influence of visitors on mountain goat activities in Glacier National Park. *Biological Conservation* 39: 1-11.
- Peterson, A. 1986. Habitat suitability models: Bald eagle (breeding season). United States Fish and Wildlife Service Biology Report 82 (10.126).
- Petersen, S. 1997. Status of the wolverine (*Gulo gulo*) in Alberta. Alberta Environmental Protection, Wildlife Management Division, Wildlife Status Report No. 2. Edmonton, Alberta, Canada.
- Piikani Nation. 2015. Piikani Traditional Knowledge and Land Use in the Matoyihko Yiistak Area. Prepared by Kai Scott and Natasha Thorpe for Riversdale Resources, Ltd. Vancouver, BC. July 2015.
- Pilliod, D.S., C.R. Peterson and P.I. Ritson. 2002. Seasonal migration of Columbia spotted frogs (*Rana luteiventris*) among complementary resources in a high mountain basin. *Canadian Journal of Zoology* 80: 1849-1862.
- Pimm, S. L. and P. Raven. 2000. Biodiversity: extinction by numbers. *Nature*, 403(6772), 843-845.
- Polfus, J.L. 2008. Incorporating human impacts into habitat suitability models: A literature review. Report prepared for the Taku River Tlingit First Nation. Published by Round River Conservation Studies.
- Poole, K.G. 1997. Dispersal patterns of lynx in the Northwest Territories. *The Journal of Wildlife Management*. 61:497-505.
- Poole, K.G. 2003. A review of the Canada Lynx, *Lynx canadensis*, in Canada. *Canadian Field-Naturalist* 117:360-376.
- Poole, K.G. 2013. Habitat use, seasonal movements, and population dynamics of bighorn sheep in the Elk Valley. Prepared for BC Ministry of Forests, Lands and Natural Resource Operations and Teck Coal Limited by Aurora Wildlife Research. Sparwood, British Columbia, Canada
- Poole, K.G., A.D. Porter, A. de Vries, C. Maundrell, S.D. Grindal and C.C. St. Clair. 2004. Suitability of a young deciduous-dominated forest for American marten and the effects of forest removal. *Canadian Journal of Zoology* 82: 423-435.
- Poole, K.G., K. Stuart-Smith and I.E. Teske. 2009. Wintering strategies by mountain goats in interior mountains. *Canadian Journal of Zoology* 87: 273-283.
- Potvin, F., L. Belanger and K. Lowell. 2000. Marten habitat selection in a clearcut boreal landscape. *Conservation Biology* 14(3): 844-857.

- Potvin, F. and L. Breton. 1997. Short-term effects of clearcutting on martens and their prey in the boreal forest of western Quebec. *Martes: Taxonomy, Ecology, Techniques and Management* (eds, G. Proulx, H. Bryant and P.M. Woodard). Pp. 452–474. Provincial Museum of Alberta, Edmonton, Canada.
- Powell, R.A. 1981. *Martes pennanti*. *Mammalian Species* 156:1–6.
- Probst, J.R. and T.R. Crow. 1991. Integrating biological diversity and resource management. *Journal of Forestry* 89: 12-17.
- Proctor, M.F., B.N. McLellan and C. Strobeck. 2002. Population fragmentation of grizzly bears in Southeastern British Columbia, Canada. *Ursus* 12: 153-160.
- Proctor, M.F., McLellan, B.N., Strobeck, C., Barclay, R.M.R. 2005. Genetic analysis reveals demographic fragmentation of grizzly bears yielding vulnerably small populations. *Proceedings of the Royal Society. B* 272:2409-2416.
- Proctor, M. *et al.* 2012. Population fragmentation and inter-ecosystem movements of Grizzly bears in western Canada and the northern United States. *Journal of Wildlife Management. Wildlife Monographs* 180: 1-46
- Raine, R.M. 1983. Winter habitat use and responses to snow cover of fisher (*Martes pennanti*) and marten (*Martes americana*) in southeastern Manitoba. *Canadian Journal of Zoology* 61: 25-34.
- Raine, R.M. and J.L. Kansas. 1990. Black bear seasonal food habits and distribution by elevation in Banff National Park, Alberta. *International Conference on Bear Research and Management* 8: 297–304.
- Reaser, J.K. 2000. Demographic analysis of the Columbia spotted frog (*Rana luteiventris*): case study in spatiotemporal variation. *Canadian Journal of Zoology* 78:1158-1167.
- Rempel, R., P. Elkie, A. Rodgers and M. Gluck. 1997. Timber-management and natural-disturbance effects on moose habitat: landscape evaluation. *Journal of Wildlife Management* 61: 517–524.
- Renecker, L.A. and R.J. Hudson. 1993. Morphology, bioenergetics, and resource use: Patterns and processes. Pages 141 – 163 in J.B. Stelfox, editor. *Hoofed mammals of Alberta*. Lone Pine, Edmonton, Alberta, Canada.
- Resources Inventory Committee (RIC). 1999. *British Columbia wildlife habitat rating standards. Version 2.0*. Resources Inventory Branch, BC Ministry of Environment, Lands and Parks, Victoria, British Columbia, Canada.

- Robertson, B.A. and R.L. Hutto. 2007. Is selectively harvested forest an ecological trap for olive-sided flycatchers? *The Condor* 109: 109-121.
- Robertson, G.J. and R.I. Goudie. 1999. Harlequin Duck (*Histrionicus histrionicus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/466>
- Robinson, B.G., M. Hebblewhite and E.H. Merrill. 2010. Are migrant and resident elk (*Cervus elaphus*) exposed to similar forage and predation risk on their sympatric winter range? *Oecologia* 164: 265-275.
- Robitaille, J-F. and K. Aubry. 2000. Occurrence and activity of American martens *Martes americana* in relation to roads and other routes. *Acta Theriologica* 45: 137-143.
- Ross, P.I. and M.G. Jalkotzy. 1992. Characteristics of a hunted population of cougars in southwestern Alberta. *Journal of Wildlife Management* 56: 417-426.
- Ross, P.I. and M.G. Jalkotzy. 1996. Cougar predation on moose in southwestern Alberta. *Alces* 32: 1-8.
- Ross, P.I., M.G. Jalkotzy and M. Festa-Bianchet. 1997. Cougar predation on bighorn sheep in southwestern Alberta during winter. *Canadian Journal of Zoology* 75: 771-775.
- Rost, G.R. and J.A. Bailey. 1979. Distribution of mule deer and elk in relation to roads. *Journal of Wildlife Management* 43: 634-641.
- Roth, A. and G.S. Jones. 2000. Dynamics of territorial behavior by common nighthawks. *Northeastern Naturalist* 7: 178-180.
- Rovero, F., Collett, L., Ricci, S., Martin, E. and Spitale, D. 2013. Distribution, occupancy, and habitat associations of the gray-faced sengi (*Rhynchocyon udzungwensis*) as revealed by camera traps. *Journal of Mammalogy* 94(4): 792-800.
- Row, J.R., C. Gomez, E.L. Koen, J. Bowman, D.L. Murray and P.J. Wilson. 2012. Dispersal promotes high gene flow among Canada lynx populations across mainland North America. *Conservation Genetics* 13:1259-1268.
- Royal Commission on Environmental Pollution (RCEP). 2009. Artificial Light in the Environment. Available online at: http://www.bats.org.uk/publications_download.php/1137/RCEP_artificiallight.pdf.
- Russell, A.P. and A.M. Bauer. 2000. *The Amphibians and Reptiles of Alberta: A Field Guide and Primer of Boreal Herpetology*. University of Calgary Press, Calgary Alberta, Canada.

- Russell, A.P. and A.M. Bauer. 2002. *Thecadactylus*. Catalogue of American Amphibians and Reptiles 735:1-16.
- Russell, R. H., Nolan, J. W., Woody, N. G., Anderson, G. 1979. A study of Grizzly bear (*Ursus arctos* L.) in Jasper National Park, 1975-1978 final report. Canada Wildlife Service Edmonton.
- Rust, H.J. 1947. Migration and nesting of nighthawks in northern Idaho. *Condor* 49: 177-188.
- Ruediger, B., J. Claar, S. Gniadek, B. Holt, L. Lewis, S. Mighton, B. Naney, G. Patton, T. Rinaldi, J. Trick, A. Vandehey, F. Wahl, N. Warren, D. Wenger and A. Williamson. 2000. Canada lynx conservation assessment and strategy. USDA Forest Service, USDI Fish and Wildlife Service, USDI Bureau of Land Management, and USDI National Park Service. Forest Service Publication #R1-00-53, Missoula, MT. 142 pp.
- Sabine, D. L., S. F. Morrison, H. A. Whitlaw, W. B. Ballard, G. J. Forbes and J. Bowman. 2002. Migration behavior of white-tailed deer under varying winter climate regimes in New Brunswick. *Journal of Wildlife Management* 66: 718-728.
- Salmo Consulting Inc. and Diversified Environmental Services. 2003. Cumulative effects assessment and management for northeast British Columbia: Volume 2 cumulative effects indicators, thresholds, and case studies. Prepared for: British Columbia Oil and Gas Commission and Muska-Kechika Advisory Board. Available online at: http://www.reviewboard.ca/upload/project_document/1138724528_BC%20Oil%20and%20Gas%20Commission%20Cumulative%20Effects%20Indicators%20Thresholds%20and%20Case%20Studies.pdf.
- SARA (Species at Risk Act). 2002. Species at Risk Act. Available online at: <http://laws-lois.justice.gc.ca/eng/acts/S-15.3/>.
- Schiek, J. and S. Song. 2006. Changes in bird communities throughout succession following fire and harvest in boreal forests of western North America: A literature review and meta-analysis. *Canadian Journal of Forest Research* 36: 1299–1318.
- Schmetterling, D.A. and M.K. Young. 2008. Summer movements of boreal toads (*Bufo boreas boreas*) in two western Montana basins. *Journal of Herpetology* 42: 111-123.
- Sears, C.L. 2006. Assessing distribution, habitat suitability, and site occupancy of great gray owls (*Strix nebulosa*) in California. M.Sc Thesis, University of California, Davis, California, USA.
- Selonen, V., P. Sulkava, R. Sulkava, S. Sulkava and E. Korpimäki. 2010. Decline of flying and red squirrels in boreal forests revealed by long-term diet analyses of avian predators. *Animal Conservation* 13: 579-585.

- Servheen, C., Waller, J. S. 1998. Documenting grizzly bear highway crossing patterns using GPS technology. Available online at: http://ntl.bts.gov/DOCS/ICOWET_III/griz.pdf.
- Shannon, C.E. and W. Weiner. 1963. A mathematical theory of communications. University of Illinois Press, Chicago, Illinois, USA.
- Shumaker, G. 1996. Wildlife Management Unit (WMU) 300 moose survey, January 1996. Alberta Environmental Protection, Calgary, Alberta.
- Siemers, B.M. and A. Schaub. 2010. Hunting at the highway: Traffic noise reduces foraging efficiency in acoustic predators. *Proceedings of the Royal Society B: Biological Sciences*. 282:1-7.
- Singer, F.J. 1995. Effects of grazing by ungulates on upland bunchgrass communities of the northern winter range of Yellowstone National Park. *Northwest Science* 69: 191-195.
- Smallwood, J. A. and D. M. Bird. 2002. American Kestrel (*Falco sparverius*). *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/602>.
- Smucker, K. M., R. L. Hutto and B. M. Steele. 2005. Changes in bird abundance after wildfire: Importance of fire severity and time since fire. *Ecological Applications* 15: 1535–1549.
- Soutiere, E.C. 1979. Effects of timber harvesting on marten in Maine. *Journal of Wildlife Management* 43: 850–860.
- Spallholtz, J.E. and D.J. Hoffman. 2002. Selenium toxicity: Cause and effects in aquatic birds. *Aquatic Toxicology* 57: 27-37.
- Squires, J.R. and T. Laurion. 2000. Lynx home range and movements in Montana and Wyoming: preliminary results. Pages 337 – 349 *In* L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey and J.R. Squires, editors. *Ecology and conservation of lynx in the United States*. University Press of Colorado, Boulder, Colorado, USA.
- Squires, J. R., DeCesare, J. D., Olson, L. E., Kolbe, J. A., Hebblewhite, M., Parks, S. A. 2013. Combining resource selection and movement behavior to predict corridors for Canada Lynx at their southern range periphery. *Biological Conservation* 157 (2013) 187-195.
- Stelfox, J.B. (ed.). 1995. Relationships between stand age, stand structure, and biodiversity in aspen mixedwood forests in Alberta. Jointly published by Alberta Environmental Centre (AECV95-R1), Vegreville, AB, and Canadian Forest Service (Project No. 0001A), Edmonton, AB.
- Stenhouse, G. and K. Graham. 2005. Foothills Model Forest Grizzly Bear Research Program 1999-2003 Final Report.

- Stepinsky, D. 1997. Landscape features and characteristics of great gray owl (*Strix nebulosa*) nests in fragmented landscapes of central Alberta. Pages 601-609 in J.R. Duncan, D.H. Johnson and T.H. Nicholls, editors. *Biology and Conservation of Owls in the Northern Hemisphere*. Second International Symposium. USDA Forest Service General Technical Report, NC-190.
- Stevens, S., Duval, J. 2005. Ecology of grizzly bears in the Cheviot, Luscar and Gregg River mine areas (1999-2004). Hinton, AB. Foothills Model Forest Grizzly Bear Research Project.
- Steventon, J.D. and J.T. Major. 1982. Marten use of habitat in commercially clear-cut forests. *Journal of Wildlife Management* 46: 175-182.
- Stewart, K. M.; T. R. Bowyer and P. J. Weisberg. 2011. Spatial use of landscapes. In: Hewitt, David G., ed. *Biology and management of white-tailed deer*. Boca Raton, FL: CRC Press: 181-217.
- Stewart, K. M., Fulbright, T. E., Drawe, D. L. 2000. White-tailed deer use of clearings relative to forage availability. *Journal of Wildlife Management* 64: 733-741.
- Stone, E.L., S. Harris and G. Jones. 2015. Impacts of artificial lighting on bats: A review of challenges and solutions. *Mammalian Biology* 80:213-219.
- Sun, J.W.C. and P.M. Narins. 2005. Anthropogenic sounds differentially affect amphibian call rate. *Biological Conservation*. 121: 419-427.
- Symbaluk, M. D. 2008. Testing Landscape Modeling Approaches for Environmental Impact Assessment of Mining Land use on Grizzly Bears (*Ursus arctos horribilis*) in the Foothills Region of West Central Alberta. Royal Roads University, 2008.
- Takats, D. L., C. M. Francis, G. L. Holroyd, J. R. Duncan, K. M. Mazur, R. J. Cannings, W. Harris and D. Holt. 2001. Guidelines for Nocturnal Owl Monitoring in North America. Beaverhill Bird Observatory and Bird Studies Canada, Edmonton, Alberta.
- Takats, L.D. and C. Priestley. 2002. Alberta amphibian call surveys: A pilot year. Final report. Alberta Sustainable Resource Development, Fish and Wildlife Division, Alberta species at risk report No. 53. Edmonton, Alberta, Canada . Available Online: <http://esrd.alberta.ca/fish-wildlife/species-at-risk/species-at-risk-publications-web-resources/amphibians/documents/SAR053-AmphibianCallSurveys-Apr2002.pdf>
- Taylor, W.K. 1973. Black-throated blue warbler and Cape May warblers killed in central Florida. *Bird-Banding* 44: 258-266.
- Theberge, J.B. and C.H.R. Wedeles. 1989. Prey selection and habitat partitioning in sympatric coyote and red fox populations, southwest Yukon. *Canadian Journal of Zoology* 67: 1285-1290.

- The Canadian Press. 2010. Four bald eagles die from lead poisoning at Alberta wildlife rehab centre. Available online at: <http://www.trurodaily.com/Sports/Outdoor-activities/2010-02-16/article-821838/4-bald-eagles-die-from-lead-poisoning-at-Alta.-wildlife-rehab-centre/1>.
- Thomas, C.D., A. Cameron, R.E. Green, M. Bakkenes, L.J. Beaumont, Y.C. Collingham, B.F.N. Erasmus, M.F. de Siqueira, A. Grainger, L. Hannah, L. Hughes, B. Huntley, A.S. van Jaarsveld, G.F. Midgley, L. Miles, M.A. Ortega-Huerta, A.T. Peterson, O.L. Phillips and S.E. Williams. 2004. Extinction risk from climate change. *Nature* 427: 145-148.
- Thompson, I. D. and W. J. Curran. 1995. Habitat suitability for marten of second-growth balsam fir forests in Newfoundland. *Canadian Journal of Zoology* 73: 2059-2064.
- Thompson, I.D. and A.S. Harestad. 1994. Effects of logging on American martens and models for habitat management. In S.W. Buskirk, A.S. Harestad, M.G. Raphael and R.A. Powell (Eds.). *Martens, sables and fishers: biology and conservation*. Cornell University Press. Ithaca, New York, USA.
- Timmermann, H.R. and J.G. McNicol. 1988. Moose habitat needs. *Forestry Chronicle* 64:238-245.
- Tsuut'ina Nation. 2015. Public Report on Tsuut'ina Land Use in the Grassy Mountain Area. Prepared by N. Thorpe and K. Scott for Riversdale Resources, Ltd., July 2015.
- Turner, M.M., A.P. Rockhill, C.S. Deperno, J.A. Jenks, R.W. Klaver, A.R. Jarding, T.W. Grovenburg and K.H. Pollock. 2011. Evaluating the effect of predators on white-tailed deer: Movement and diet of coyotes. *Journal of Wildlife Management* 75(4):905-912.
- United States Fish and Wildlife Service (USFWS). 2015. Bald eagle conservation: Bald eagle natural history and sensitivity to human activity information. Available online at: http://www.fws.gov/midwest/eagle/conservation/baea_nhstry_snstvtvty.html.
- Van Beest, F. M., Vander Wal, E., Stronen, A. V. and R. K. Brook. 2013. Factors driving variation in movement rate and seasonality of sympatric ungulates. *Journal of Mammalogy* 94: 691-701.
- Vashon, J.H., A.L. Meehan, J.F. Organ, W.J. Jakubas, C.R. McLaughlin, A.D. Vashon and S.M. Crowley. 2008. Diurnal habitat relationships of Canada lynx in an intensively managed private forest landscape in northern Maine. *72*: 1488-1496.
- Viel, J.M. 2014. Habitat preferences of the common nighthawk (*Chordeiles minor*) in cities and villages in southeastern Wisconsin. Master's Thesis, University of Wisconsin-Milwaukee. Milwaukee Wisconsin, USA.

- Visscher, D.R., E.H. Merrill, D.E.H., Fortin, D. and Frair, J.L. 2006. Estimating woody browse availability for ungulates at increasing snow depths. *Forest Ecology and Management* 222: 348-354.
- Vonhof, M. 2002. Handbook of Inventory Methods and Standard Protocols for Surveying Bats in Alberta. Alberta Environment, Fisheries and Wildlife Management Division, Edmonton, AB. Revised 2006. Available online at: <http://esrd.alberta.ca/fish-wildlife/wildlife-management/documents/Bats-SurveyingBatsAlberta-MethodsProtocol-2006.pdf>.
- Walters, EL., E.H. Miller and P.E. Lowther. 2002. Yellow-bellied sapsucker (*Sphyrapicus varius*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; The Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/662>. Accessed July 2015.
- Waterhouse, M. J., H. M. Armleder and R. J. Dawson. 1994. Forage litterfall in Douglas-fir forests in the central interior of British Columbia. B.C. Ministry of Forestry, Mines, and Lands., Victoria, B.C. Research Note No. 108.
- Wayland, M. and T. Bollinger. 1999. Lead exposure and poisoning in bald eagles and golden eagles in the Canadian prairie provinces. *Environmental Pollution* 104: 341-350.
- Weaver, J.L. 2013. Protecting and connecting headwater havens: Vital landscapes for vulnerable fish and wildlife, southern Canadian Rockies of Alberta. Wildlife Conservation Society of Canada Conservation Report No. 7. Toronto, Ontario, Canada.
- Welch, N.E. and J.A. MacMahon. 2001. Identifying habitat variables important to the rare Columbia spotted frog in Utah (USA): An information-theoretic approach. *Conservation Biology* 19: 473-481.
- Weller, M.W. 1958. Observations on the incubation behavior of a common nighthawk. *The Auk* 75: 48-59.
- Westworth, D.A. 1980. Surveys of moose populations in the vicinity of the Syncrude development. Winter 1979 – 1980. Prepared for Syncrude Canada Ltd. Calgary, Alberta, Canada.
- Westworth, D.A., L.M. Brusnyk, J. Roberts and H. Veldhuzien. 1989. Winter habitat use by moose in the vicinity of an open pit mine copper mine in north-central British Columbia. *Alces* 25: 156-166.
- Westworth Associates Environmental Ltd. 2002. A review and assessment of baseline information for key wildlife and fish species in the Regional Sustainable Development Strategy Study Area: Volume I Wildlife. Prepared for the Cumulative Environmental Management Association Wildlife and Fish Working Group. Fort McMurray, Alberta, Canada.

- Wiggins, D. A., D.W. Holt and S.M. Leasure. 2006. Short-eared owl (*Asio flammeus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/062>.
- Wilbert, C.J., S.W. Buskirk and K.G. Gerow. 2000. Effects of weather and snow on habitat selection by American martens (*Martes americana*). Canadian Journal of Zoology 78: 1691-1696.
- Wishart, W.D. 1984. Western Canada. In Halls, L.K. (ed.). White-tailed Deer: Ecology and Management. Stackpole Books, Harrisburg, Pennsylvania, USA.
- Wright, J.M. 1997. Preliminary study of olive-sided flycatchers, July 1994—April 1997. Alaska Department of Fish and Game. Final Research Report. Endangered Species Conservation Fund Federal Aid Studies SE-3-3, 4 and 5. Juneau, Alaska, USA.
- Wright, J.L. 1999. Winter home range and habitat use by sympatric fishers (*Martes pennanti*) and American martens (*Martes americana*) in northern Wisconsin. M. Sc. Thesis, University of Wisconsin, Stevens Point, Wisconsin, USA.
- Wyatt, V.E. and C.M. Francis. 2002. Rose-breasted grosbeak (*Pheucticus ludovicianus*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; The Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/692>. Accessed July 2015.
- Zoltai, S.C., Singh, T., Apps, M.J. 1991. Aspen Management for the 21st Century. Forestry Canada, Northwest Region, Edmonton Canada. Pp 143-152.